

22500149577

SEVENTY-FIRST
ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN ENGLAND AND WALES.
(1908.)

Presented to both Houses of Parliament by Command of His Majesty.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

And to be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LTD., FETTER LANE, E.C., and
32, ABINGDON STREET, WESTMINSTER, S.W.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, 116, GRAFTON STREET, DUBLIN.

1909.

[Cd. 4961.] *Price 3s. 5d.*

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call No.	

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1908.

REPORT :—	PAGES
POPULATION. Census Population and Estimated Population ...	v-vi
MARRIAGES. Number ; Methods of measuring the marriage rate ; Rates, in proportion to total population and to number of marriageable persons ; Marriage-rates in Counties ; First Marriages and re-marriages ; Divorced persons ; Ages at Marriage ; Unstated ages ; Marriages of Minors ; Mean age at marriage ; Signatures in Marriage Register ; Buildings in which Marriages may be Solemnized ; Manner of Solemnization ...	vii-xxiv
BIRTHS. Number ; Methods of measuring the birth-rate ; Rates in proportion to total population and among Women of Conceptive Ages ; Birth-rates in Counties and in Urban and Rural Areas ; Sex ; Illegitimate Births :—Number ; Rates in Counties ...	xxiv-xxxv
NATURAL INCREASE ...	xxxv-xxxvi
DEATHS. Number ; General death-rate ; Sex ; Ages ; Corrected death-rate ; County death-rates ; Infantile Mortality ; Centenarians ; Urban and Rural Mortality ; Certification of Causes of Death ; Inquests ; Uncertified Deaths :—Reported to Coroners ; Assigned Causes of ; Deaths in Public Institutions ...	xxxvi-l
OFFENCES AGAINST THE REGISTRATION ACTS ...	li
PROGRESS OF REGISTRATION. Aggregate Number of NAMES on the REGISTERS ; NUMBER of SEARCHES in the Registers and of CERTIFICATES granted at the CENTRAL OFFICE ; FEES received... ..	li-lii
UNITED KINGDOM. Population ; Marriages ; Births ; Deaths ...	lii-liv
ARMY AND NAVY. STRENGTH and MORTALITY of the ARMY at HOME and ABROAD ; STRENGTH and MORTALITY of the NAVY ...	liv
BIRTHS AND DEATHS AT SEA. MARINE REGISTER BOOK ; MORTALITY of MERCANTILE MARINE ...	liv-lv
INTERNATIONAL VITAL STATISTICS ...	lv-lxxiii
FINAL REMARKS ...	lxxiii-lxxvi
Dr. STEVENSON'S LETTER TO THE REGISTRAR-GENERAL ON THE CAUSES OF DEATH ...	lxxviii-cxxix
METEOROLOGY ; Remarks by Dr. Shaw, Director of the Meteorological Office ...	cxxx-cxxxv
TABLES ; Population ; Ratios of Marriages, Births and Deaths, International Tables ...	1-145
ABSTRACTS :—	
BIRTHS (distinguishing Legitimate and Illegitimate), DEATHS and MARRIAGES Registered in England and Wales, and in the several Registration Divisions, Counties, and Districts ; and BIRTHS and DEATHS in sub-districts... ..	147-209
MARRIAGES, Analysis of, in Registration Divisions and Counties ; showing, (a) mode of Solemnization, (b) number in each quarter of the year, (c) Previous Civil Condition of Persons married, (d) Marriages of Persons not of Full Age, and (e) Signatures by mark in Marriage Register ...	210-213
AGES of Persons married in England and Wales and in London, distinguishing ages of Bachelors, Spinsters, Widowers, Widows... ..	214-228

ABSTRACTS— <i>continued.</i>	PAGES
DEATHS of Males and Females in PUBLIC INSTITUTIONS	229-280
DEATHS of Males and Females at different AGE-PERIODS, in REGISTRATION DIVISIONS and COUNTIES	281-290
CAUSES of DEATH of Males and Females at different Periods of Life in ENGLAND and WALES	291-311
DEATHS of Males and Females at different Periods of Life in ENGLAND and WALES, certified as from INFECTIVE PROCESSES	312-313
CAUSES of DEATH of Males and Females at different Periods of Life in LONDON	314-333
DEATHS of Males and Females at different Periods of Life in LONDON, certified as from INFECTIVE PROCESSES	334-335
CAUSES of DEATH of Males and Females in each REGISTRATION COUNTY	336-405
DEATHS from SEVERAL CAUSES, and INQUEST CASES, in REGIS- TRATION DIVISIONS, COUNTIES, and DISTRICTS... ..	406-448
DEATHS from ACCIDENT and NEGLIGENCE in ENGLAND and WALES, distinguishing AGE, and CAUSE or NATURE of ACCIDENT; MALES and FEMALES	449-467
DEATHS from SUICIDE in ENGLAND and WALES, distinguishing AGE and METHOD; MALES and FEMALES	468-469
DEATHS from MURDER in ENGLAND and WALES, distinguishing AGE and METHOD; MALES and FEMALES	470-471
DEATHS from MANSLAUGHTER in ENGLAND and WALES, dis- tinguishing AGE and METHOD; MALES and FEMALES	472-473
<hr/>	
INDEXES of REGISTRATION DISTRICTS, of SUB-DISTRICTS, and of URBAN DISTRICTS, referring to Numbers used in the several TABLES of ABSTRACTS	474-498
CHANGES in the CONSTITUTION of REGISTRATION DISTRICTS and SUB-DISTRICTS	499-502
ALPHABETICAL INDEX to REPORT, TABLES, and ABSTRACTS... ..	503-528

DIAGRAMS :—

I. MARRIAGE RATES, 1876-1908	Facing page	x
II. BIRTH RATES, 1876-1908	} " "	xxvi
III. LEGITIMATE and ILLEGITIMATE BIRTH RATES, 1876-1908		
IV. CORRECTED DEATH RATES from ALL CAUSES, 1859-1908	" "	xxxvi
V. INFANTILE MORTALITY, 1859-1908	" "	xl
VI. INFANTILE MORTALITY in COUNTIES, 1908	" "	xlii
VII. DEATHS from PRINCIPAL CAUSES, 1908	" "	lxxx
VIII. TUBERCULOSIS (ALL FORMS), PHTHISIS; CORRECTED DEATH RATES, 1859-1908	" "	c
IX. CANCER : CORRECTED DEATH RATES, 1859-1908	" "	cvii

REPORT

TO

THE RIGHT HONOURABLE JOHN BURNS, M.P.,

President of the Local Government Board, &c., &c.

(1908.)

SIR,

I HAVE the honour to submit to you the following Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1908.

From returns furnished by the registrars acting throughout the country, the provisional numbers of marriages, births, and deaths for the year 1908 have already been published in the "General Abstract," and in somewhat greater detail as regards the causes of death for the counties of England and Wales, and for London and other large towns, in the "Annual Summary," which publication was issued in May, 1909.

The present Report also relates to the year 1908, but the statistics have been compiled from the registers deposited in this office and they have been analysed in far greater detail than was possible in the Annual Summary.

POPULATION.

In previous Reports reference has been made to the difficulty of estimating populations for years subsequent to the last census. The records of registration give the numbers of births and the numbers of deaths in each year, but there is no complete record of emigration from and immigration into England and Wales.* It is possible that in course of time such complete returns will be made, but it is quite impracticable to keep records of the numbers of persons moving from one county or town to another and therefore the intercensal populations of such areas must be estimated by some process of calculation. Failing authoritative returns of the total movement of the population, the total population at all ages for the whole country is provisionally calculated on the assumption that the rate of increase which had prevailed at the last intercensal period has since been maintained; a method which is not likely to lead to serious error when so large an

* The Board of Trade Returns of Emigration and Immigration have been much improved in recent years, and now show the balance on passenger movement into and out of the United Kingdom. (See Table 45, page 92.)

area as the whole country is dealt with. The total thus estimated has been distributed among the various divisions of the country in proportions determined by their rates of growth during the last intercensal period. Any assumption used for estimating populations for counties, towns, districts, &c., at a date so far removed from the last census must be faulty, but the method described above appears to be less unsatisfactory than any other which suggests itself.

When the population is enumerated decennially, the impossibility of making trustworthy estimates of population for intercensal years is obvious. The only remedy is the taking of a census at more frequent intervals.

The population of England and Wales, enumerated at the end of March, 1901, consisted of 32,527,843 persons. From that date until the middle of 1908 the number of births exceeded the number of deaths by 2,940,866. Had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year to 35,468,709. In the absence of precise information on this point, the populations in the Reports are, as already stated provisionally estimated on the assumption that the rate of increase which had prevailed in the last completed intercensal period has since been maintained.

Estimated in this way the population of England and Wales in the middle of the year 1908 amounted to 35,348,780 persons, of whom 17,071,524 were males and 18,277,256 were females. This population has been distributed among the constituent areas after making due allowance for their several rates of growth in the intercensal period. For the purpose of the present calculation the intermediate London Census in 1896 has been left out of account.

The Division of the Country for Statistical purposes.

In these Reports the statistics are presented for the divisions, counties, districts, and sub-districts into which the country is divided for registration purposes.

When in the year 1837 the system of birth, death and marriage registration for the whole of England and Wales came into force, the Poor Law Unions which had been created some few years earlier were adopted as the units of area for registration purposes. No doubt at that time these unions or groups of parishes were the most convenient areas on which to base the administration of the new system of birth and death registration, and they naturally became associated with the statistics of births and deaths which were developed from the data collected in the process of registration.

The subsequent partition of the country into urban and rural administrative divisions, under the Public Health Act of 1875, introduced a new factor into the case. These divisions are not as a rule co-terminous with the older poor law areas, but they have become so intimately connected with vital statistics that the desirability of a closer relation between them and registration areas is obvious.

If the system of birth and death registration were now to be inaugurated, the boundaries of registration districts would undoubtedly be based upon the boundaries of urban and rural areas, and not on those of poor law areas, but certain administrative and financial difficulties stand in the way of substituting another system for the existing one. At present the guardians pay the fees for registration, receive the Registrars' contributions under the Poor Law

Officers' Superannuation Act, and are responsible for the payment of the pensions to which the Registrars are entitled on retirement. In any change of the system of registration it would be necessary to provide compensation for Registrars whose fees and prospective pensions were adversely affected; and moreover it would be necessary to adjust the terms on which the financial responsibilities of the old authorities should be taken over by those who were in future to pay the fees and pensions.

Apart from the question of the assimilation of registration and public health areas, there remains, with regard to the presentation of mortality statistics, the difficult problem of the distribution of deaths occurring outside the administrative areas to which they belong. Nearly one-fifth of the deaths in England and Wales, for example, occur in public institutions, and in a great number of instances the deceased inmates have been received from administrative areas other than those in which the institutions are situated.

With the limited staff of the General Register Office the work of allocating as accurately as possible deaths of non-residents has hitherto of necessity been restricted to London, but mortality statistics relating to 75 other large towns and 142 smaller towns, as published in the Quarterly Returns and in the Annual Summary have been approximately corrected by the aid of special returns furnished to the Registrar-General by the local registrars.

A reference will be found in the concluding section of this report to some suggested methods of dealing with the question of the assimilation of registration and public health areas.

MARRIAGES.

The marriages in England and Wales during the year 1908 numbered 264,940, corresponding to a rate of 14·9 persons married per 1000 of the population at all ages. This rate was 0·9 per 1000 below the corresponding rate in 1907 and 0·9 below the average rate in the ten years 1898–1907.

Complete statistics of the marriages recorded in England and Wales are available only from 1st July, 1837, on which date the Births, Deaths, and Marriage Registration Acts of 1836 came into operation. The proportion to the total population of persons married during the 71 years (1838–1908) ranged between a maximum of 17·9 per 1000 living in 1853, and a minimum of 14·2 per 1000 in 1886, the mean annual rate in the whole period being 16·0 per 1000.

In previous reports it has been pointed out that although it was possible many years ago to trace some correspondence between the fluctuations in the marriage rate and the fluctuations in the price of wheat, in more recent years the figures show no such parallelism.

It will be seen, however, from Table A, that in recent years the fluctuations of the marriage rate show some correspondence with the fluctuations of exports and of employment. In other words, the alternating periods of commercial prosperity and depression have some effect on the increase or decrease in the proportion of marriages.

For example, the rise in the marriage rate in the years 1906 and 1907 corresponded to a rise in the value of exports and in the amount of employment, while the considerable fall that took place in the marriage rate in the year 1908 corresponded to a reduction in exports and a high proportion of unemployed.

Marriages.

TABLE B.—ENGLAND AND WALES.—MARRIAGE RATES, 1876-1908.

Period.	Calculated on the total population at all ages.		Calculated on the total number of marriageable persons in the population.	
	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	15.3	100.0	51.9	100.0
1881-1885 ...	15.2	99.3	50.6	97.5
1886-1890 ...	14.7	96.1	47.8	92.1
1891-1895 ...	15.1	98.7	47.9	92.3
1896-1900 ...	16.1	105.2	49.7	95.8
1901-1905 ...	15.6	102.0	47.6	91.7
1876	16.5	107.8	56.0	107.9
1877	15.7	102.6	53.3	102.7
1878	15.2	99.3	51.4	99.0
1879	14.4	94.1	48.5	93.4
1880	14.9	97.4	50.3	96.9
1881	15.1	98.7	51.1	98.5
1882	15.5	101.3	52.1	100.4
1883	15.5	101.3	51.7	99.6
1884	15.1	98.7	50.2	96.7
1885	14.5	94.8	47.9	92.3
1886	14.2	92.8	46.8	90.2
1887	14.4	94.1	47.0	90.6
1888	14.4	94.1	46.9	90.4
1889	15.0	98.0	48.6	93.6
1890	15.5	101.3	49.8	96.0
1891	15.6	102.0	49.8	96.0
1892	15.4	100.7	49.0	94.4
1893	14.7	96.1	46.5	89.6
1894	15.0	98.0	47.4	91.3
1895	15.0	98.0	47.0	90.6
1896	15.7	102.6	49.1	94.6
1897	16.0	104.6	49.7	95.8
1898	16.2	105.9	50.1	96.5
1899	16.5	107.8	50.7	97.7
1900	16.0	104.6	48.9	94.2
1901	15.9	103.9	48.6	93.6
1902	15.9	103.9	48.4	93.3
1903	15.6	102.0	47.8	92.1
1904	15.2	99.3	46.5	89.6
1905	15.3	100.0	46.6	89.8
1906	15.6	102.0	47.7	91.9
1907	15.8	103.3	48.3	93.1
1908	14.9	97.4	45.6	87.9

Marriages in Counties.—Table C. on page xi shows for the registration counties of England and Wales the marriage rates in the years around the four past censuses, in the quinquennial period 1903-7, and in the year 1908. The rates are based on the proportions of persons married to the unmarried and widowed population aged 15 years and upwards.

DIAGRAM I: MARRIAGE-RATES, ENGLAND & WALES.
1876-1908.



TABLE C.—ANNUAL MARRIAGE RATES in each REGISTRATION COUNTY,
1870-1908.

Registration Counties.	Persons married per 1000 of the unmarried and widowed population aged 15 years and upwards.*					Increase or Decrease per cent, in each County between the period 1870-72 and 1908.	
	Census periods.				Five-year period.		
	1870-72.	1880-82.	1890-92.	1900-02.	1903-07.	1908.	
England and Wales ..	57·2	51·5	49·8	48·7	47·4	45·6	-20·3
London	60·9	56·2	52·3	50·3	48·3	44·8	-26·4
Surrey	38·3	39·2	37·0	38·0	38·9	36·7	-4·2
Kent	46·1	46·0	42·4	43·5	40·4	37·5	-18·7
Sussex	44·5	42·3	38·4	39·0	37·5	35·2	-20·9
Hampshire ..	48·9	48·0	44·7	44·5	45·5	44·4	-9·2
Berkshire ..	47·0	43·4	43·7	43·2	43·5	42·1	-10·4
Middlesex ..	34·8	38·0	37·8	42·5	44·4	41·9	+20·4
Hertfordshire ..	41·0	37·2	38·0	39·3	40·5	41·8	+2·0
Buckinghamshire ..	47·7	45·7	44·5	47·1	44·7	42·9	-10·1
Oxfordshire ..	46·6	41·4	41·7	41·6	43·6	45·6	-2·1
Northamptonshire ..	58·0	53·0	53·6	49·4	46·4	45·1	-22·2
Huntingdonshire ..	52·1	44·8	44·7	46·0	46·9	46·0	-11·7
Bedfordshire ..	52·3	48·0	43·2	43·8	44·5	46·4	-11·3
Cambridgeshire ..	52·0	41·8	45·3	46·3	44·8	43·7	-16·0
Essex	45·9	46·2	48·4	49·3	47·7	45·1	-1·7
Suffolk	51·8	50·2	46·9	47·0	44·5	43·8	-15·4
Norfolk	52·3	50·2	45·9	45·5	45·2	46·5	-11·1
Wiltshire	47·4	44·5	44·8	45·0	46·9	45·1	-4·9
Dorsetshire ..	45·6	42·7	43·1	41·5	42·9	38·1	-16·4
Devonshire ..	50·6	46·7	45·7	43·4	44·4	44·2	-12·6
Cornwall	44·6	38·7	39·8	38·4	39·7	42·4	-4·9
Somersetshire ..	45·6	42·2	43·1	40·7	41·3	41·2	-9·6
Gloucestershire ..	58·1	50·9	49·2	47·2	45·6	44·1	-24·1
Herefordshire ..	38·6	35·4	38·3	38·6	37·7	37·8	-2·1
Shropshire	44·9	37·9	40·2	42·0	39·2	37·9	-15·6
Staffordshire ..	71·6	60·0	58·7	55·9	52·9	49·5	-30·9
Worcestershire ..	56·2	47·5	47·0	46·1	44·1	41·2	-26·7
Warwickshire ..	62·9	53·2	56·4	54·7	53·2	51·2	-18·6
Leicestershire ..	61·8	55·1	53·4	51·6	49·6	47·9	-22·5
Rutlandshire ..	43·1	37·0	38·3	37·2	36·1	42·3	-1·9
Lincolnshire ..	53·1	47·9	49·9	50·6	51·4	50·5	-4·9
Nottinghamshire ..	68·1	64·8	58·4	58·1	55·7	55·8	-18·1
Derbyshire	60·0	51·2	54·3	53·5	51·2	49·9	-16·8
Cheshire	54·7	46·8	45·5	43·8	43·7	42·5	-22·3
Lancashire	66·1	56·8	52·8	50·3	49·2	47·0	-28·9
West Riding ..	66·1	55·2	54·1	52·0	49·7	48·0	-27·4
East Riding ..	63·8	54·9	53·7	50·4	48·7	48·6	-23·8
North Riding ..	50·7	49·7	45·9	47·4	47·3	48·1	-5·1
Durham	70·9	62·9	57·6	58·9	56·2	53·7	-24·3
Northumberland ..	64·4	54·1	52·9	51·1	48·6	47·0	-27·0
Cumberland	47·6	45·7	42·6	43·7	43·3	42·3	-11·1
Westmorland ..	44·7	39·2	37·7	36·4	36·6	40·1	-10·3
Monmouthshire ..	64·4	55·6	57·5	55·6	56·3	58·7	-8·9
South Wales ..	56·8	51·2	54·9	53·5	51·4	52·9	-6·9
Glamorganshire ..	67·6	60·3	63·3	59·2	56·4	58·3	-13·8
Cardiganshire ..	53·0	45·6	45·4	46·4	46·6	49·3	-7·0
Pembrokeshire ..	47·0	41·6	42·8	42·8	43·9	42·1	-10·4
Cardiganshire ..	38·1	31·7	31·3	30·9	30·1	30·0	-21·3
Brecknockshire ..	50·5	44·1	47·1	52·3	46·9	44·5	-11·9
Radnorshire ..	43·3	38·1	34·6	40·1	29·3	26·0	-40·0
North Wales ..	43·0	38·7	40·6	39·8	37·6	35·7	-17·0
Montgomeryshire ..	41·6	33·3	37·7	37·2	37·9	36·9	-11·3
Flintshire	38·3	36·0	42·1	37·2	36·2	38·5	+0·5
Denbighshire ..	45·7	42·0	46·8	43·9	41·3	39·7	-13·1
Merionethshire ..	44·8	37·6	36·1	38·6	34·3	30·7	-31·5
Carnarvonshire ..	44·0	41·3	39·5	39·0	36·8	32·9	-25·2
Anglesey	37·9	36·6	36·1	38·5	35·6	35·4	-6·6

* See remarks, page ix.

Among registration counties with populations exceeding 100,000 persons the highest and lowest marriage rates in the year 1908, in proportion to the marriageable section of the population, were as follows :—

Registration Counties with the highest Marriage rates.	Persons married per 1000 marriageable population.	Registration Counties with the lowest Marriage rates.	Persons married per 1000 marriageable population.
England and Wales ... 45·6.			
Monmouthshire	58·7	Shropshire	37·9
Glamorganshire	58·3	Herefordshire	37·8
Nottinghamshire	55·8	Kent	37·5
Durham	53·7	Surrey	36·7
Warwickshire	51·2	Sussex	35·2
Lincolnshire	50·5	Carnarvonshire	32·9

It should be observed that the differences between the marriage rates are not due entirely to variations in the economic conditions in the several counties, but are due in some measure to differences in the age and sex constitution of the respective marriageable populations.

Marriage Rates of Bachelors, Spinsters, Widowers and Widows.—The following table supplies an even more satisfactory measure of the rate of marriage than the comparison of the marriages with the total population of marriageable age.

MEAN ANNUAL MARRIAGE RATE PER 1000 LIVING, AGED 15 YEARS AND UPWARDS.*

Period.	Bachelors.		Widowers.		Spinsters.		Widows.	
	Rate per 1000.	Compared with rate in 1880-82 taken as 100.	Rate per 1000.	Compared with rate in 1880-82 taken as 100.	Rate per 1000.	Compared with rate in 1880-82 taken as 100.	Rate per 1000.	Compared with rate in 1880-82 taken as 100.
1880-82 ...	58·7	100·0	52·9	100·0	59·0	100·0	15·5	100·0
1890-92 ...	57·1	97·3	50·7	95·8	55·7	94·4	15·2	98·1
1900-02 ...	54·7	93·2	44·4	83·9	53·0	89·8	14·4	92·9
1903	54·0	92·0	40·6	76·7	52·2	88·5	13·4	86·5
1904	52·8	89·9	38·0	71·8	50·9	86·3	12·5	80·6
1905	52·9	90·1	38·3	72·4	51·0	86·4	12·6	81·3
1906	54·2	92·3	38·6	73·0	52·3	88·6	12·6	81·3
1907	54·8	93·4	39·4	74·5	53·0	89·8	12·7	81·9
1908	51·7	88·1	38·0	71·8	50·0	84·7	12·4	80·0

* The rates in each period are based on the age constitution, and proportions of these particular sections of the population as enumerated at the Census of 1901.

The fall in the marriage rate in the period reviewed in the table has been greater among widowers and widows than among the unmarried of either sex, but the apparent tendency among the widowed not to re-marry is not so great as it would appear to be from the above statement, because there has been a considerable

decrease in the proportions of persons who have become widowed at the younger ages. The number of widows is always much greater than that of widowers, because, in the first place, men marry later in life than women, secondly, because the duration of male life is shorter than that of female life, and thirdly because the proportion of widows who re-marry is much lower than the proportion of widowers who re-marry.

The next table gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876; here again it will be observed that the proportion of widowed persons who re-married shows an almost continuous decrease.

PROPORTIONS OF FIRST MARRIAGES AND RE-MARRIAGES IN 1000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married		Widowers who married	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876-80 ...	864	136	902	98	820	44	82	54
1881-85 ...	874	126	911	89	834	40	77	49
1886-90 ...	881	119	917	83	844	37	73	46
1891-95 ...	887	113	921	79	851	36	70	43
1896-1900 ...	904	96	931	69	871	33	60	36
1901-05 ...	911	89	933	67	877	34	56	33
1906 ...	917	83	938	62	885	32	53	30
1907 ...	916	84	939	61	885	31	54	30
1908 ...	914	86	936	64	881	33	55	31

The Divorced.—The numbers of persons divorced annually have been increasing for many years, and were more numerous in

AVERAGE ANNUAL **Number** OF PERSONS DIVORCED, AND OF DIVORCED PERSONS WHO RE-MARRIED, 1876-1908.

Period.	Number of Persons divorced.	Number of Divorced persons who re-married.							
		Total.	Men.	Women.	Divorced men and spinsters.	Divorced men and widows.	Divorced men and divorced women.	Divorced women and bachelors.	Divorced women and widowers.
1876-80 ...	554.0	103.8	55.8	48.0	42.0	12.2	1.6	31.2	15.2
1881-85 ...	671.2	128.0	68.2	59.8	52.8	12.6	2.8	42.0	15.0
1886-90 ...	706.8	169.0	79.8	89.2	64.8	10.8	4.2	65.0	20.0
1891-95 ...	743.6	213.8	109.6	104.2	88.8	15.0	5.8	75.4	23.0
1896-1900 ...	980.0	345.2	172.4	172.8	137.8	24.4	10.2	125.8	36.8
1901-05 ...	1126.4	509.2	261.6	247.6	204.8	37.8	19.0	181.0	47.6
1906...	1092	676	351	325	268	55	28	227	70
1907...	1288	636	309	327	259	31	19	259	49
1908...	1314	708	365	343	276	63	26	267	50

1908 than in any previous year. The marriages of persons described as divorced have also steadily increased, and in the year 1908 were the highest on record.

The number of divorced persons who re-married in 1876-80 was equal to about 19 per cent. of the number divorced during that period, whereas in 1908 the proportion had risen to more than 50 per cent. It should be pointed out, however, that in some cases persons who have been divorced abroad re-marry in this country, and also that the figures given in the table refer only to persons described in the marriage register as divorced, and possibly this description is not given in all cases in which it is applicable.

Ages at Marriage.—Attention has been drawn in recent reports to the gradual improvement that has taken place in the marriage registers in reference to the definite statement of ages at marriage.

Seventy years ago the ages of both parties were stated in only six per cent. of the marriages. In the course of the next thirty years the proportion had risen to 70 per cent., in 1880 to 82 per cent., and in 1890 to 96 per cent. Since that date the increase, although necessarily less marked, has been continuous. In the year 1896 the proportion exceeded 98 per cent. and gradually rose until in the year under review (1908) precise statements of age were made by 99·19 per cent. of the husbands, and 99·09 per cent. of the wives. Unstated ages are more frequent in re-marriages than in first marriages, and most frequent of all in re-marriages of widowers.

AVERAGE ANNUAL MARRIAGE-RATES OF UNMARRIED and WIDOWED PERSONS
at SIX AGE GROUPS, 1880-2; 1890-2; and 1900-2.

—		Aged 15 years and upwards.*	15-	20-	25-	35-	45-	55 and up- wards.
<i>Bachelors.</i>								
1880-2	...	58·7	4·6	106·8	112·4	40·5	14·3	3·0
1890-2	...	57·1	3·1	94·7	122·4	43·4	15·2	3·5
1900-2	...	54·7	2·5	85·9	123·7	44·2	14·6	3·3
<i>Widowers.†</i>								
1880-2	...	52·9	30·6	192·9	246·5	157·8	76·9	16·0
1890-2	...	50·7	14·1	153·4	231·7	151·1	74·7	15·5
1900-2	...	44·4	—	132·6	201·7	134·1	65·3	13·5
<i>Spinsters.</i>								
1880-2	...	59·0	21·5	121·9	80·6	26·3	10·4	1·6
1890-2	...	55·7	16·2	112·4	85·7	26·4	10·3	1·7
1900-2	...	53·0	13·0	104·8	88·5	25·3	9·1	1·5
<i>Widows.†</i>								
1880-2	...	15·5	56·6	155·3	114·5	50·2	18·6	2·6
1890-2	...	15·2	49·3	150·4	114·3	50·3	17·8	2·4
1900-2	...	14·4	54·9	140·7	115·9	48·9	15·6	2·1

* See note to table on page xii.

† The apparent anomaly, that the rates for widowers and widows at all ages are much lower than those for bachelors and spinsters respectively, while at each separate age-period they are higher, is explained by the fact that the higher rates for bachelors relate to age-periods at which the numbers of bachelors living are comparatively large, while the higher rates for widowers relate to age-periods at which the numbers of widowers living are comparatively small.

For the purposes of this table the marriages in which the ages were not stated have been distributed to the various ages in the proportions shown in the stated cases.

Broadly speaking, the ages of the men at marriage are, so far as concerns the growth of population, of less importance than the ages of women at marriage. The fact that child-bearing is practically limited to the period between the ages 15 and 45 years, and that the fertility of married women is highest at the earlier age groups, makes it evident that any great alteration in the ages of women at marriage must necessarily have important effects on the birth-rate.

The foregoing table shows approximately the rate of marriage at different ages; the calculations have been restricted to the last three census periods in order to avoid errors which might arise from erroneous estimates of sections of the population for intercensal years.

It will be noticed that among bachelors and spinsters there has been a considerable decrease in the marriage rates at the age groups 15-20 and 20-25 years, and an increase in the rates at the age groups 25-35 and 35-45 years among bachelors, and at the age group 25-35 years among spinsters. The decrease in the rate of marriage among the widowed affected every age group except at ages 25-35 among widows, which showed a slight increase.

For the assistance of those who desire to investigate this subject further, the age constitution of bachelors, widowers, spinsters, and widows who married in the period 1886-1908 is given in the following tables.

ENGLAND AND WALES.—AGE-CONSTITUTION of BACHELORS and SPINSTERS who MARRIED reduced to 1,000 MARRIAGES at ALL AGES, 1886-1908.

Period.	All Ages.	Minors.				Full Age.									Age not Stated.
		Under 18 Years.	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55 and up-wards.		
Bachelors.															
1886-1890	1000	0	4	20	47	424	309	96	33	13	6	3	2	43	
1891-1895	1000	0	3	17	43	415	333	108	37	14	6	3	2	19	
1896-1900	1000	0	3	15	39	411	346	110	39	15	6	3	2	11	
1901-1905	1000	0	3	13	35	390	360	122	41	16	7	3	2	8	
1906 ..	1000	0	3	12	32	380	368	127	43	16	7	3	2	7	
1907 ..	1000	0	2	11	31	379	368	130	44	16	7	3	2	7	
1908 ..	1000	0	2	11	30	374	369	132	46	18	7	3	2	6	
Spinsters.															
1886-1890	1000	9	37	72	97	417	219	62	23	10	5	2	1	46	
1891-1895	1000	7	31	66	94	425	241	70	25	11	5	2	1	22	
1896-1900	1000	6	27	59	89	434	253	74	26	11	5	2	1	13	
1901-1905	1000	5	23	53	82	428	272	79	28	12	5	2	1	10	
1906 ..	1000	5	22	51	77	428	278	83	28	11	6	2	1	8	
1907 ..	1000	5	22	48	76	423	281	85	29	12	6	2	2	9	
1908 ..	1000	5	21	48	75	419	282	88	31	12	6	3	2	8	

ENGLAND AND WALES.—AGE-CONSTITUTION of WIDOWERS and WIDOWS who MARRIED reduced to 1,000 MARRIAGES at ALL AGES, 1886-1908.

Period.	All Ages.	Minors.	Full Age.											Age not Stated.
			21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70 and up-wards.	
			Widowers.											
1886-1890	1000.	0	13	81	133	151	139	120	94	70	53	27	15	104
1891-1895	1000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896-1900	1000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901-1905	1000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906 ..	1000	0	10	66	125	149	152	143	117	87	60	36	20	35
1907 ..	1000	—	8	63	126	150	155	136	119	91	62	38	22	30
1908 ..	1000	0	8	60	123	154	156	142	118	87	64	37	23	28
			Widows.											
1886-1890	1000	I	30	119	164	173	145	117	73	46	26	10	3	93
1891-1895	1000	I	27	115	170	177	157	119	78	47	29	10	4	66
1896-1900	1000	I	26	113	175	188	157	127	81	50	28	11	3	40
1901-1905	1000	I	28	122	182	190	158	118	78	47	29	11	4	32
1906 ..	1000	I	23	113	180	184	162	131	78	48	31	12	4	33
1907 ..	1000	I	25	108	180	192	158	128	82	50	30	14	5	27
1908 ..	1000	I	23	108	174	196	160	131	78	53	31	14	5	26

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females. It will be seen from the subjoined table that since that period the ratio of such marriages to total marriages has declined continuously.

				Minors in 1000 Marriages.	
				Husbands.	Wives.
1876-80	77·8	217·0
1881-85	73·0	215·0
1886-90	63·2	200·2
1891-95	56·2	182·6
1896-1900	51·2	168·0
1901	49·6	159·9
1902	47·0	153·7
1903	45·7	152·3
1904	45·6	152·7
1905	43·8	146·9
1906	43·0	145·7
1907	40·7	141·8
1908	40·3	139·7

The numbers of men and women under 21 years who married in 1908 were 10,675 and 37,003 respectively ; so that of every 1,000 men

who married 40, and of every 1,000 women 140, were minors.* This is the lowest proportion of minors recorded among both men and women.

In the year 1908, among registration counties with populations exceeding 100,000 persons the highest and lowest proportions per 1,000 of husbands and of wives under age at marriage were as shown in the annexed table.

The highest proportion of marriages of minors were recorded in the mining and manufacturing counties and the lowest in the agricultural counties.

Registration Counties.	Highest proportions of minors per 1000 Marriages.	Registration Counties.	Lowest proportions of minors per 1000 Marriages.
<i>Husbands.</i>			
England and Wales, 40.			
Nottinghamshire	70	Wiltshire	26
Durham	60	Berkshire	25
Leicestershire	60	Kent	22
Staffordshire	60	Surrey	22
Monmouthshire	59	Hampshire	21
Bedfordshire	52	Shropshire	19
Derbyshire	52	Carnarvonshire	16
West Riding of Yorkshire	52	Herefordshire	14
<i>Wives.</i>			
England and Wales, 140.			
Durham	230	Gloucestershire	92
Monmouthshire	209	Hertfordshire	90
Nottinghamshire	208	Somersetshire	88
Glamorganshire	188	Shropshire	81
Derbyshire	187	Denbighshire	80
North Riding of Yorkshire	179	Herefordshire	79
Northumberland	177	Carnarvonshire	63
West Riding of Yorkshire	175		

It may be observed that marriages of minors are proportionately more common in Scotland than in England and Wales; while in Ireland the proportion of such marriages is far below the English and Scottish ratios.

Mean Age at Marriage.—Although the mean age at marriage is for many purposes a convenient summary of the statement as to age, it is still only a summary. It does not necessarily reflect all the changes, nor even the most important changes in the ages at which people marry. For the purpose of tracing the relations between the marriage rate and the birth rate, the marriage rates at ages, and the age constitution of those sections of the community that marry, are of greater value to the statistician than is the mean age at marriage.

* The decreasing tendency to early marriage is more accurately indicated by the proportion of men and women who marry at the earlier ages to the numbers living at those ages. See table on page xiv giving the marriage rates at several age groups in the three past census periods.

In view of the great reduction that has taken place in the disturbing factor of unstated ages, it has become possible to measure with approximate accuracy for a series of recent years the mean age at marriage, based on the recorded ages.

The figures in the following table show not only the mean ages of husbands and wives in all marriages, but also the mean ages of bachelors, spinsters, widowers, and widows.

It will be noted that the mean age at marriage has steadily increased during the whole period both for bachelors and for spinsters, and a similar tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902.

ENGLAND AND WALES.—MEAN AGES at MARRIAGE 1896-1908 (recorded ages).
HUSBANDS.

Year.	All Husbands.	All Bachelors.	All Widowers.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896 ...	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897 ...	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898 ...	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899 ...	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900 ...	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901 ...	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902 ...	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903 ...	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904 ...	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905 ...	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906 ...	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907 ...	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908 ...	28·78	27·19	45·69	26·92	34·57	42·92	50·66

WIVES.

Year.	All Wives.	All Spinsters.	All Widows.	Spinsters with Bachelors.	Widows with Bachelors.	Spinsters with Widowers.	Widows with Widowers.
1896 ...	26·21	25·08	40·58	24·54	35·69	32·43	44·81
1897 ...	26·18	25·10	40·74	24·59	35·95	32·31	45·00
1898 ...	26·18	25·14	40·59	24·62	35·85	32·68	45·04
1899 ...	26·21	25·16	40·83	24·65	36·12	32·83	45·16
1900 ...	26·29	25·23	40·74	24·71	36·19	32·97	44·95
1901 ...	26·39	25·31	40·43	24·77	35·65	33·04	44·96
1902 ...	26·37	25·36	40·25	24·86	35·62	32·86	44·95
1903 ...	26·35	25·37	40·27	24·89	35·69	32·93	45·01
1904 ...	26·32	25·37	40·35	24·90	35·82	33·03	45·22
1905 ...	26·38	25·43	40·53	24·96	36·02	33·08	45·29
1906 ...	26·41	25·46	40·79	24·99	36·27	33·30	45·53
1907 ...	26·49	25·54	40·91	25·06	36·32	33·43	45·68
1908 ...	26·61	25·63	41·02	25·13	36·43	33·71	45·86

The mean age at marriage varies in different parts of the country, and the following comparison for the year 1908 between London and the rest of England and Wales, may be of interest. It will be noted that except in the marriages of widowers with widows the mean age at marriage was higher in the Metropolis than in the rest of the country.

In marriages of—					Husbands.		Wives.	
					England and Wales, less London.	London.	England and Wales, less London.	London.
Bachelors	27·06	27·96	25·46	25·94
Widowers	45·57	46·44	38·10	37·90
Spinsters	27·73	28·62	25·57	25·98
Widows	42·39	42·39	41·10	40·60
Bachelors with spinsters	26·80	27·61	25·07	25·47
Bachelors with widows	34·30	35·90	36·34	36·91
Widowers with spinsters	42·68	44·26	33·67	33·95
Widowers with widows	50·69	50·45	45·97	45·16
In all marriages	28·65	29·56	26·54	26·98

NOTE.—The table is to be read as follows:—The mean age of all the bachelors who married was 27·96 years in London, and 27·06 in the rest of the country; the mean age of their wives being 25·94 and 25·46 years respectively. The mean age of all the spinsters who married was 25·98 years in London, and 25·57 in the rest of the country; the mean age of their husbands being 28·62 and 27·73 years respectively.

Signature in Marriage Register.—In the year 1908 the proportion of those who at the time of marriage were unable to sign their names in the register was 1·3 per cent. in the case of bridegrooms and 1·5 in the case of brides.

DECREASE IN ILLITERATE MARRIAGES.

Period.				In every 100 Marriages the Proportion who Signed the Marriage Register with Marks.			Comparison with Rate in 1841-45 taken as 100.	
				Men.	Women.	Both.	Men.	Women.
1841-1845	32·6	48·9	?	100	100
1846-1850	31·4	46·2	?	96	94
1851-1855	30·2	43·5	22·5	93	89
1856-1860	27·1	38·1	18·6	83	78
1861-1865	23·6	32·9	15·1	72	67
1866-1870	20·5	28·3	12·3	63	58
1871-1875	18·5	25·2	10·4	57	52
1876-1880	14·8	20·0	7·5	45	41
1881-1885	12·3	15·5	5·4	38	32
1886-1890	8·4	9·8	3·0	26	20
1891-1895	5·1	6·0	1·7	16	12
1896-1900	3·2	3·7	1·0	10	8
1901-1905	2·0	2·4	0·6	6	5
1906	1·5	1·9	0·5	5	4
1907	1·4	1·7	0·4	4	3
1908	1·3	1·5	0·4	4	3

It will be seen from the preceding table that in the period 1841-45, approximately one in three of the men and one in two of the women who married signed the marriage register with marks instead of

writing their names. How defective the elementary education of the population was at that time is evident from these figures. From that date the proportions of illiterate persons of each sex steadily declined, and the effect of the Education Act of 1870, which practically brought nearly every child in the country under educational influences, is reflected in the rapid decline in the proportions since 1885.

Taking the country in the aggregate, the proportion of illiterate women has always been somewhat higher than the proportion of illiterate men; but there are wide differences between the several counties in this respect. The general rule is that in the counties adjacent to the Metropolis and in the agricultural counties the women are more educated than the men, whereas in the mining and industrial counties the reverse is the case, the men being more educated than the women (see Table 12, page 13). Speaking generally, and of both sexes, elementary education appears to be most diffused in the little counties of Rutland and Westmorland, and in Surrey, Sussex, Middlesex, and Berkshire, while the parts that show the greatest deficiency are Cambridgeshire, Huntingdonshire, Cornwall, Staffordshire, Durham, Monmouthshire, and Wales.

The case of London is exceptional. In the year 1908 the proportion of bridegrooms who could not sign their names in the marriage register was 1·3 per cent., and of brides 1·9 per cent. This proportion of illiteracy is not, however, common to all parts of London, it is practically confined to the group of Eastern Registration Districts, where a large proportion of signatures by mark occur in the marriages of Foreign Jews. If these districts be excluded, the proportion of illiteracy in London will be reduced to 0·5 out of every 100 men, and 0·7 out of every 100 women who married.

As a means of testing the state of elementary education in the several divisions of the United Kingdom, it will be interesting to examine the proportions of illiterate marriages as shown by the latest returns.

					In every 100 Marriages the proportion who signed the Marriage Register with Marks.	
					1908.	
					Men.	Women.
England	1·3	1·5
Wales	2·0	2·2
Scotland	1·3*	1·7*
Ireland	8·0	5·5

* Figures relate to the year 1907.

Buildings in which Marriages may be Solemnized.—At the end of the year 1908 the number of churches or chapels of the Established

Church, and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	15,715
All other Religious Denominations	15,274
Total	30,989

The increase upon the numbers at the end of the previous year was : Established Church 51, other religious denominations 288.

By the Acts 15 and 16 Vict., c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar General ; certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1908, and the number of buildings registered for the solemnization of marriages appear in the following table :—

Denomination.	Buildings certified to the Registrar- General as Meeting places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics	1,323	1,279
Wesleyan Methodists	7,340	3,475
Congregationalists	3,162	2,820
Baptists	2,948	2,527
Primitive Methodists	4,146	1,542
United Methodist Church†	1,924	1,114
Calvinistic Methodists	1,145	843
Presbyterians	434	434
Unitarians	174	192
New Jerusalem Church...	48	53
Catholic Apostolic Church	71	49
Countess of Huntingdon's Connexion	44	43
Salvation Army	1,224	35
Society of Friends	383	†
Jews	194	†
All others	2,492	868

* Of these buildings nearly 1000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† In accordance with the provisions of the United Methodist Church Act of 1907, the Bible Christian Church, the Methodist New Connexion Church and the United Methodist Free Churches have become merged in the single denomination of the United Methodist Church.

‡ It is not necessary for buildings to be registered for the Solemnization of Quaker or Jewish Marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the Marriages in each case.

The Marriage Act, 1898, provided that, under specified conditions, marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year

1908 the number of such buildings which had been brought under the operation of the Act, and so remained, was 2,580 out of the total of 15,274; the numbers of these buildings and the denominations to which they belonged, were as follows:—

1,213	Wesleyan Methodists.
414	Congregationalists.
268	Primitive Methodists.
246	Baptists.
225	United Methodist Church.
67	Calvinistic Methodists.
147	Other Denominations, and Unsectarian.

2,580 Total.

These 2,580 registered buildings were distributed among 476 of the registration districts. In the remaining 157 registration districts there was no registered building under the operation of the Act.

Mode of Solemnization.—The following table shows the changes in the mode of solemnization of marriages that have taken place since 1851.

Period.	Of 1000 Marriages.						
	According to the Rites of the Established Church.	Not according to the Rites of the Established Church.	In Registered Buildings.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
			Roman Catholics.	Nonconformists.			
1851-55 ...	842	158	48	62	0·4	1·7	46
1856-60 ...	820	180	46	71	0·4	1·8	61
1861-65 ...	788	212	47	85	0·3	1·8	78
1866-70 ...	769	231	43	96	0·3	1·8	90
1871-75 ...	752	248	41	102	0·3	2·3	102
1876-80 ...	727	273	42	112	0·3	2·4	116
1881-85 ...	711	289	44	114	0·3	2·7	128
1886-90 ...	702	298	42	116	0·3	3·8	136
1891-95 ...	692	308	41	118	0·3	4·9	144
1896-1900 ...	681	319	40	123	0·4	5·9	150
1901-05 ...	650	350	41	130	0·3	7·3	171
1906 ...	631	369	42	130	0·3	8·3	188
1907 ...	624	376	42	131	0·4	7·2	195
1908 ...	616	384	41	132	0·4	6·6	204

Of the marriages contracted in England and Wales during the year 1908, 163,086, or 616 per 1000, were solemnized according to the rites of the Established Church, and 101,854 or 384 per 1,000 were contracted otherwise. It will be observed from the above figures that the proportion of church marriages is the lowest on record, the decrease of 8 per 1,000 since the previous year being balanced by an increase in the proportion of civil marriages in superintendent registrars' offices.

With regard to marriages in the Established Church it will be of further interest to give a statement showing what proportion were by Licence, Banns, and Superintendent Registrar's Certificate respectively.

—	Proportional Numbers of Marriages according to the Rites of the Established Church.					
	Total.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.
1851-55	100	0·01	14·94	78·17	2·77	4·11
1856-60	100	0·01	15·54	78·51	3·01	2·93
1861-65	100	0·01	14·56	79·85	3·04	2·54
1866-70	100	0·01	13·29	81·79	2·94	1·97
1871-75	100	0·01	11·50	85·08	2·68	0·73
1876-80	100	0·02	11·12	85·96	2·46	0·44
1881-85	100	0·05	8·84	88·29	2·48	0·34
1886-90	100	0·02	7·26	90·15	2·30	0·27
1891-95	100	0·02	6·23	91·64	1·88	0·23
1896-1900	100	0·01	5·10	93·32	1·40	0·17
1901-05	100	0·02	4·80	93·97	1·09	0·12
1906	100	0·02	4·43	94·41	1·05	0·09
1907	100	0·01	4·41	94·46	1·02	0·10
1908	100	0·02	4·46	94·46	0·96	0·10

These figures show that while the proportion of marriages by Licence and by Superintendent Registrar's Certificate have, with slight fluctuations, steadily declined, the increase in the proportion of marriages by Banns has been continuous.

The proportion of Roman Catholic marriages which was 41 per 1000 in 1908 has remained practically stationary since 1871.

Marriages in registered buildings belonging to the various non-conformist bodies have increased from 62 per 1000 of the total marriages in the period 1851-5 to 132 per 1000 in the year under review.

It has already been stated that under the provisions of the Marriage Act, 1898, marriages may be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a registrar of marriages. The proportions per 1000 of such marriages from the date when the Act came into operation have been as follows :—

PROPORTION PER 1000 OF TOTAL MARRIAGES.

Year.	In Registered Buildings.		Year.	In Registered Buildings.	
	Before Registrar.	Before Authorised Person.		Before Registrar.	Before Authorised Person.
1899 ...	113	11	1904 ...	101	30
1900 ...	106	22	1905 ...	100	32
1901 ...	104	24	1906 ...	97	33
1902 ...	101	26	1907 ...	96	35
1903 ...	102	28	1908 ...	95	37

The proportion of Jewish marriages which had, with slight fluctuations, steadily increased for many years, until in the year 1906 it reached 8·3 per 1000, fell to 6·6 per 1000 in the year

under notice. Of the 1756 Jewish marriages contracted in the year 1908 in England and Wales, 1247 or 71 per cent. were registered in London, 177 or 10 per cent. in the city of Manchester, and 117 or 7 per cent. in the city of Leeds. Of the Jewish marriages in London, no fewer than 1019 or 82 per cent. were registered in a group of three registration districts—London City, Whitechapel, and Mile End Old Town.

Civil marriages, that is to say, marriages taking place in the office of a superintendent registrar, steadily increased from an average of 46 per 1000 in the period 1851–55 to 204 per 1000 in the year 1908.

The following table shows, among counties with populations exceeding 100,000 persons, the highest proportions per 1000 in the year 1908 of marriages solemnized according to the rites of the Established Church, and of those contracted otherwise :—

Proportion per 1000 of total Marriages.			
According to Rites of Established Church.	Roman Catholics.	Nonconformists.	Civil Marriages.
England and Wales 616	England and Wales 41	England and Wales 132	England and Wales 204
Buckinghamshire 749	Lancashire .. 105	Carnarvonshire 373	Glamorganshire 467
Hertfordshire .. 745	Durham 80	Denbighshire .. 340	Carmarthenshire 446
Worcestershire .. 745	Northumberland 70	Carmarthenshire 335	Carnarvonshire 356
Suffolk 743	Cumberland .. 70	Cornwall.. .. 323	Denbighshire .. 307
Cambridgeshire .. 737	North Riding of Yorkshire 69	Monmouthshire 243	Northumberland 305
Oxfordshire .. 730	Cheshire 49	Glamorganshire 216	Monmouthshire 287
Norfolk 729		Cheshire 180	Durham 278
Dorsetshire .. 721			

BIRTHS.

The births registered in the year 1908 numbered 940,383 ; of these 902,852 were legitimate, and 37,531 were illegitimate.

In proportion to the total population of both sexes and all ages, the total births were equal to a rate of 26·5 per 1,000 living, this rate was 0·2 per 1,000 above that recorded in 1907, but was no less than 1·6 per 1,000 below the average of the low rates in the ten years 1898–1907.

In the year 1876 the birth-rate attained in this country the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year until in the year 1907 it was no more than 26·3 per 1,000. Although the slight rise in the crude birth-rate to 26·5 per 1,000 in the year 1908 is noteworthy, it is probably a reflection of the upward change in the marriage-rate, which took place in the years 1905–7.

There is no present indication of any real check in the decline of the birth-rate—the provisional returns for the first three quarters of the year 1909 show a decrease in each quarter, when compared with those for the corresponding quarters of the previous year, while the heavy fall in the marriage-rate which took place in the year 1908 will probably tend to depress the birth-rate further in the years immediately following.

One of the factors determining the birth-rate should be the marriage-rate, not the marriage-rate of the same or even the next preceding year, but the combined rates of several preceding years. An examination of the Tables, however, shows that it is somewhat difficult to trace over a long series of years a close correspondence between the two series of rates.

It is well known, however, that apart from the fluctuations in the marriage-rate, there are other factors at work to account for the great fall in the birth-rate that has taken place during the past thirty years, and it may be added that a decreasing birth-rate is a feature common to nearly all European Countries and also to the principal Colonial States. (*See International Statistical Tables, pages 108-145.*)

The effect of the fall in the birth-rate on the growth of the population has been to some extent modified by the concurrent decline in the death-rate, but it is obvious that the death-rate cannot decline indefinitely. A statement is given on page xxxvi which shows the rate of natural increase in the population in the past 30 years. The annual rate of increase by excess of births over deaths, which had been 14·56 per 1,000 living in the period 1876-80, fell with fluctuations to 11·85 per 1,000 living in the year 1908.

Excluding the effects of migration and of changes in the rates of mortality, the decline in the birth-rate has had an important effect on the age constitution of the population. This subject is illustrated by detailed Tables and fully discussed in the last Census Report. From that report it will be seen how important the changes in the age-constitution of the population have been in recent years.

Speaking in general terms, the whole population of the country may be divided into children, adults, and old people. It may be noted that a considerable reduction had taken place at the last Census in the proportion of children, and a corresponding increase in the proportion of adults, while the proportion of old people had remained unaffected. There can be little doubt, owing to the fall in the birth-rate since the last enumeration of the population, that the results of the next Census will show, other factors being equal, a further reduction in the proportion of children in the population.

The following statement shows the changes in the proportion of women of conceptive ages in the population, the changes in the age constitution of the married female population, and the changes in the married rate at the four past Censuses—all factors affecting the birth-rate :—

ENGLAND AND WALES.

Census Years.	Proportion per cent. of Women aged 15-45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15-45 years.	Of the Married Women aged 15-45 years, the proportion per cent. at four groups of ages.				Persons Married to 1000 Marriage- able Persons in the Population.
			Aged 15-20 years.	Aged 20-25 years.	Aged 25-35 years.	Aged 35-45 years.	
1871 ...	23·1	49·6	1·3	13·9	45·5	39·3	56·9
1881 ...	23·1	49·1	1·1	13·7	45·6	39·6	51·1
1891 ...	23·8	47·1	0·9	12·8	46·0	40·3	49·8
1901 ...	25·0	46·8	0·7	11·8	46·8	40·7	48·6


TABLE D.—ENGLAND AND WALES.—BIRTH-RATES, 1876-1908.

Period.	(a.)		(b.)		(c.)		(d.)	
	Birth-rate calculated on Total Population at All Ages.		Birth-rate calculated on the Female Population aged 15-45 years.		Legitimate Birth-rate calculated on the Married Female Population aged 15-45 years.		Illegitimate Birth-rate calculated on the Unmarried and Widowed Female Population aged 15-45 years.	
	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.
1876-1880	35·3	100·0	153·3	100·0	296·3	100·0	14·4	100·0
1881-1885	33·5	94·9	144·3	94·1	282·4	95·3	13·5	93·8
1886-1890	31·4	89·0	133·4	87·0	267·1	90·1	11·8	81·9
1891-1895	30·5	86·4	126·8	82·7	258·3	87·2	10·1	70·1
1896-1900	29·3	83·0	118·8	77·5	242·9	82·0	9·2	63·9
1901-1905	28·1	79·6	112·5	73·4	230·7	77·9	8·4	58·3
1876 ...	36·3	102·8	157·5	102·7	304·1	102·6	14·6	101·4
1877 ...	36·0	102·0	155·9	101·7	301·1	101·6	14·6	101·4
1878 ...	35·6	100·8	154·5	100·8	298·8	100·8	14·4	100·0
1879 ...	34·7	98·3	150·5	98·2	291·1	98·2	14·2	98·6
1880 ...	34·2	96·9	148·3	96·7	287·0	96·9	14·1	97·9
1881 ...	33·9	96·0	147·0	95·9	284·9	96·2	14·1	97·9
1882 ...	33·8	95·8	145·8	95·1	283·9	95·8	13·8	95·8
1883 ...	33·5	94·9	144·1	94·0	281·9	95·1	13·4	93·1
1884 ...	33·6	95·2	144·2	94·1	283·7	95·7	13·2	91·7
1885 ...	32·9	93·2	140·7	91·8	277·6	93·7	13·0	90·3
1886 ..	32·8	92·9	140·2	91·5	278·0	93·8	12·8	88·9
1887 ...	31·9	90·4	135·5	88·4	269·9	91·1	12·4	86·1
1888 ...	31·2	88·4	132·3	86·3	265·0	89·4	11·7	81·3
1889 ...	31·1	88·1	131·7	85·9	265·1	89·5	11·5	79·9
1890 ...	30·2	85·6	127·6	83·2	258·2	87·1	10·7	74·3
1891 ...	31·4	89·0	132·1	86·2	268·8	90·7	10·6	73·6
1892 ...	30·4	86·1	127·3	83·0	259·3	87·5	10·1	70·1
1893 ...	30·7	87·0	127·9	83·4	260·4	87·9	10·3	71·5
1894 ...	29·6	83·9	122·4	79·8	249·4	84·2	9·9	68·8
1895 ...	30·3	85·8	124·8	81·4	254·5	85·9	9·9	68·8
1896 ...	29·6	83·9	121·5	79·3	247·8	83·6	9·7	67·4
1897 ...	29·6	83·9	120·7	78·7	246·4	83·2	9·5	66·0
1898 ...	29·3	83·0	118·9	77·6	243·0	82·0	9·3	64·6
1899 ...	29·1	82·4	117·7	76·8	241·0	81·3	8·9	61·8
1900 ...	28·7	81·3	115·6	75·4	236·8	79·9	8·6	59·7
1901 ...	28·5	80·7	114·2	74·5	234·2	79·0	8·4	58·3
1902 ...	28·5	80·7	114·1	74·4	234·2	79·0	8·4	58·3
1903 ...	28·4	80·5	113·8	74·2	233·3	78·7	8·4	58·3
1904 ...	27·9	79·0	111·8	72·9	229·1	77·3	8·4	58·3
1905 ...	27·2	77·1	108·9	71·0	223·2	75·3	8·2	56·9
1906 ...	27·1	76·8	108·3	70·6	222·0	74·9	8·1	56·3
1907 ...	26·3	74·5	105·1	68·6	215·6	72·8	7·8	54·2
1908 ...	26·5	75·1	106·1	69·2	217·6	73·4	8·0	55·6

Note.—In the absence of precise information as to the changes in the number and constitution of the population from year to year, the estimates of total population at all ages are calculated by geometrical progression, on the assumption that the rate of increase in each intercensal period was maintained regularly throughout the period; the estimates for the several sections of the population are based on the further assumption that the proportion which each section bore to the total population changed uniformly during each intercensal period, and has remained constant since 1901. In view of the necessity of these, or similar assumptions, the figures for intercensal years are inevitably less accurate than those for years in which censuses were taken.

BIRTH-RATES.


DIAGRAM II.-BIRTH-RATES, ENGLAND & WALES.
1876 - 1908.



* The Standard adopted is the average rate in the five years 1876-80.

BIRTH-RATES.

DIAGRAM III- LEGITIMATE AND ILLEGITIMATE BIRTH-RATES.
ENGLAND & WALES, 1876-1908.



*The Standard adopted is the average rate in the five years 1876-80.

Measuring the Birth-rate.—It has been pointed out in previous reports that the crude birth-rate, *i.e.*, the ratio of births to the population at all ages, is of considerable value for comparing the birth statistics of a population from year to year, or in conjunction with the death-rate, for ascertaining the rate of natural increase in a community.

The crude birth-rate is not, however, adapted for close inquiry into the significance of the variations which are found to occur over a long period, because it masks the effect of the changing constitution of the population in regard to sex, age, and condition as to marriage, nor is it well adapted for comparing the rates in two or more communities because of the differences in the sex and age constitution of the respective populations.

It is desirable, therefore, to make a comparison of birth-rates, based not only on the total population, but also on the number of possible mothers.

In Table D on page xxvi the results are shown of calculating the following proportions :—

- (a) Of total births to the total population of both sexes and all ages ;
- (b) Of total births to the female population aged 15-45 years ;
- (c) Of legitimate births to the married female population aged 15-45 years ; and
- (d) Of illegitimate births to the unmarried and widowed female population aged 15-45 years.

These calculations have also been illustrated in the accompanying diagrams, which afford a ready means of gauging the fall in the birth-rate during the past thirty years. In view of the changing constitution of the population and the time that has elapsed since the last Census, special attention is directed to the note at the foot of Table D with reference to the trustworthiness of the figures for intercensal years.

As already stated, the birth-rate in England and Wales attained the highest point on record in the year 1876 ; and for the purpose of measuring the decrease that has since occurred, the mean annual rate in the quinquennial period 1876-80 has been taken as a standard. Calculated on the total population the fall in the birth-rate in the period under review amounted to 25 per cent. Based on the proportion of births to the number of possible mothers, *i.e.*, the total number of women living at child-bearing ages, the fall in the rate amounted to 31 per cent. in the same period ; while the fertility of married women, based on the ratio of legitimate births to wives of conceptive ages, showed a decrease amounting to nearly 27 per cent.

Put in another way, if the fertility of married women in proportion to their numbers had been as high in 1908 as in 1876-80 then the legitimate births would have numbered 1,229,679 in 1908 instead of the 902,852 actually recorded, giving a legitimate birth-rate of 34·69 or 9·22 in excess of that recorded.

But if the population in 1908 had not only shown the same fertility for wives aged 15-45, but had contained them in the same proportion as that of 1876-80, the resulting birth-rate would of course have been the same as in 1876-80, namely, 33·67. Therefore the proportionate increase in wives aged 15-45 in the 1908 population, assuming it to be constituted as in 1901, is sufficient to account for a *rise* of 1·02 in the legitimate birth-rate.

The fall in the legitimate birth-rate since 1876-80 is 8·20, therefore this net fall must be made up of a potential rise of 1·02 due to increased proportion of wives aged 15-45, and a fall of 9·22 due to diminished fertility of wives from whatever cause.

The fall due to decrease of illegitimacy is 0·62, making up the total fall of 8·82. The fall in the illegitimate rate is compounded similarly to that in the legitimate rate of a potential rise due to (1) increased proportion of unmarried and widowed women in the population, and a fall due to (2) their diminished fertility. Had the latter remained as in 1876-80, 67,649 births would have resulted, giving an illegitimate birth-rate of 1·91, or 0·85 more than that actually recorded. This figure then represents the effect of (2), so the difference between it and 0·62, the actual fall in illegitimate birth rate must represent the potential rise, 0·23, due to (1).

The effects of the increased proportions of wives and of spinsters, &c. in the population may be further analysed into the separate effects of the larger proportion of women aged 15-45, and of the smaller proportion of these women now married. This is done in the subjoined Table :—

	Birth-rate.		
	Total.	Legitimate.	Illegitimate.
Potential effect of increased proportion (assumed constant since 1901) of <i>women</i> aged 15-45 in the population.	+ 2·96	+ 2·82	+ 0·14
Potential effect of change in proportion of married to total women aged 15-45.	— 1·71	— 1·80	+ 0·09
Effect of diminished fertility	— 10·07	— 9·22	— 0·85
Recorded fall 1876-80 to 1908	— 8·82	— 8·20	— 0·62

It will be understood that when a potential rise is spoken of what is meant is that if the factor referred to had been the only one whose influence was altered the rise in question would have occurred.

It will be seen that the effect of decrease in fertility of married women—due in some measure probably to their greater average age, but largely no doubt to deliberate restriction of child-bearing—is masked to some extent by the net result of the changes in the constitution of the population, so that these cannot be appealed to as helping to explain the fall in birth-rate. It should be noted too that while the constitution of the population in 1908 has necessarily been assumed in the above comparison to be the same as at the 1901 Census, it is probable that the increase in proportion of wives aged 15-45, which had been going on from 1876-80 to 1901, has continued since that date. If this is so the effect of diminished fertility is masked in the recorded birth-rate to a somewhat greater extent than that shown in the table.

The fact is also significant that at the last Census period, 1900-02, the fertility of English wives was lower than that recorded in any European country except France. (See page lix.)

Rates of Fertility among Married Women in Counties.—Table E, on page xxix, shows the proportions of legitimate births per 1000 married women aged 15-45 years in each registration county. The number of married women of conceptive ages in England and Wales in the

TABLE E.—ANNUAL FERTILITY RATES OF MARRIED WOMEN in each
REGISTRATION COUNTY, 1870-1908.

Registration Counties.	Legitimate Births per 1000 Married Women aged 15-45 years.*						Decrease per cent. in each County between the period 1870-72 and 1908.
	Census periods.				Five-year period.	Year.	
	1870-72.	1880-82.	1890-92.	1900-02.	1903-07.	1908.	
England and Wales..	292·5	286·0	263·8	235·5	224·5	217·6	25·6
London	269·9	272·6	250·4	227·8	213·3	198·2	26·6
Surrey	285·1	284·3	244·4	208·2	214·7	213·1	25·3
Kent	288·8	287·6	255·6	221·2	208·9	193·7	32·9
Sussex	284·6	279·2	235·9	203·3	190·5	180·3	36·6
Hampshire	272·9	273·9	243·3	211·6	208·6	204·7	25·0
Berkshire	294·5	290·0	257·6	219·0	212·5	205·6	30·2
Middlesex	288·0	293·6	252·3	224·1	229·0	219·8	23·7
Hertfordshire	300·0	291·7	264·0	224·8	222·8	221·4	26·2
Buckinghamshire	299·5	291·9	270·4	230·4	223·8	214·6	28·3
Oxfordshire	295·7	294·7	271·1	228·0	220·8	228·9	22·6
Northamptonshire	297·5	290·6	265·8	222·0	191·6	175·5	41·0
Huntingdonshire	302·3	274·9	262·5	236·0	234·2	229·0	24·2
Bedfordshire	296·0	283·1	256·8	219·1	207·2	219·3	25·9
Cambridgeshire	294·3	276·6	255·0	223·9	210·6	210·5	28·5
Essex	293·7	300·4	270·0	238·5	221·8	204·6	30·3
Suffolk	290·2	293·6	269·5	236·5	226·4	218·3	24·8
Norfolk	273·1	279·3	257·2	229·5	217·5	210·7	22·8
Wiltshire	297·9	291·6	261·3	225·1	226·5	221·1	25·8
Dorsetshire	288·8	286·8	254·7	219·2	218·3	206·5	28·5
Devonshire	284·5	284·5	252·2	208·4	200·9	192·7	32·3
Cornwall	294·0	287·7	262·0	219·6	201·1	204·0	30·6
Somersetshire	293·0	292·0	267·6	221·0	215·3	206·1	29·7
Gloucestershire	285·7	281·5	259·3	224·6	214·1	195·5	31·6
Herefordshire	285·6	279·2	272·3	235·0	227·0	219·1	23·3
Shropshire	302·7	286·8	275·3	257·0	248·0	236·9	21·7
Staffordshire	320·2	311·1	298·7	270·1	251·1	241·5	24·6
Worcestershire	296·6	288·3	268·2	239·0	219·9	207·6	30·0
Warwickshire	291·5	287·3	264·5	243·2	232·3	226·6	22·3
Leicestershire	300·6	295·0	268·4	232·7	211·3	196·9	34·5
Rutlandshire	295·9	297·9	268·5	227·5	217·6	210·6	28·8
Lincolnshire	293·4	284·1	255·3	228·3	224·5	232·9	20·6
Nottinghamshire	285·6	287·8	260·5	242·9	236·8	240·0	16·0
Derbyshire	296·6	293·2	270·8	243·9	229·0	233·9	21·1
Cheshire	292·8	286·0	266·9	230·8	221·2	214·0	26·9
Lancashire	297·1	285·0	264·3	233·7	221·6	216·5	27·1
West Riding	293·0	272·7	249·3	223·0	207·3	201·4	31·3
East Riding	281·9	274·9	258·1	238·7	222·8	218·4	22·5
North Riding	313·6	304·2	274·5	260·4	257·0	266·0	15·2
Durham	324·1	307·9	299·7	282·7	269·5	271·2	16·3
Northumberland	313·0	300·1	290·0	266·8	255·8	251·2	19·7
Cumberland	311·8	309·7	288·6	256·5	248·7	241·1	22·7
Westmorland	305·9	300·2	267·4	218·9	207·6	186·7	39·0
Monmouthshire	304·1	298·7	304·6	283·5	287·2	301·6	0·8
South Wales :—	317·3	305·9	301·0	271·4	263·7	263·4	17·0
Glamorganshire	313·1	303·4	303·5	274·0	264·0	266·2	15·0
Carmarthenshire	344·1	321·7	309·4	274·9	283·7	290·6	15·5
Pembrokeshire	319·6	320·4	291·9	253·8	254·1	235·1	26·4
Cardiganshire	315·2	296·4	277·3	245·4	238·0	218·7	30·6
Brecknockshire	310·6	296·4	292·1	272·9	269·2	257·9	17·0
Radnorshire	308·6	302·5	282·6	264·2	223·7	184·8	40·1
North Wales :—	300·1	283·1	261·7	245·1	235·4	218·0	27·4
Montgomeryshire	308·7	292·5	273·2	253·0	244·6	230·2	25·4
Flintshire	310·4	284·0	285·7	246·4	272·5	281·4	9·3
Denbighshire	301·2	289·6	282·8	265·3	251·0	236·9	21·3
Merionethshire	311·0	287·2	255·5	247·7	224·1	188·5	39·4
Carnarvonshire	289·9	271·8	237·2	226·7	209·8	186·2	35·8
Anglesey	277·2	275·1	240·7	224·2	221·6	198·9	28·2

* See note to Table D, page xxvi.

middle of the year 1908 is estimated at 4,138,620, and the children born alive to these women numbered 902,852, so that 218 in every 1000 bore living children. It will be seen, however, from the following statement that the proportions vary considerably in different parts of the country. Among registration counties with populations exceeding 100,000 persons the counties with the highest and lowest fertility rates in the year 1908 were as follows :—

Registration Counties with the Highest Fertility Rates.	Legitimate Birth-rates per 1000 Married Women aged 15-45 years.	Registration Counties with the Lowest Fertility Rates.	Legitimate Birth-rates per 1000 Married Women aged 15-45 years.
England and Wales, 217·6.			
Monmouthshire ...	301·6	Northamptonshire ...	175·5
Carmarthenshire ...	290·6	Sussex ...	180·3
Durham ...	271·2	Carnarvonshire ...	186·2
Glamorganshire ...	266·2	Devonshire ...	192·7
North Riding of Yorkshire.	266·0	Kent ...	193·7
Northumberland ...	251·2	Gloucestershire ...	195·5
Staffordshire ...	241·5	Leicestershire ...	196·9
Cumberland ...	241·1	London ...	198·2
Nottinghamshire ...	240·0	West Riding of Yorkshire.	201·4
Denbighshire ...	236·9	Cornwall ...	204·0
Shropshire ...	236·9		

It will be noted that the fertility rates are highest in the mining counties and lowest in the agricultural counties, but these disparities are in a considerable measure due to differences in the age constitution of the married women in the several counties. The considerable variations in the proportions of young married women in different parts of the country is shown by a few examples taken from a table published in the last Annual Report which gave the legitimate birth rates and the age distribution of married women of conceptive ages in each registration county at the last census.

					Legitimate Birth-rates per 1000 Married Women aged 15-45 years, 1900-2.	Of the Married Women aged 15-45 years, the proportion per cent. at three groups of ages at the Census of 1901.		
						15-25 years.	25-35 years.	35-45 years.
England and Wales	235·5	12·5	46·8	40·7
Monmouthshire	283·5	14·2	47·8	38·0
Durham	282·7	16·1	46·9	37·0
Glamorganshire	274·0	15·1	48·2	36·7
Staffordshire	270·1	14·0	47·3	38·7
Northumberland	266·8	15·1	47·3	37·6
Sussex	203·3	10·0	45·8	44·2
Surrey	208·2	9·8	46·8	43·4
Devonshire	208·4	10·3	45·5	44·2
Hampshire	211·6	11·4	46·3	42·3
Westmorland	218·9	8·3	45·0	46·7

It will be seen from these instances that high and low fertility rates coincide with high and low proportions of young married women in the several counties. Although however such coincidence is the general rule there are some exceptions notably London and the West Riding of Yorkshire, where, notwithstanding the fact that the proportions of young wives were above the mean for the whole country, the fertility rates are below it; on the other hand, in North Wales, in South Wales (less Glamorganshire) in Cumberland and in Shropshire, in spite of the low proportions of young wives and the correspondingly high proportions of elderly wives, the fertility rates are comparatively high. (See Table E. page xxviii of Seventieth Annual Report).

Birth-rates and age distribution of married women in Urban and Rural Districts.—From Table E. which gives the fertility rates of married women in each registration county it might be inferred that the fertility of married women is greater in urban than in rural areas. That such is not the case is shown by the following figures which

TABLE F.—LEGITIMATE BIRTH RATES and AGE CONSTITUTION of MARRIED WOMEN in ENGLAND and WALES, in 21 large Towns and in the aggregate of 112 Rural Registration Districts, 1901.

	Legitimate Birth-rate per 1000 Married Women aged 15-45 years, 1901.	Of the Married Women aged 15-45 years, the proportion per 1000 at three groups of ages at the Census of 1901.		
		15-25 years.	25-35 years.	35-45 years.
England and Wales	234·2	125	468	407
Aggregate of 112 Rural Registration Districts.*	244·0	102	446	452
Aggregate of 21 large Towns†	228·9	135	474	391
Rhondda	298·9	189	485	326
Newcastle-on-Tyne	256·4	151	476	373
Liverpool	251·2	146	473	381
Hull	251·1	154	475	371
Birmingham	246·1	147	480	373
Preston	243·4	120	466	414
Sheffield	238·6	164	473	363
Cardiff	236·7	133	473	394
Norwich	230·2	124	456	420
London	228·4	131	474	395
Bristol	222·4	124	480	396
Leeds	221·7	127	482	391
Manchester	220·6	136	483	381
Leicester	218·1	129	477	394
Nottingham	213·3	137	450	413
Portsmouth	210·7	138	472	390
Plymouth	207·3	129	476	395
Blackburn	205·0	116	457	427
Brighton	198·9	114	463	423
Oldham	184·9	116	468	416
Bradford	176·1	112	468	420

* 112 entirely Rural Registration Districts with an aggregate population of 1,330,319 persons at the date of the Census of 1901.

† 21 large Towns with an aggregate population of 9,799,866 persons at the date of the Census of 1901.

enable a more accurate comparison to be made of birth rates in town and country areas than is furnished by selecting groups of urban and rural counties. The statistics in the Table relate to 21 representative towns containing at the date of the last census an aggregate population of 9,799,866 persons, and to the 112 entirely rural unions or registration districts containing an aggregate population of 1,330,319 persons. The figures show that the fertility of married women living in the country districts is about seven per cent. greater than that of women residing in the selected towns.

The greater fertility in rural districts would be still more marked if the age constitution of the married women in the two areas were nearly alike. The rural districts labour however under a disadvantage in this respect because owing to the migration of young persons from rural to industrial areas the proportion of young married women in the rural districts is considerably below the proportion in the towns or in the country as a whole.

Sex Proportions at Birth.—In 1908 the births of males in England and Wales numbered 478,410 and the births of females 461,973; the male births were therefore to the female births in the proportion of 1036 to 1000. The proportions in successive groups of years 1838–1908 are shown in Table 4, page 6; since the commencement of birth registration the ratios had ranged from 1032 to 1054 per 1000. The proportion of boys to girls at birth is lower in England and Wales than in any European country. The excess in the proportional number of boys in the several counties of England and Wales varies considerably; in registration counties with populations exceeding 100,000 the highest and lowest proportions borne by male to female births during the ten years 1899–1908, were as follows:—

Registration Counties.	Highest proportion of Male to 1000 Female births, 1899–1908.	Registration Counties.	Lowest proportion of Male to 1000 Female births, 1899–1908.
England and Wales, 1036.			
Carnarvonshire ...	1066	Herefordshire ...	1015
Bedfordshire ...	1059	Shropshire ...	1026
Denbighshire ...	1058	Leicestershire ...	1027
Buckinghamshire ...	1056	Hertfordshire ...	1028
Cambridgeshire ...	1056	Berkshire ...	1029
Cumberland ...	1056	Nottinghamshire ...	1030
North Riding of Yorkshire.	1053	Warwickshire ...	1031
Monmouthshire ...	1048	Wiltshire ...	1031
Suffolk ...	1048	Oxfordshire ...	1032
		West Riding of Yorkshire.	1032

Illegitimate Births.—The births registered during the year 1908 included 902,852 of legitimate children and 37,531 of illegitimate children.

The measure of illegitimacy is usually obtained by taking the proportion of illegitimate births to the total births; this method, though convenient, is defective, because it ignores the varying proportions of unmarried and widowed women in the population.

It is undoubtedly a better method to compare the number of illegitimate children with the number of single and widowed women of conceptive ages. Except for census years, however, such ratios

must be used with caution, because estimates of sections of the population such, for example, as the number of unmarried and widowed females, are specially liable to error.

The following table shows for a series of years the results of the two methods of calculating the ratio of illegitimacy.

TABLE G.—ENGLAND AND WALES.—ILLEGITIMATE BIRTH-RATES, 1876-1908.

Period.	In proportion to total Births.		In proportion to the Unmarried and Widowed Female population aged 15-45 years.	
	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	47·5	100·0	14·4	100·0
1881-1885 ...	48·0	101·1	13·5	93·8
1886-1890 ...	46·3	97·5	11·8	81·9
1891-1895 ...	42·4	89·3	10·1	70·1
1896-1900 ...	41·0	86·3	9·2	63·9
1901-1905 ...	39·5	83·2	8·4	58·3
1876	46·8	98·5	14·6	101·4
1877	47·5	100·0	14·6	101·4
1878	47·2	99·4	14·4	100·0
1879	47·9	100·8	14·2	98·6
1880	48·3	101·7	14·1	97·9
1881	48·8	102·7	14·1	97·9
1882	48·5	102·1	13·8	95·8
1883	47·9	100·8	13·4	93·1
1884	47·1	99·2	13·2	91·7
1885	47·9	100·8	13·0	90·3
1886	47·4	99·8	12·8	88·9
1887	47·5	100·0	12·4	86·1
1888	46·3	97·5	11·7	81·3
1889	45·9	96·6	11·5	79·9
1890	44·2	93·1	10·7	74·3
1891	42·4	89·3	10·6	73·6
1892	41·9	88·2	10·1	70·1
1893	42·5	89·5	10·3	71·5
1894	43·1	90·7	9·9	68·8
1895	42·1	88·6	9·9	68·8
1896	42·3	89·1	9·7	67·4
1897	41·7	87·8	9·5	66·0
1898	41·5	87·4	9·3	64·6
1899	40·0	84·2	8·9	61·8
1900	39·7	83·6	8·6	59·7
1901	38·9	81·9	8·4	58·3
1902	39·0	82·1	8·4	58·3
1903	39·3	82·7	8·4	58·3
1904	39·9	84·0	8·4	58·3
1905	40·2	84·6	8·2	56·9
1906	40·0	84·2	8·1	56·3
1907	39·4	82·9	7·8	54·2
1908	39·9	84·0	8·0	55·6

TABLE H.—ANNUAL ILLEGITIMATE BIRTH-RATES in each REGISTRATION
COUNTY, 1870-1908.

Registration Counties	Illegitimate Births to 1000 Unmarried and Widowed Females, aged 15-45 years.*						Decrease per cent. in each County between the period 1870-2 and 1908.
	Census periods.				Five-year period.	Year.	
	1870-72.	1880-82.	1890-92.	1900-02.	1903-07.	1908.	
England and Wales..	17'0	14'1	10'5	8'5	8'2	8'0	52'9
London	10'3	9'8	8'1	6'9	6'8	6'7	35'0
Surrey	9'5	8'5	6'6	5'9	5'7	5'5	42'1
Kent	14'7	12'1	9'3	7'5	7'5	7'1	51'7
Sussex	13'7	11'5	8'7	7'2	6'7	6'7	51'1
Hampshire ..	13'6	11'8	8'5	7'3	7'0	6'8	50'0
Berkshire ..	16'8	13'4	10'3	8'7	8'4	9'2	45'2
Middlesex ..	9'4	9'4	6'5	5'9	5'9	5'4	42'6
Hertfordshire..	18'4	15'3	10'4	7'0	7'2	6'3	65'8
Buckinghamshire ..	19'0	16'5	12'6	9'1	8'6	7'5	60'5
Oxfordshire ..	19'0	15'4	10'4	9'0	9'1	10'1	46'3
Northamptonshire ..	18'7	15'9	11'7	9'1	8'6	8'0	57'2
Huntingdonshire ..	19'8	14'0	12'9	10'9	9'7	11'3	42'9
Bedfordshire ..	21'1	18'0	11'2	8'4	8'2	7'6	64'0
Cambridgeshire ..	19'3	15'6	12'4	9'6	10'1	9'9	48'7
Essex	16'2	12'7	9'1	7'3	6'9	6'8	58'0
Suffolk.. ..	22'0	17'8	14'0	12'0	12'0	11'8	46'4
Norfolk	27'3	22'6	16'7	13'4	13'1	12'3	54'9
Wiltshire	17'1	14'7	10'3	9'2	8'8	8'6	49'7
Dorsetshire ..	14'2	13'1	9'6	7'2	7'2	7'4	47'9
Devonshire ..	14'0	10'6	8'1	6'7	6'5	6'5	53'6
Cornwall	16'5	14'8	11'2	8'6	7'9	7'7	53'3
Somersetshire..	13'3	11'3	7'4	6'0	5'8	6'0	54'9
Gloucestershire ..	12'9	11'6	8'2	6'3	6'2	5'7	55'8
Herefordshire..	21'4	19'0	13'4	11'2	11'2	10'7	50'0
Shropshire	28'2	21'8	16'6	12'8	13'0	11'4	59'6
Staffordshire ..	24'6	19'4	14'5	11'2	11'0	10'1	58'9
Worcestershire ..	16'3	13'7	9'2	7'2	6'7	6'7	58'9
Warwickshire ..	14'9	13'2	9'7	7'6	7'2	6'8	54'4
Leicestershire ..	19'9	16'1	11'4	8'6	7'7	6'9	65'3
Rutlandshire ..	18'1	12'7	7'9	7'2	8'2	9'1	49'7
Lincolnshire ..	22'3	18'5	14'2	12'2	12'2	12'2	45'3
Nottinghamshire ..	24'5	21'7	15'4	12'7	12'3	12'3	49'8
Derbyshire	22'5	17'7	12'8	10'0	9'9	9'2	59'1
Cheshire	17'5	14'2	10'3	7'7	7'2	6'7	61'7
Lancashire	16'2	13'6	10'2	7'9	7'6	7'3	54'9
West Riding ..	20'4	16'1	11'4	9'4	8'9	8'6	57'8
East Riding ..	23'0	18'2	14'3	12'2	11'6	12'1	47'4
North Riding..	27'7	20'2	15'4	12'1	11'3	11'9	57'0
Durham	24'0	18'0	13'8	11'1	11'1	11'9	50'4
Northumberland ..	21'1	17'9	12'4	10'2	9'9	10'1	52'1
Cumberland	29'2	23'9	18'6	12'3	12'0	12'3	57'9
Westmorland..	21'9	17'9	13'1	8'6	8'7	8'3	62'1
Monmouthshire ..	18'6	15'9	11'3	10'2	9'2	9'2	50'5
South Wales :—	18'8	14'8	10'8	8'7	8'9	8'6	54'3
Glamorganshire ..	17'7	13'5	10'3	8'5	8'9	8'8	50'3
Cardiganshire ..	18'2	13'9	9'4	7'7	8'2	7'0	61'5
Pembrokeshire ..	21'6	15'9	12'4	8'9	9'9	10'0	53'7
Cardiganshire ..	16'0	14'8	11'8	8'9	7'4	8'3	48'1
Brecknockshire ..	19'9	18'0	12'5	10'1	9'0	6'6	66'8
Radnorshire ..	41'8	33'2	20'1	14'4	11'9	10'0	76'1
North Wales :—	21'9	17'9	14'2	12'0	11'6	10'7	51'1
Montgomeryshire..	29'5	24'3	16'7	13'1	12'9	11'3	61'7
Flintshire	18'7	18'4	13'1	9'7	11'3	10'6	43'3
Denbighshire ..	21'1	17'6	13'4	12'3	11'7	10'9	48'3
Merionethshire ..	24'4	19'5	16'4	13'5	13'2	12'5	48'8
Carnarvonshire ..	18'3	13'9	12'7	10'3	9'7	8'9	51'4
Anglesey	19'7	16'7	15'7	16'1	14'2	14'3	27'4

* See note to Table page D, xxvi.

Comparing the proportion of illegitimate births in England and Wales in the year 1908 with that obtaining in the quinquennial period 1876-80, it will be seen that based on the standard of total births the rate of illegitimacy had decreased by about 16 per cent., but based on the number of unmarried and widowed women of conceptive ages the decrease during the same period amounted to about 44 per cent. ; this latter figure represents with approximate accuracy the decrease in the proportion of illegitimacy.

In the section of this report dealing with International Statistics, a table will be found (page lx) from which a comparison can be made between the proportion of illegitimacy in this country and in certain European and Colonial States. It will be noted from the figures in the table that the ratio of illegitimate births in proportion to the unmarried and widowed section of the population aged 15-45 years was in every country (except in the Netherlands and in Ireland) above the proportion recorded in England and Wales.

Illegitimate Births in Counties.—It is difficult to explain the variations in the rates of illegitimacy in the several counties. It was pointed out in the previous report that, broadly speaking, the single and widowed women in London, in the counties south of the Thames, and in the south-western counties, have comparatively few illegitimate children ; on the other hand, the number of illegitimate children is comparatively high in Shropshire, in Herefordshire, in Staffordshire, in Nottinghamshire, in Cumberland, in North Wales, and also in nearly all the counties on the eastern seaboard, viz., Suffolk, Norfolk, Lincolnshire, the East and North Ridings of Yorkshire, and Durham. It was formerly assumed that there was an indirect connection between female illiteracy and illegitimacy, but there is no conclusive evidence that such is the case at the present day. The proportions of illegitimacy and the proportions of married women who signed the marriage register by mark are relatively high in Staffordshire, in North Wales, in Durham, in Nottinghamshire, and in the North Riding of Yorkshire ; on the other hand in Norfolk, in Suffolk, and in Lincolnshire there is a comparatively high proportion of illegitimacy and a low proportion of illiteracy. A study of the facts in Table H may possibly assist those who are interested in the welfare of the people to investigate the causes of the discrepancies which appear in the several counties.

Natural Increase.—The increase or decrease of population is governed by two factors ; (1) the balance between births and deaths, and (2) the balance between emigration and immigration. As regards this country the balance between births and deaths has invariably, at least in recent times, resulted in an excess of births over deaths ; in reference to migration emigrants have invariably exceeded immigrants, at all events since 1851.

Dealing with the question of natural increase, *i.e.*, the excess of births over deaths, it will be observed from the following statement that the average annual rate fell, from 14·56 per 1000 living in the quinquennium 1876-1880 to 11·58 per 1000 in the quinquennium 1896-1900 ; in 1901-5 the rate rose again to 12·10 followed by a fall in the years 1906 and 1907, and by a slight recovery in the year 1908. The fall in the natural rate of increase is due to the birth rate having declined more rapidly than the death rate.

				Mean Annual Birth-rate per 1000 living.	Mean Annual Death-rate per 1000 living.	Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living.
1876-1880	35·35	20·79	14·56
1881-1885	33·51	19·40	14·11
1886-1890	31·44	18·89	12·55
1891-1895	30·48	18·71	11·77
1896-1900	29·27	17·69	11·58
1901-1905	28·10	16·00	12·10
1906	27·07	15·38	11·69
1907	26·27	15·00	11·27
1908	26·53	14·68	11·85

DEATHS.

The deaths of 520,456 persons were registered in England and Wales in the year 1908; of these, 268,714 were males and 251,742 were females.

In the year under review the deaths from all causes corresponded to a rate of 14·7 per 1000 of the population; this rate was 0·3 per 1000 below the rate in 1907, and lower than the rate in any other year on record. Compared with the average in the ten years 1898-1907, the death-rate in 1908 showed a decrease of 1·7 per 1000.

During the eight years of the current century, the death-rate, with slight fluctuations, fell from 16·9 per 1000 in 1901 to 14·7 per 1000 in 1908. In five of these eight years, viz., 1902, 1903, 1905, 1907 and 1908, the death-rate has been successively the lowest on record.

Looking back over the mortality statistics of the past fifty years, it will be seen from the following Table and the accompanying diagram that, after correction for variations of sex and age constitution, the annual rate of mortality in the quinquennium 1861-65 was equal to 21·4 per 1000 persons living. From that date the death-rate fell steadily, declining in the whole period under review by nearly one-third.

ENGLAND AND WALES.—ANNUAL RATE* of MORTALITY per 1000 LIVING, corrected for SEX and AGE CONSTITUTION, 1861-1908.

Period.	Persons.	Males.	Fe- males.	Period.	Persons.	Males.	Fe- males.
1861-1865 ...	21·4	22·3	20·6	1901 ...	16·9	18·1	15·8
1866-1870 ...	21·2	22·2	20·3	1902 ...	16·2	17·4	15·2
1871-1875 ...	20·9	22·0	19·8	1903 ...	15·4	16·5	14·4
1876-1880 ...	19·8	21·0	18·7	1904 ...	16·2	17·3	15·2
1881-1885 ...	18·7	19·7	17·8	1905 ...	15·2	16·2	14·3
1886-1890 ...	18·5	19·6	17·5	1906 ...	15·4	16·4	14·4
1891-1895 ...	18·5	19·6	17·5	1907 ...	15·0	16·0	14·1
1896-1900 ...	17·6	18·8	16·5	1908 ...	14·7	15·7	13·7
1901-1905 ...	16·0	17·1	15·0				

* The death-rates in this table are based upon the constitution of the population as enumerated at the Census of 1901, and differ, therefore, from the crude death-rates given in Table 4, page 6.

CORRECTED DEATH-RATES.

DIAGRAM IV.—DEATH-RATES FROM ALL CAUSES PER 1000 LIVING,
CORRECTED FOR VARIATIONS OF SEX AND AGE CONSTITUTION.
ENGLAND & WALES, 1859-1908.



Note:—The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901.

It is a fair assumption that this satisfactory reduction in the rate of mortality is mainly due to the advance in medical science and to the increased attention paid to hygienic matters by the individual, the local administrative authorities, and the State, since the passing of the Public Health Act in 1875.

Mortality of each Sex.—It will be observed from the foregoing Table that in the period under review the death-rate declined by 31·3 per cent. This decline was shared by both sexes in somewhat different proportions. Among males the rate fell by 29·6 per cent., and among females by 33·5 per cent. It may be observed that the higher mortality among males is mainly caused by excess of deaths from immaturity and convulsions among male infants, by the greater liability of men to deaths from violence in connection with their occupations, and to excess of mortality from tuberculosis, pneumonia, and respiratory diseases. Moreover, the greater mortality from intemperance among men has considerable influence in the same direction. On the other hand, in addition to the special risk of death from the dangers connected with child-bearing, women are also specially liable to cancer of the mammary and generative organs.

A study of the Tables relating to causes of death (pages 53 and 61) shows that a considerable decrease has taken place in recent years in the mortality among females from phthisis, and in the mortality associated with child-bearing. The decrease in mortality from phthisis has been greater among females than among males; this, in addition to the decreased mortality associated with child-bearing, mainly accounts for the greater fall in the female death-rate as compared with the male death-rate.

The following Table shows that the female death-rate was lower than the male rate at every age group except 5–10 years and 10–15 years.

In the Report on the Census of 1901 (*see* page 56), the following remarks were made in reference to the ages of old people :—“The ages of old people are probably still on the whole over-stated, both in the Death registers and in the Census Returns; but they were over-stated to a much greater extent from 30 to 60 years ago.” This point must be borne in mind when using the figures relating to the death-rates at the later age groups.

Death-rates in Counties.—In Table I, on page xxxix the crude death-rates are compared with the death-rates corrected on the basis of the sex and age-constitution of the population of the whole country as enumerated at the last census.* It thus appears that correction increased the death-rate during the year 1908 in twelve counties, the increase being as much as 1·1 per 1000 in Glamorgan-shire, 1·2 in the West Riding of Yorkshire, and 1·8 in Lancashire.

* In recent Annual Reports attention has been drawn to the modifying effects of the steady decrease in the birth-rate on the age-constitution of the population and consequently on the rate of mortality. The crude death-rate, that is the proportion borne by deaths from all causes to each thousand of the population at all ages is a fairly trustworthy test of relative mortality when comparing the death-rates year by year for the whole country, or for the same district; but corrected death-rates are necessary when comparisons for an extended period are made, or when one district is compared with another.

In the 68th Report (pp. xxxviii–xxxix) a full description was given of two methods used in this office for applying to crude death-rates the correction for difference of sex and age-constitution: (1) the “direct” method (when the death-rates at the several age-groups are known) used in the Annual Reports; (2) the “indirect” method (when the death-rates at the several age-groups are not known) used in the Annual Summaries.

ENGLAND AND WALES.—ANNUAL DEATH-RATES PER 1000 LIVING AT TWELVE AGE-PERIODS, 1876-1908.

Ages.	1876-1880.	1881-1885.	1886-1890.	1891-1895.	1896-1900.	1901-1905.	1906.	1907.	1908.	Decrease per cent. in 1908 compared with 1876-80.
<i>Males.</i>										
All ages*	21·0	19·7	19·6	19·6	18·8	17·1	16·4	16·0	15·7	25·2
Under 5 years.	67·0	61·3	61·9	62·9	62·4	53·8	49·3	44·8	44·5	33·6
5-10 ..	6·3	5·8	4·9	4·5	4·1	3·6	3·4	3·3	3·2	49·2
10-15 ..	3·4	3·2	2·8	2·6	2·3	2·1	2·0	1·9	1·9	44·1
15-20 ..	4·9	4·5	4·1	4·0	3·6	3·2	3·0	2·9	2·7	44·9
20-25 ..	6·7	6·0	5·5	5·2	4·9	4·3	3·9	3·8	3·7	44·8
25-35 ..	8·7	8·2	7·4	7·1	6·5	5·9	5·6	5·6	5·4	37·9
35-45 ..	13·4	12·8	12·0	12·0	11·1	9·9	9·5	9·5	9·1	32·1
45-55 ..	19·8	19·3	19·4	19·6	18·3	17·3	16·8	16·9	16·4	17·2
55-65 ..	34·9	34·2	35·2	35·9	34·1	32·9	33·2	33·7	33·0	5·4
65-75 ..	69·4	68·7	72·1	72·5	68·3	67·2	68·7	70·5	70·3	+ 1·3
75-85 ..	152·2	145·4	147·9	149·3	142·9	137·4	136·9	138·3	137·8	9·5
85 years and upwards.	331·6	297·8	313·8	291·0	282·6	283·0	319·5	316·0	303·7	8·4
<i>Females.</i>										
All ages*	18·7	17·8	17·5	17·5	16·5	15·0	14·4	14·1	13·7	26·7
Under 5 years.	56·8	51·9	52·0	52·8	52·7	44·9	41·2	37·0	36·6	35·6
5-10 ..	5·9	5·7	4·9	4·6	4·2	3·7	3·6	3·4	3·2	45·8
10-15 ..	3·5	3·3	2·9	2·8	2·4	2·2	2·2	2·0	1·9	45·7
15-20 ..	5·0	4·7	4·1	4·0	3·3	3·0	2·7	2·7	2·5	50·0
20-25 ..	6·2	5·9	5·2	4·8	4·1	3·6	3·3	3·2	3·1	50·0
25-35 ..	8·0	7·9	6·9	6·6	5·6	5·0	4·7	4·6	4·5	43·8
35-45 ..	11·2	11·0	10·3	10·2	9·1	8·2	7·8	7·8	7·4	33·9
45-55 ..	15·4	15·2	15·0	15·2	14·3	13·3	13·0	13·1	12·8	16·9
55-65 ..	28·6	28·1	28·8	29·5	27·4	25·7	25·3	26·0	25·0	12·6
65-75 ..	60·8	59·0	61·7	63·1	58·4	56·4	56·1	59·7	57·7	5·1
75-85 ..	135·5	128·9	132·3	134·4	126·8	121·5	123·2	127·0	124·3	8·3
85 years and upwards.	299·0	265·4	276·2	264·2	258·5	261·3	287·4	293·4	286·4	4·2

* The death-rates at all ages are based on the age constitution of the population at the Census of 1901.

On the other hand correction diminished the rate in forty counties; the decrease amounting to as much as 3·2 in Montgomeryshire, 3·4 in Huntingdonshire, 3·5 in Rutlandshire, and 3·8 in Cardiganshire.

TABLE I.—ENGLAND and WALES : COMPARISON of CRUDE and CORRECTED DEATH-RATES in REGISTRATION COUNTIES, 1908.

Registration County.	Crude Death-rates.	Corrected Death-rates.*	Increase or Decrease of Death-rate due to Correction.
England and Wales	14·7	14·7	—
London	14·0	14·7	+ 0·7
Surrey	12·7	12·7	—
Kent	12·2	11·6	— 0·6
Sussex	12·5	11·2	— 1·3
Hampshire	13·0	12·2	— 0·8
Berkshire	12·7	11·4	— 1·3
Middlesex	11·8	12·5	+ 0·7
Hertfordshire	13·1	11·8	— 1·3
Buckinghamshire	12·5	10·9	— 1·6
Oxfordshire	14·0	11·6	— 2·4
Northamptonshire	11·9	11·1	— 0·8
Huntingdonshire	14·1	10·7	— 3·4
Bedfordshire	13·2	11·8	— 1·4
Cambridgeshire	14·2	12·1	— 2·1
Essex	11·9	12·0	+ 0·1
Suffolk	14·6	12·1	— 2·5
Norfolk	14·5	11·8	— 2·7
Wiltshire	12·9	11·0	— 1·9
Dorsetshire	12·9	11·0	— 1·9
Devonshire	14·7	12·9	— 1·8
Cornwall	14·7	12·4	— 2·3
Somersetshire	13·6	11·6	— 2·0
Gloucestershire	13·5	12·6	— 0·9
Herefordshire	14·4	11·5	— 2·9
Shropshire	14·7	12·5	— 2·2
Staffordshire	15·3	15·8	+ 0·5
Worcestershire... ..	13·2	12·8	— 0·4
Warwickshire	15·4	15·6	+ 0·2
Leicestershire	13·2	13·1	— 0·1
Rutlandshire	14·6	11·1	— 3·5
Lincolnshire	14·8	13·0	— 1·8
Nottinghamshire	15·1	15·1	—
Derbyshire	14·1	14·4	+ 0·3
Cheshire... ..	14·7	15·2	+ 0·5
Lancashire	16·9	18·7	+ 1·8
West Riding of Yorkshire	15·4	16·6	+ 1·2
East Riding of Yorkshire	15·4	15·0	— 0·4
North Riding of Yorkshire	17·0	16·4	— 0·6
Durham	16·8	17·5	+ 0·7
Northumberland	16·4	17·1	+ 0·7
Cumberland	15·7	15·3	— 0·4
Westmorland	13·1	11·6	— 1·5
Monmouthshire	17·5	17·5	—
South Wales	16·7	16·9	+ 0·2
Glamorganshire	16·7	17·8	+ 1·1
Carmarthenshire	17·8	17·1	— 0·7
Pembrokeshire	15·4	13·7	— 1·7
Cardiganshire	17·8	14·0	— 3·8
Brecknockshire	17·0	15·3	— 1·7
Radnorshire	11·0	9·5	— 1·5
North Wales	15·3	13·7	— 1·6
Montgomeryshire	14·7	11·5	— 3·2
Flintshire	16·6	15·3	— 1·3
Denbighshire	15·7	14·8	— 0·9
Merionethshire	14·9	13·2	— 1·7
Carnarvonshire	14·8	13·5	— 1·3
Anglesey	15·6	13·0	— 2·6

* Based on the sex and age-constitution of the population of England and Wales at the Census of 1901.

Among Registration Counties the highest and lowest corrected death-rates during the year were as follows :—

Registration Counties.	Highest Corrected Death-rates.	Registration Counties.	Lowest Corrected Death-rates.
Lancashire	18·7	Northamptonshire	11·1
Glamorganshire	17·8	Rutlandshire	11·1
Durham	17·5	Wiltshire	11·0
Monmouthshire	17·5	Dorsetshire	11·0
Northumberland	17·1	Buckinghamshire	10·9
Carmarthenshire	17·1	Huntingdonshire	10·7
West Riding of Yorkshire	16·6	Radnorshire	9·5
North Riding of Yorkshire	16·4		

Tables 18 and 19, pages 19 and 20, give the death-rates at various ages for males and females separately in each of the Registration Counties of England and Wales, and thus illustrate the variations of sex and age mortality in different parts of the country.

Infantile Mortality.—Of the 520,456 deaths registered in the year 1908 in England and Wales, 113,254 were those of infants under one year of age, corresponding to a rate of 120 per 1000 births. Although this rate was 2 per 1000 above that recorded in 1907, it was 22 per 1000 below the average rate in the ten years 1898–1907.

It was pointed out in the last Report that since the beginning of this century the rate of infantile mortality has with fluctuations shown an appreciable decline. Without doubt this result is in some part due to the manifest awakening of the public conscience to the necessity of providing for the more effective protection of infant life.

There is every reason for congratulation on the general improvement that has taken place in this respect, but it should be observed that while there are many urban and rural areas in England and Wales where the loss of infants under one year of age does not exceed from eight to ten per cent. of the total births, there are on the other hand many manufacturing and mining centres where the wastage of child life is excessive, the loss in such areas in the first year of life amounting to from 15 to 20 per cent. of the total births (see Tables K and L, pages xlv–xlvi).


It may be assumed that further reduction in the mortality of young children in the country as a whole will largely depend on the improvement in health administration and the better recognition of parental responsibility in industrial areas.

In several preceding reports the special influence of temperature and rainfall upon the mortality among infants has been referred to.

If the records for a long series of years are examined, it will be noted that the rates of mortality are subject to wide fluctuation, and that these fluctuations are most marked in the third quarter of the year, when epidemic diarrhoea among infants becomes most prevalent. It has been shown, by means of tables published in previous Reports, that an excessive rise in the rate of infantile mortality in the third quarter corresponds with high summer temperature, especially if accompanied by deficient rainfall. The effects of temperature and

INFANTILE MORTALITY.

DIAGRAM V.-DEATHS OF CHILDREN UNDER ONE YEAR OF AGE
PER 1000 BIRTHS, ENGLAND & WALES, 1859-1908.



rainfall must be considered together, for, although the amount of rainfall may not be great, frequent rainfall throughout the summer months has an undoubted effect in checking the rise in the infantile diarrhoeal rate which usually takes place at that time of the year. The climatic conditions experienced in the summer of the year 1907 exemplified this. It will be seen from the subjoined table that, in the third quarter of that year, both the temperature and the rainfall were considerably below the average, but although the amount of the rainfall was deficient, the combination of cool and showery weather was undoubtedly the main factor in reducing the infantile mortality rate in the third quarter of that year to the lowest on record.

Year.	Deaths of Children under one year to 1,000 Births.					Observations at Greenwich—Third Quarter of each Year.	
	Com- plete Year.	First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter	Mean Temperature of Earth at depth of 3 ft. 2 ins.	Amount of Rainfall.
						°	Inches.
1898	160	141	123	225	153	62·0	2·5
1899... ..	163	137	116	255	145	64·0	4·3
1900... ..	154	148	131	188	151	61·3	4·6
1901... ..	151	137	118	208	142	62·0	5·1
1902... ..	133	140	120	125	149	59·6	5·7
1903... ..	132	131	110	133	154	60·2	12·3
1904... ..	145	143	113	190	136	61·4	4·8
1905... ..	128	132	106	155	120	61·6	5·8
1906... ..	132	126	102	176	126	62·0	3·8
1907... ..	118	135	104	99	136	59·2	3·5
Average in 10 years, 1898-1907.	142	137	114	175	141	61·3	5·2
1908... ..	120	123	97	126	139	60·2	8·2

For the past four years a series of tables has been published in these reports showing for each of the first four weeks after birth, and also for each successive month, from the first to the twelfth, the mortality among infants from the principal causes of death (see Dr. Stevenson's letter, pages cxxi-cxxvii, and tables on pages 74-87). It may be observed here that of the total mortality under one year of age about one-third takes place in the first month of life, and, further, that of the deaths at this early period about three-fourths are due to a group of conditions—premature birth, congenital defects, atrophy, debility, and inanition—which may be described under the heading “immaturity.” Dr. Newman in his work* on infant mortality states that “it is evident, if infants die within a few days or hours of birth, or even if dying later, show unmistakable signs of being unequal to the calls of bare physical existence, that there must be something more than external conditions of food or management which is working to their hurt. The explanation is clearly to be found in ante-natal conditions.”


* “Infant Mortality; a Social Problem.” By George Newman, M.D., F.R.S.E., &c., page 62.

TABLE J.—INFANTILE MORTALITY RATES in each REGISTRATION COUNTY in QUINQUENNIAL PERIODS 1876-1905, and in the YEARS 1906, 1907, and 1908.

Registration Counties.	Deaths of Children under 1 year to 1000 Births.									Increase (+) or Decrease (-) per cent. in each County between the period 1876-80 and 1908.
	Quinquennial Periods.						Years,			
	1876- 1880.	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	
England and Wales	145	139	145	151	156	138	132	118	120	-17·2
London	154	150	154	156	163	140	133	117	116	-24·7
Surrey	115	110	109	116	127	105	109	88	84	-27·0
Kent	123	114	119	123	135	118	114	96	91	-26·0
Sussex	114	107	111	115	121	101	96	89	86	-24·6
Hampshire ..	116	108	116	122	132	110	103	93	91	-21·6
Berkshire ..	117	102	108	110	118	101	97	83	83	-29·1
Middlesex ..	130	127	130	130	146	121	118	98	93	-28·5
Hertfordshire	115	108	109	109	111	92	104	80	81	-29·6
Buckinghamshire	129	115	117	113	114	98	94	84	83	-35·7
Oxfordshire ..	125	109	116	114	113	99	87	92	79	-36·8
Northamptonshire	141	129	134	134	132	115	106	95	93	-34·0
Huntingdonshire	121	107	106	120	116	95	99	73	83	-31·4
Bedfordshire ..	146	130	131	124	128	106	118	101	93	-36·3
Cambridgeshire	135	120	123	124	124	107	108	88	107	-20·7
Essex	125	124	128	132	150	127	123	101	98	-21·6
Suffolk	123	112	116	121	121	111	105	99	95	-22·8
Norfolk	147	131	138	141	143	128	123	106	109	-25·9
Wiltshire ..	108	101	104	103	102	91	84	77	79	-26·9
Dorsetshire ..	107	97	96	100	103	92	91	77	78	-27·1
Devonshire ..	126	116	125	128	134	118	112	103	105	-16·7
Cornwall ..	145	133	142	144	137	117	101	99	105	-27·6
Somersetshire ..	119	110	110	114	115	95	89	90	83	-30·3
Gloucestershire	135	123	125	132	131	114	110	96	108	-20·0
Herefordshire ..	117	104	114	115	108	101	100	87	74	-36·8
Shropshire ..	124	114	120	115	114	105	98	91	100	-19·4
Staffordshire ..	155	152	160	168	176	151	144	133	134	-13·5
Worcestershire ..	135	129	139	141	141	124	116	110	104	-23·0
Warwickshire ..	152	145	154	160	178	152	152	126	127	-16·4
Leicestershire ..	169	161	168	167	161	140	142	114	121	-28·4
Rutlandshire ..	120	110	113	113	108	97	88	89	89	-25·8
Lincolnshire ..	135	127	136	141	144	131	127	114	112	-17·0
Nottinghamshire	159	154	155	156	170	153	145	146	134	-15·7
Derbyshire ..	137	131	138	144	148	133	120	119	115	-16·1
Cheshire	140	137	146	155	157	138	130	113	120	-14·3
Lancashire ..	165	161	170	177	181	161	157	138	144	-12·7
West Riding ..	158	152	160	164	165	152	143	131	135	-14·6
East Riding (with York).	156	147	152	164	168	149	140	121	129	-17·3
North Riding ..	135	132	138	144	149	140	142	127	129	-4·4
Durham	153	150	154	166	169	158	154	135	147	-3·9
Northumberland..	142	139	146	155	167	151	143	118	143	+0·7
Cumberland ..	131	120	125	128	132	127	124	125	127	-3·1
Westmorland ..	107	102	99	109	104	89	88	87	102	-4·7
Monmouthshire ..	133	132	148	149	154	142	129	126	136	+2·3
South Wales ..	129	132	147	162	163	151	141	130	145	+12·4
Glamorganshire	138	143	159	173	175	158	150	136	151	+9·4
Carmarthenshire	117	115	124	141	143	142	112	113	139	+18·8
Pembrokeshire	115	111	120	124	122	116	115	102	103	-10·4
Cardiganshire ..	99	93	100	120	119	119	116	104	114	+15·2
Brecknockshire	128	124	137	140	134	124	96	114	116	-9·4
Radnorshire ..	124	115	113	125	114	105	119	74	109	-12·1
North Wales ..	126	117	120	130	139	127	134	109	111	-11·9
Montgomeryshire	111	104	108	106	114	103	96	97	75	-32·4
Flintshire ..	120	106	112	120	126	101	120	104	106	-11·7
Denbighshire ..	134	123	131	139	153	136	154	113	125	-6·7
Merionethshire ..	129	120	122	141	152	130	123	127	118	-8·5
Carnarvonshire ..	132	122	118	135	138	136	144	108	115	-12·9
Anglesey ..	114	113	120	115	128	131	132	94	96	-15·8

INFANTILE MORTALITY.

DIAGRAM VI.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE PER 1000 BIRTHS IN EACH REGISTRATION COUNTY, 1908.



Note.— The thick vertical line marks the rate of Infantile Mortality in England and Wales as a whole during the year. (120 per 1000).

In the following table the proportions of deaths, per 1000 births, from premature birth, from congenital defects, and from debility, atrophy, and inanition are shown for the years 1886-1908.

ENGLAND and WALES.—DEATHS of CHILDREN under ONE YEAR from
"IMMATUREITY" per 1000 BIRTHS, 1886-1908.

			Proportion of Deaths to 1000 Births of each Sex.						
			1886-1890.	1891-1895.	1896-1900.	1901-1905.	1906.	1907.	1908.
Premature Birth.	{ Both Sexes	16·1	18·4	19·6	20·2	20·4	19·8	19·9
	{ Males	17·8	20·3	21·7	22·4	22·6	21·8	22·1
	{ Females	14·4	16·4	17·5	18·1	18·1	17·8	17·6
Congenital Defects.*	{ Both Sexes	4·2	4·7	4·9	5·9	6·6	6·6	6·7
	{ Males	4·7	5·2	5·5	6·6	7·2	7·4	7·5
	{ Females	3·7	4·1	4·3	5·2	5·9	5·8	5·9
Debility, Atrophy, Inanition.	{ Both Sexes	21·7	21·5	20·5	17·9	16·1	15·0	15·0
	{ Males	23·5	23·7	22·5	19·8	17·8	17·0	16·8
	{ Females	19·7	19·4	18·4	15·8	14·3	13·0	13·1
Total due to "Immaturity."	{ Both Sexes	42·0	44·6	45·0	44·0	43·1	41·4	41·6
	{ Males	46·0	49·2	49·7	48·8	47·6	46·2	46·4
	{ Females	37·8	39·9	40·2	39·1	38·3	36·6	36·6

* Excluding Injury at Birth.

It will be noted from these figures that the total deaths from "immaturity" have shown no appreciable change during the past 20 years. Before, however, drawing deductions from the figures in the table it should be stated that the certification of the causes of infantile deaths has become more accurate in recent years, consequently the increase in the ratio of deaths from premature birth and from congenital defects may be more apparent than real. Probably many deaths that were ascribed to debility, &c. in the earlier years were in reality due to premature birth or congenital defects. Evidently, however, any transfer of this kind would not affect the total mortality from "immaturity."

It may be of interest to point out that the excess of male over female mortality from "immaturity" has steadily increased, in the period under review, from 22 per cent. in the quinquennium 1886-90 to 27 per cent. in the year 1908.

Infantile Mortality in Registration Counties.—The incidence of infantile mortality in the several Registration Counties may be seen from the figures in Table J on page xlii; from that table and the accompanying diagram it will be observed that the rates differ widely in different counties; that these differences are not merely casual is shown by their being repeated with great persistency year after year. Speaking generally, the rates are lowest in the purely agricultural counties and highest in the counties with mining, textile, and pottery industries. As will be shown later, it is in the towns of these latter counties that infantile mortality assumes its highest proportions.

Among counties with populations of more than 100,000 persons the highest and lowest proportions in the year 1908

of deaths of children under one year to 1000 births were as follows :—

Registration Counties with Highest Rates of Infantile Mortality.	Deaths of Children under 1 year to 1000 Births.	Registration Counties with Lowest Rates of Infantile Mortality.	Deaths of Children under 1 year to 1000 Births.
England and Wales 120.			
Glamorganshire	151	Surrey	84
Durham	147	Berkshire	83
Lancashire	144	Buckinghamshire	83
Northumberland	143	Somersetshire	83
Carmarthenshire	139	Hertfordshire	81
Monmouthshire	136	Oxfordshire	79
West Riding of Yorkshire...	135	Wiltshire	79
Staffordshire	134	Dorsetshire	78
Nottinghamshire	134	Herefordshire	74

Infantile Mortality in Towns.—The tables on pages xlv-xlvi give a list of the towns with the highest and lowest rates of infantile mortality recorded in the quinquennium 1904-1908. As regards the towns with high rates of infantile mortality it will be noted that nearly all of them are seats either of the pottery, textile or mining industries. Although since the beginning of this century the rates of infantile mortality have decreased in the country as a whole, the care of child life is apparently still much neglected in many of the urban areas shown in Table K. For example, in the quinquennium 1904-1908, in no fewer than ten of these towns, viz., Bilston, Burslem, Longton, Tunstall, Stalybridge, Burnley, Farnworth, Ince in Makerfield, Batley, and Aberdare, an average of about one in every five children born did not survive the first year of life.

It is too early as yet to express an opinion of the results of the Notification of Births Act which only came into operation towards the end of the year 1907, it is believed, however, that the ultimate effect of the Act will be highly beneficial. By the 30th September, 1909, the Act had been adopted by 150 authorities, viz.:—in the Administrative County of Worcester, in the City of London, in 20 metropolitan boroughs, in 46 county boroughs, in 39 municipal boroughs, and in 43 urban districts.

It should be noted that the conditions which tend to a high mortality in the first year of life operate with adverse effect during the succeeding years of life. Further, the loss of infant life must be considered in conjunction with a diminishing birth-rate; areas where the birth-rate is low and the rate of infantile mortality is excessive not only produce fewer children but lose an immoderate proportion of that smaller number of children.

Turning to the towns with low rates of infantile mortality (Table L), most of these may be generally described as residential localities, while a few are of an industrial character, e.g., Swindon and Burton-on-Trent. It is to be observed that in these urban areas a very considerable reduction in the rates of infantile mortality has taken place in recent years.

Generally speaking, the birth-rates in these towns are much below the average of the rate in the whole country, but there are some exceptions—Erith, Aldershot, Gosport and Alverstoke, Ealing, Finchley,

TABLE K.—TOWNS WITH HIGH RATES OF INFANTILE MORTALITY.

Towns.	Population Census, 1901.	Deaths under One Year of Age to 1000 Births.						Average Birth- rate, 1904- 1908.
		1904.	1905.	1906.	1907.	1908.	Average, 1904-1908.	
England and Wales ...	32,527,843	145	128	132	118	120	129	27·0
Staffordshire—								
Bilston ...	24,034	224	188	179	178	165	187	37·1
Burslem ...	38,766	203	205	185	148	182	185	32·7
Fenton ...	22,742	190	188	157	165	176	175	34·9
Hanley ...	62,226	212	195	162	160	166	179	33·3
Longton ...	35,815	197	198	242	171	185	199	35·8
Tunstall ...	24,709	232	192	177	194	196	198	36·4
Worcestershire—								
Dudley ...	48,733	182	167	162	148	147	161	32·3
Oldbury ...	25,191	203	154	166	165	146	167	36·8
Warwickshire—								
Birmingham ...	522,204	197	154	168	147	144	162	29·4
Lincolnshire—								
Grimsby ...	63,138	186	174	180	153	139	166	30·0
Nottinghamshire—								
Nottingham ...	239,743	176	155	171	165	145	162	26·8
Derbyshire—								
Chesterfield ...	27,185	172	119	185	186	147	162	29·9
Ilkeston ...	25,384	180	153	180	159	151	165	37·3
Cheshire—								
Hyde ...	32,766	208	201	153	163	172	179	23·3
Stalybridge ...	27,673	206	178	207	219	218	206	23·9
Stockport ...	92,832	203	168	186	159	168	177	27·0
Lancashire—								
Ashton-under-Lyne ...	43,890	172	180	153	157	184	169	26·3
Burnley ...	97,043	229	173	212	158	200	194	27·5
Farnworth ...	25,925	266	228	188	154	209	209	26·6
Gorton ...	26,564	194	167	159	142	167	166	34·7
Hindley ...	23,504	190	146	163	154	162	163	30·6
Ince in Makerfield ...	21,262	222	203	182	175	176	192	36·7
Leigh ...	40,001	196	183	176	165	172	178	29·3
Liverpool ...	704,134	196	153	172	144	141	161	32·6
Manchester ...	606,824	187	157	167	146	151	162	29·6
Preston ...	112,989	185	154	199	158	153	170	27·9
Radcliffe ...	25,368	207	163	162	139	146	163	23·1
Swinton & Pendlebury	27,005	226	129	200	109	152	163	27·9
Widnes ...	28,580	171	159	189	148	135	160	36·0
Wigan ...	82,428	187	164	162	163	156	166	33·2
Yorkshire (W. Riding)—								
Barnsley ...	41,086	183	148	172	155	163	164	34·8
Batley ...	30,321	238	185	180	163	162	186	26·2
Dewsbury ...	28,060	167	188	171	150	167	169	23·0
Yorkshire (N. Riding)—								
Middlesbrough ...	91,302	169	173	169	158	158	165	35·4
Monmouthshire—								
Abertillery ...	21,945	178	174	185	140	177	171	42·1
Glamorganshire—								
Aberdare ...	43,365	239	199	208	133	212	198	33·4
Merthyr Tydfil ...	69,228	186	193	179	154	178	178	36·9
Mountain Ash ...	31,093	173	191	172	165	152	171	39·7
Pontypridd ...	32,316	162	185	156	139	170	162	35·1
Rhondda ...	113,735	190	200	174	162	184	182	38·4

TABLE L.—TOWNS WITH LOW RATES OF INFANTILE MORTALITY.

Towns.	Population Census, 1901.	Deaths under One Year of Age to 1000 Births.						Average Birth- rate, 1904- 1908.
		1904.	1905.	1906.	1907.	1908.	Average, 1904-1908.	
England and Wales ...	32,527,843	145	128	132	118	120	129	27·0
Surrey—								
Croydon	133,895	130	95	127	94	99	109	25·8
Guildford	20,639	—	65	76	72	71	71*	22·1*
Reigate	25,993	88	75	93	73	70	80	20·5
Richmond	31,672	141	86	84	89	105	101	19·1
Kent—								
Beckenham	26,288	128	102	95	78	76	96	22·7
Bromley	27,397	133	67	113	75	74	92	23·0
Dover	42,672	114	108	99	86	95	100	23·3
Erith	25,296	135	90	89	88	85	97	27·5
Tunbridge Wells ...	33,373	98	74	85	74	83	83	17·6
Sussex—								
Eastbourne	43,344	93	103	89	103	86	95	18·8
Hastings	65,528	108	113	126	79	81	101	16·7
Worthing	22,567	105	83	121	105	109	105	20·4
Hampshire—								
Aldershot	30,974	98	71	118	91	103	96	30·7
Bournemouth	59,762	111	83	117	83	83	95	17·2
Gosport and Alver- stoke.	28,884	107	127	125	77	108	109	28·6
Winchester	20,929	101	78	72	94	96	88	22·7
Middlesex—								
Ealing	33,031	119	103	140	93	82	107	30·2
Finchley	22,126	146	82	124	99	61	102	31·1
Hendon	22,450	141	111	102	84	89	105	27·8
Hornsey	72,056	87	66	85	77	62	75	18·0
Wood Green	34,233	126	79	104	83	86	96	30·8
Hertfordshire—								
Watford	29,414	100	82	97	76	83	88	25·7
Oxfordshire—								
Oxford	49,336	115	116	96	85	94	101	21·4
Northamptonshire—								
Peterborough	30,872	124	103	107	85	79	100	21·8
Essex—								
Ilford	41,244	134	86	111	80	80	98	28·6
Leyton	98,912	143	94	118	92	77	105	27·3
Wiltshire—								
Salisbury	20,185	—	113	103	70	92	95*	20·9*
Swindon	45,006	105	96	91	94	103	98	28·1
Somersetshire—								
Bath	49,839	110	91	119	91	83	99	19·7
Gloucestershire—								
Cheltenham	49,439	134	130	101	95	88	110	18·7
Herefordshire—								
Hereford	21,382	120	79	142	104	89	107	22·9
Staffordshire—								
Burton-on-Trent ...	50,386	118	87	117	97	111	106	24·4
Handsworth	52,921	134	80	119	101	87	104	23·5
Worcestershire—								
Kings Norton and Northfield.	57,122	100	89	103	103	85	96	25·8
Lancashire—								
Stretford	30,436	115	108	122	96	103	109	23·2

* Four years average, 1905-1908.

Hendon, Wood Green, Ilford, Leyton and Swindon, where the birth-rates are above the average. Such towns compare not unfavourably, as regards upkeep of population, with towns in which the birth-rates are high and the child mortality excessive.

Centenarians.—Among the deaths registered during the year there were 64 of reputed centenarians, 17 of whom were males and 47 females. In the preceding three years the numbers had been 58, 65, and 59, respectively.

Urban and Rural Mortality.—At page lxxxi. will be found a table showing the variations in the death-rates both in 1908 and in the quinquennium 1903-07 in the two groups of counties* selected to represent severally the urban and rural areas of England and Wales.

After correction for differences of sex and age constitution of the respective populations, the death-rate during 1908 in the urban group was equal to 16·1 per 1000, and in the rural group to 12·6 per 1000. Compared with the average rates in 1903-07, the mortality in the urban group showed a decrease of 0·8 per 1000, and that in the rural group a decrease of 0·5 per 1000.

In the year 1908 the ratio of urban to rural mortality, based on the corrected death-rates per million living, was as 1281 is to 1000, against a ratio of 1296 to 1000 in the five years immediately preceding.

Certification of Causes of Death.—Of the 520,456 deaths registered in England and Wales during the year 1908, the causes of 476,359, or 91·52 per cent., were certified by registered medical practitioners; inquests were held respecting 36,620, or 7·04 per cent.; whilst the causes of the remaining 7,477, or 1·44 per cent., were uncertified. This is again the lowest proportion of uncertified deaths hitherto recorded.

Of the 7,477 uncertified deaths, 740, or 9·9 per cent., were not reported to Coroners, as compared with 837, or 11·0 per cent., in the year 1907.

The subjoined table shows the changes in the proportion to total deaths of certified deaths, inquest cases, and uncertified deaths in the course of the eight years 1901-1908 :—

Year.	Proportion per 100 Deaths.				
	Certified by Registered Medical Practitioners.	Inquest Cases.	Uncertified Deaths.		
			Total,	Reported to Coroners.	Not reported to Coroners.
1901... ..	91·52	6·67	1·81	1·50	0·31
1902... ..	91·52	6·68	1·80	1·54	0·26
1903... ..	91·40	6·91	1·69	1·47	0·22
1904... ..	91·85	6·53	1·62	1·42	0·20
1905... ..	91·52	6·86	1·62	1·43	0·19
1906... ..	91·64	6·83	1·53	1·36	0·17
1907... ..	91·59	6·96	1·45	1·29	0·16
1908... ..	91·52	7·04	1·44	1·30	0·14

It will be observed that the decline in the proportion of uncertified deaths is shown more especially in those cases which were not reported to Coroners.

TABLE M.—CERTIFIED DEATHS, INQUEST CASES, and UNCERTIFIED DEATHS
IN 1908, PROPORTIONS per 100 DEATHS in each REGISTRATION COUNTY.

COUNTY.	Certified by Registered Medical Prac- titioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not Reported to Coroners.
England and Wales	91·52	7·04	1·44	1·30	0·14
London { North of Thames ..	88·52	11·43	0·05	0·04	0·01
{ South of Thames ..	91·20	8·63	0·17	0·16	0·01
Surrey	91·64	7·59	0·77	0·43	0·34
Kent	91·05	6·43	2·52	2·43	0·09
Sussex	92·40	7·00	0·60	0·58	0·02
Hampshire	90·23	8·71	1·06	0·92	0·14
Berkshire	91·65	5·77	2·58	2·50	0·08
Middlesex	91·47	8·04	0·49	0·42	0·07
Hertfordshire	92·92	5·64	1·44	1·35	0·09
Buckinghamshire	92·65	6·07	1·28	1·27	0·01
Oxfordshire	92·50	6·27	1·23	1·19	0·04
Northamptonshire	91·25	6·03	2·72	2·24	0·48
Huntingdonshire	91·92	6·50	1·58	1·42	0·16
Bedfordshire	92·12	5·78	2·10	1·52	0·58
Cambridgeshire	93·28	4·54	2·18	2·15	0·03
Essex	91·65	6·54	1·81	1·77	0·04
Suffolk	92·60	5·67	1·73	1·60	0·13
Norfolk	92·62	5·67	1·71	1·43	0·28
Wiltshire	92·97	6·30	0·73	0·65	0·08
Dorsetshire	92·50	5·64	1·86	1·67	0·19
Devonshire	92·22	6·92	0·86	0·80	0·06
Cornwall	92·24	6·85	0·91	0·70	0·21
Somersetshire	91·82	7·32	0·86	0·86	—
Gloucestershire	91·18	8·25	0·57	0·48	0·09
Herefordshire	91·49	5·92	2·59	2·16	0·43
Shropshire	90·42	6·79	2·79	2·61	0·18
Staffordshire	91·53	6·85	1·62	1·52	0·10
Worcestershire	92·24	5·56	2·20	2·19	0·01
Warwickshire	91·49	5·44	3·07	2·94	0·13
Leicestershire	91·25	7·39	1·36	1·07	0·29
Rutlandshire	91·44	6·16	2·40	2·40	—
Lincolnshire	92·14	5·92	1·94	1·91	0·03
Nottinghamshire	92·17	6·15	1·68	1·52	0·16
Derbyshire	90·84	6·15	3·01	2·86	0·15
Cheshire	92·29	6·98	0·73	0·62	0·11
Lancashire	92·09	6·14	1·77	1·68	0·09
West Riding of Yorkshire	91·89	6·86	1·25	1·17	0·08
East Riding of Yorkshire	90·56	8·88	0·56	0·51	0·05
North Riding of Yorkshire	92·77	6·38	0·85	0·43	0·42
Durham	91·62	5·17	3·21	2·79	0·42
Northumberland	92·07	6·53	1·40	1·30	0·10
Cumberland	92·19	4·77	3·04	2·95	0·09
Westmorland	90·88	5·52	3·60	3·60	—
Monmouthshire	92·54	6·50	0·96	0·81	0·15
South Wales	91·27	7·65	1·08	0·65	0·43
Glamorganshire	90·99	8·64	0·37	0·14	0·23
Carmarthenshire	93·11	4·97	1·92	1·44	0·48
Pembrokeshire	90·22	5·51	4·27	3·26	1·01
Cardiganshire	92·30	4·02	3·68	1·60	2·08
Brecknockshire	91·46	6·05	2·49	1·95	0·54
Radnorshire	91·97	3·61	4·42	3·62	0·80
North Wales	93·00	4·34	2·66	1·70	0·96
Montgomeryshire	92·44	4·71	2·85	2·52	0·33
Flintshire	92·98	5·00	2·02	1·92	0·10
Denbighshire	93·96	4·35	1·69	1·36	0·33
Merionethshire	94·31	3·73	1·96	1·86	0·10
Carnarvonshire	92·30	4·40	3·30	1·74	1·56
Anglesey	90·79	3·25	5·96	0·72	5·24

TABLE N.—UNCERTIFIED DEATHS REGISTERED in 1908, ARRANGED according to SEX, AGE, and ASSIGNED CAUSE of DEATH.

Assigned Cause of Death.	Total.	Whether Reported to Coroners.				AGES.									
		Reported.		Not Reported.		Under 3 months	3 months and under 1 year.	YEARS							
		Males.	Females.	Males.	Females.			1—	5—	15—	25—	45—	65 and upwards.		
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	53	26	24	2	1	1	14	33	5	—	—	—	—		
Scarlet Fever ..	4	2	1	1	—	—	—	2	2	—	—	—	—		
Whooping Cough	49	21	16	3	9	5	22	21	1	—	—	—	—		
Diphtheria ..	19	6	9	2	2	1	—	9	9	—	—	—	—		
Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diarrhœa ..	103	45	48	6	4	7	47	31	7	—	3	2	6		
Pneumonia ..	128	56	40	15	17	12	29	39	5	2	8	18	15		
Tuberculous Dis- eases,	179	100	55	10	14	2	8	12	15	21	74	35	12		
Alcoholism ..	7	4	2	1	—	—	—	—	—	—	3	3	1		
Cancer	38	13	20	3	2	—	—	—	—	1	5	16	16		
Premature Birth and Congenital Defects.	924	374	306	135	109	900	16	5	2	1	—	—	—		
Dentition.. ..	88	45	36	2	5	1	52	35	—	—	—	—	—		
Epilepsy	88	36	49	2	1	—	—	1	5	13	30	24	15		
Convulsions ..	1295	689	511	50	45	646	463	176	10	—	—	—	—		
Other Nervous Diseases,	90	39	35	6	10	2	12	9	7	3	7	20	30		
Cerebral Hæmor- rhage and Apo- plexy, Hemi- plegia,	267	137	121	4	5	—	—	—	1	3	24	132	107		
Other Circulatory Diseases,	1823	888	869	31	35	—	—	14	31	54	259	901	564		
Bronchitis ..	380	177	178	13	12	29	68	47	2	1	10	79	144		
Other Respiratory Diseases.	87	42	35	4	6	6	8	15	2	—	8	20	28		
Digestive Dis- eases,	122	70	30	11	11	10	24	9	6	1	15	34	23		
Childbirth.. ..	36	—	34	—	2	—	—	—	—	8	27	1	—		
Violence	60	29	22	9	—	15	6	1	2	4	7	7	18		
Atrophy, Debility, &c.	317	145	124	28	20	249	50	14	1	—	1	2	—		
Old Age	813	383	378	19	33	—	—	—	—	—	—	4	809		
Other stated Causes,	431	210	183	16	22	91	36	24	17	15	48	99	101		
Causes not stated	76	40	34	2	—	16	9	3	1	1	5	10	31		
All Causes	{	Reported to Coroners.				Males	3577	907	464	235	60	64	253	697	897
						Females	3160	709	336	221	62	53	241	645	893
		Not Reported to Coroners.				Males	375	206	35	23	4	7	17	5	58
						Females	365	171	29	21	5	4	23	40	72
Total						7477	1993	864	500	131	128	534	1407	1920	

In six English counties—Shropshire, Derbyshire, Cumberland, Warwickshire, Durham, and Westmorland, and in six Welsh counties—Montgomeryshire, Carnarvonshire, Cardiganshire, Pembrokeshire, Radnorshire, and Anglesey, the proportions of uncertified deaths were unduly high, ranging from 2·79 to 5·96 per cent. of the total deaths, compared with 1·44 per cent. in the whole of England and Wales. In several of the 76 large towns also the percentage of uncertified deaths was excessive; it reached 3·8 in Birmingham, 4·4 in Warrington, 4·6 in South Shields, and 5·4 in Gateshead.

An analysis of the uncertified deaths shows that in the English counties the average proportion of such deaths registered without previous reference to Coroners was as low as 8 per cent., whereas in the Welsh counties the proportion was as high as 38 per cent.

Table N on page xlix shows the uncertified deaths registered in 1908, arranged according to sex, age, and assigned cause of death, distinguishing the cases reported from those not reported to Coroners.

It will be noted that about one-fourth of the uncertified cases which were referred to Coroners, and about one-half of those which were not so referred were of infants under three months of age, and that premature birth, convulsions and debility were the assigned causes of most of these deaths.

Deaths in Public Institutions.—Of the 520,456 deaths registered during the year, no fewer than 100,312 or 19·27 per cent. occurred in Workhouses and Workhouse Infirmaries, in Hospitals, or in Asylums for the Insane, the proportion during the 10 years immediately preceding having averaged 16·16 per cent.

Thus the present figures confirm those of previous reports to the effect that the proportion of deaths occurring in public Institutions, although fluctuating slightly from time to time, has a distinct tendency to increase, owing no doubt to the greater use made of such institutions by the public. The following statement shows the proportions of deaths occurring in Workhouses, in Hospitals, and in Lunatic Asylums :—

Public Institutions.	Percentage of Total Deaths.	
	Ten years, 1898–1907.	1908.
Workhouses and Workhouse Infirmaries	8·68	10·38
Hospitals	5·78	6·94
Lunatic and Idiot Asylums	1·70	1·95

The 100,312 deaths in public Institutions registered during the year were equal to a rate of 2·83 per 1,000 of the estimated population of England and Wales, against an average rate in the ten preceding years of 2·64 per 1,000. Detailed tables, showing the names and descriptions of the several institutions and the numbers of deaths occurring therein, are given on pages 229 to 280 of this Report.

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1908, 22 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For giving a false place of birth in order to avoid vaccination	6
For falsifying certificate of birth or death and using same as true	4
For giving false information to the registrar when registering a birth or death	6
For making a false declaration of still-birth in respect of a child born alive, and thereby procuring burial as still-born	2
For giving false information to a registrar <i>with intent</i> to have same entered in a register book ...	1
For causing a fictitious entry to be made in a death register	1
For failing to comply with a requisition to register a birth	2

Proceedings were taken by the Public Prosecutor (at the instance of the Registrar-General) for making a false declaration on a notice of marriage to the effect that a girl aged 16 years was of full age, and the man who gave the notice was sentenced to three days' imprisonment.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1908 by 1,990,719, this addition raising the total of names in the indexes, which at the end of 1908 embraced a period of $71\frac{1}{2}$ years, to 116,742,041.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts of 1836 and 1874, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix.-xxxii. of the Fifty-eighth Report. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 53 weeks ended 2nd January, 1909, the total number of searches was 72,370, and of certificates issued 54,870. The total amount received in fees was 10,550*l.* 8*s.*

The following Table affords an indication of the extent to which the records in this Office have been utilized by

the public for legal evidence of births, deaths, and marriages since 1866 :—

Years.	Total Searches.	Certificates Issued.	Amount Received.
			£ s. d.
1866 (52 weeks)...	12,135	10,017	1,860 15 6
1875 (52 weeks)...	26,356	20,282	3,879 15 6
1885 (52 weeks)...	36,450	27,682	5,317 13 6
1895 (52 weeks)...	53,289	35,727	7,200 12 6
1896 (53 weeks)...	57,444	37,435	7,600 0 6
1897 (52 weeks)...	58,664	37,485	7,686 8 6
1898 (52 weeks)...	63,825	41,143	8,450 19 6
1899 (52 weeks)...	57,670	44,793	8,551 19 6
1900 (52 weeks)...	57,895	45,479	8,658 9 6
1901 (52 weeks)...	58,445	45,254	8,645 10 0
1902 (53 weeks)...	61,437	48,262	9,177 15 0
1903 (52 weeks)...	63,519	49,469	9,437 9 6
1904 (52 weeks)...	62,270	48,658	9,274 12 0
1905 (52 weeks)...	65,142	50,310	9,611 9 0
1906 (52 weeks)...	64,340	49,429	9,458 6 0
1907 (52 weeks)...	69,249	53,058	10,194 9 0
1908 (53 weeks)...	72,370	54,870	10,550 8 0

UNITED KINGDOM.

Population.

The first complete Census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the eighty years, 1821–1901, the population nearly doubled itself, the numbers enumerated at the end of March, 1901, amounting to 41,458,721 persons.

From that date until the middle of 1908 the number of births exceeded the number of deaths by 3,520,836; had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year 1908 to 44,979,557. In the absence of precise information as to migration, the populations of the several divisions of the Kingdom are provisionally estimated as follows :—

POPULATION ESTIMATED to the MIDDLE of the YEAR 1908.

—	Persons.	Males.	Females.
England and Wales	35,348,780	17,071,524	18,277,256
Scotland	4,826,587	2,358,258	2,468,329
Ireland	4,371,455	2,170,599	2,200,856
United Kingdom	44,546,822	21,600,381	22,946,441

Marriages.

The marriages in the United Kingdom during the year 1908 numbered 319,257, corresponding to a rate of 14·3 persons married per 1000 of the population at all ages.

This rate was 0·8 per 1000 below the corresponding rate in 1907, and 0·7 below the average rate in the ten years, 1898–1907.

—	Marriages, 1908.	Persons married to 1000 living.	
		Ten years, 1898–1907.	1908.
England and Wales	264,940	15·8	14·9
Scotland	31,583	14·2	13·1
Ireland	22,734	10·2	10·4
United Kingdom ...	319,257	15·0	14·3

Births.

The births registered in the United Kingdom in the year 1908 numbered 1,173,759 and were in the proportion of 26·3 per 1000 of the population at all ages.

This rate was 0·3 per 1000 above the corresponding rate in 1907 ; compared with the average in the ten years 1898–1907 the birth-rate in 1908 showed a decrease of 1·4 per 1000.

—	Births, 1908.	Births to 1000 living.	
		Ten years, 1898–1907.	1908.
England and Wales	940,383	28·1	26·5
Scotland	131,337	28·9	27·2
Ireland	102,039	23·2	23·3
United Kingdom ...	1,173,759	27·7	26·3

Deaths.

The deaths registered in the United Kingdom in the year 1908 numbered 675,186, and were in the proportion of 15·1 per 1000 of the population at all ages.

This rate was 0·3 per 1000 below the corresponding rate in 1907 ; compared with the average in the ten years 1898–1907 the death-rate in 1908 showed a decrease of 1·6 per 1000.

—	Deaths, 1908.	Deaths to 1000 living.	
		Ten years, 1898–1907.	1908.
England and Wales	520,456	16·4	14·7
Scotland	77,839	17·1	16·1
Ireland	76,891	17·8	17·6
United Kingdom ...	675,186	16·7	15·1

Infantile Mortality.

The following Table shows the proportion of deaths of Infants under one year of age to 1000 births in each division of the United Kingdom. At the time of going to press the figures for Scotland relating to the year 1908 were not available.

						Deaths under 1 year to 1000 Births.	
						1898-1907.	1908.
England and Wales	142	120
Scotland	122	110*
Ireland	100	97
United Kingdom						136	—

* These figures relate to the year 1907.

In Tables 56-59, pages 112-115, the population, marriages, births, deaths and principal causes of death are given for each of the years 1881-1908 for the United Kingdom and for each of its three divisions.

MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1908 was 247,277, and the deaths during the year numbered 1,178, giving a death-rate of 4·8 per 1000, as compared with 5·6, 5·5, and 4·7 per 1000, respectively, in the three preceding years. The mortality in the Army abroad was 6·9 per 1000, against 8·0, 7·8, and 6·4 in the three preceding years; whilst the mortality in the Army at home was 2·6 per 1000, against 2·9, 3·1, and 3·1 (Table 46).

MORTALITY IN THE NAVY.

The average strength of the service afloat during the year 1908 was 109,210, and the deaths during the year numbered 369, being in the proportion of 3·37 per 1000 of the strength, against an average of 4·24 per 1000 in the six years immediately preceding. Of the 369 deaths in 1908, 227 were caused by disease and 142 by violence; the death-rate from disease was therefore 2·07 per 1000, and that from violence 1·30 per 1000. Of the 142 deaths by violence, 98 were due to drowning, 2 to wounds received in action, and 1 to heatstroke, while 10 were cases of suicide.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of Ships trading to or from British Ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and

Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by Officers in charge of His Majesty's Ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1908, this register was increased by the addition of 182 entries of birth and 2,987 entries of death.

Mercantile Marine.—A Return received from the Marine Department of the Board of Trade shows the number of, and the mortality among, masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1891–1908. In the year 1907 the number employed was 246,913, of whom 25,821 were employed in sailing vessels, being 2,321 fewer than in the preceding year, and 221,092 in steam vessels, being 6,264 more than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June, 1908, numbered 2,312, of which 1,313 resulted from disease, suicide, &c., 407 from wreck or casualty to ship, and 592 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 9·4 per 1000 of the strength; this rate was 0·5 per 1000 below the mean rate in the previous five years. (Table 48.)

INTERNATIONAL VITAL STATISTICS.

The information given in this section of the Report is based on returns courteously furnished by the Registrars-General of Scotland and Ireland, by the several Colonial Authorities, and by the Presidents of the several Foreign Statistical Bureaux.

Since the year 1844 it has been customary to publish in these Reports a number of comparative Tables showing the population, marriages, births, and deaths for a series of years in the principal European countries. In recent Annual Reports the scope of these International Returns was extended to include particulars relating to infantile mortality, and to mortality from the principal epidemic diseases, from pulmonary tuberculosis, and from cancer. In the present Report a further attempt has been made to extend the usefulness of these Tables by publishing international returns relating to illegitimacy and by supplementing crude death rates by rates in which the sex and age distribution of the respective populations is taken into account.

Marriages.—The following Table affords the means of comparing the marriage-rates in the several countries for a series of quinquennial periods and for the three years 1906–08. Some of the disparities between the rates shown in the subjoined Table are undoubtedly due to differences in the age constitution, and to variations in the sex proportions of the populations of the several countries, perhaps also to the difference in the facilities for marriage afforded by the laws and customs of different states. It will be seen that whereas of the thirteen states which in the period 1901–1905 had a higher rate than England and Wales, only Spain and Austria failed to maintain their position in the more recent years; no fewer than five of the sixteen states in the lower part of the Table, viz., France, Tasmania, Italy, New South Wales and South Australia had in 1908 marriage rates above that recorded in England and Wales.

ANNUAL MARRIAGE-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Bulgaria	17·9	17·4	16·4	16·6	19·8	19·1	19·8	—
Servia	22·1	21·6	20·2	19·9	19·7	20·4	21·2	18·4
Western Australia ...	14·2	14·3	14·0	19·8	18·4	17·4	16·0	15·0
Russia (European) ...	18·0	17·1	17·9	17·8	—	—	—	—
Ontario, Province of ...	14·2	13·5	13·2	13·9	17·5	18·0	—	—
Hungary	20·4	17·8	18·0	17·0	17·2	17·4	19·6	18·2
Japan	—	16·6	17·0	18·1	16·3	14·6	17·7	—
New Zealand	13·6	12·0	12·2	14·2	16·3	17·0	18·0	18·0
Roumania	17·9	15·1	15·8	15·2	16·3	20·6	21·3	18·4
Belgium	13·7	14·2	15·1	16·6	16·1	16·1	16·0	—
German Empire... ..	15·4	15·8	15·9	16·8	16·1	16·3	16·3	—
Prussia	15·9	16·2	16·1	16·9	16·1	16·4	16·4	16·1
Spain	12·6	13·3	16·2	15·3	16·0	14·1	13·9	14·3
Austria	15·8	15·5	15·8	16·2	15·7	15·8	15·0	—
England and Wales...	15·2	14·7	15·1	16·1	15·6	15·6	15·8	14·9
France	15·0	14·4	15·0	15·1	15·3	15·6	16·0	16·1
Tasmania... ..	16·3	13·8	11·9	13·5	15·2	15·5	15·8	15·7
Switzerland	13·7	14·1	14·5	15·5	15·0	15·6	15·6	—
The Netherlands ...	14·3	14·0	14·5	14·9	14·9	14·9	15·0	14·4
Italy	16·1	15·5	14·8	14·3	14·7	15·5	15·4	16·6
New South Wales ...	17·0	14·9	13·3	13·9	14·7	15·3	15·7	15·9
Denmark	15·4	14·0	13·9	15·0	14·3	14·9	15·3	14·8
Scotland	13·8	13·0	13·6	14·6	13·9	14·0	13·9	13·1
Victoria	14·7	16·3	12·9	13·3	13·7	14·6	15·4	14·8
South Australia ...	16·9	13·5	12·9	12·5	13·3	14·2	15·9	15·8
Finland	14·9	14·5	13·0	14·9	13·0	13·6	13·7	—
Norway	13·4	12·8	12·9	13·7	12·3	11·8	12·1	12·2
Queensland	17·3	16·3	12·6	12·7	12·2	13·5	15·2	14·4
Sweden	12·8	12·2	11·5	12·2	11·8	12·3	12·4	12·2
Ireland	8·7	8·7	9·5	9·9	10·4	10·3	10·3	10·4
Chili	12·6	7·4	9·2	9·3	10·3	11·4	13·0	13·0

In an earlier section of this Report dealing with the marriages recorded in England and Wales, it is stated that the variations which occur from time to time in the number of marriageable men and women in the population make it desirable, when comparing marriage-rates, to base the proportions upon the number of marriageable persons rather than upon the total population. This course is equally desirable when comparing rates in one country with those in another.

A limited number of countries have furnished returns of the numbers of marriageable persons in their populations at the three past census periods ; from these data the table on page lvii has been constructed. Although it has not been possible to correct the figures for variations in the ages of bachelors, widowers, spinsters, and widows in the respective populations, nevertheless they give a fair approximation of the relative marriage-rates, in the several countries, based on the numbers of the population among whom marriages can take place.

Calculated in this way the marriage-rate in England and Wales and in the Netherlands declined by about 5 per cent. in the twenty years ; in Denmark, Sweden and Scotland the decline was slightly less, but it amounted to 7 per cent. in Finland and to 10 per cent. in Norway and in Hungary. In New Zealand and in the Australian Commonwealth a serious decrease in the marriage-rate is apparent, being no

less than 16 per cent. in New South Wales, 23 per cent. in Queensland, and 35 per cent. in South Australia. On the other hand, Ireland, France and Austria each showed an increase of 5 per cent., Switzerland of 11 per cent., the German Empire of 13 per cent., and Belgium of 24 per cent.

MARRIAGE RATES.

Countries (Arranged in order of rates in 1900-2).	Persons married, per 1000 of the unmarried and widowed population aged 15 years and upwards.		
	Approximate periods.		
	1880-82.	1890-92.	1900-02.
Servia	—	118·7	119·4
Bulgaria	—	—	87·3
Hungary	80·9	73·1	73·1
Spain... ..	—	41·1	59·3
Prussia	50·5	53·7	56·5
German Empire	48·7	51·6	55·0
Belgium	40·3	41·6	50·0
Austria	46·6	44·3	49·1
Italy	48·5	—	48·8
England and Wales	51·5	49·8	48·7
France	45·4	43·9	47·7
Denmark	47·9	45·0	46·2
The Netherlands	48·6	43·7	46·2
Finland	46·6	45·5	43·3
Switzerland	38·1	39·7	42·2
Norway	46·5	40·6	41·9
Scotland	40·7	40·1	39·7
Sweden	36·6	35·6	35·3
Ireland	21·9	22·0	23·0
<i>Australian Commonwealth—</i>			
Western Australia	—	—	52·3
Tasmania	48·5	43·5	46·8
New South Wales	53·7	45·0	45·3
Victoria	43·4	43·6	39·6
Queensland	50·0	45·1	38·3
South Australia... ..	58·1	45·8	37·8
New Zealand	49·8	40·0	44·2

Births.—In several previous Reports attention has been drawn to the general decline in the birth-rate that has taken place in the principal European countries, and in New Zealand and the States of the Australian Commonwealth.

If the average crude birth-rates in the quinquennium 1901-05 are compared with those recorded twenty years earlier (1881-85), it will be seen from the Table on page lviii that, with few exceptions, the fall has been very marked. While the decline did not exceed 2 per cent. in Switzerland, 3 per cent. in Ireland, and 4 per cent. in Spain, it reached 14 per cent. in France and in Italy, 16 per cent. in Servia and in England and Wales, and 17 per cent. in Hungary.

Among the Australasian Colonies the decline ranged from 12 per cent. in Western Australia to 36 per cent. in South Australia.

Taking as a standard the average crude birth-rate recorded in England and Wales in the quinquennium 1901-05, viz., 28·1 per 1000,

it will be seen that twelve Continental countries had rates above, and only three (Belgium, Sweden, and France) had rates below this standard.

Since the quinquennium ending 1905 there has been a further general decline in the birth-rate throughout the European countries, the only noteworthy exceptions being Italy and Roumania, where the rates in 1908 were higher than the averages in 1901-1905, the Balkan States where the rates in 1906 and 1907 were considerably in excess of the last quinquennial average, and Ireland, where but little variation has occurred since the period 1886-1890.

ANNUAL BIRTH-RATES per 1,000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Russia (European) ...	49·1	48·2	48·2	49·3	—	—	—	—
Bulgaria ...	37·2	35·9	37·5	41·0	40·6	44·0	43·6	—
Roumania ...	41·8	40·9	41·0	40·2	39·4	40·5	41·7	40·8
Jamaica ...	—	36·8	38·6	38·9	39·0	38·1	35·0	37·6
Ceylon ...	—	30·3	31·7	37·2	38·8	35·7	32·8	40·1
Servia ...	46·3	43·7	43·3	40·1	38·7	41·3	40·0	36·8
Hungary ...	44·6	43·7	41·7	39·4	37·2	36·0	36·0	36·3
Chili ...	39·1	35·5	37·0	35·0	36·1	36·6	38·6	39·3
Austria ...	38·2	37·8	37·4	37·3	35·6	34·9	33·8	—
Spain ...	36·4	36·0	35·3	34·3	35·0	33·4	32·9	33·2
Prussia ...	37·4	37·3	37·0	36·5	34·8	33·7	33·0	32·8
German Empire... ..	37·0	36·5	36·3	36·0	34·3	33·1	32·3	—
Italy ...	38·0	37·5	36·0	34·0	32·6	31·9	31·5	33·4
Japan ...	—	28·5	28·6	31·1	31·7	28·9	33·0	—
The Netherlands ...	34·8	33·6	32·9	32·1	31·5	30·4	30·0	29·7
Finland ...	35·5	34·5	31·8	32·6	31·3	31·4	31·3	—
Western Australia ...	34·5	36·9	30·7	28·3	30·3	30·0	29·2	28·9
Denmark ...	32·4	31·4	30·4	30·0	29·0	28·5	28·3	28·3
Tasmania ...	35·0	34·1	32·7	28·2	29·0	29·5	29·6	30·8
Scotland ...	33·3	31·4	30·5	30·0	28·9	27·9	27·0	27·2
Norway ...	31·2	30·8	30·2	30·1	28·6	26·7	26·3	26·2
England and Wales...	33·5	31·4	30·5	29·3	28·1	27·1	26·3	26·5
Switzerland ...	28·6	27·5	27·7	28·5	28·1	27·4	26·8	—
Belgium ...	30·7	29·3	28·9	28·9	27·7	25·7	25·3	—
New South Wales ...	37·7	36·4	32·9	28·0	26·7	27·0	27·1	26·8
Queensland ...	36·5	37·4	34·1	29·1	26·7	26·3	26·9	26·7
New Zealand ...	36·3	31·2	27·7	25·7	26·6	27·1	27·3	27·4
Sweden ...	29·4	28·8	27·4	26·9	26·1	25·7	25·5	25·7
Victoria ...	30·8	32·7	30·9	26·2	25·0	25·1	25·2	24·6
South Australia ...	38·5	34·7	32·0	27·0	24·5	23·7	23·9	24·7
Ireland ...	23·9	22·8	23·0	23·3	23·2	23·6	23·2	23·3
Ontario, Province of ...	22·4	22·0	19·9	20·1	21·8	23·3	—	—
France ...	24·7	23·1	22·3	21·9	21·2	20·6	19·7	20·2

Legitimate Natality.—While it is recognised that the results of calculating the birth-rate in proportion to total population are of considerable value, it is at the same time very desirable to ascertain the reasons for such wide discrepancies among the crude birth-rates in the different countries. These discrepancies are to some extent due to variations in the civil condition and in the sex and age constitution of the several populations; for example, the birth-rate of Ireland, based on the proportion of births to total population, appears among the lowest in the list of countries given above; whereas if the rate is based on the proportion of legitimate births to

the married women aged 15—45 years, it is found that in the period 1900—2, the fertility of Irish wives is only exceeded in three European countries—the Netherlands, Norway, and Prussia.

The countries possessing the requisite data were therefore asked to furnish returns of the numbers of married women aged 15—45 years in their populations, and of the numbers of legitimate births at the three past census periods; from these data the following Table has been constructed.

LEGITIMATE BIRTH-RATES.

Countries (Arranged in order of rates in 1900-02).	Proportion of Legitimate Births per 1000 Wives aged 15-45 years.			Increase (+) or Decrease (—) per cent. in Fertility during 20 years.
	Approximate periods.			
	1880-82.	1890-92.	1900-02.	
<i>European Countries.</i>				
The Netherlands	347·5	338·8	314·6	— 9·5
Norway	314·5	306·8	302·8	— 3·7
Prussia	312·6	307·6	290·4	— 7·1
Ireland	282·9	287·6	289·4	+ 2·3
German Empire	310·2	300·9	284·2	— 8·4
Austria	281·4	292·4	283·7	+ 0·8
Scotland	311·5	296·4	271·8	— 12·7
Italy	276·2	?	269·4	— 2·5
Sweden	293·0	280·0	269·0	— 8·2
Switzerland	284·1	274·0	265·9	— 6·4
Denmark	287·1	278·1	259·1	— 9·8
Spain	257·7	263·9	258·7	+ 0·4
Belgium	312·7	285·1	250·7	— 19·8
England and Wales	286·0	263·8	235·5	— 17·7
France	196·2	173·5	157·5	— 19·7
<i>Australian Commonwealth.</i>				
Tasmania	?	311·0	256·4	?
Queensland	329·0	320·6	252·8	— 23·2
Western Australia	323·9*	338·8*	246·4	— 23·9
South Australia	326·5	307·5	235·0	— 28·0
New South Wales	337·8	298·5	234·3	— 30·6
Victoria	299·2	297·8	226·8	— 24·2
New Zealand	322·1	277·5	243·2	— 24·5

* The legitimate births in Western Australia are not precisely known for these periods, but are estimated to be 95 per cent. of the total births.

In reviewing these important figures it appears that among the European countries from which it has been possible to obtain returns there were only two—Austria and Spain—in which the fertility of wives during the 20 years (1881—1901) showed a tendency to increase, and this also applies to Ireland. In all of the remaining countries a decrease in fertility took place in the period under review, ranging from 2·5 to as much as 19·8 per cent. There were two countries, Italy and Norway, in which the fall was only 2·5 and 3·7 per cent. respectively; in five others, Switzerland, Sweden, the German Empire, the Netherlands, and Denmark, the decrease ranged from 6·4 to 9·8 per cent., in Scotland the decrease was 12·7 per cent., in

England and Wales 17·7 per cent., in France 19·7 per cent., and in Belgium 19·8 per cent.

In New Zealand and in the States of the Australian Commonwealth, the decrease in legitimate natality in the period 1881-1901 ranged from 23·2 to 30·6 per cent.

It is probable that there is a common cause operating throughout these countries to account for the phenomenon of a general decline in human fertility, and apart from any decrease due to changes in the age constitution of the married women of conceptive ages, there is strong ground for the assumption that in varying degree that cause is the deliberate restriction of child-bearing on the part of the people themselves.

Illegitimate Natality.—As stated in an earlier part of this Report, illegitimacy is usually measured by the convenient method of taking the proportion of illegitimate births to total births. This is, however, a defective method, because it ignores the varying proportions of unmarried and widowed women in the population. In the following table, therefore, the illegitimate rates are stated in proportion to the number of single and widowed women at child-bearing ages.

For reasons given in the note on page xxvi respecting the difficulties of estimating during an intercensal period the numbers living in sections of the population the calculations have been limited to the last three Census periods.

During the period 1900-02, the ratio of illegitimate births per 1000 single and widowed women aged 15-45 years did not exceed 3·8 in Ireland, 6·8 in the Netherlands, 8·5 in England and Wales, and 8·9 in New Zealand, but the proportion reached 24·2 per 1000 in Denmark, 24·3 in Sweden, 27·4 in the German Empire, and 40·1 in Austria.

ILLEGITIMATE BIRTH-RATES.

Countries (Arranged in order of rates in 1900-02).	Proportion of Illegitimate Births per 1000 Unmarried and Widowed Women aged 15-45 years.			Increase (+) or Decrease (—) per cent. in Illegitimacy during 20 years.
	Approximate periods.			
	1880-82.	1890-92.	1900-02.	
Austria	43·4	42·7	40·1	— 7·6
German Empire	29·6	28·7	27·4	— 7·4
Sweden	22·6	22·9	24·3	+ 7·5
Denmark	26·9	24·5	24·2	— 10·0
Prussia	25·8	25·1	23·7	— 8·1
Italy	25·4	—	19·4	— 23·6
France	17·6	17·7	19·1	+ 8·5
Belgium	20·0	20·6	17·8	— 11·0
Norway	19·7	16·9	17·2	— 12·7
Spain	16·0	17·5	15·5	— 3·1
Scotland	21·4	17·1	13·4	— 37·4
Australian Commonwealth ...	14·5	15·9	13·2	— 9·0
Switzerland	10·8	10·0	9·8	— 9·3
New Zealand	13·4	9·0	8·9	— 33·6
England and Wales ...	14·1	10·5	8·5	— 39·7
The Netherlands	9·7	9·0	6·8	— 29·9
Ireland	4·4	3·9	3·8	— 13·6

There is probably no single explanation of the wide variations in the rates of illegitimacy, but differences of religion, of social conditions, of race, and of the marriage laws—particularly in regard to the possibility of legitimization by subsequent marriage—must all be taken into account.

Deaths.—During the last three years the death-rates were, on the whole, lower than in any of the earlier periods shown in the table. In England and Wales the rates in successive quinquennia since 1881-5 showed a continuous decrease, and this decrease continued uninterruptedly in the years 1906-08. A similar record of steady improvement has been shown in the death-rates of the German Empire, Spain, Switzerland, Belgium, and South Australia, and would have been shown in Italy also, but for the disastrous earthquake at Messina.

ANNUAL CRUDE DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Russia (European) ...	35.4	33.2	35.8	31.9	—	—	—	—
Chili ...	27.8	35.2	32.6	28.8	30.0	32.9	29.6	31.6
Ceylon ...	—	25.1	28.3	27.0	26.7	34.3	30.1	29.4
Hungary ...	33.1	32.1	31.8	27.9	26.2	24.8	25.2	24.8
Spain ..	32.6	30.9	30.1	28.8	25.8	25.6	24.0	23.3
Roumania ...	26.2	28.7	31.0	27.4	25.5	24.3	26.7	27.7
Austria ...	30.1	28.9	27.9	25.6	24.2	22.4	22.6	—
Bulgaria ...	17.7	18.9	27.8	23.9	22.5	22.3	22.3	—
Jamaica ...	—	23.5	22.0	22.1	22.6	26.2	28.3	22.4
Servia ...	24.5	25.9	28.9	24.8	22.4	24.0	22.8	23.7
Italy ...	27.3	27.2	25.5	22.9	21.9	20.8	20.7	22.6*
Japan ...	—	20.6	21.1	20.7	20.9	19.8	20.9	—
German Empire ...	25.3	24.4	23.3	21.2	19.9	18.2	18.0	—
France ...	22.2	22.0	22.3	20.7	19.6	19.9	20.2	19.0
Prussia ...	25.4	24.0	22.8	21.0	19.6	17.9	17.8	17.9
Finland ...	22.2	20.0	20.5	19.0	18.6	17.5	17.9	—
Switzerland ...	21.3	20.4	19.8	18.1	17.7	17.0	16.8	—
Ireland ...	18.0	17.9	18.5	18.1	17.6	17.0	17.7	17.6
Belgium ...	20.6	20.2	20.1	18.1	17.0	16.4	15.7	—
Scotland ...	19.6	18.8	19.0	18.0	16.9	16.0	16.2	16.1
England and Wales...	19.4	18.9	18.7	17.7	16.0	15.4	15.0	14.7
The Netherlands ...	21.4	20.5	19.6	17.2	16.0	14.8	14.6	15.3
Sweden ...	17.5	16.4	16.6	16.1	15.5	14.4	14.6	14.9
Denmark ...	18.4	18.7	18.6	16.4	14.8	13.5	14.2	14.5
Norway ...	17.2	17.0	16.8	15.6	14.5	13.6	14.2	14.3
Ontario, Province of ...	11.4	11.0	10.6	11.6	13.0	14.8	—	—
Victoria ...	14.7	16.1	14.0	13.7	12.7	12.4	11.7	12.5
Western Australia ...	17.1	16.0	16.3	15.1	12.4	11.8	11.1	10.7
Queensland ...	19.2	14.9	12.4	12.0	11.4	9.6	10.4	10.2
New South Wales ...	15.7	13.8	12.8	11.9	11.2	9.9	10.6	10.1
South Australia ...	14.7	12.6	12.3	12.0	10.8	10.3	9.7	9.7
Tasmania ...	16.0	14.9	13.3	12.4	10.8	11.2	11.2	11.7
New Zealand ...	10.9	9.9	10.1	9.6	9.9	9.3	10.9	9.5

* Excluding the deaths in the earthquake at Messina and Reggio the death-rate was 20.3 per 1000.

The crude death-rates given in the preceding table are useful because they present facts in a convenient form and enable a comparison to be made of the death-rates year by year, or in small groups of years

in the same country ; but, as already stated, crude death-rates should be supplemented by rates in which the sex and age distribution of the respective populations is taken into account.

This more accurate comparison is now made possible by means of Table 54 given on pages 108-109, which shows for the first time the age constitution of the principal Foreign and Colonial populations as enumerated at the last Census. A few examples extracted from that table will show at a glance the wide variations in the relative proportions of young, middle-aged, and old persons in the populations in some of the countries.

PROPORTIONS IN A MILLION PERSONS AT ALL AGES.—CENSUS 1901.

	England and Wales.	Ireland.	France.	New South Wales.	German Empire. (Census, 1900.)
Persons.					
All ages... ..	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 15 years ...	324,206	303,492	261,073	359,923	347,983
15—65	629,133	632,700	656,877	605,581	603,223
65 years and up- wards.	46,661	63,808	82,050	34,496	48,794
Males.					
All ages... ..	483,543	493,418	491,977	524,199	492,082
Under 15 years ...	161,871	154,189	130,576	182,294	174,404
15—65	301,349	307,405	323,878	321,846	295,918
65 years and up- wards.	20,323	31,824	37,523	20,059	21,760
Females.					
All ages... ..	516,457	506,582	508,023	475,801	507,918
Under 15 years ...	162,335	149,303	130,497	177,629	173,579
15—65	327,784	325,295	332,999	283,735	307,305
65 years and up- wards.	26,338	31,984	44,527	14,437	27,034

In view of the wide variations in the sex and age constitution of the several populations, corrected death-rates have been calculated for the period 1900-02 for all countries that were able to furnish the requisite data.

The International Statistical Institute have recommended that the particular constitution, in respect of age, of the population of Sweden in 1890 should be taken as an arbitrary basis of comparison, and that the following five age-groups should be used for the purpose of correcting death-rates, viz. : under 1 year, 1 year and under 20, 20 years and under 40, 40 years and under 60, 60 years and upwards.

In England and Wales, owing to the tendency of persons to return their ages as some exact multiple of ten, that is as 30, 40, 50, 60, etc., it has always been deemed advisable, for the purposes of calculating rates of mortality, to make use of decennial periods arranged in such a way that the year which is a multiple of ten shall come in the middle of the period, that is to say, 25-35, 35-45, etc. It is maintained that corrected death-rates based on eleven quinquennial or decennial age groups should be of far greater value than those of the five age-groups of the Swedish standard population.

In the following calculations the population of England and Wales at the census of 1901 has been adopted as a standard and the corrected death-rates for the various countries have been calculated on the rates of mortality in the eleven age-groups specified in Tables P and Q, pp. lxiv-lxv.

It will be observed from the figures in Table O, that the death-rates of the several countries are affected by differences of sex and age constitution very diversely. For example, in four countries (viz., Switzerland, Belgium, the Netherlands, and Ireland) the crude rates for persons exceeded that recorded in England and Wales, whereas

TABLE O.—MEAN ANNUAL CRUDE and CORRECTED DEATH-RATES* per 1000 living in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates —Persons),	Deaths to 1000 living.						Comparative Mortality Figures (Persons), England and Wales, taken as 1000 (Corrected Death-rates)
	Persons.		Males.		Females.		
	Cor- rected Death- rates.	Crude Death- rates.	Cor- rected Death- rates.	Crude Death- rates.	Cor- rected Death- rates.	Crude Death- rates.	
Russia (European) (1896-8) ..	28·61	32·80	29·80	34·59	27·49	31·09	1667
Spain (1900-02)	26·53	27·63	27·37	28·97	25·74	26·36	1546
Hungary (1899-01)	24·87	26·34	24·96	26·87	24·79	25·81	1449
Austria (1899-01)	23·12	24·83	23·86	25·80	22·42	23·90	1347
Bulgaria (1899-01)	20·92	23·26	20·89	23·47	20·96	23·03	1219
Italy (1900-02)	20·23	22·72	20·09	23·13	20·36	22·31	1179
Prussia (1899-01)	19·70	21·08	21·03	22·42	18·45	19·77	1148
German Empire (1901)	19·52	20·84	20·78	22·10	18·34	19·61	1138
Finland (1899-01)	19·12	20·54	19·98	21·26	18·32	19·84	1114
Scotland (1900-02)	17·61	17·91	18·56	18·50	16·73	17·36	1026
France (1900-02)	17·50	20·80	18·56	21·95	16·51	19·69	1020
England and Wales (1900-02)	17·16	17·16	18·37	18·37	16·04	16·04	1000
Switzerland (1899-01)	16·86	18·22	17·57	18·99	16·20	17·48	983
Belgium (1899-01)	16·78	18·53	17·80	19·55	15·82	17·52	978
Ireland (1900-02)	16·59	18·27	16·25	18·31	16·90	18·23	967
Western Australia (1900-02)	15·83	13·72	17·80	14·68	14·00	12·21	922
The Netherlands (1898-00) ..	15·40	17·32	16·03	18·06	14·81	16·60	897
Sweden (1899-01)	13·88	16·78	14·45	17·24	13·36	16·35	809
Denmark (1900-02)	13·63	15·80	14·41	16·66	12·90	14·98	794
Queensland (1900-02)	13·29	11·89	14·88	13·61	11·80	9·74	774
New South Wales (1900-02)	13·10	11·72	13·79	13·01	12·44	10·29	763
Victoria (1900-02)	13·08	13·12	13·99	14·80	12·22	11·43	752
South Australia (1900-02)	11·73	11·02	12·33	11·78	11·16	10·23	684
Tasmania (1900-02)	11·44	10·88	11·55	11·59	11·33	10·11	667
New Zealand (1900-02)	10·80	10·01	11·12	11·05	10·51	8·86	629

* The corrected death-rates are the death-rates at all ages that would have resulted from the rates prevailing at the various age groups if the sex and age constitution of the populations in the several countries had been identical with that of the population of England and Wales as enumerated at the Census of 1901.

TABLE P.—MALES :—DEATH-RATES per 1000 living at ELEVEN GROUPS of AGES in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates at all Ages —Persons).	Deaths to 1000 living—MALES.											
	All Ages.*	Under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 years and upwards.
Russia (European) (1896-8) ..	29'80	144'25	12'88	5'37	5'59	7'45	8'14	11'18	18'44	32'31	65'66	116'59
Spain (1900-02)	27'37	109'85	8'49	4'03	6'93	10'07	9'07	11'76	18'04	35'07	80'43	210'22
Hungary (1899-01)	24'96	98'40	11'13	4'90	5'98	8'55	7'61	10'78	17'80	34'00	70'69	169'05
Austria (1899-01)	23'86	93'95	6'88	3'52	4'89	7'47	7'85	11'10	18'68	34'54	72'53	170'53
Bulgaria (1899-01)	20'89	80'45	12'74	5'94	6'67	10'15	8'67	10'55	16'06	23'87	41'35	85'58
Italy (1900-02)	20'c9	76'86	5'98	3'15	4'68	6'73	6'73	8'44	13'59	26'99	65'56	177'30
Prussia (1899-01)	21'03	79'84	4'94	2'69	4'19	5'74	6'13	10'38	18'32	33'28	69'47	164'11
German Empire (1901)	20'78	80'33	4'47	2'59	4'06	5'57	6'16	10'10	17'69	32'49	67'56	161'97
Finland (1899-01)	19'98	68'02	11'18	5'24	5'45	7'48	7'34	9'27	14'30	27'96	64'28	152'00
Scotland (1900-02)	18'56	52'13	4'34	2'82	4'64	6'14	7'55	11'68	19'50	37'95	71'61	159'22
France (1900-02)	18'56	51'74	4'69	3'00	5'08	8'10	8'19	11'56	17'54	31'50	69'50	183'78
England and Wales (1900-02)	18'37	58'29	4'06	2'28	3'49	4'77	6'38	10'94	18'67	34'80	70'25	158'18
Switzerland (1899-01)	17'57	50'62	3'80	2'39	3'90	5'75	6'58	10'40	18'83	34'30	70'79	160'83
Belgium (1899-01)	17'80	59'39	4'02	2'19	3'72	5'64	6'17	9'14	16'37	30'11	66'52	162'40
Ireland (1900-02)	16'25	39'36	3'90	2'86	4'83	7'19	8'96	10'62	15'63	29'52	63'07	169'19
Western Australia (1900-02) ..	17'80	53'81	2'47	2'00	3'66	7'24	7'54	10'93	17'82	32'03	65'07	169'16
The Netherlands (1898-00) ..	16'03	55'43	3'59	2'28	3'96	5'82	5'70	7'60	12'92	25'40	59'15	142'15
Sweden (1899-01)	14'45	40'30	5'62	3'52	4'96	6'93	6'91	8'28	12'42	21'95	48'98	134'95
Denmark (1900-02)	14'41	42'13	3'67	2'52	3'55	5'34	5'52	8'10	13'54	24'71	55'43	148'53
Queensland (1900-02)	14'88	31'84	2'21	2'11	5'24	8'55	8'95	10'83	16'49	29'31	61'97	132'06
New South Wales (1900-02) ..	13'79	34'23	2'18	2'02	3'46	4'76	5'62	8'86	14'71	27'86	60'82	151'02
Victoria (1900-02)	13'99	34'01	2'69	2'10	3'11	4'90	6'27	8'82	15'38	29'88	61'58	141'57
South Australia (1900-02) ..	12'33	32'18	2'81	1'85	2'90	4'21	5'24	7'61	11'96	24'76	54'71	122'31
Tasmania (1900-02)	11'55	26'50	1'71	2'34	2'66	4'11	4'23	7'36	11'27	23'32	52'52	156'07
New Zealand (1900-02)	11'12	25'02	2'35	1'72	2'89	3'90	4'55	6'88	11'94	22'04	51'34	137'86

* Corrected Death-rates. See Note * at foot of Table O, page lxiii.

after correction the rates in these countries were below that in England and Wales.

For the assistance of those who desire to investigate this subject further, Tables P and Q have been prepared which exhibit the rates of mortality of males and females respectively at eleven groups of ages in the several countries.

Compared with the death-rate in England and Wales the corrected mortality ranged among the European countries from 67 per cent. above this standard in Russia to 21 per cent. below it in Denmark. In all the Australasian colonies the mortality was lower than in England and Wales, the difference ranging from 8 per cent. in Western Australia to 37 per cent. in New Zealand. The corrected death-rate is lower than the crude rate in every European country given in the Table, while among the Australasian colonies, with one exception, the rate is increased by correction,

TABLE Q.—FEMALES :—DEATH-RATES per 1000 living at ELEVEN GROUPS of AGES in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates at all Ages —Persons),	Deaths to 1000 living —FEMALES,											
	All Ages.*	Under 5 years,	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 years and upwards.
Russia (European) (1896-8) ..	27'49	125'05	12'61	5'48	6'04	7'74	8'81	11'10	16'07	32'54	66'52	116'88
Spain (1900-02)	25'74	98'29	8'70	4'60	7'31	8'70	9'38	10'60	13'99	30'02	76'36	211'06
Hungary (1899-01)	24'79	85'54	11'40	6'25	7'73	9'42	9'75	11'36	15'86	34'11	74'36	172'10
Austria (1899-01)	22'42	79'59	7'43	4'33	5'57	7'46	8'66	10'62	14'96	31'18	72'51	165'83
Bulgaria (1899-01)	20'96	73'19	12'31	6'60	7'58	11'04	11'53	12'61	14'18	22'12	43'75	93'80
Italy (1900-02)	20'36	72'93	6'55	3'76	5'43	6'92	7'77	8'87	11'24	24'13	65'72	182'17
Prussia (1899-01)	18'45	68'08	5'06	2'94	3'71	4'76	6'23	8'11	11'79	25'37	62'16	156'19
German Empire (1901)	18'34	68'07	4'58	2'75	3'72	4'86	6'43	8'24	11'73	25'13	60'60	154'67
Finland (1899-01)	18'32	59'44	10'97	5'93	5'95	6'69	7'37	8'78	10'74	21'54	56'07	141'87
Scotland (1900-02)	16'73	43'91	4'77	3'23	4'69	5'59	7'25	10'04	15'56	30'47	60'17	142'78
France (1900-02)	16'51	43'55	4'81	3'55	5'27	6'88	7'75	9'08	12'72	24'35	58'81	163'58
England and Wales (1900-02)	16'04	48'76	4'16	2'40	3'21	3'94	5'44	8'84	14'26	27'45	59'03	143'48
Switzerland (1899-01)	16'20	41'50	3'87	2'71	4'45	5'62	6'61	8'46	12'80	28'32	68'85	160'35
Belgium (1899-01)	15'82	50'11	4'14	2'49	4'08	5'49	6'24	7'76	11'25	22'70	54'98	149'89
Ireland (1900-02)	16'90	35'01	4'82	3'92	5'99	6'65	8'58	10'81	14'98	29'65	67'15	168'01
Western Australia (1900-02) ..	14'00	42'38	2'03	2'05	3'42	6'18	6'88	9'29	10'44	21'56	41'18	126'17
The Netherlands (1898-00) ..	14'81	47'01	3'59	2'52	3'71	4'42	5'86	7'82	10'29	21'69	52'22	139'31
Sweden (1899-01)	13'36	34'58	5'75	4'21	5'24	6'00	6'52	7'51	9'78	17'35	42'71	126'30
Denmark (1900-02)	12'90	34'21	3'69	3'25	4'21	4'52	5'53	7'09	10'05	18'74	46'36	133'97
Queensland (1900-02)	11'80	27'69	1'92	1'76	2'55	3'75	5'83	8'32	10'98	20'60	47'81	117'25
New South Wales (1900-02) ..	12'44	30'58	2'01	1'69	2'51	3'84	5'48	7'58	10'43	20'15	46'49	155'21
Victoria (1900-02)	12'22	29'06	2'63	1'92	2'92	4'10	6'00	8'33	11'46	21'50	44'64	122'82
South Australia (1900-02) ..	11'16	27'25	2'03	1'62	3'47	4'16	5'30	7'35	9'34	17'03	43'33	118'06
Tasmania (1900-02)	11'33	22'13	2'30	1'62	3'97	4'78	4'86	7'74	9'13	18'28	51'52	136'03
New Zealand (1900-02)	10'51	21'36	1'93	1'80	2'97	3'74	4'74	6'56	10'11	18'95	43'48	122'87

* Corrected Death-rates. See Note * at foot of Table O, page lxiii.

With regard to the death-rates of the two sexes, it will be noted that the rate for males at all ages exceeds the rate for females in all but three countries, viz., Ireland, Italy, and Bulgaria. The excess of male mortality is not, however, evenly distributed throughout all the age groups. Among children under 5 years of age this excess is, on the whole, more marked than in succeeding age groups, and it prevails in all countries without exception. From 5 to 20 years of age the female mortality generally exceeds that among males; in the next five years, however, the male rate is again higher than that for females, except in Russia, Hungary, Bulgaria, Italy, and Tasmania. From 25 to 35 years of age the mortality of females is higher than that for males in 15 of the 24 countries shown in the Table, but from 35 years onwards the male rates are, as a rule, higher than the female rates; Russia, Hungary, Bulgaria, Ireland, and Italy are, however, prominent exceptions to this rule, especially at the higher ages.

Natural Increase.—Assuming the registration of births and deaths in the countries dealt with to be reasonably complete, the rates of natural increase of population in the several States can be compared by taking the difference between the birth- and death-rates. The countries in which the highest birth-rates obtain are not invariably those in which the highest rates of natural increase prevail, the growth of population depending upon the death-rate as well as upon the birth-rate, the two factors being to some extent inter-dependent.

The average rate of natural increase shows wide variations in the several countries.

NATURAL INCREASE.—Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Bulgaria	19·5	17·0	9·7	17·1	18·1	21·7	21·3	—
Tasmania... ..	19·0	19·2	19·4	15·8	18·2	18·3	18·4	19·1
Western Australia	17·4	20·9	14·4	13·2	17·9	18·2	18·1	18·2
Russia (European)	13·7	15·0	12·4	17·4	—	—	—	—
New Zealand	25·4	21·3	17·6	16·1	16·7	17·8	16·4	17·9
Servia	21·8	17·8	14·4	15·3	16·3	17·3	17·2	13·1
New South Wales	22·0	22·6	20·1	16·1	15·5	17·1	16·5	16·7
The Netherlands	13·4	13·1	13·3	14·9	15·5	15·6	15·4	14·4
Queensland	17·3	22·5	21·7	17·1	15·3	16·7	16·5	16·5
Prussia	12·0	13·3	14·2	15·5	15·2	15·8	15·2	14·9
German Empire	11·7	12·1	13·0	14·8	14·4	14·9	14·3	—
Denmark	14·0	12·7	11·8	13·6	14·2	15·0	14·1	13·8
Norway	14·0	13·8	13·4	14·5	14·1	13·1	12·1	11·9
Roumania	15·6	12·2	10·0	12·8	13·9	16·2	15·0	13·1
South Australia	23·8	22·1	19·7	15·0	13·7	13·4	14·2	15·0
Finland	13·3	14·5	11·3	13·6	12·7	13·9	13·4	—
Victoria	16·1	16·6	16·9	12·5	12·3	12·7	13·5	12·1
England & Wales	14·1	12·5	11·8	11·6	12·1	11·7	11·3	11·8
Scotland	13·7	12·6	11·5	12·0	12·0	11·9	10·8	11·1
Austria	8·1	8·9	9·5	11·7	11·4	12·5	11·2	—
Hungary	11·5	11·6	9·9	11·5	11·0	11·2	10·8	11·5
Japan	—	7·9	7·5	10·4	10·8	9·1	12·1	—
Belgium	10·1	9·1	8·8	10·8	10·7	9·3	9·6	—
Italy	10·7	10·3	10·5	11·1	10·7	11·1	10·8	10·8
Sweden	11·9	12·4	10·8	10·8	10·6	11·3	10·9	10·8
Switzerland	7·3	7·1	7·9	10·4	10·4	10·4	10·0	—
Spain	3·8	5·1	5·2	5·5	9·2	7·8	8·9	9·9
Ontario, Province of	11·0	11·0	9·3	8·5	8·8	8·5	—	—
Chili	11·3	0·3	4·4	6·2	6·1	3·7	9·0	7·7
Ireland	5·9	4·9	4·5	5·2	5·6	6·6	5·5	5·7
France	2·5	1·1	0·0	1·2	1·6	0·7	-0·5	1·2

The average annual rate in England and Wales in the quinquennium 1901-1905 was 12·1 per 1000 of the total population; taking this figure as a criterion it will be seen that in proportion to total population the natural increment was above that rate in the Australasian Colonies, in the Balkan States, in Russia, in the Netherlands, in the German Empire, in Denmark, and in Norway; while it was about equal to the English average in Scotland and below it in Austria, Hungary, Japan, Belgium, Italy, Sweden, Switzerland, Spain, and the Province of Ontario. In Ireland the rate was exceptionally low, being only 5·6 per 1000 of population. In France the average

birth-rate exceeds but slightly the average death-rate, and it may be of interest to note that in six of the past nineteen years the number of deaths exceeded the births.

Infantile Mortality.—The accompanying Table shows the relative incidence of infantile mortality in those countries that have been able to furnish returns. With few exceptions the populations in which a high rate of infantile mortality prevails are those in which a high birth-rate obtains. Austria, Hungary, Prussia, and Spain come under this category; while France appears to be a notable exception, the birth-rate being low and the infantile mortality comparatively high.

In Ireland, in Norway, in New Zealand, and in all the States of the Australian Commonwealth the rates of infantile mortality are exceptionally low. (Further remarks upon International Infantile Mortality will be found in Dr. Stevenson's letter, p. cxxi.)

INFANTILE MORTALITY.—DEATHS of children under one year to 1000 births, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Chili	—	264	336	333	331	328	297	320
Russia (European) ...	271	264	276	261	—	—	—	—
Austria	—	—	—	226	215	—	—	—
Hungary	—	—	250	219	212	205	208	199
Prussia	207	208	205	201	190	177	168	173
Jamaica	—	170	171	175	174	197	223	175
Spain	193	—	—	—	173	173	—	—
Ceylon	—	158	169	168	171	198	186	183
Italy	—	—	185	168	168	160	155	—
Japan	—	—	147	153	154	153	151	—
Servia	157	158	172	159	149	144	147	158
Belgium	156	163	164	158	148	153	132	—
Bulgaria	—	—	140	143	148	154	—	—
France	167	166	171	159	139	143	—	—
England & Wales ...	139	145	151	156	138	132	118	120
Ontario, Province of ...	—	—	—	139*	138	162	—	—
The Netherlands ...	181	175	165	151	136	127	112	125
Switzerland	171	159	155	143	134	127	121	—
Finland	162	144	145	139	131	119	112	—
Western Australia ...	—	123	130	160	126	110	98	85
Scotland	117	121	126	129	120	115	110	—
Denmark	135	136	138	132	119	109	106	—
Ireland	94	95	102	106	98	93	92	97
New South Wales ...	124	115	111	113	97	75	89	76
Victoria	122	131	111	111	96	93	73	86
Queensland	137	119	103	103	94	75	77	70
Sweden	116	105	103	101	91	81	77	—
Tasmania	109	103	94	98	90	91	82	75
South Australia ...	—	105	99	112	87	76	66	70
Norway	99	96	98	96	81	69	67	—
New Zealand	90	84	87	80	75	62	89	68

* 4 years.

Mortality from certain Epidemic Diseases.—The accompanying tables give some indication of the incidence of measles, scarlet fever, diphtheria, whooping cough, and enteric fever in the several countries.

In comparing the rates of mortality from these diseases it must be borne in mind that methods of classification vary, and that the certification of causes of death is more complete or more accurate in some States than in others: also that differences in the age constitution of the several populations affect the comparison of the figures. In the case of measles, scarlet fever, diphtheria, and whooping cough, diseases mainly confined to childhood, it will be noted from the tables that in several instances considerable fluctuations occur in the mortality rates; doubtless this is due to cycles of greater or lesser prevalence of these disorders. Generally speaking, however, sensible reductions in the rates of mortality from these diseases have taken place in many European countries.

In regard to the death-rate from enteric fever, the figures in the Table show that in nearly all countries a gratifying diminution in the mortality from this disease has taken place; the reduction being exceptionally marked in Austria, Prussia, and Switzerland.

While the rate is still high in Spain, Italy, and Hungary, it is comparatively low in England and Wales, Scotland, the Netherlands, Prussia, Sweden, and Switzerland. Enteric fever is permanently prevalent in nearly all countries, but it is worthy of note that, according to the reports of various sanitary authorities, the decline in the mortality has generally coincided with the introduction of pure public water supplies.

MEASLES.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Spain	—	—	—	—	0·66	0·45	0·35	0·36
Hungary	—	—	—	0·43*	0·40	0·49	0·42	0·45
Belgium	0·52	0·58	0·60	0·40	0·37	0·34	0·27	—
The Netherlands ...	0·26	0·38	0·20	0·17	0·37	0·25	0·26	0·27
Austria	0·48	0·56	0·42	0·38	0·34	0·33	—	—
England & Wales ...	0·41	0·47	0·41	0·42	0·33	0·27	0·36	0·23
Scotland	0·36	0·41	0·51	0·43	0·32	0·31	0·24	—
Roumania	—	0·13	0·18	0·17	0·26	0·03	0·21	0·25
Prussia	0·42	0·42	0·27	0·26	0·25	0·24	0·18	0·19
Italy	—	0·61*	0·42	0·25	0·21	0·29	0·24	0·34
Switzerland	0·11	0·14	0·16	0·13	0·20	0·16	0·17	—
Ireland	0·18	0·20	0·17	0·18	0·16	0·09	0·13	0·20
South Australia ...	0·16	0·01	0·18	0·05	0·13	0·00	0·01	0·04
Sweden	0·21	0·18	0·13	0·11	0·08	0·04	0·08	—
New Zealand	0·09	0·03	0·16	0·06	0·07	0·01	0·11	0·02
Western Australia ...	0·82	—	0·08	0·05	0·06	0·02	0·02	0·10
Ontario, Province of ...	0·06	0·07	?	0·04	0·04	0·06	—	—
New South Wales ...	0·05	0·06	0·15	0·11	0·03	0·01	0·06	0·02
Victoria	0·08	0·03	0·12	0·14	0·03	0·01	0·03	0·02
Queensland	0·08	0·00	0·14	0·11	0·02	0·01	0·04	0·07
Tasmania... ..	—	0·00	0·06	0·07	0·01	0·02	0·01	0·02

* 4 years.

SCARLET FEVER.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Servia	—	—	—	—	0.99	1.72	1.43	1.41
Hungary	—	—	—	0.56*	0.66	0.43	0.57	0.65
Austria	0.62	0.56	0.54	0.56	0.45	0.38	—	—
Roumania	—	0.15	0.32	0.26	0.45	0.20	0.35	0.78
Prussia	0.58	0.30	0.23	0.27	0.30	0.21	0.22	0.22
Belgium	0.27	0.17	0.15	0.22	0.13	0.11	0.13	—
England & Wales ...	0.44	0.24	0.18	0.13	0.13	0.10	0.09	0.08
Ontario, Province of ...	0.22	0.08	?	0.08	0.13	0.03	—	—
Scotland	0.35	0.22	0.20	0.17	0.09	0.05	0.05	—
Sweden	0.57	0.44	0.28	0.09	0.09	0.07	0.04	—
Spain	—	—	—	—	0.06	0.07	0.12	0.11
Tasmania... ..	—	0.01	0.01	0.05	0.06	—	—	—
Italy	—	0.31*	0.20	0.11	0.05	0.08	0.09	0.10
New Zealand	0.12	0.03	0.01	0.00	0.05	0.02	0.03	0.06
Switzerland	0.09	0.09	0.07	0.02	0.05	0.04	0.04	—
Ireland	0.27	0.14	0.10	0.09	0.04	0.03	0.02	0.02
The Netherlands ...	0.15	0.07	0.04	0.03	0.03	0.03	0.05	0.05
New South Wales ...	0.11	0.08	0.08	0.04	0.03	0.03	0.02	0.03
South Australia ...	0.10	0.02	0.03	0.03	0.02	0.03	0.01	0.00
Victoria	0.06	0.03	0.03	0.03	0.02	0.00	0.00	0.02
Queensland	0.01	0.04	0.01	0.06	0.01	0.00	0.01	—
Western Australia ...	—	—	0.00	0.01	0.01	0.01	—	0.01

* 4 years.

DIPHTHERIA and CROUP.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Servia	—	—	—	—	0.66	0.52	0.41	0.32
Hungary	—	—	—	0.67*	0.47	0.35	0.35	0.45
Austria	1.46	1.34	1.22	0.80	0.43	0.33	—	—
Prussia	1.72	1.57	1.34	0.59	0.40	0.27	0.24	0.25
Sweden	0.85	0.52	0.61	0.44	0.34	0.22	0.16	—
Ontario, Province of ...	0.70	0.65	0.44	0.27	0.30	0.19	—	—
Spain	—	—	—	—	0.25	0.18	0.18	0.20
Belgium	0.78	0.66	0.49	0.27	0.21	0.16	0.16	—
Switzerland	0.64	0.34	0.46	0.29	0.21	0.15	0.15	—
England & Wales† ...	0.16	0.17	0.25	0.27	0.20	0.18	0.16	0.16
Scotland†	0.21	0.22	0.22	0.16	0.15	0.17	0.14	—
Italy	—	0.74*	0.51	0.24	0.14	0.13	0.17	0.17
Roumania	—	0.19	0.20	0.29	0.13	0.07	0.06	0.04
The Netherlands† ...	0.12	0.15	0.16	0.10	0.10	0.06	0.06	0.06
Victoria†	0.15	0.41	0.20	0.15	0.10	0.04	0.07	0.09
Western Australia† ...	0.18	0.09	0.11	0.10	0.10	0.23	0.24	0.40
Japan	0.03	0.04	0.07	0.13	0.09	0.09	0.09	—
Ireland†	0.06	0.08	0.07	0.08	0.08	0.08	0.06	0.09
New South Wales† ...	0.24	0.26	0.29	0.09	0.08	0.07	0.09	0.08
Queensland†	0.17	0.28	0.26	0.11	0.08	0.07	0.10	0.05
South Australia ...	0.57	0.50	0.40	0.11	0.07	0.04	0.04	0.03
Tasmania†	—	0.26	0.27	0.08	0.05	0.02	0.04	0.06
New Zealand†	0.20	0.18	0.17	0.08	0.04	0.04	0.06	0.04

* 4 years.

† Excluding Croup.

WHOOPING COUGH.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Servia	—	—	2.42*	2.27	1.96	1.52	1.79	2.08
Scotland	0.60	0.61	0.52	0.51	0.49	0.29	0.52	—
Austria	1.10	0.97	0.71	0.53	0.44	0.48	—	—
Hungary	—	—	—	0.59*	0.42	0.40	0.43	0.31
Belgium	0.68	0.63	0.55	0.48	0.38	0.35	0.32	—
Prussia	0.52	0.51	0.45	0.42	0.36	0.31	0.23	0.28
England & Wales ...	0.46	0.44	0.40	0.36	0.30	0.24	0.29	0.28
Ireland	0.30	0.28	0.26	0.27	0.24	0.21	0.18	0.22
Spain	—	—	—	—	0.23	0.24	0.17	0.24
The Netherlands ...	0.35	0.30	0.32	0.26	0.21	0.18	0.18	0.23
Italy	—	0.37*	0.26	0.23	0.20	0.18	0.18	0.16
Switzerland	0.24	0.22	0.19	0.17	0.20	0.19	0.12	—
Sweden	0.19	0.17	0.17	0.20	0.18	0.17	0.12	—
Roumania	—	0.04	0.12	0.17	0.16	0.20	0.16	0.35
Tasmania	—	0.13	0.10	0.11	0.13	0.01	0.26	0.12
New South Wales ...	0.15	0.19	0.19	0.14	0.12	0.01	0.38	0.04
South Australia ...	0.23	0.17	0.17	0.15	0.10	0.04	0.19	0.05
Queensland	0.14	0.16	0.18	0.19	0.09	0.02	0.22	0.07
Victoria	0.15	0.13	0.15	0.08	0.09	0.20	0.10	0.05
Western Australia ...	0.12	0.31	0.17	0.10	0.09	0.04	0.39	0.07
New Zealand	0.22	0.15	0.23	0.07	0.08	0.03	0.33	0.04
Ontario, Province of ...	0.10	0.09	?	0.07	0.08	0.11	—	—
Japan	—	—	—	—	0.05	0.07	0.07	—

* 4 years.

ENTERIC FEVER.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Servia	—	—	1.53	1.13	0.68	0.16	0.13	0.13
Western Australia ...	0.39	0.28	1.50	1.74	0.57	0.49	0.47	0.28
Spain	—	—	—	—	0.44	0.42	0.35	0.32
Italy	—	0.79*	0.51	0.50	0.35	0.28	0.25	0.27
Hungary	—	—	—	0.38*	0.28	0.27	0.26	0.24
Queensland	0.96	0.53	0.24	0.31	0.25	0.17	0.16	0.19
New South Wales ...	0.51	0.45	0.24	0.30	0.22	0.18	0.12	0.19
Ontario, Province of ...	0.27	0.24	?	0.21	0.20	0.40	—	—
Austria	0.73	0.58	0.44	0.27	0.19	0.15	—	—
Belgium	0.56	0.40	0.34	0.24	0.17	0.12	0.12	—
South Australia ...	0.43	0.37	0.22	0.29	0.16	0.13	0.10	0.10
Victoria	0.52	0.61	0.27	0.29	0.16	0.13	0.07	0.14
Tasmania	—	0.58	0.30	0.30	0.15	0.20	0.21	0.20
Ireland	0.16	0.17	0.17	0.21	0.13	0.09	0.08	0.08
Roumania	—	—	0.16	0.12	0.13	0.16	0.17	0.21
England & Wales ...	0.22	0.18	0.17	0.17	0.11	0.09	0.07	0.07
Scotland	0.27	0.19	0.18	0.16	0.11	0.09	0.08	—
The Netherlands† ...	0.18	0.13	0.12	0.10	0.09	0.08	0.07	0.06
Prussia	0.47	0.25	0.18	0.13	0.09	0.06	0.06	0.05
Sweden†	0.27	0.23	0.20	0.15	0.09	0.06	0.06	—
New Zealand	0.23	0.22	0.17	0.14	0.08	0.05	0.06	0.10
Switzerland	0.29	0.16	0.11	0.08	0.06	0.05	0.05	—

* 4 years.

† Including Typhus.

‡ Including Brain Fever.

Pulmonary Tuberculosis and Cancer.—Disregarding possible variations in the methods of classification of the deaths, as well as in the sex and age constitution of the populations, it is possible to make a rough comparison among several countries, as regards the relative incidence of mortality from these two important diseases. Several States were unable to furnish complete returns of mortality from phthisis or from cancer. For example, no comparison can be instituted as regards France, Denmark, Sweden, Roumania, or Bulgaria, as the statistics of those countries are limited to towns only; again in Hungary and in Prussia the returns comprise deaths from all forms of tuberculosis, while in Italy deaths from general tuberculosis are included under pulmonary tuberculosis.

Pulmonary Tuberculosis.—The death-rate from this disease in Austria, Hungary, Servia, and Ireland is still abnormally high, and shows little or no signs of decreasing, but in Prussia, Scotland, the Netherlands, England and Wales, and Belgium a marked diminution in the rate of mortality has taken place in recent years. In proportion to the total population the death-rate from pulmonary tuberculosis in England and Wales in the quinquennium 1901-5 was 1·22 per 1000 living. It appears from the figures in the table that this rate was exceeded in seven continental countries, while in only two others were the average rates below that recorded in this country. In Hungary and in Prussia, as already stated, the returns include deaths from all forms of tuberculosis, the death-rate in those countries, however, is in excess of that from all forms of tuberculosis in England and Wales.

PULMONARY TUBERCULOSIS.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Hungary†	—	—	—	3·64*	3·94	3·84	3·84	3·70
Austria	3·90	3·80	3·60	3·45	3·40	3·15	—	—
Servia	—	—	2·51*	2·31	2·80	2·87	2·92	3·12
Ireland	2·08	2·12	2·14	2·13	2·15	2·04	2·02	1·95
Prussia†	3·13	2·90	2·47	2·08	1·91	1·71	1·70	1·65
Switzerland	2·09	2·13	1·99	1·90	1·89	1·84	1·72	—
Spain	—	—	—	—	1·46	1·44	1·38	1·35
Japan	—	1·01	1·36	1·45	1·46	1·56	1·54	—
Scotland	2·11	1·89	1·74	1·65	1·45	1·38	1·35	—
The Netherlands	—	—	1·89	1·65	1·33	1·34	1·30	1·20
Ontario, Province of	1·25	1·16	1·14	1·41	1·29	1·31	—	—
England & Wales	1·83	1·64	1·46	1·32	1·22	1·15	1·14	1·12
Belgium	—	—	1·56	1·42	1·18	1·05	1·01	—
Italy†	—	1·37*	1·29	1·25	1·16	1·22	1·24	1·22
Victoria	1·41	1·45	1·33	1·19	1·12	0·99	0·96	0·95
Queensland	1·74	1·29	1·06	0·87	0·81	0·68	0·64	0·63
New South Wales	1·14	0·99	0·87	0·80	0·80	0·67	0·62	0·63
South Australia	1·06	1·07	1·01	0·89	0·80	0·82	0·76	0·89
Western Australia	0·87	0·94	0·75	0·67	0·73	0·82	0·78	0·72
New Zealand	0·91	0·84	0·81	0·78	0·70	0·62	0·67	0·64
Tasmania...	—	0·97	0·87	0·70	0·63	0·66	0·63	0·60

* 4 years.

† All forms of Tuberculosis

‡ Including General Tuberculosis.

Cancer.—In comparing the rates of mortality from cancer, it is necessary to bear in mind that the certification of causes of death is more complete or more accurate in some countries than in others, and that in most countries it has probably shown improvement in later years. Thus, in Norway only 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901; in the German Empire the statistics of cancer were available for ten of the principal federated states previous to 1904, while from that year statistics for 13 other smaller states are added. For Hungary it is probable that the rates are under-stated, and in Ceylon the registration of causes of death is admittedly so imperfect that very little reliance can be placed on the returns; in France, Denmark, Sweden, Roumania, and Bulgaria deaths from cancer are tabulated for the towns only, and the mortality is not, therefore, fairly comparable with that in the other States; these countries are consequently not included in the following Table.

CANCER.—DEATH-RATES per 1000 persons living, 1881-1908.

Countries (Arranged in Order of rates in 1901-5).	Quinquennial Periods.					Years.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.
Switzerland	1·03	1·14	1·22	1·27	1·30	1·32	1·25	—
The Netherlands	0·60	0·70	0·81	0·92	0·97	1·01	1·02	1·03
England & Wales	0·55	0·63	0·71	0·80	0·86	0·92	0·91	0·92
Scotland	0·54	0·62	0·69	0·77	0·84	0·96	0·96	—
Austria	0·44	0·50	0·59	0·69	0·74	0·78	—	—
Victoria	0·45	0·53	0·62	0·69	0·74	0·75	0·80	0·79
Ireland	0·38	0·43	0·49	0·58	0·69	0·79	0·76	0·76
New Zealand	0·30	0·42	0·52	0·59	0·67	0·70	0·73	0·70
South Australia	0·32	0·39	0·48	0·56	0·67	0·74	0·70	0·68
Prussia	0·34	0·41	0·50	0·57	0·65	0·70	0·73	0·74
New South Wales	0·27	0·36	0·43	0·54	0·64	0·68	0·70	0·67
Belgium	—	—	—	—	0·58†	0·58	0·60	—
Queensland	0·25	0·27	0·34	0·44	0·57	0·55	0·65	0·51
Tasmania... ..	—	0·49	0·49	0·55	0·56	0·52	0·63	0·67
Italy*	—	0·43*	0·44	0·51	0·55	0·62	0·61	0·64
Ontario, Province of	0·21	0·29	?	0·44*	0·52	0·64	—	—
Spain	—	—	—	—	0·44	0·48	0·47	0·50
Western Australia	0·33	0·41	0·31	0·31	0·45	0·59	0·50	0·52
Hungary	—	—	—	0·30*	0·39	0·40	0·42	0·43
Servia	—	—	0·06*	0·08	0·10	0·11	0·13	0·13

* 4 years.

† 3 years.

Even in those cases where the compilation of statistics may be regarded as fairly trustworthy, it must be borne in mind that cancer is a disease mainly confined to adult life, and variations in the age constitution of the several populations may therefore considerably affect the crude rates stated in the Table.

Subject to the above important reservations, the general conclusion appears to be that this country occupies an unenviable position with respect to mortality from cancer; the rate in England and Wales being exceeded in only two European countries, viz., Switzerland and the Netherlands. Scotland occupies a slightly better position, and Ireland, notwithstanding its abnormal age constitution, a much better position. The mortality ascribed to this cause varies very considerably in the

several Australasian States, ranging from 0·74 per 1000 in Victoria to 0·45 per 1000 in Western Australia in the quinquennium 1901–05.

In all the countries from which returns have been received the proportionate mortality from cancer has shown a general tendency to increase in recent years.

FINAL REMARKS.

Most of the materials for the present Report were prepared under the supervision of my predecessor, Sir William Dunbar, and of the late Superintendent of Statistics, Dr. Tatham, who have only recently retired from this office. I have therefore only to draw attention to the chief points which emerge from the statistics, and to certain changes in their presentation which it is hoped to introduce in future years.

Birth-rate.—The rate in 1908 was, with the exception of the rate in 1907, the lowest on record. The trend of the birth-rate is still downwards, the rate in each of the three quarters of 1909 being over 1 per 1,000 below the *low* rates recorded in the corresponding quarters of 1908.

Death-rate.—Judging by the provisional figures for the three quarters of 1909 the death-rate will probably show but little variation from that recorded in 1908, which was the lowest rate on record.

Marriage-rate.—The provisional figures for the March and June quarters of the present year only are available; from the indications they give it is probable that the marriage-rate of 1909 will be below that recorded in 1908, which rate was exceptionally low.

Cancer.—The death-rate in 1908 from cancer was slightly above that recorded in 1907. I may refer to Dr. Stevenson's observations (p. cviii) on the cessation in recent years of the increase of this disease among women under 55 years of age.

Phthisis.—The death-rate from phthisis in 1908 was slightly below that recorded in 1907, when, as well as in 1905, it was the lowest on record.

The mortality from all the familiar epidemic diseases, as well as from pneumonia and bronchitis, was less than the quinquennial average.

Infantile mortality.—The calculation of birth-rates and of death-rates is liable to be vitiated by the want of accurate knowledge as to the numbers and the sex and age constitution of the population in intercensal years. This point has been frequently alluded to, and the dependence upon estimates of population must be emphasized as the end of an intercensal period approaches. As regards the rates of mortality among infants under one year of age, it should, however, be observed that these are not dependent upon estimates of total population or of sections of the population, but can be stated with accuracy because they are based on the recorded numbers of births and deaths of children under one year of age.

The rate of infantile mortality in England and Wales was 120 per 1,000 births in 1908. With one exception (*viz.*, 1907, when it was 118) this was the lowest rate on record. Judging from the provisional figures for the three quarters of 1909, the rate for this year will probably be lower than either of these figures. The decline of the

rate of infantile mortality during the last ten years in this and other countries is discussed in Dr. Stevenson's letter (pp. cxxi-ii).

International statistics.—A new feature in this interesting series of tables, due to the initiation of Mr. Archer Bellingham of this Department, is the insertion for the first time of the death-rates corrected for sex and age-constitution of the populations of most European countries, and of the various Australian States. In addition to these corrected death-rates, a comparative table appears showing the constitution of the populations of the various states for which the requisite data could be obtained. This table displays the necessity and furnishes the material for the corrections made.

The preparation of these tables, while involving much labour, has suggested some interesting lines of inquiry which it is hoped to pursue further on another occasion.

A third newly introduced International Table shows illegitimate birth-rates for European Countries and Colonial States.

Proposed change in form of publication.—It remains to refer to the subject of some important changes of form which have been urged upon this Department, and which, if the administrative difficulties can be overcome, would undoubtedly much increase the practical utility of the Vital Statistics annually presented in these Reports by bringing them for the first time into touch with the local sanitary administration of the country. The creation of administrative areas for sanitary administration, referred to in some earlier paragraphs of this Report (pages vi-vii), has led to a strong demand for vital statistics relating to those areas, and to some criticism of the organisation for registration which, applying as it does to areas other than those for which the information is required, has hitherto prevented the provision of the desired statistics in full.

Proposals have from time to time been put forward that in order to remedy this defect the registration areas should be made partially or completely co-terminous with the administrative areas. The obstacles in the way of such a proceeding are, however, too serious to be overcome except by legislation, going to the length of a new Registration Act. But it does not follow that because, short of such legislation, registration statistics must continue to be collected for registration and not for administrative areas, their publication need necessarily also retain this form. In other words, the area of collection does not necessarily govern that of presentation. Provisional investigation of the question from this point of view has led to the conclusion that it may be possible at a future date to redistribute the returns (collected as before by registration areas) according to administrative areas, though it will probably be impracticable to publish separate statistics for all the smaller areas.

The presentation of the statistics in this new grouping would, however, involve a number of difficulties, some of them inseparable from any change affecting the present methods of tabulation in this Office, and others incidental to the proposed correspondence of the areas reported upon with those concerned with local sanitary administration.

Difficulties of the second class, some of them not apparent at first sight, occur because of the extreme desirability that the methods of compilation employed, both for the purposes of this Report and locally, should be identical. There would be grave disadvantages attaching to the publication of national and local statistics for the

same areas but compiled by different methods and therefore presenting avoidable discrepancies.

It would be necessary, for instance, that at least institutional deaths of persons not resident in the district in which they die should no longer be assigned in tabulation to that district, but should be assigned to the district of previous residence. This assignment, while in itself essential to the presentation of correct local rates of mortality, would tend to co-ordinate the national statistics with those compiled by Medical Officers of Health under the direction of your Board, since these officers are already called upon to make such a correction. In order to carry out this reform, however, it would be necessary to provide both for some further increase of work and for the identity of the rules to be observed by all who have to make the correction. It is hoped that by consultation with your Board such uniformity of practice might easily be secured.

In addition to the re-arrangements of recorded facts already referred to, another most important matter presents itself for consideration as one of the difficulties incidental to the correspondence of areas with those reported upon locally. This is the co-ordination of the national and local lists of causes of death and of the rules to be observed in allocating the causes of death as certified to the various headings in such lists. The lists need not indeed be identical, but the differences between them should consist only in one being more elaborate than the other.

The necessity for agreement as to classification, as well as the progress of medical science since the last revision of the present classification in 1901, will probably be found to entail some further modifications, and it is proposed to take advantage of this opportunity to approximate the English classification to the International System so far as may be found possible without destroying the valuable continuity of our records. The latter system, which is based upon the work of Dr. Farr, is in use in Canada and Australia and in many foreign countries. The advantages, for the purpose of international comparison, which would attend this course, are therefore obvious, and there is reason to believe that a great deal can be done in this direction without any serious sacrifice of continuity. An instance of this is to be found in Dr. Stevenson's treatment of diarrhoeal diseases in his letter on the causes of death; and it is hoped that this preliminary statement of what is proposed will promote expression of responsible opinion upon the various points to be decided.

It will be gathered from the above statement of the difficulties involved that the change could not be introduced without some increase of staff and expenditure, and that this Department has, therefore, not a free hand in the matter. In view, however, of the representations which have reached me and with which I have reason to believe your Board is in sympathy, I have thought it right to refer to the question, and to mention that I am carefully investigating it with a view to determining whether the practical difficulties can be surmounted without such a disproportionate increase of the cost of providing these statistics as would make it useless to put forward the proposal for sanction.

The change, I may add, could not in any case be introduced before the preparation of the Report for the year 1911 owing to the requirements of the Decennial Supplement.

I have to convey my thanks to the various Foreign and Colonial authorities for the information from which the International Vital Statistics have been compiled and to Dr. W. N. Shaw, F.R.S., for the Meteorological Report which will be found as usual at the close of the Report; and also to express my satisfaction that, for the first time for more than twenty years, this Report, owing to the assiduity of the statistical staff of the Office, is presented within the year succeeding that to which the figures relate.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

*General Register Office
Somerset House,
December, 1909.*

CONTENTS OF DR. STEVENSON'S LETTER TO THE REGISTRAR-GENERAL.

	Page.
GENERAL OBSERVATIONS 	lxxviii-lxxix
MORTALITY FROM ALL CAUSES 	lxxx
CRUDE AND CORRECTED DEATH RATES IN SELECTED URBAN AND RURAL GROUPS OF COUNTIES 	lxxxi
GENERAL DISEASES : Small-pox, Measles, Scarlet Fever, Influenza, Whooping-cough, Diphtheria, Diphtheria and Croup, Cerebro- Spinal Fever, Enteric (Typhoid) Fever, Diarrhoeal Diseases, Rabies, Pyæmia and Septicæmia, Puerperal Septic Diseases, Pneumonia, Tuberculosis—including Phthisis, Tuberculous Menin- gitis, Tuberculous Peritonitis, and other Tuberculous Diseases— Alcoholism and Cirrhosis of Liver, Rheumatic Fever, Gout, Malignant Disease, and Diabetes Mellitus 	lxxxii-cxvi
DISEASES OF PARTICULAR ORGANS : Epilepsy, Convulsions, Diseases of Heart and Blood Vessels, Laryngitis, Bronchitis, Pleurisy, Gastric Ulcer, Appendicitis, Peritonitis, Liver Diseases, Acute and Chronic Nephritis, Diseases of Ovaries and Uterus, Diseases and Accidents of Pregnancy and Childbirth 	cxvi-cxxi
INFANTILE MORTALITY : International Review, Causes of Death, Sex Mortality, Mortality of Legitimate and Illegitimate Infants, Urban and Rural Mortality 	cxxi-cxxvii
ILL-DEFINED OR NOT SPECIFIED CAUSES 	cxxvii-cxxviii
VIOLENT DEATHS 	cxxviii-cxix

ANALYSIS OF THE
CAUSES OF DEATH IN ENGLAND AND WALES.

Letter to the REGISTRAR-GENERAL

By T. H. C. STEVENSON, ESQ., M.D.

SIR,

I HAVE the honour to submit for your consideration the following remarks on English mortality in the year 1908. Amongst other details connected with registration, the incidence of general mortality, with special reference to that of the infant portion of the community, has been fully discussed by you in preceding pages of this Report. The duty which you have entrusted to me, namely, that of supplementing your statistics by an analysis of the causes that are responsible for mortality in the aggregate, has been discharged to the best of my ability in the following pages.

In the course of the accompanying remarks particulars will be found of the changes in 1908 in the mortality from the principal diseases in the official list which, since the beginning of this century, has been employed in these reports. Before going into detail I may remark that the unprecedentedly low mortality of the year under notice was probably influenced by favourable climatic conditions. This will appear from the report of Dr. W. N. Shaw, F.R.S., the high value of whose continued assistance you have already suitably acknowledged.* Much of the saving of life represented by the low death-rate of 1908 was due to the lessened mortality from diarrhoeal diseases, pneumonia, tuberculous diseases, and bronchitis, the mortality from phthisis being the lowest on record. On the other hand, influenza and cancer showed increased mortality. All the familiar epidemic diseases showed diminished mortality, the death-rates from measles and from scarlet fever being the lowest on record. From other causes the mortality did not vary widely from the average. Not only was the death-rate at all ages the lowest on record, but at each group of ages up to 55 years, and in each sex, this was also the case. Infantile mortality, calculated as a proportion of the registered births, was, however, slightly above the exceptionally low proportion recorded in 1907. For the present report, as for its predecessor, the deaths of infants have been abstracted to show the loss of life from the chief causes in each of the first four weeks, and in each month of the first year of life.

The excessive mortality of illegitimate children (Tables 38 and 39, pages 85-87) continues to form a striking feature of these returns, the mortality of illegitimate children being still about twice as heavy as that of legitimate.

In the series of tables and in the letterpress accompanying this report the attempt has been renewed to afford reliable means of comparison, both in respect of different localities and of different years, of the mortalities ascribed to those diseases which are of most

* See Remarks on the Conspicuous Meteorological Occurrences in the British Isles in 1908 ; by W. N. Shaw, Esq., Sc.D., F.R.S., page cxxx.

importance from a preventive point of view. A difficulty is encountered in doing so to which it is necessary yet again to draw attention. The census returns show that the proportion of the living at each age group varies according as a given locality is mainly urban or mainly rural in character; and, as the mortality from most diseases also varies with the age of the patient, it follows that crude death-rates at all ages computed without allowance for these variations are untrustworthy for comparative purposes. Accordingly, for several years past the death-rates in these reports have been reduced to a common standard; and, in many of the comparative tables in the present volume there are shown the rates that would have prevailed had the age and sex constitution of the population in the several areas been similar to that of England and Wales generally. These are the "corrected" rates frequently referred to in your reports.

Table I on page xxxix proves that the death-rates of practically all the mainly urban counties have been raised, and those of the mainly rural counties have been reduced, by correction for age and sex constitution of the population. If, for example, the mortality of the essentially urban county of Lancaster be contrasted with that of Cardigan, which is mainly rural, the death-rate of the former county will be found to have been increased by correction from 16·9 to 18·7, whilst that of the latter county has been reduced from 17·8 to 14·0 per 1000. In other words, whilst the crude rate of Lancashire is lower by 5·1 per cent. than that of Cardiganshire, the corrected rate shows an excess of 26·4 per cent. The explanation of these differences is the following, that whilst Lancashire contains an abnormally small proportion of persons at the more advanced ages when the rate of mortality is exceptionally high, Cardiganshire contains an abnormally large proportion; in the former county less than $3\frac{1}{2}$ per cent. of the population exceeds the age of 65 years, whereas in the latter county the proportion amounts to nearly 9 per cent. From this it is evident that crude death-rates cannot properly be used for comparative purposes.

I have pleasure in drawing attention to the progressive improvement that has taken place in the medical attestation of cause of death, a substantial decrease being now apparent in the ill-defined causes enumerated in the official mortality tables. In the quinquennial period commencing with 1875, in which year the medical certification of cause of death was first made compulsory, the deaths of which the cause was insufficiently defined were equal to 12·0 per cent. of the total, whilst, a quarter of a century later, namely, in the quinquennial period last ended, the proportion had fallen to 9·4 per cent. (Table 21, page 34.) The fall in the proportion of uncertified deaths and the rise in that of deaths upon which inquests are held, mentioned in your report (page xlvii), have also undoubtedly resulted in increased accuracy of statement of causes of death.

You have already stated that in the year under notice the causes of 91·52 per cent. of the deaths were returned as certified by registered medical practitioners. It is certain, however, that this figure does not fully represent the proportion of cases in which medical assistance had been rendered to the sick in their *last illness*. In cases of inquest on the bodies of persons who had received medical attention during life, the cause of death is copied from the Coroner's certificate, which supersedes the medical certificate entirely; but, except in cases where an autopsy has taken place, it is seldom possible to ascertain from the Coroner's certificate whether or not medical evidence has been given, or the purport thereof, if given.

MORTALITY FROM ALL CAUSES.

As in previous Annual Reports, the causes of death of males and females at specified age groups will be found in the abstracts at pages 292 to 311 of the present volume; and in the tables on pages 22 to 63 the deaths are shown at all ages, from the same causes, for a series of 20 years. In the lower part of these tables the facts have been reduced to rates per million living of the respective sexes. At page 21 Table 20 is continued from previous reports; it shows the average mortality from certain causes in each of seven quinquennia, beginning with the year 1871. At page 64 Table 27 is likewise continued from previous reports; this table traces back the mortality from the principal epidemic diseases during a period of fifty years.

The proportion in which the more prevalent diseases contribute to the death roll is shown by the diagram opposite this page, in which the whole area of the circle represents deaths from all causes, and the various segments deaths from particular causes or groups of causes. It will be noted what a large proportion of the whole number of deaths is attributed to a few of the more important diseases, especially tuberculosis, bronchitis, pneumonia, and cancer, which together contribute almost one-third of the total mortality.

In order to show the incidence of mortality in the chief centres of industry as compared with that of the rural areas, the selection from the English and Welsh counties, first made in 1901, has been retained since that date. The counties in each selected group are enumerated at foot.*

The table on page lxxxi gives the annual rates of mortality at all ages and from all causes in the year 1908, side by side with the corresponding average rates for the quinquennium 1903-07.

In the year 1908 the deaths from all causes in England and Wales corresponded to a rate of 14.683 per 1000 living at all ages and of both sexes. This rate is the lowest on record, and is below the average rate in the five-year period ended 1907, by 5 per cent. Among males the rate was equal to 15.697 per 1000 living of that sex, and among females to 13.736 per 1000—these rates being below the quinquennial averages by 5 per cent. in each sex. The table further shows that both in the year 1908 and in the previous quinquennium the urban rates of mortality were higher than the rural, and that in

* (i) *Urban Registration Counties.*

Glamorgan.
Lancaster.
London.
Middlesex.
Monmouth.
Northumberland.
Nottingham.
Stafford.
Warwick.
East Riding } Yorks.
West Riding }

(ii) *Rural Registration Counties.*

Buckingham.
Cambridge.
Cornwall.
Hereford.
Huntingdon.
Lincoln.
Norfolk.
North Wales.
Oxford.
Rutland.
Salop.
Somerset.
South Wales (less Glamorgan).
Suffolk.
Westmorland.
Wilts.

Estimated population of Urban Counties,
middle of 1908—19,178,882.

Estimated population of Rural Counties,
middle of 1908—4,387,113.

CAUSES OF DEATH.

DIAGRAM VII.—PROPORTIONS OF DEATHS FROM THE PRINCIPAL CAUSES TO TOTAL DEATHS, ENGLAND & WALES, 1908.



	PROPORTION PER 1000 DEATHS FROM ALL CAUSES.	RATE PER 1000 LIVING.
MEASLES	15.4	0.23
INFLUENZA	19.4	0.29
WHOOPING COUGH	18.9	0.28
DIPHTHERIA	10.7	0.16
DIARRHOEA & DYSENTERY	35.4	0.52
PNEUMONIA	80.3	1.18
TUBERCULOSIS (ALL FORMS)	107.8	1.58
PHTHISIS	(75.9)	(1.11)
CANCER	62.9	0.92
PREMATURE BIRTH & CONGENITAL DEFECTS	45.7	0.67
DISEASES OF NERVOUS SYSTEM	64.0	0.94
DISEASES OF HEART	95.9	1.41
DISEASES OF BLOOD VESSELS	60.2	0.88
DISEASES OF RESPIRATORY SYSTEM	88.7	1.30
BRONCHITIS	(74.4)	(1.09)
DISEASES OF DIGESTIVE SYSTEM	54.6	0.80
DISEASES OF URINARY SYSTEM	32.9	0.48
ATROPHY, DEBILITY	28.7	0.42
OLD AGE	63.2	0.93
VIOLENCE	38.7	0.57
OTHER CAUSES	76.6	1.12
ALL CAUSES	1000.0	14.68

both areas the rates for males were considerably above those for females. In each county group, there has been a fairly uniform fall in the general death-rate for each sex, compared with the average in the previous five years. From this table it appears that correction for age and sex constitution of population has increased the average general death-rate in the urban group of counties by 4·6 per cent., and has reduced the average rate in the rural group by 12·5 per cent.

All Causes. Mortality per Thousand Living at All Ages.		Crude Rates. — Average, 1903-07.	Corrected Rates.*		
			Average, 1903-07.	Year 1908.	Ratio.†
Both Sexes	{ England and Wales.	15·449	15·449	14·683	95
	{ Urban Counties ...	16·204	16·944	16·132	95
	{ Rural Counties ...	14·932	13·072	12·596	96
Males ...	{ England and Wales.	16·479	16·479	15·697	95
	{ Urban Counties ...	17·345	18·121	17·344	96
	{ Rural Counties ...	15·668	13·786	13·304	97
Females ...	{ England and Wales.	14·486	14·486	13·736	95
	{ Urban Counties ...	15·137	15·842	14·997	95
	{ Rural Counties ...	14·247	12·404	11·933	96

* These are the death-rates *at all ages* that would have resulted from the rates prevailing at the separate age-groups, if the sex and age constitution of the populations in the urban and rural areas, severally, had been identical with that of the population of England & Wales, as enumerated at the Census of 1901.

† *i.e.*, the ratio of the corrected death-rates in 1908 to those in 1903-07, the latter taken as 100.

The method of correcting rates of mortality for variation in the age and sex constitution of the living is set forth on page xxxviii of the Annual Report for 1905.

The following table shows the death-rates of each sex per 1000 living at several groups of ages, the areas dealt with being those specified in the preceding table. Speaking generally the rates in 1908 show a reduction, as compared with the average, at all age groups below 55 years, the reduction being greatest among children under five years of age. The rates in the urban county group show variations with regard to the average very similar to those in the country generally, but in the rural group the general tendency to reduction ceases at 45.

The experience of 1903-07 and of 1908 confirms that of previous years in showing that in both sexes the mortality in the urban area generally exceeds that in the rural at the several stages of life. This is especially true respecting children under the age of 10 years, and adults at ages 35-65 years; the greatest difference occurring among children under five years of age. On the other hand, the rates for 1903-07 and for 1908 agree with those of recent previous years in showing excess of mortality in the rural counties among young adults of both sexes—in men at ages 20-25, and in women at ages 15-35. This feature has been strongly marked in the case of young adults dying of pulmonary tuberculosis.‡

‡ For further remarks on this point see Registrar-General's Annual Report for 1906, page lxxiv.

All Causes.		Average 1903-1907.			Year 1908.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	45·901	52·259	33·440	40·573	46·068	30·185
	5—	3·447	3·768	2·864	3·225	3·481	2·774
	10—	2·046	2·170	1·877	1·900	2·053	1·811
	15—	2·881	2·924	2·975	2·641	2·667	2·774
	20—	3·655	3·559	4·173	3·420	3·354	3·946
	25—	5·209	5·302	5·253	4·898	4·964	4·983
	35—	8·671	9·436	7·332	8·222	8·974	6·857
	45—	14·875	16·741	11·682	14·543	16·237	11·881
	55—	28·930	32·726	23·392	28·692	32·592	23·311
	65—	86·234	90·952	82·802	87·891	94·088	83·721
Males	0—	50·087	56·796	37·045	44·537	50·485	33·785
	5—	3·397	3·738	2·823	3·201	3·460	2·788
	10—	1·988	2·127	1·819	1·862	2·035	1·669
	15—	2·979	3·074	2·903	2·748	2·832	2·654
	20—	4·004	3·859	4·478	3·743	3·631	4·243
	25—	5·674	5·737	5·597	5·384	5·485	5·137
	35—	9·503	10·299	7·923	9·139	9·955	7·451
	45—	16·862	19·020	13·054	16·386	18·326	13·363
	55—	32·890	37·373	26·291	32·966	37·897	26·806
	65—	91·479	97·299	87·082	93·498	101·269	88·127
Females	0—	41·736	47·756	29·840	36·631	41·688	26·593
	5—	3·497	3·798	2·904	3·249	3·503	2·759
	10—	2·104	2·213	1·937	1·938	2·071	1·954
	15—	2·785	2·781	3·049	2·536	2·509	2·897
	20—	3·344	3·292	3·904	3·131	3·108	3·684
	25—	4·792	4·905	4·955	4·464	4·490	4·850
	35—	7·893	8·616	6·793	7·367	8·043	6·317
	45—	13·036	14·593	10·456	12·839	14·270	10·557
	55—	25·462	28·662	20·863	24·953	27·956	20·266
	65—	82·193	86·256	79·375	83·575	88·777	80·196

MORTALITY FROM SPECIFIED CAUSES.

I.—GENERAL DISEASES.

The chief morbid conditions at present included under the head of "General Diseases" are enumerated at pages 294-301: the facts of death, but not the death-rates, being given for each sex at several groups of ages. In the tables numbered 21 to 26 the ages at death are not discriminated; but the deaths, as well as the death-rates at all ages from the several diseases in a series of years are given, for persons and for males and females separately.

Small-pox.—The deaths attributed to small-pox numbered 12, comparing with 2,464, 760, 507, 116, 21 and 10 in the years from 1902 to 1907 respectively. In addition to these it is very possible that some of the 93 deaths attributed to chicken-pox may have been really caused by the graver malady. And lastly, there were included in the registers 13 deaths under the head of "cow-pox and other effects of vaccination." It should be clearly understood that the 13 deaths referred to cow-pox and other effects of vaccination include not only the deaths which were stated by medical practitioners or by coroners to have been due to vaccination, but also those in which vaccination

appeared from the certificates to have been in any way connected with the cause of death.

In the year 1908 the sum of the deaths either certainly or possibly due to small-pox and of the deaths alleged to have been caused by means designed for its prevention was 118, corresponding to a rate of three per million of the estimated population. Concerning the vaccinal condition of the 12 deaths definitely referred to small-pox, only doubtful information appeared in the certificates. The mortality from the effects of vaccination, in proportion to children vaccinated, cannot yet be given for the year under notice; but from the Annual Report of the Medical Officer of the Local Government Board for the year 1907-08 it appears that the operation of vaccination was successfully performed on 686,992 or 73·4 per cent. of the 935,338 children whose births were returned by the vaccination officers in 1906, the latest year for which particulars are available. Deducting from the total number of births the children returned as having died unvaccinated, the report states that of the remaining 846,785 children 81·1 per cent. were registered as successfully vaccinated, showing a decline of 2·4 per cent. from the proportion in the preceding year.

The deaths of children in the same year attributed to cow-pox and other effects of vaccination numbered 29, or one in every 23,689 vaccinated.

In the interest of vital statistics it is much to be desired that when certifying a death from small-pox the medical attendant should specify the patient's condition with respect to vaccination, as by one or other of the following phrases :—

- (1) No evidence of vaccination ;
- (2) Vaccinated in infancy only—number of scars ;
- (3) Vaccinated only after infection by small-pox ;
- (4) Stated to have been vaccinated, but no scars visible ;
- (5) Re-vaccinated—date of re-vaccination, if possible.

Of the 12 deaths attributed to small-pox in the year 1908, six occurred in the West Riding of Yorkshire, three in Kent, and one each in Lincolnshire, Cheshire and Lancashire.

Measles.*—In the course of the year under notice there were registered as due to measles 8,011 deaths at all ages and of both sexes. After making the requisite allowance for increase of population, these deaths were 3,315 below the average number in the five years immediately preceding. Judged by the mortality at all ages, the death-rate from measles during 1908 was the lowest on record (*see* Table 27, page 64). Dealing with children under five years of age, who furnished no less than 93 per cent. of the deaths at all ages, Tables 32 to 41 (pages 74-89) show that in the year 1908 the rate of mortality was equal to 183 per 100,000 living at that age, as compared with 262, the average rate in the quinquennium immediately preceding. The mortality from measles was much higher in the town than in the country, the death-rate being equal to 223 per 100,000 children in the urban group of counties, against 92 per 100,000 in the rural group. Both the urban and rural rates were below the quinquennial averages. The disease caused a mortality among boys of 192, and

* Unfortunately, the ambiguous term "Rubeola" is still used, in some parts of the country, to denote the familiar disease measles. This practice gives rise to much uncertainty in the classification of causes of death. "Morbilli" is the only synonym for measles recognised by the Royal College of Physicians; and it would greatly conduce to accuracy in the returns if that name were invariably used where a Latin equivalent for the English name is preferred. In any event it is desirable that the use of the term "Rubeola" should be discontinued.

among girls of 175 per 100,000 of the respective sexes ; and in both county groups boys suffered more severely than girls. The highest county rates among children were experienced by Glamorganshire, 302 per 100,000, Leicestershire, 322, the North Riding of Yorkshire, 348, and Carmarthenshire, 470. The mortality in Glamorganshire was slightly below the average in the preceding five years, while that in the other three counties was above the average. The deaths under one year of age numbered 1,778, and the distribution of this mortality throughout the year, as well as the mortality of each year of the first quinquennium of life, is set out in Table 32, pages 74-75. As in many previous years measles was most destructive to infants during the second year of life, the mortality for which amounted to 390 per 100,000 living. Infantile mortality from measles in the several counties is shown in Table 40, where the deaths under one year appear in terms of the total births.

Scarlet Fever.—The distinction between scarlet fever and diphtheria was first officially recognised in the Registrar-General's Report for the year 1855 ; and it is probable that for some years subsequently the two diseases were frequently confused in the death certificates. The deaths referred to scarlet fever in the year 1908 numbered 2,827 at all ages and of both sexes, and corresponded to a rate of 80 per million living. This rate is lower by 28 per million than the average in the five years immediately preceding, and is the lowest on record.

By reference to Table 20 on page 21, which shows the average mortality from certain diseases in quinquennial groups of years from 1871-5 onwards, it will be seen that comparing these quinquennial rates there has been an uninterrupted and very large decrease in the mortality from scarlet fever—the death-rate in 1901-05 being less than one-sixth of that in 1871-75. In the recently issued report for 1908 of the Metropolitan Asylums Board, which mainly relates to London, there appears a table showing the case-fatality among the admissions for scarlet fever in each of the years since the opening of the first hospital in 1870. If the period of 35 years last ended be divided into quinquennia, the following data may be derived from that table :—

Scarlet Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Ratio per cent. of deaths to admissions.	Mean Annual Mortality per 1,000 living.
1874-1878 ...	3,815	484	13	0·68
1879-1883 ...	8,665	1,044	12	0·62
1884-1888 ...	15,286	1,505	10	0·27
1889-1893 ...	43,958	2,973	7	0·23
1894-1898 ...	66,089	3,107	5	0·18
1899-1903 ...	63,020	2,053	3	0·10
1904-1908 ...	88,439	2,563	3	0·11

From this table, which gives particulars concerning more than a quarter of a million cases treated in the hospitals of the Metropolitan Asylums Board since the year 1874, we find (1) that within that period the fatality among the admitted cases has been reduced from 13 per cent. to 3 per cent., and (2) that within the same period the annual mortality from scarlet fever in the entire County of London has fallen

to less than one-sixth part of its former rate. It is probable, however, that in earlier years the cases admitted were for the most part severe, with high case-fatality; whereas in recent years most of the known cases, including the milder ones, have been treated in hospital. On the whole, the evidence available would seem to be in favour of a diminution in severity of the type of disease prevalent in recent years.*

In the year 1908 the local distribution of mortality from scarlet fever in England and Wales varied widely. Table 31 on page 72 shows that among the several counties with populations exceeding 100,000, the highest crude death-rates at all ages were 105 per million in Essex and in Warwickshire, 116 in Staffordshire, 119 in Cheshire, 154 in Lancashire, and 160 in Middlesex. The above county rates have not been adjusted for deaths in public institutions, otherwise Middlesex would not have appeared as the county with the highest death-rate from scarlet fever. It has been ascertained that of the total deaths from this disease registered in Middlesex more than 45 per cent. were those of Londoners, occurring in the hospitals of the Metropolitan Asylums Board. In recent years nearly all the deaths of Londoners from this disease have occurred in public institutions, mainly, as stated above, in the hospitals of the Metropolitan Asylums Board. During the 53 weeks ended 2nd January, 1909, of the 548 deaths registered either in the county of London or in Metropolitan hospitals outside the county, not less than 93 per cent. took place in public institutions. By inclusion of deaths of Londoners in outlying institutions, the scarlet fever rate for London is raised from 98 to 112 per million.

Of the 2,827 deaths at all ages 1,616 or 57 per cent. occurred among children under the age of five years. Table 37 on page 84 shows that scarlet fever was fatal to 40 out of every 100,000 children living at this age, which is lower by 17 than the average rate in the preceding quinquennium. Table 32 on pages 74-75 shows that the mortality from scarlet fever is ordinarily much less in the first year than in any other of the first quinquennium of life; it is also less in the first half than in the second half of the first year after birth. The mortality from scarlet fever among young children is greatest in populous districts. From Tables 35 and 36, pages 80-83, we learn that whilst the death-rate from this disease at the age group 0-5 years did not exceed 15 per 100,000 in the rural counties, it was as high as 52 per 100,000 in the urban. Table 41, page 89, shows the incidence of fatal scarlet fever at this age in the several registration counties of England and Wales.

Influenza.—Ever since 1889, towards the close of which year influenza invaded our ports from the Continent, the mortality from this disease has been considerable. Previous to that year influenza had not manifested epidemic proportions since 1855, the mortality in the quinquennium ended 1889 averaging no more than three per million of the population. But in the interval subsequently elapsed the mortality attributed to this cause has

* The incidence of scarlet fever in London cannot be given for periods earlier than 1889, in which year the Infectious Diseases (Notification) Act came into force. By means, however, of the last annual report of the County Medical Officer of Health, and that of the Metropolitan Asylums Board, it may be shown that while the ratio of deaths to admissions in the Metropolitan Asylums Board hospitals fell from 4·8 per cent. in 1891-1900 to 3·1 per cent. in 1901-08, a decrease of 35 per cent., the ratio of deaths to notified cases in the County of London fell from 3·9 per cent. to 2·8 per cent., a decrease of 28 per cent.

It may be further shown that the ratio of admissions in the Metropolitan Asylums Board hospitals to the number of cases notified in the County of London rose from 58 per cent. in 1891-1900 to 85 per cent. in 1901-8.

averaged 288 annually per million living. In the year under notice there were referred to influenza 10,112 deaths, corresponding to a rate of 285 per million, which is higher than that of any other year since 1900. The mortality was again about equal for each sex, namely, 283 per million for males and 288 for females. London suffered somewhat less severely from this disease than did extra-Metropolitan England and Wales. The difference between town and country, as regards influenza mortality, was again strongly marked, although less so than in the preceding year—the crude influenza death-rate in the rural group of counties having exceeded that in the urban group by 44 per cent. Among counties containing populations exceeding 100,000 the highest rates were 399 per million in Berkshire, 417 in Buckinghamshire, 445 in Herefordshire, 538 in Shropshire, 577 in Carnarvonshire, and 610 in Denbighshire; while the lowest were 189 in Leicestershire, 191 in Durham, 204 in Northumberland, 228 in Gloucestershire and in Nottinghamshire, and 229 in the East Riding of Yorkshire.

Whooping-cough.—To this disease there were attributed 9,851 deaths at all ages, or fewer by 253 than the quinquennial average number corrected for increase of population. Of the total deaths 9,561, or 97 per cent., occurred in children under the age of five years. Among children of both sexes in England and Wales generally, whooping-cough was responsible for a mortality of 236 per 100,000 living at ages 0–5 years, a rate which is lower by 6 per 100,000 than the average rate in the previous five years. As usual the female mortality has exceeded the male, the death-rate having been 210 per 100,000 for boys and 262 for girls. The experience of the year under notice confirms that of recent previous years in showing that whooping-cough is more destructive to child life in large towns than in the country districts.* This feature is less marked, however, in 1908, the urban county rate having decreased, and the rural increased, in comparison with the quinquennial average. Table 41 on page 89 shows that among counties containing more than 100,000 inhabitants at all ages, the highest death-rates from this disease in each 100,000 children under five years were 365 in Carnarvonshire, 368 in Warwickshire, 369 in Cambridgeshire, 373 in Cumberland, 390 in Durham, 465 in Monmouthshire, and 516 in Denbighshire. All these rates were above the respective quinquennial averages—the rates in Carnarvonshire and Cambridgeshire being more than double the average rate for those counties. Table 32 shows that this disease continues to make exceptional havoc among infants from the second to the twelfth month after birth. After the close of the second year the disease becomes far less destructive to child life.

Diphtheria.—The mortality attributed to diphtheria in the death certificates at the present day probably represents more accurately than in former times the actual mortality caused by the disease in this country. Nevertheless, it is still, doubtless, true that a considerable proportion of the deaths ascribed to “tonsillitis,” to “ulcerated throat,” or to “catarrhal” or “membranous” laryngitis are really due to diphtheria, and as it is probable that the error is less frequently made of wrongly ascribing to diphtheria deaths not really due to the disease, it follows that the mortality is still somewhat understated in the tables. In the year under notice the deaths referred to diphtheria

* Infantile mortality from whooping-cough was, however, higher in the rural than in the urban group of counties during 1908. (See p. cxxvii.)

(exclusive of croup not definitely stated to be membranous) numbered 5,569, and were fewer by 475 than the average number in the preceding five years corrected for increase of population. In this aggregate of 5,569 deaths there are included some that had originally been ascribed to membranous laryngitis, but the diphtheritic nature of which has since been affirmed by the several medical attendants. The tables still contain 31 deaths under the head of membranous laryngitis, some of them probably due to diphtheria.

Diphtheria and Croup.—In the two tables next following the mortality from diphtheria is taken together with that from “croup” to represent as nearly as may be the total sacrifice of life to the disease under consideration; but, in order to afford facilities for further study, the deaths from both diseases are separately shown in the tables on pages 21 to 63. It has frequently been remarked in these reports that the age incidence of fatal diphtheria, in recent years, is nearly the same as that of croup. In the year under notice the deaths referred to “croup” numbered 320, or less than half the number so referred in the year 1901. These deaths, added to those classed to diphtheria, corresponded to a rate of 166 per million living at all ages, as against 183 per million, the average rate in the previous quinquennium.

Diphtheria and Croup. Mortality per Million Living at all Ages.		Crude Rates. — Average, 1903-07.	Corrected Rates.*		
			Average, 1903-07.	Year 1908.	Ratio.†
Both Sexes	England and Wales ...	183	183	166	91
	Urban Counties ...	195	194	167	86
	Rural Counties ...	156	158	146	92
Males ...	England and Wales ...	186	186	169	91
	Urban Counties ...	198	197	172	87
	Rural Counties ...	159	161	143	89
Females ...	England and Wales ...	181	181	163	90
	Urban Counties ...	192	190	162	85
	Rural Counties ...	152	155	149	96

* See note to table on page lxxxi.

† *i.e.*, the ratio of the corrected death-rates in 1908 to those in 1903-07, the latter taken as 100.

Diphtheria. (Quinquennia.)		Metropolitan Asylums Board Hospitals.			County of London.
		Admissions.	Deaths.	Ratio per cent. of deaths to admissions.	Mean Annual Mortality per 1000 living.
1889-1893	7,833	2,436	31	0.44
1894-1898	24,048	4,781	20	0.52
1899-1903	35,763	4,262	12	0.30
1904-1908	25,027	2,312	9	0.15

The preceding table, condensed from a more extended table in the last report of the Metropolitan Asylums Board, shows the decline in case-fatality among patients admitted to hospital for diphtheria and in the general London mortality from that disease in the four quinquennia that have elapsed since 1889.

From this, and the corresponding table on page lxxxiv, it appears that, as in the case of scarlet fever, there has been a very considerable decline in the ratio of diphtheria deaths to admissions, and also in the general London mortality from the disease—the former being lower by 71 per cent. and the latter by 66 per cent. in 1904-08 than in 1889-93.*

Diphtheria and Croup.		Average 1903-1907.			Year 1908.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	982	1,106	698	825	903	555
	5—	526	507	539	533	484	548
	10—	85	71	119	91	70	145
	15—	17	13	27	17	14	37
	20—	10	8	16	9	7	19
	25—	8	8	11	7	6	11
	35—	7	7	11	6	6	4
	45—	6	6	9	5	4	5
	55—	7	7	8	6	7	9
	65—	7	7	6	5	4	7
Males	0—	1,000	1,125	747	843	933	560
	5—	481	470	492	495	449	495
	10—	80	68	106	93	76	127
	15—	17	14	25	17	14	37
	20—	12	9	15	8	9	23
	25—	7	7	8	7	4	7
	35—	7	6	12	5	4	8
	45—	5	4	8	3	1	5
	55—	5	5	4	7	8	7
	65—	7	7	6	6	6	7
Females	0—	963	1,086	648	806	873	550
	5—	571	543	585	570	518	602
	10—	90	75	131	89	64	163
	15—	17	13	30	17	13	38
	20—	9	8	16	9	6	16
	25—	9	8	13	8	7	15
	35—	7	8	10	6	8	—
	45—	7	7	9	7	7	5
	55—	9	9	11	5	5	12
	65—	7	6	6	4	2	6

As regards the local incidence of fatal diphtheria and croup, it will be seen from the table on page lxxxvii that, speaking generally, the urban rate exceeds the rural, but that the excess in the year 1908

* With respect to the antitoxin treatment of diphtheria, the report of the Metropolitan Asylums Board for 1908 shows that, during that year, of 202 cases treated on the first day only 6 deaths occurred, equivalent to a rate of 3 per cent., whereas, of 1,076 cases treated on the second day 6·5 per cent. died ; of 1,182 cases treated on the third day 10·6 per cent. ; of 822 cases treated on the fourth day 12·9 per cent. ; and of 1,249 cases treated on the fifth day or later 14·8 per cent. (See Metropolitan Asylums Board Report, 1908, Table IX., p. 248.)

was less than in the quinquennium 1903-07; diphtheria mortality having declined faster in the town than in the country. From the table on page lxxxviii it will further appear that the rural rate exceeded the urban at most ages above five years, but that for the first five years of life the urban mortality was so greatly in excess of the rural as more than to neutralise the rural excess at higher ages. Analysis of the mortality from diphtheria and croup in the first two quinquennia of life shows that since 1901 the rates at ages 5-10 years in the urban counties have changed very differently from those in the rural counties. In both areas the death-rate in the first five years of life has declined (with some fluctuations) until in 1908 it was about half of what it had been in 1901. The diminution in urban mortality has been almost as great in the second five years of life also; but as regards rural areas, the mortality at this age-group has shown comparatively little decline. The following table shows the death-rates in both areas for each group of ages in the years 1901-8:—

DIPHTHERIA and CROUP.—DEATH-RATES per MILLION CHILDREN LIVING at AGES 0-5 and 5-10 YEARS in the selected URBAN and RURAL COUNTIES.

—		1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
<i>Males.</i>									
Age 0-5 years.	{ Urban Counties	1973	1635	1300	1165	1032	1114	1022	933
	{ Rural Counties	1103	933	746	733	851	738	669	560
Age 5-10 years.	{ Urban Counties	793	655	509	487	427	508	421	449
	{ Rural Counties	587	526	402	497	594	466	502	495
<i>Females.</i>									
Age 0-5 years.	{ Urban Counties	1910	1589	1185	1150	1053	1076	973	873
	{ Rural Counties	1021	855	729	622	715	674	504	550
Age 5-10 years.	{ Urban Counties	940	808	594	594	475	551	506	518
	{ Rural Counties	669	689	504	467	598	701	656	602

Table R., page xc, shows that among registration counties with populations exceeding 100,000, there were in the year under notice 20 in which the rates of mortality from diphtheria and croup among children under ten years were above the average for England and Wales: of these, 15 had experienced in the previous five years also a mortality above the average for that period. In the year under notice the registration counties with the highest rates of mortality at this age were the North Riding of Yorkshire, where the rate was equal to 1,244 per million living, Bedfordshire 973, Cambridgeshire 856, Surrey 833, Derbyshire 826, and Hampshire 815.

As had been the case in several preceding years, the high death-rate from diphtheria in the North Riding of Yorkshire last year was due to excessive mortality in the contiguous districts of Guisborough and Middlesbrough. The excessive mortality of Bedfordshire occurred mainly in the registration districts of Bedford, Biggleswade, and Ampthill, which form the northern part of the county. In Cambridgeshire, nearly one-third of the deaths from diphtheria occurred in the small district of Whittlesey, which suffered severely from this disease during the first half of the year. In Surrey

somewhat high mortality occurred in the districts of Croydon and Kingston. From figures furnished by the local registrars it appears that the death-rate from this cause was 243 per million living at all ages in the Borough of Croydon and 299 per million in the Borough of Kingston on Thames. In Derbyshire the mortality was heavy in the districts of Shardlow, Derby, Belper, and Chesterfield, which form the eastern part of the county. According to the local registrars' figures the death-rate during the year was 278 per million in the Borough of Derby and 320 per million in the Borough of Chesterfield. In Hampshire the mortality was heavy in the Borough of Portsmouth and in the districts of Ringwood and Alton.

TABLE R.—ENGLAND & WALES.—DIPHtheria and CROUP. DEATH-RATES per MILLION LIVING among CHILDREN under 10 YEARS OF AGE.

Registration Counties.	Average, 1903-7.	Year, 1908.	Registration Counties.	Average, 1903-7.	Year, 1908.
Flintshire* ...	794	1482	Buckinghamshire ...	815	664
Radnorshire* ...	573	1470	Glamorganshire ...	953	664
North Riding of Yorkshire.	1098	1244	Pembrokeshire* ...	536	651
Bedfordshire ...	686	973	Dorsetshire ...	677	646
Cambridgeshire ...	525	856	Lincolnshire ...	881	636
Surrey ...	624	833	Cheshire ...	784	629
Derbyshire ...	787	826	Oxfordshire ...	420	624
Hampshire ...	960	815	Norfolk ...	667	599
Middlesex ...	801	809	Worcestershire ...	355	594
Lancashire ...	900	800	Nottinghamshire ...	751	593
Cumberland... ..	533	787	Hertfordshire ...	408	592
Essex... ..	850	767	Devonshire ...	500	572
Durham	969	767	West Riding of Yorkshire.	790	571
Warwickshire ...	833	757	Kent	552	556
Denbighshire ...	776	745	Leicestershire ...	549	485
Staffordshire ...	824	732	Merionethshire* ...	1165	441
Brecknockshire* ...	1293	732	Shropshire ...	517	427
Gloucestershire ...	788	715	Suffolk	413	417
Berkshire	828	709	Wiltshire	614	396
Carmarthenshire ...	850	706	Cornwall	347	390
Herefordshire ...	676	700	Sussex	467	381
East Riding of Yorkshire.	1073	694	Westmorland* ...	213	381
Monmouthshire ...	872	691	Cardiganshire* ...	572	376
<i>England and Wales</i>	761	683	Northamptonshire ...	367	355
Carnarvonshire ...	407	681	Somersetshire ...	622	354
Northumberland ...	893	677	Huntingdonshire* ...	407	311
London	689	674	Montgomeryshire* ...	295	298
			Rutlandshire* ...	430	242
			Anglesey*	724	133

* The Counties marked with an asterisk contained, at the last Census, populations of fewer than 100,000 at all ages.

In several preceding reports mention has been made of an area of excessive diphtheria mortality in the counties of Monmouth, Glamorgan, Carmarthen, and Brecknock, which changes somewhat in constitution from year to year. A further reduction of mortality occurred in this area generally in 1908, but in some districts the rates were still considerably above the rate in England and Wales.

The following table, which is compiled from figures furnished by the local registrars, gives a list of the towns with populations exceeding 20,000 at the last census whose death-rates from diphtheria

during 1908, were above 250 per million living at all ages. The corresponding death-rate in England and Wales was 157 per million.

DIPHTHERIA : TOWNS with HIGH RATES of MORTALITY from DIPHTHERIA : 1908.

Towns.	Crude Death-rate per Million Living.	Towns.	Crude Death-rate per Million Living.
Surrey—		Nottinghamshire—	
Kingston on Thames	299	Mansfield	583
Kent—		Derbyshire—	
Canterbury	264	Chesterfield	320
Erith	263	Derby	278
Ramsgate	265	Cheshire—	
Sussex—		Macclesfield... ..	265
Eastbourne	260	Lancashire—	
Middlesex—		Hindley	369
Edmonton	396	Leigh	425
Enfield	603	Salford	506
Essex—		West Riding of York-	
Barking Town	443	shire—	
East Ham	454	Brighouse	440
Dorsetshire—		Todmorden	303
Poole... ..	308	North Riding of York-	
Devonshire—		shire—	
Torquay	357	Middlesbrough	314
Staffordshire—		Cumberland—	
Fenton	294	Workington... ..	332
Tunstall	552	Monmouthshire—	
West Bromwich	282	Ebbw Vale	293
Wolverhampton	305	Glamorganshire—	
Worcestershire—		Aberdare	295
Kings Norton	288	Pontypridd	262
Lincolnshire—			
Lincoln	293		

Of the 5,889 deaths at all ages from diphtheria and croup, 3,340 or 57 per cent. occurred within the first five years of life. These deaths correspond to a rate of 82 per 100,000 children living at that age, a rate which is below the average in the previous quinquennium by 16 per 100,000 (Table 37, page 84). Table 41, page 89, shows the distribution of these deaths in the several counties of England and Wales. In the year 1908, as in recent previous years, the mortality steadily increased from birth to the fourth year of age (Table 32, pages 74-75).

Cerebro-Spinal Fever.—To this disease there were ascribed in the year under notice 116 deaths, many of which were eventually referred to this heading as the result of medical enquiry respecting deaths originally certified as from cerebro-spinal meningitis. In the five years last ended the deaths classed to cerebro-spinal fever have averaged 111 annually.

Enteric (Typhoid) Fever.—In the course of the year 1908 the deaths of 2,651 persons at all ages and of both sexes were ascribed to enteric fever. These deaths correspond to a rate of 75 per million persons living, which, with the exception of the rate in 1907, is the lowest on record and is 13 per million below the average for the quinquennium immediately preceding. Among males the death-rate was equal to

94 per million of that sex, and among females to 56 per million.* See table, page xciii. During the 40 years which have elapsed since the disease was first differentiated in these reports enteric fever mortality has fallen to less than a fifth of its former amount, namely, from a rate of 390 per million in 1869 to 75 per million in 1908.

Enteric Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Ratio per cent. of deaths to admissions.	Mean Annual Mortality per 1,000 living.
1874-1878	1,878	379	20	0·25
1879-1883	2,049	381	19	0·23
1884-1888	1,937	314	16	0·17
1889-1893	2,517	415	16	0·13
1894-1898	3,328	578	17	0·13
1899-1903	6,779	1,023	15	0·13
1904-1908	3,084	457	15	0·05

In the preceding table, which is condensed from a more extended table in the last report of the Metropolitan Asylums Board, the ratio of deaths to admissions on account of enteric fever and the general London mortality from that disease are given for the same period, 1874-1908.

As is the case with many other diseases, the mortality from enteric fever varies according as a given area contains a large or a small proportion of urban inhabitants. In the table on the following page, which is continued from previous reports, the death-rates of both sexes in 1908 are compared with the respective averages in the preceding quinquennium. The changes of mortality in recent years are there shown, and the rates in the urban group of counties are distinguished from those in the rural group. Taking both sexes together urban mortality from enteric fever in 1903-7 exceeded rural mortality by 46 per cent. Among males the excess was 55 per cent., whilst among females it amounted to only 35 per cent. In this table, which shows the mortality per million living at all ages, correction has been made for age and sex differences of the population.

From the table it would appear that in the year 1908 both urban and rural areas shared almost equally in the saving of life that is represented by the fall in the death-rate. In the urban areas the decrease has been greater among females than among males ; in the rural it was shared equally by each sex.

From Table 31 on pages 72-73 it appears that among registration counties with populations exceeding 100,000, the highest crude death-rates† from enteric fever were 146 in Durham, 136 in Norfolk, 133 in Cumberland, 131 in Monmouthshire, 125 in Lancashire, and 105

* Since the year 1868 enteric fever has been distinguished from typhus, and from other indefinite forms of continued fever, the latter being now aggregated under the name "pyrexia (origin uncertain)," in the Registrar-General's tables. In the latest revision of their nomenclature of diseases the Royal College of Physicians direct that the names febricula and simple continued fever should no longer be used.

† These county rates are not corrected for differences of age constitution, but the table on page xciii shows that in the case of enteric fever, correction does not greatly modify the death-rates.

in the West Riding of Yorkshire. Compared with the respective decennial averages, Durham, Monmouthshire, Lancashire, and the West Riding of Yorkshire show decreases ranging from 17 to 38 per cent. Norfolk shows an increase of 14 per cent., and Cumberland one of 82 per cent.

Enteric Fever.		Crude Rates. — Average 1903-7.	Corrected Rates.*		
Mortality per Million Living at all Ages.			Average, 1903-7.	Year 1908.	Ratio.†
Both Sexes...	{ England & Wales ...	88	88	75	85
	{ Urban Counties ...	101	99	84	85
	{ Rural Counties ...	66	68	56	82
Males ...	{ England & Wales ...	106	106	94	89
	{ Urban Counties ...	121	119	106	89
	{ Rural Counties ...	75	77	63	82
Females ...	{ England & Wales ...	72	72	56	78
	{ Urban Counties ...	82	81	63	78
	{ Rural Counties ...	58	60	49	82

* See note to table on page lxxxi.

† *i.e.*, the ratio of the corrected death-rates in 1908 to those in 1903-07, the latter taken as 100.

In the county of Durham mortality was excessive in the districts of Sedgefield, Auckland, Lanchester, Easington, Houghton-le-Spring, and Chester-le-Street. The greater part of this county is included in the northern area of high enteric fever mortality referred to below. The high rate in Norfolk was due to excessive mortality in the City of Norwich, and that in Cumberland to an epidemic in the Borough of Workington. In Lancashire several districts still showed high rates, while in the West Riding of Yorkshire the contiguous districts of Pontefract, Hemsworth, Barnsley, and Rotherham experienced a mortality greatly in excess of that in the remainder of the county.

In the northern area of high enteric fever mortality, which is mainly situated in the county of Durham,* and of which mention has been made in several previous reports, the mean death-rate from enteric fever was 187 per million, against an average rate of 169 per million in the previous five years. In the districts of Auckland, Easington, and Houghton-le-Spring the rates in 1908 exceeded 300 per million.

The following table, which is compiled from figures furnished by the local registrars, gives a list of the towns with populations exceeding 20,000 at the last Census whose death-rates from enteric fever during 1908 were above 200 per million living at all ages. The corresponding death-rate in England and Wales was 75 per million :—

* The registration districts now comprising this area are as follows :—Middlesbrough in the North Riding of Yorkshire ; Stockton, Sedgefield, Auckland, Lanchester, Durham, Easington, Houghton-le-Spring, Chester-le-Street, Sunderland, and South Shields in the county of Durham ; and Castle Ward and Morpeth in Northumberland.

ENTERIC FEVER.—TOWNS with HIGH RATES of MORTALITY from ENTERIC FEVER : 1908.

Towns.	Crude Death-rate per million living.	Towns.	Crude Death-rate per million living.
Suffolk—		Lancashire— <i>cont.</i>	
Lowestoft	458	Swinton and Pendlebury.	224
Norfolk—		Wigan	296
Norwich	288	West Riding of Yorkshire—	
Staffordshire—		Barnsley	350
Hanley	231	Dewsbury	222
Tipton	220	Rotherham	262
Tunstall	257	Cumberland—	
Derbyshire—		Workington... ..	1,180
Glossop	237	Monmouthshire—	
Lancashire—		Ebbw Vale	251
Ince in Makerfield ...	305		
Preston	209		
Radcliffe	231		

In the following table the sex and age incidence of the mortality from enteric fever in recent years is shown for England and Wales and for the urban and rural groups of countries :—

Enteric Fever.		Average 1903–1907.			Year 1908.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	28	33	20	24	26	19
	5—	54	64	34	37	45	29
	10—	72	83	58	55	69	43
	15—	109	117	92	81	87	70
	20—	126	132	118	104	102	99
	25—	133	149	93	123	135	88
	35—	113	133	82	109	127	63
	45—	90	104	67	73	88	46
	55—	65	75	56	59	70	35
	65—	32	38	28	22	31	26
Males	0—	29	34	19	27	29	17
	5—	49	61	24	40	48	34
	10—	69	78	59	54	67	25
	15—	126	135	104	99	112	78
	20—	165	171	133	136	142	64
	25—	176	197	112	166	182	114
	35—	143	167	103	138	159	97
	45—	109	126	87	98	117	62
	55—	80	94	59	81	90	54
	65—	37	43	37	36	51	44
Females	0—	28	32	20	21	24	21
	5—	58	67	45	35	41	25
	10—	76	87	57	56	71	60
	15—	92	99	80	63	62	61
	20—	92	97	105	76	66	129
	25—	94	105	77	84	92	66
	35—	86	101	63	81	97	33
	45—	71	83	50	51	62	32
	55—	52	57	54	40	52	18
	65—	29	34	20	12	17	12

From this table it appears that both in the year 1908 and in the previous quinquennium the male rates of mortality from enteric fever exceeded the female rates at all periods of life above the age of 15 years. As in 1907 the highest mortality was met with between the ages of 25 and 35 years.

Diarrhœal Diseases.—This term has been used in two senses in previous reports. The narrower significance applied to deaths at all ages and included only—

- (1) Diarrhœa due to food ;
- (2) Infective Enteritis ;
- (3) Diarrhœa not stated to be infective (including Gastro-intestinal Catarrh) ; and
- (4) Dysentery, including dysenteric diarrhœa (see Table 21, page 22).

The wider significance, applying to deaths of children under 5 years of age (Tables 32-41, pages 74-89) included, in addition to the above causes of death, which in these tables were grouped under the headings "Gastro-intestinal Catarrh" and "Diarrhœa (other forms),"

- (5) Enteritis ;
- (6) Gastro-enteritis ; and
- (7) Gastritis and Gastric Catarrh.

It was shown in last year's report that very many deaths which would formerly have been attributed to diarrhœa are now certified as due to enteritis or gastro-enteritis. These diseases must therefore be considered conjointly for the purpose of comparison with past records.

The deaths from these various causes are distinguished for all ages in Tables 21-26, pages 22-63, and in the tables on pages 294-405, and for children under 5 years in Tables 32-38 on pages 74-85. As these figures for separate causes are available in the abstracts for comparison with the records of previous years, it is possible to modify the grouping adopted for discussion under the present heading without sacrificing the continuity of our records. This grouping has accordingly been modified with the following objects:—(1) to attach to the term "diarrhœal diseases" the same significance in whatever portion of the report it occurs, (2) to include under it all diseases of diarrhœal type and no others, and (3) to make the returns comparable with those of countries using the International Classification of causes of death. This classification includes under the heading "diarrhœa and enteritis" all the causes of death hitherto included under "diarrhœal diseases" in Tables 32-41, except dysentery, "cholera nostras" (classed in the above tables to "diarrhœa (other forms)," and "gastritis, gastric catarrh."

The deaths certified as due to "cholera nostras" cannot be stated for 1908, but the term, which is not recognised in the "Nomenclature of Diseases" by the Royal College of Physicians, is not very commonly used in this country, and the deaths so certified almost certainly represent merely severe cases of infective enteritis. These deaths must therefore be retained in the group of diarrhœal diseases, but for purposes of international comparison their number will be stated in future years.

Reference to pages 294 and 295 will show that the deaths ascribed to dysentery (246) are mainly those of adults. They are presumably therefore of a different nature from the deaths now included under the heading "diarrhœal diseases," all of which occur chiefly amongst

infants. There is good ground accordingly for following the International Classification in excluding these deaths, but their separate statement will continue to admit of comparison with previous years.

The deaths from gastritis (3,463) resemble those from dysentery in not being mainly deaths of infants. Gastritis is not classified with diarrhoea in the Nomenclature of the Royal College of Physicians or the International Classification, and there appears to be no sufficient reason for retaining these deaths in the group of diarrhoeal diseases in Tables 32-41. After consultation with the Medical Officer of the Local Government Board, which issues a similar table of infantile diseases for the use of Medical Officers of Health, this heading has accordingly been removed from the group of diarrhoeal diseases in these tables, but as its separate statement is retained no loss of continuity is involved.

The term "diarrhoeal diseases" accordingly, whether applying to young children or to persons of all ages, corresponds to the previous group of diarrhoeal diseases in young children, less dysentery and "gastritis, gastric catarrh"; and to the previous group of diarrhoeal diseases at all ages, less dysentery but plus enteritis and gastro-enteritis.

The deaths for 1908 from diarrhoeal diseases so defined numbered 26,135 for all ages, of which 18,721 occurred during the first year, and 23,508 during the first five years of life. All the diseases now included under this heading cause more deaths under one year of age than at all higher ages combined.

To obtain the deaths for diarrhoeal diseases at all ages as previously given it is necessary to add to the total of 26,135, 246 deaths from dysentery, and to deduct from it 4,444 deaths from enteritis and 3,495 deaths from gastro-enteritis, thus obtaining the number of 18,442 deaths, which is comparable with those returned in previous reports. The deaths of children under five years from diarrhoeal diseases, as stated in previous reports, are obtained from 23,508, the number as now stated, by adding 29 deaths from dysentery, and 1,949 deaths from gastritis and gastric catarrh at this age.

The 26,135 deaths at all ages are 3,927 below the corrected annual average in the previous quinquennium.

Nine-tenths of these deaths occurred among children under five years of age. The following table shows the mortality per 1000 children living at this age :—

—			England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	{ 1908	5·80	7·30	2·48
	{ 1903-07	...	6·61	8·41	3·37
Males ...	{ 1908	6·34	7·91	2·71
	{ 1903-07	...	7·19	9·09	3·72
Females ...	{ 1908	5·28	6·70	2·25
	{ 1903-07	...	6·04	7·72	3·02

From this table it will be seen that in the year 1908, as compared with the quinquennium 1903-7, the diarrhoeal mortality of children under five years declined by 13 per cent. in the urban area, and by 26 per cent. in the rural, as compared with 12 per cent. in England and Wales. It will also be seen that the mortality during 1908 in the urban group of counties was nearly three times as great as that in the

rural group. Table 41, page 89, shows that among counties with populations above 100,000 the lowest death-rates from diarrhoeal diseases were recorded in Dorsetshire, Wiltshire, Cambridgeshire, Northamptonshire, and Hertfordshire, where the rates ranged from 1·29 to 1·71 per 1000 living. The highest death-rates were in Durham, Glamorganshire, Lancashire, the North Riding of Yorkshire, and the East Riding of Yorkshire, the rates ranging from 8·54 to 9·09 per 1000.

Rabies (*Hydrophobia*).—Not a single death from this disease has been reported either in the year 1908 or in any of the five years immediately preceding. In the course of the last ten years only two deaths from hydrophobia have been reported in England and Wales, and these were registered in the year 1902. In the closing ten years of the nineteenth century the deaths from this disease averaged seven annually.

Pyæmia, Septicæmia, Septic Intoxication.—The deaths of 84 males and 60 females were referred to pyæmia, and the deaths of 251 males and 165 females to septicæmia, in the year under notice, the deaths of females from puerperal affections of this nature being excluded from the present list. The parts of the body medically certified as invaded by infective processes are given in the supplementary tables on pages 312 and 313.

Before the commencement of the present century the deaths from pyæmia were included with those from septicæmia in the returns of the Registrar-General. The death-rate from these diseases does not vary greatly from year to year.

Puerperal Pyæmia, Septicæmia, Septic Intoxication.—Either to one or another of the conditions here specified or else to the indefinite affection “puerperal fever” there were referred 1,395 deaths in the year 1908, the deaths thus returned in the previous year having numbered 1,465. The term puerperal fever has been removed from the nomenclature of the Royal College of Physicians, and the College direct that pyæmia, septicæmia, or septic intoxication occurring in puerperal women should be described as puerperal pyæmia, puerperal septicæmia, and puerperal septic intoxication respectively. The number of deaths certified as from “puerperal fever” last year was 190, and reference to Table 25 (p. 52) shows that the deaths thus indefinitely certified are gradually decreasing year by year. Of the deaths referred to puerperal septic affections, 171 were further complicated; the complicating cause was stated to be scarlet fever in 5 cases, influenza in 8, pneumonia in 69, tuberculous disease in 6, inflammation of the brain in 5, diseases of the heart in 14, embolism or thrombosis in 24, pleurisy in 4, and kidney disease in 10 cases. In addition to the above, there occurred in connection with pregnancy or childbirth 3,126 other deaths, 1,966 from diseases and accidents specially connected with these processes, and 1,160 from other diseases. Particulars relating to these deaths are given in Table S on page xcvi and also on page 309. Further remarks on mortality in connection with the puerperal state will be found at page cxx.

Pneumonia.—In the year under notice the deaths returned as from one or another of the forms of pneumonia numbered 41,779, namely, 23,671 males and 18,108 females. Of these deaths 4,818 were referred to lobar pneumonia, 19,034 to broncho-pneumonia, and 4 to epidemic pneumonia, whilst 17,923 were assigned to “pneumonia,” without further qualification; in the case of the deaths of 311 males and 195 females the condition was stated to be septic.

TABLE S.—DEATHS OF WOMEN IN ENGLAND & WALES, IN 1908, DEFINITELY RETURNED AS EITHER CAUSED BY OR ASSOCIATED WITH PREGNANCY OR CHILDBEARING.*

Cause of Death.	All Ages.	Ages.				
		15—	20—	25—	35—	45 and upwards.
Total	452†	115	674	2163	1503	66
Measles	3	—	—	1	2	—
Scarlet Fever	12	—	3	7	2	—
Influenza	69	1	11	26	30	1
Whooping Cough	1	—	—	1	—	—
Diphtheria	3	—	2	—	1	—
Enteric Fever	13	—	2	6	4	1
Diarrhœa	5	—	1	1	3	—
Syphilis	4	—	—	3	1	—
Gonorrhœa	1	—	1	—	—	—
PUERPERAL SEPTIC DISEASE† (1395) :—						
Puerperal Septicæmia	1030	34	196	503	287	10
Puerperal Pyæmia	92	2	17	40	31	2
Phlegmasia Alba Dolens	83	2	10	37	33	1
Puerperal Fever	190	8	45	87	48	2
Infective Endocarditis	4	—	—	2	2	—
Lobar Pneumonia	65	1	6	35	21	2
Broncho-Pneumonia	28	2	—	12	14	—
Pneumonia (not defined)	166	5§	30	67	59	5
Tuberculous Phthisis	65	—	10	42	13	—
Phthisis (not otherwise defined)	47	1	7	24	15	—
Tuberculous Meningitis	2	—	—	2	—	—
Tuberculous Peritonitis	8	—	1	7	—	—
Other Tuberculous Diseases	11	—	2	6	3	—
Alcoholism	3	—	—	1	2	—
Rheumatic Fever, Rheumatism of Heart	17	—	2	9	6	—
Malignant Disease	10	—	2	6	2	—
Hæmophilia	1	—	1	—	—	—
Anæmia	26	—	6	8	12	—
Diabetes Mellitus	3	—	—	1	1	1
Meningitis, Inflammation of Brain	7	—	2	4	1	—
Chorea	2	1	—	1	—	—
Epilepsy	12	—	4	4	4	—
Other Diseases of Nervous System	7	—	1	4	2	—
Valvular Disease, Endocarditis	102	1	14	46	41	—
Pericarditis	2	—	—	2	—	—
Dilatation of Heart	5	—	—	1	4	—
Fatty Degeneration of Heart	10	—	1	3	6	—
Other Diseases of Heart	84	1	2	39	40	2
Apoplexy, Hemiplegia	14	—	—	8	6	—
Laryngitis	1	—	—	1	—	—
Bronchitis	20	—	1	6	12	1
Emphysema, Asthma	4	—	1	1	2	—
Pleurisy	9	—	1	6	2	—
Other Diseases of Respiratory System	3	—	—	2	1	—
Gastric Ulcer	7	—	1	6	—	—
Other Diseases of Stomach	6	—	1	3	1	1
Enteritis, Gastro-Enteritis, Ulcer Intestines	9	—	1	6	2	—
Appendicitis	9	—	2	2	5	—
Intestinal Obstruction	7	—	—	6	1	—
Diseases of Liver	8	—	—	3	5	—
Diseases of Thyroid Body	5	—	—	1	4	—
Acute Nephritis	103	2	18	56	24	3
Chronic Bright's Disease	110	2	8	50	47	3
Other Urinary Diseases	7	—	2	4	1	—
Ovarian Tumour	6	—	1	4	1	—
Uterine Tumour and other Diseases of Uterus	18	—	—	6	12	—
DISEASES AND ACCIDENTS OF PREGNANCY AND CHILDBIRTH† (1966) :—						
Abortion, Miscarriage	83	—	4	42	36	1
Puerperal Mania	57	1	10	30	16	—
Puerperal Convulsions	426	31	106	199	88	2
Placenta Prævia, Flooding	560	7	50	227	262	14
Other Accidents of Pregnancy and Childbirth.	840	13	87	447	279	14
Violence	3	—	—	2	1	—
Other Causes	13	—	1	7	5	—

* These deaths are included under the several headings in the general abstracts and tables of causes of death. The headings are shown in the same order as in the general abstracts.
† Of the deaths attributed to puerperal septic diseases, 171 were further complicated with other diseases.
‡ Of the deaths classed to diseases and accidents of pregnancy and childbirth, a secondary cause mentioned in 382 cases.
§ The age of deceased in one of these cases was 14 years.

The deaths from pneumonia of all forms were equal to a rate of 1,179 per million of the population at all ages, 1,383 per million among males, and 988 per million among females. This will be seen by the following table which has been continued from previous reports :—

Pneumonia.			Crude Rates. — Average 1903-07.	Corrected Rates.*		
Mortality per Million Living at all Ages.				Average, 1903-07.	Year 1908.	Ratio.†
Both Sexes	{	England & Wales ...	1,271	1,271	1,179	93
		Urban Counties ...	1,468	1,499	1,399	93
		Rural Counties ...	922	865	785	91
Males	... {	England & Wales ...	1,481	1,481	1,383	93
		Urban Counties ...	1,710	1,745	1,641	94
		Rural Counties ...	1,068	1,004	905	90
Females	... {	England & Wales ...	1,075	1,075	988	92
		Urban Counties ...	1,241	1,268	1,173	93
		Rural Counties ...	786	735	672	91

* See note to table on page lxxxi.

† i.e., the ratio of the corrected death-rates in 1908 to those in 1903-07, the latter taken as 100.

Compared with the average in the quinquennium 1903-7 the mortality from pneumonia in 1908 showed a marked decrease.

The following table shows that the mortality from the principal types of pneumonia varies considerably according to age. From this table we see that in 1908, as in previous years, the mortality from lobar or croupous pneumonia was greatest at the later ages, and from broncho-pneumonia in the first few years and at the end of life :—

Pneumonia.				Males.			Females.		
Mortality at Age-groups, per Million Living, 1908.				All forms.	Lobar- Pneumonia.	Broncho- Pneumonia.	All forms.	Lobar- Pneumonia.	Broncho- Pneumonia.
All Ages	1,383	177	600	988	98	478
0-5 years	5,524	205	4,003	4,414	149	3,206
5-10 "	280	32	115	263	28	108
10-15 "	114	19	23	113	17	27
15-20 "	228	55	19	142	27	22
20-25 "	314	80	26	177	46	18
25-35 "	497	137	41	280	66	37
35-45 "	908	231	94	469	103	68
45-55 "	1,433	357	197	745	135	164
55-65 "	2,378	476	431	1,334	228	332
65 years and upwards	4,302	596	1,136	3,459	383	1,089

Tuberculosis.

To tuberculous affections in the aggregate there were assigned in the year under notice 56,080 deaths, or fewer by 3,455 than the average number in the previous five years, corrected for increase of population. Tuberculosis was responsible for 10·8 per cent. of the mortality from all causes, and for a death-rate of 1,583 per million living, at all ages and of both sexes.* The accompanying chart, which is continued from the previous report, and which relates to tuberculous mortality for a long series of years, is designed to show the incidence of male and female mortality (a) from all forms of tuberculosis (indicated by the entire shaded portion) and (b) from phthisis (indicated by darker shading). The death-rates are stated in terms of a million living of each sex, and are rendered comparable by calculation on the age and sex constitution of the population at the census of 1901. The chart shows that throughout the last 40 years there has been a steady decrease in the mortality from tuberculous diseases in the aggregate, and that the decrease has been greatest in females. Among counties containing populations above 100,000 the highest uncorrected death-rates from tuberculosis last year were in London, 1,806 per million living, in Lancashire 1,848, in Northumberland 1,947, in Carnarvonshire 2,025, and in Carmarthenshire 2,323.

Phthisis (including tuberculous laryngitis).—In the year under notice tuberculous phthisis accounted for the deaths of 20,192 persons, and “phthisis” not otherwise defined, for the deaths of 19,307 persons, at all ages and of both sexes. Together these deaths were equal to 70 per cent. of the total deaths from tuberculosis, and to a rate of 1,115 per million of the population. This rate is the lowest on record, as were those also of 1905 and 1907. It is 5 per cent. below the average for the five years 1903–7.

Phthisis.		Crude Rates.	Corrected Rates.*		
			Average, 1903–07.	Year 1908.	Ratio.†
Mortality per Million Living at all Ages.		Average, 1903–07.	Average, 1903–07.	Year 1908.	Ratio.†
Both Sexes	England & Wales ...	1,173	1,173	1,115	95
	Urban Counties ...	1,258	1,253	1,189	95
	Rural Counties ...	1,081	1,114	1,105	99
Males	England & Wales ...	1,385	1,385	1,310	95
	Urban Counties ...	1,526	1,521	1,448	95
	Rural Counties ...	1,182	1,217	1,202	99
Females	England & Wales ...	975	975	931	95
	Urban Counties ...	1,007	1,002	946	94
	Rural Counties ...	987	1,017	1,013	100

* See note to table on page lxxxi.

† *i.e.*, the ratio of the corrected death-rates in 1908 to those in 1903–07, the latter taken as 100.


In proportion to the living, the victims of phthisis are now only half as numerous as they were half a century ago. Between the

* In the decennium 1851–60 the deaths from tuberculosis were in the proportion of 15·6 per cent. of the deaths from all causes, and corresponded to a rate of 3,457 per million of the mean population.

TUBERCULOSIS.

DIAGRAM VIII.-DEATH-RATES PER MILLION LIVING, CORRECTED FOR VARIATIONS OF SEX AND AGE CONSTITUTION (a) FROM ALL FORMS OF TUBERCULOSIS, (b) FROM PHTHISIS; ENGLAND & WALES, 1859-1908.

(NOTE.- THE DARKER SHADING REFERS TO PHTHISIS.)



Note: The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901.

decennium 1851-60 and the period 1901-8 there has been a fall of 70 per cent. in the mortality from this disease among persons of both sexes below the age of 25 years. From that age onward the fall has been considerably less marked, and has been more pronounced in females than in males.

Phthisis.		Average, 1903-1907.			Year, 1908.		
Mortality at Age-groups, per Million Living.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	333	397	241	296	357	217
	5—	166	183	126	154	174	163
	10—	277	280	290	267	275	300
	15—	852	832	967	805	768	969
	20—	1,325	1,216	1,725	1,256	1,174	1,635
	25—	1,741	1,706	1,944	1,676	1,625	1,925
	35—	2,093	2,303	1,733	1,954	2,152	1,673
	45—	2,133	2,514	1,538	1,987	2,326	1,554
	55—	1,739	2,067	1,346	1,718	2,044	1,357
	65—	949	1,163	734	963	1,208	835
Males	0—	359	432	245	319	410	205
	5—	138	154	102	127	143	134
	10—	163	173	150	164	187	161
	15—	743	745	773	690	701	676
	20—	1,472	1,347	1,843	1,367	1,246	1,858
	25—	2,022	1,986	2,192	1,918	1,883	2,114
	35—	2,573	2,883	2,032	2,442	2,735	1,964
	45—	2,945	3,544	1,973	2,681	3,237	2,000
	55—	2,498	3,073	1,746	2,511	3,109	1,830
	65—	1,316	1,724	897	1,338	1,798	1,061
Females	0—	308	363	238	273	304	229
	5—	194	211	150	182	204	192
	10—	391	385	432	369	362	441
	15—	959	915	1,166	918	832	1,270
	20—	1,194	1,099	1,621	1,158	1,109	1,438
	25—	1,488	1,451	1,728	1,459	1,391	1,761
	35—	1,643	1,752	1,461	1,498	1,599	1,407
	45—	1,382	1,544	1,148	1,345	1,468	1,156
	55—	1,075	1,188	998	1,024	1,113	945
	65—	666	748	604	674	771	654

The two tables immediately preceding show the male and female rates of mortality from phthisis in England and Wales, at all ages and at several groups of ages, in the year 1908 ; and, for comparison therewith, the average rates in the quinquennium 1903-07 ; they further show the distribution of phthisis mortality, at the same age-groups, in the selected urban and rural counties respectively.

From the first of these tables it may be seen that in 1903-07 the corrected urban death-rate at all ages was higher than the rural by 25 per cent. among males, but lower by 1 per cent. among females. When, however, examination is made of the mortality at the several ages the second table shows this to be higher in the rural area than in the urban among males at ages 15-35, and among females at ages 10-35 ; whilst, at all other ages, the reverse holds true.

This table also shows that, as compared with the average in the previous quinquennium, there has been a general fall in England and Wales as a whole in phthisis mortality of each sex at age-groups below

55 years ; but that above this age in males, and above 65 years in females there has been a slight increase. Generally speaking, similar variations are shown in the urban group of counties. In the rural group, however, the reduction is confined to a much smaller number of age-groups. Both in the county groups and in the country generally, the greatest proportional fall in mortality under this head appears to have occurred among children under five years of age. The greatest saving of life, however, can be shown (assuming present estimates of population to be correct) to have occurred at ages 35-45 years.

Phthisis. 1904-1908.					Corrected Death-rates per million.		
					Persons.	Males.	Females.
England and Wales	1,156	1,362	963
Cardiganshire	2,270	2,419	2,130
Merionethshire	1,576	1,699	1,461
Carmarthenshire	1,574	1,473	1,668
Carnarvonshire	1,553	1,618	1,491
Pembrokeshire	1,413	1,443	1,385
London	1,386	1,808	992
Northumberland	1,363	1,488	1,246
Anglesey	1,335	1,190	1,472
Lancashire	1,323	1,602	1,061
Cornwall	1,277	1,642	936
Montgomeryshire	1,240	1,352	1,135
Hampshire	1,218	1,493	961
Warwickshire	1,192	1,560	848
Durham	1,180	1,201	1,159
Suffolk	1,177	1,263	1,096

In Tables 29, 30 and 31, the crude rates of mortality from phthisis in 1908 are shown in the several registration counties of England and Wales. On examination, however, it is clear that in some counties the numbers of the living, and therefore the deaths, in a single year are insufficient to furnish reliable rates of mortality for comparative purposes. This remark is particularly in point with respect to the counties of Huntingdon, Rutland, and Westmorland in England, and to the counties of Brecknock, Radnor, and Anglesey in Wales. For the foregoing reason comparison of phthisis mortality in single years was formerly limited to counties with populations exceeding 100,000 ; but this plan leaves out of account several counties in which the mortality from phthisis is exceptionally high. In view, therefore, of the increased interest recently shown in the local incidence of this disease, examination has been made of the phthisis mortality in all the registration counties in the quinquennium ended 1908, the rates so obtained being sufficiently stable, even in the case of the counties named, for presentation. In the above table a list is given of all those English and Welsh counties where the mortality from phthisis is in excess of the mean for the country generally. These rates are corrected for age differences of the several populations, but not for deaths in public institutions. In all cases correction of this kind is obviously desirable, but it has hitherto been found to be impracticable. Hampshire, for example, is a case in point. This county contains a considerable number of hospitals for the treatment of tuberculosis, and the majority of the deaths in

these hospitals are those of persons who had previously resided outside the county.

From this table it appears that of the fifteen counties suffering the highest mortality from phthisis, not fewer than seven are Welsh ; and that among these Cardiganshire experienced a death-rate which is nearly double the average for England and Wales.

Tuberculous Meningitis.—Under this head, or else under that of acute hydrocephalus, there were returned last year 5,868 deaths at all ages—being fewer by 549 than the average number in the previous five years, after allowance for increase of population. As the deaths from simple meningitis were also below the quinquennial average, there appears no reason to doubt the reality of the decrease in the mortality from meningeal tuberculosis.

A considerable proportion of the deaths originally certified as from hydrocephalus are found on inquiry to be due to tubercle ; and in all such cases the statistical records of this office are corrected accordingly. In certifying deaths from hydrocephalus it would conduce to greater accuracy of classification in these reports if, in all cases believed to be due to tuberculous infection, the term “tuberculous meningitis” were substituted for the former indefinite term.

The Tables on pages 298–299 illustrate the fact that tuberculous meningitis is, for the most part, a disease of early life. Of the deaths at all ages registered last year not fewer than 3,934, or 67 per cent. occurred within the first five years of life—a number corresponding to a rate of 97 per 100,000 living at that age. The deaths under one year were equal to 147 in every 100,000 infants born, 52 of which occurred in the first six months, and 95 in the last six months of that period.

The following table shows the mortality from tuberculous meningitis and tuberculous peritonitis since the year 1847, before which there are no data available for comparison :—

TUBERCULOUS MENINGITIS and TUBERCULOUS PERITONITIS.—DEATH-RATES per 100,000 among CHILDREN under 5 years of age.

Quinquennia.	Tuberculous Meningitis.			Tuberculous Peritonitis.		
	Boys.	Girls.	Both Sexes.	Boys.	Girls.	Both Sexes.
1847–1848 (2 years) ...	308	238	273	171	145	158
1849–1853 ...	313	234	273	166	141	153
1854–1858 ...	286	214	250	182	158	170
1859–1863 ...	276	194	235	174	149	162
1864–1868 ...	256	186	221	207	179	193
1869–1873 ...	229	164	197	207	176	192
1874–1878 ...	226	156	191	225	191	208
1879–1883 ...	196	137	166	216	177	196
1884–1888 ...	168	123	145	198	159	179
1889–1893 ...	160	119	139	190	155	173
1894–1898 ...	146	117	131	154	123	139
1899–1903 ...	124	106	115	132	104	118
1904–1908 ...	111	95	103	96	77	87

Note.—The figures for tuberculous meningitis are not strictly comparable throughout. Previous to 1881 deaths from chronic hydrocephalus were classed to tuberculous meningitis.

The continuous decline in the mortality attributed to tuberculous meningitis is striking, but the footnote to the table suggests caution in comparing the figures prior to the period 1884-1888 with those for this and subsequent periods. Still, however much of the reduction about the year 1881 was due to the change in classification then introduced, the uninterrupted declines in mortality shown in the earlier and in the later portions of the table lose none of their significance. It may be noticed, also, that although the mortality of males from this disease still exceeds that of females, the excess is much less now than formerly.

As in each of the last three reports the mortality from this disease has been abstracted for particular areas (Tables 35 and 36) : and from these tables as well as from a table in Part I. of the Supplement to the 65th Annual Report, p. xcvi., it appears that tuberculous meningitis is generally more destructive to young children in the town than in the country. In the selected urban counties the mortality of children under five years of age was equal in 1908 to a rate of 113 ; and, in the rural counties to a rate of 58 per 100,000 living at this age.

Tuberculous Peritonitis (including *Tabes Mesenterica*).—Under this head there were returned last year 4,777 deaths at all ages, or fewer by 615 than the corrected average number in the preceding five years. Of this total 3,783 were definitely ascribed to tuberculous peritonitis, the remaining 994 being indefinitely assigned to *tabes mesenterica*.* Not less than 67 per cent. of the deaths at all ages were those of children under five years. Among 100,000 boys living at this age the deaths were 88 in number ; whilst among the same number of girls living the deaths numbered 71. The deaths of infants of both sexes at ages under one year were in the proportion of 183 per 100,000 births, and of these 101 occurred within the first six months, and 82 within the second six months after birth.†

The table on page ciii displays a continuous decline in the mortality ascribed to tuberculous peritonitis or *tabes mesenterica* from the period 1879-1883 onwards, which since 1893 has become remarkably rapid. This fact is the more remarkable in contrast with the tendency to increase up to about 1878. The incidence upon the two sexes of mortality from this cause has remained approximately constant throughout the whole period.

From tables 35 and 36 it will be seen that as in previous years the mortality from tuberculous peritonitis (in common with tuberculous meningitis) is far higher in the town than in the country. In the year 1908 the death-rate from this disease among children under five years of age was 91 per 100,000 living in the urban counties, and 47 in the rural counties.

Other Tuberculous Diseases.—In the year under notice the deaths at all ages returned under this head were 5,936 in number, and corresponded to a rate of 168 per million living, which is slightly below the average rate in the preceding five years (*see* Table 22). This total consists of 4,231 deaths from general tuberculosis, and of 1,705 deaths from scrofula and the local tuberculous affections, such as lupus and tuberculous diseases of the bones and joints, not dealt with in the preceding sections. Of the 5,936 deaths at all ages from "other tuberculous diseases" 2,112 were those of children under five years of age (*see* pages 298 and 299).

* In the year 1901 more than half of the deaths under this head were thus indefinitely returned.

† *See* pages 74-75 under "Infantile Mortality."

The diseases included in this section cause more deaths amongst males than females. The mortality from these diseases differs from that of the other specified forms of this infection, inasmuch as it has shown no marked tendency to decrease in recent years. There has been a slight increase since 1901 in the mortality ascribed to tuberculosis of the bones, joints, &c.; the mortality from lupus has remained stationary, that from general tuberculosis has shown a slight decrease, while that ascribed to scrofula has almost disappeared (*see* Table 22, page 25).

Alcoholism and Cirrhosis of Liver.—Under the heading “Alcoholism, delirium tremens,” the deaths of 1,937 persons, 1,112 males and 825 females, were returned in the year under notice; of this total a few had been originally certified as from hæmatemesis, hæmoptysis, peritonitis, mania, paralysis, or some other indefinite cause, the true nature of the fatal malady having been ascertained subsequently in each case by correspondence with the medical attendant. Among males the deaths at all ages were equal to a rate of 65 per million, and among females to a rate of 45 per million, both of which rates are below the average in recent previous years. Nine-tenths of the deaths directly ascribed to alcoholism occur within the main working period of life, *i.e.*, at ages from 25 to 65 years.

Mortality per Million Living at ages 25 years and upwards.	Males.			Females.		
	Alco- holism.	Cirrhosis of the Liver.*	Both Diseases	Alco- holism.	Cirrhosis of the Liver.*	Both Diseases.
1896-1900	227	331	558	137	237	374
1901	236	317	553	163	231	394
1902	220	304	524	132	209	341
1903	192	287	479	127	202	329
1904	179	285	464	111	204	315
1905	165	276	441	105	211	316
1906	168	268	436	107	197	304
1907	166	259	425	98	205	303
1908	137	254	391	92	177	269
Ratio per cent. of Mortality in 1908 to that in 1896-1900. }	60	77	70	67	75	72

* Deaths stated to be caused by alcoholic cirrhosis of the liver are classed under alcoholism.

It has been frequently stated in these reports that the deaths actually assigned to alcoholism or to delirium tremens form an imperfect measure of the mortality caused by alcoholic intemperance, and that the best available indication is probably furnished by the combined mortality from alcoholism and cirrhosis of the liver. Almost the whole of the deaths returned under these two headings occur among persons aged 25 years and upwards; accordingly, in the table above the deaths of persons above 25 years of age are given in proportion to the number living at those ages.

The mortality ascribed to alcoholism and cirrhosis of the liver, which had been increasing for many years, and especially in the years

1896-1900, reached its highest point in the last year of that quinquennium. In the year 1900 the death-rate from these causes among males at the ages specified reached 623 per million, and among females 449 per million. Since that year, however, there has been a steady decline in the mortality ascribed to these causes—the rate in 1908 being below the mean rate in 1896-1900 by 30 per cent. in the case of males, and by 28 per cent. in the case of females. As a result of medical inquiry by this office the mortality from alcoholism in the years 1900 and 1901 was materially increased by the transference of deaths that had originally been certified as from neuritis. But this addition does not fully account for the excessive mortality in the first-named year.

Rheumatic Fever* (Acute and Sub-acute Rheumatism).—In the year under notice the deaths of 871 males and 934 females were referred to this disease, these deaths corresponding to a rate of 51 per million in each sex. According to the experience of the last eight years, the age of maximum mortality from this disease is from 10 to 15 years in each sex. At ages from 5 to 25 the mortality of females exceeds that of males; at other ages, with one slight exception, the converse is the case. The average death-rates per million living at specified ages among males and females in the years 1901-8 are shown by the following table :—

Rheumatic Fever.							Average, 1901-08.	
							Males.	Females.
Mortality at Age-groups, per Million Living.								
All ages	60	58
0—	19	17
5—	61	69
10—	83	95
15—	76	78
20—	50	53
25—	58	48
35—	69	57
45—	69	65
55—	64	57
65—	61	54
75 and upwards	41	42

Gout.—In the reports for 1904 and 1905, and for reasons there given, doubts were expressed whether the actual incidence of fatal gout among the English population can be regarded as accurately shown by the registered mortality from that disease. In the year now under notice the deaths of males from gout were 333 in number at all ages, and the deaths of females were 83, showing a slight decrease in both sexes on the numbers of the previous year.

In your Annual Report for 1905 (page xcix.) a table was given showing the mortality actually attributed to this disease in two quinquennial periods a quarter of a century apart. The figures for the eight years 1901-8 confirm the statement previously made, that in both sexes the mortality from gout is now less than it formerly was at most ages above 35 years—this being mainly a disease of middle, or of advanced life.


* Previous to 1901 rheumatic fever had been classed together with rheumatism of the heart; consequently the present mortality from rheumatic fever alone cannot be compared with that of earlier periods.



CANCER.

DIAGRAM IX-DEATH-RATES FROM CANCER PER MILLION LIVING, CORRECTED FOR VARIATIONS OF AGE CONSTITUTION; ENGLAND & WALES, 1859-1908.

(NOTE - THE PORTION SHADED VERTICALLY REPRESENTS THE MORTALITY ASCRIBED TO CANCER OF THE GENERATIVE AND MAMMARY SYSTEMS DURING THE YEARS 1897-1908).



Note - The death rates throughout the entire period are based upon the

Malignant Disease.

The deaths ascribed to cancer or malignant disease during 1908 numbered 32,717, and exceeded by 1,104 the annual average in the previous quinquennium, corrected for estimated increase of population. The mortality amongst males was 813 per million living, or 4 per cent. more than that of 1907, while that of females remained practically unchanged at 1,027 per million living. This tendency to greater increase in the male than in the female mortality is also shown for the years 1903-1908 in the subjoined table, but the diagram facing this page, which displays graphically the cancer mortality of the past half century (corrected for changes in the constitution of the population), shows that in the first portion of this period the increase in the female mortality was greater than that in the male. This was the case up to about the year 1891, since when the increase amongst males has been almost twice that for the other sex. During the present century the male mortality has increased by 141 per million living at all ages and the female by only 49 per million.

Cancer.				Corrected Rates.*		
Mortality per Million Living at all Ages.				Crude Rates.		
				Average, 1903-07.	Average, 1903-07.	Year 1908. Ratio.†
Both Sexes	England and Wales	892	892	923 103
	Urban Counties	852	931	969 104
	Rural Counties	1,043	827	861 104
Males	England and Wales	761	761	813 107
	Urban Counties	725	801	863 108
	Rural Counties	905	703	751 107
Females	England and Wales	1,014	1,014	1,027 101
	Urban Counties	970	1,053	1,067 101
	Rural Counties	1,172	942	965 102

* See note to table on page lxxxi.

† *i.e.*, the ratio of the corrected death-rates in 1908 to those in 1903-7, the latter taken as 100.

Uncorrected or crude rates of mortality are especially misleading in the case of cancer, because the incidence of the disease is almost exclusively upon persons of or above middle age. The deaths at ages above 35 amount to 96 per cent. of the whole, and for this reason it has been the practice in previous reports to present corrected death-rates for these ages only. The corresponding restriction of the table of mortality at different ages on p. cix to the same period of life has proved inconvenient to Medical Officers of Health and others desirous of calculating local corrected cancer death-rates, and the statement of a death-rate for a particular period of life, *e.g.*, 35 onwards, conveys less to the mind of most readers than the more familiar rate for all ages. Moreover, corrected death-rates for persons aged 35 and upwards are not, whereas those for the whole of life are, comparable with the corrected death-rates for other diseases, and with those for cancer itself embodied in the diagram facing this page. These reasons have led to an assimilation in this year's report of the method of correcting cancer mortality-rates to that employed in the case of other diseases. The deaths under 35, being relatively

few, affect the corrected rates but slightly, but the alteration must result in some slight though immaterial increase of accuracy in correction.

The table showing crude and corrected death-rates for England and Wales as a whole and for certain selected urban and rural counties* indicates cancer to be more destructive in the town than in the country, although the crude rates in the first column would seem to show the reverse. It must be borne in mind, however, that the figures upon which this table is based are uncorrected for deaths in institutions. A considerable number of cancer patients die in hospitals, situated mainly in large towns, and drawing their patients from rural as well as urban counties. The death-rates for urban counties may be slightly overstated and those for rural correspondingly understated on this account. When the changes foreshadowed by you on page lxxiv of this report can be carried out, it will be possible not only to eliminate this source of error, but to institute a much more accurate comparison of urban and rural mortalities by compiling deaths separately for all urban and for all rural districts.

The table on page cix shows the mortality from malignant disease at each age-period. It further shows that as compared with the preceding quinquennium the mortality for males increased in 1908 at every age at which cancer is an important cause of death, while the mortality for women up to age 55 showed a decline. A similar slight fall in female mortality under 55 was noted in last year's report. The increase of recorded cancer mortality amongst women aged 35-45 practically ceased about 1879, when the rate was 856 per million living at that age as against 863 in 1908. The same may be said for the age-group 45-55 since the year 1891, when the mortality was 2,348 per million living as against 2,398 in 1908. In each case a tendency to decrease may be noted during the present century. The mortality curve of the age-group 55-65 is still on the ascendant, but its rate of increase has slackened to such an extent from 1900 on as to suggest that possibly this group also may repeat the experience of the earlier ages. For the groups 65-75 and 75 onwards there is as yet no evidence of any slackening in the increase of mortality attributed to cancer. In the male sex, with its much more rapid increase of cancer mortality, the only age-group over 35 showing as yet any evidence of a falling off in the rate of mortality increase is that aged 35-45, the increase for which, though still continuing, displays a very perceptible slackening during the present century.

Tables T. and U. show, for males and females respectively, the frequency with which death results from cancer of the various parts of the body. It is well known that mortality from cancer is greater among women than among men, but this is accounted for by the enormously greater frequency with which the female generative and mammary organs are affected than are those of men, as shown for the years 1897 onwards by the vertically shaded portions of the diagram facing page cvii. In the eight year period ending with 1908 the recorded deaths of males from malignant disease, other than that of the generative and mammary organs, were equal to a rate of 738 per million, whilst the deaths of females with the same reservation did not exceed 597 per million. In the same period there died of malignant disease in England and Wales 240,481 persons, of whom 98,701 were males and 141,780 were females. In Tables V. and W.

* For the composition of these urban and rural county groups, see page lxxx.

Cancer.		Average 1903-1907.			Year 1908.		
Mortality at Age Groups, per Million Living.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	31	34	25	28	29	31
	5—	16	18	14	16	18	17
	10—	16	17	16	15	15	6
	15—	30	35	26	28	32	28
	20—	43	44	43	50	52	63
	25—	144	154	128	131	142	135
	35—	665	714	575	659	713	602
	45—	2,013	2,174	1,766	2,066	2,203	1,804
	55—	4,273	4,502	3,910	4,360	4,715	3,955
	65—	6,949	7,094	6,786	7,464	7,557	7,412
	75—	7,973	7,731	7,960	8,474	8,410	8,029
Males	0—	34	40	27	32	34	33
	5—	18	22	14	18	23	13
	10—	17	20	15	18	18	4
	15—	31	39	25	31	38	37
	20—	50	48	51	55	68	35
	25—	111	118	115	117	122	103
	35—	429	460	374	440	483	423
	45—	1,595	1,780	1,318	1,707	1,841	1,536
	55—	4,018	4,276	3,652	4,197	4,584	3,878
	65—	6,900	7,031	6,797	7,608	7,928	7,051
	75—	7,860	7,693	7,854	8,461	8,303	8,172
Females	0—	27	29	24	24	23	29
	5—	13	15	13	14	14	21
	10—	15	15	16	12	11	9
	15—	28	31	27	24	26	19
	20—	35	40	36	46	38	88
	25—	173	188	139	144	160	162
	35—	886	956	758	863	932	764
	45—	2,399	2,545	2,166	2,398	2,545	2,044
	55—	4,497	4,699	4,135	4,503	4,830	4,021
	65—	6,988	7,142	6,776	7,350	7,271	7,711
	75—	8,053	7,756	8,040	8,484	8,480	7,921

these numbers have been reduced proportionally to 10,000 total deaths from cancer, among males and females respectively. The numbers in these tables must not be taken as indicating the relative frequency of cancer of any particular organ in one sex as compared with the other sex.* They nevertheless supply a ready means of determining, *for males and females separately*, the frequency with which certain parts of the body are invaded. Table V. may be read thus—according to the experience of 1901-8, of 10,000 *males* dying of cancer 2,144 suffered from cancer of the stomach, of which number 38 were under 35 years of age, 147 from 35-45, &c. Table W. may be read similarly—thus, in the eight years previously specified, of 10,000 *females* dying of cancer 2219 suffered from cancer of the uterus, of whom 92 were under 35 years old, 392 from 35 to 45, 637 from 45 to 55, &c. The deaths under 35 are so few that in these two tables they have been placed together in one group.

Among *males* the organ most frequently invaded is the stomach, which is the seat of disease in 21 per cent. of the fatal cases; the

* This information can readily be derived from these tables or from tables T. and U. by a simple calculation in either case.

TABLE T.—ENGLAND and WALES.—DEATHS from MALIGNANT

MALES.

Part of the Body Affected.*	All Ages.	Ages									
		Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	
TOTAL	98,701	105	101	122	117	94	539	256	237	394	
Skin of—											
Face	1,864	1	2	1	1	2	7	1	—	8	
Lip	1,564	—	1	—	—	—	1	—	—	—	
Nose	179	—	—	—	—	—	—	1	3	5	
Scalp	90	—	2	1	—	—	3	1	—	1	
Ear	201	2	—	1	2	—	5	1	1	1	
Stomach	21,159	1	—	—	1	—	2	1	2	4	
Intestines	7,710	3	2	2	2	2	11	6	4	14	
Rectum	10,110	—	2	—	—	—	2	—	4	13	
Breast	184	—	—	—	—	—	—	—	—	1	
Œsophagus	6,351	—	—	—	—	—	—	—	1	1	
Liver and Gall Bladder ...	12,463	8	5	8	13	3	37	19	13	18	
Pancreas	1,816	1	1	—	1	—	3	—	1	3	
Bladder and Urethra	3,058	—	—	1	7	1	9	7	2	2	
Pharynx, Throat	2,206	2	—	—	—	2	4	5	12	15	
Larynx and Trachea	1,924	1	—	—	1	—	2	1	1	—	
Thyroid	180	—	—	—	—	1	1	1	1	1	
Tongue	5,433	—	—	—	—	—	—	—	—	1	
Mouth	1,763	—	1	1	2	1	5	—	1	3	
Prostate	1,249	—	—	—	—	—	—	1	—	2	
Peritoneum	839	4	3	3	4	4	18	4	4	7	
Pleura	75	—	—	—	—	—	—	—	2	—	
Brain	864	3	4	6	12	13	38	44	38	43	
Spinal Cord... ..	55	1	—	1	—	—	2	—	1	1	
Heart and Pericardium ...	10	—	—	—	—	—	—	—	—	—	
Globe of Eye, Orbit	301	3	3	25	17	10	58	23	7	5	
Axilla	126	—	—	1	—	1	2	3	—	—	
Groin	204	—	—	—	—	—	—	—	—	1	
Lymphatic Glands... ..	204	2	—	1	—	2	5	4	5	2	
Shoulder	167	—	—	—	1	1	2	5	5	6	
Arm, Leg	1,348	6	6	2	3	2	19	12	27	77	
Hip	71	—	—	—	—	—	—	—	1	6	
Skull	129	—	3	4	4	2	13	10	4	2	
Rib, Sternum	160	—	—	—	—	—	—	4	4	7	
Spinal Column	256	—	2	—	1	—	3	2	2	10	
Jaw	2,885	5	5	2	4	3	19	13	10	13	
Buttock	25	1	—	—	—	—	1	—	—	1	
Pelvic Bones	531	3	5	1	1	1	11	12	9	18	
Kidney and Supra-Renals	1,067	26	37	39	18	23	143	29	11	6	
Testes and Penis	1,492	2	—	2	2	1	7	3	2	14	
Parotid Gland	302	2	—	—	1	1	4	2	1	—	
Lung... ..	1,275	2	—	3	3	1	9	6	7	16	
Mediastinum	1,016	—	1	1	2	1	5	7	9	21	
Mesentery	217	3	—	—	1	1	5	4	2	2	
Lymphatic Glands of Neck	2,835	7	2	1	2	5	17	11	17	15	
Spleen	201	1	4	2	—	—	7	2	1	3	
Abdomen	1,299	3	7	3	8	5	26	3	5	10	
Thorax	278	3	1	—	—	3	7	3	3	7	
Part not stated	965	9	2	10	3	2	26	5	14	8	

* The arrangement of this column has been fixed in consultation

DISEASE, 1901-1908, CLASSIFIED according to AGE, and PART AFFECTED.

MALES.

at Death.								Part of the Body Affected.*
20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
611	2,250	6,851	18,420	29,979	27,342	10,726	1,096	TOTAL.
5	20	105	229	379	523	468	119	Skin of—
1	4	47	135	342	492	434	108	Face.
2	6	6	25	37	48	38	8	Lip.
2	6	4	10	23	18	19	3	Nose.
—	4	6	18	22	51	72	20	Scalp.
25	339	1,450	3,974	6,691	6,370	2,162	139	Ear.
33	204	533	1,274	2,227	2,383	956	65	Stomach.
61	230	585	1,676	3,144	3,074	1,207	114	Intestines.
1	3	8	35	50	55	27	4	Rectum.
1	29	339	1,459	2,324	1,666	496	35	Breast.
31	176	729	2,093	4,003	3,776	1,431	137	Œsophagus.
11	51	192	376	579	457	135	8	Liver and Gall Bladder.
2	25	139	450	864	1,076	430	52	Pancreas.
12	38	149	508	769	526	159	9	Bladder and Urethra.
2	10	118	491	695	471	123	10	Pharynx, Throat.
2	1	17	41	57	44	14	—	Larynx and Trachea.
2	30	383	1,409	1,866	1,272	439	31	Thyroid.
6	11	106	359	558	508	181	25	Tongue.
2	2	16	89	353	527	234	23	Mouth.
14	52	77	159	236	189	73	6	Prostate.
1	7	10	10	20	18	7	—	Peritoneum.
57	138	162	164	125	50	4	1	Pleura.
5	5	9	14	8	8	2	—	Brain.
—	2	—	5	2	1	—	—	Spinal Cord.
2	10	16	26	41	63	40	10	Heart and Pericardium.
—	10	12	10	26	36	24	3	Globe of Eye, Orbit.
3	15	28	49	55	32	17	4	Axilla.
8	11	25	35	50	42	16	1	Groin.
10	14	17	23	35	30	16	4	Lymphatic Glands.
75	96	104	158	262	270	208	40	Shoulder.
3	7	9	11	12	12	9	1	Arm, Leg.
14	7	11	16	22	21	8	1	Hip.
8	12	17	32	35	29	11	1	Skull.
9	21	20	52	75	50	11	1	Rib, Sternum.
11	34	198	642	893	724	306	22	Spinal Column.
—	4	1	2	6	7	3	—	Jaw.
19	46	64	78	120	114	38	2	Buttock.
14	42	104	195	263	192	66	2	Pelvic Bones.
34	150	218	286	285	291	178	24	Kidney and Supra-Renals.
4	8	21	57	80	87	35	3	Testes and Penis.
39	87	184	311	343	215	52	6	Parotid Gland.
19	78	131	247	270	184	43	2	Lung.
8	8	25	46	44	52	20	1	Mediastinum.
25	63	222	667	909	606	258	25	Mesentery.
1	13	18	35	59	47	14	1	Lymphatic Glands of Neck.
13	55	99	216	360	371	132	9	Spleen.
2	18	30	58	86	47	15	2	Abdomen.
12	48	87	165	274	217	95	14	Thorax.
								Part not stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund,

TABLE U.—ENGLAND and WALES.—DEATHS from MALIGNANT

FEMALES.

Part of the Body Affected.*	All Ages.	Ages									
		Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	
TOTAL	141,780	74	85	94	95	75	423	187	209	362	
Skin of—											
Face	1,265	1	—	1	2	1	5	2	4	2	
Lip	124	1	1	—	—	—	2	—	—	—	
Nose	157	—	—	—	—	—	—	1	—	—	
Scalp... ..	133	—	—	1	—	1	2	—	1	—	
Ear	71	—	—	—	—	—	—	—	—	—	
Stomach	20,096	—	—	—	—	1	1	—	1	2	
Intestines	10,528	—	—	—	—	—	—	2	4	14	
Rectum	8,437	—	1	—	—	—	1	—	—	18	
Uterus	31,462	—	4	—	—	—	4	—	2	9	
Breast	23,688	1	—	—	—	—	1	—	1	3	
Œsophagus	2,119	—	—	—	—	—	—	—	—	—	
Liver and Gall Bladder ...	18,995	9	4	7	7	9	36	10	6	13	
Pancreas	1,682	—	—	1	—	—	1	1	2	1	
Bladder and Urethra ...	1,317	—	—	—	2	—	2	1	—	—	
Pharynx, Throat	645	—	—	—	—	—	—	5	6	6	
Larynx and Trachea ...	635	—	—	—	—	—	—	1	—	2	
Thyroid	456	1	—	1	—	—	2	—	—	3	
Tongue	687	1	—	—	—	—	1	—	—	—	
Mouth	310	—	—	—	1	1	2	2	2	6	
Peritoneum	2,158	2	3	1	2	2	10	2	5	7	
Pleura	76	—	—	1	—	—	1	—	—	1	
Brain	646	2	4	5	6	9	26	30	23	31	
Spinal Cord	45	—	1	—	—	—	1	1	—	1	
Pericardium	1	—	—	—	—	—	—	—	—	—	
Globe of Eye, Orbit ...	288	6	6	12	20	8	52	10	6	2	
Axilla	195	—	—	—	—	—	—	—	—	1	
Groin	169	—	—	—	—	—	—	1	—	—	
Lymphatic Glands	154	—	1	—	—	1	2	3	6	1	
Shoulder	130	—	—	—	1	1	2	2	6	4	
Arm, Leg	1,361	8	2	2	1	6	19	19	38	59	
Hip	58	—	—	—	—	—	—	—	2	2	
Skull	101	2	1	3	3	1	10	2	2	5	
Rib, Sternum	123	—	—	—	1	—	1	1	4	2	
Spinal Column	203	3	1	1	2	—	7	—	2	6	
Jaw	1,048	—	3	1	4	1	9	5	10	8	
Buttock	33	—	—	3	—	—	3	—	—	3	
Pelvic Bones	917	4	4	3	1	—	12	4	10	22	
Ovary	2,785	—	2	2	—	1	5	7	7	35	
Kidney and Supra-Renals	1,109	16	39	31	27	25	138	37	8	8	
Parotid Gland	160	1	—	—	—	1	2	2	1	4	
Lung	998	1	1	—	3	1	6	7	14	18	
Mediastinum	624	—	—	—	—	—	—	2	4	8	
Mesentery	322	—	1	1	—	—	2	3	1	3	
Lymphatic Glands of Neck	860	7	1	2	2	—	12	7	14	23	
Spleen	220	—	—	1	2	—	3	2	—	2	
Abdomen	2,536	1	1	9	4	2	17	6	5	11	
Thorax	302	—	1	1	1	1	4	1	2	3	
Part not stated	1,351	7	3	4	3	2	19	8	10	13	

* The arrangement of this column has been fixed in consultation

DISEASE in 1901-1908, CLASSIFIED according to AGE, and PART AFFECTED.

FEMALES.

at Death.								Part of the Body Affected.*
20—	25—	35—	45—	55—	65—	75—	85 and up-wards.	
505	3,963	15,237	30,290	38,698	34,667	15,215	2,024	TOTAL.
3	13	45	122	194	352	397	126	Skin of—
—	1	2	9	17	38	44	11	Face.
4	3	2	12	24	54	48	9	Lip.
—	3	5	17	27	38	30	10	Nose.
—	3	9	20	13	13	10	3	Scalp.
14	307	1,343	3,502	5,963	6,230	2,497	236	Ear.
29	226	664	1,713	2,967	3,258	1,486	165	Stomach.
39	255	691	1,475	2,378	2,365	1,091	124	Intestines.
45	1,242	5,562	9,029	8,387	5,234	1,752	196	Rectum.
17	495	2,945	5,831	6,095	5,013	2,731	556	Uterus.
2	103	250	408	513	563	256	24	Breast.
20	207	1,073	3,235	5,924	5,863	2,382	226	Œsophagus.
4	41	120	312	546	474	165	15	Liver and Gall Bladder.
—	16	83	176	349	437	222	31	Pancreas.
8	33	99	130	159	125	71	3	Bladder and Urethra.
—	49	118	141	160	121	38	5	Pharynx, Throat.
4	18	48	88	125	113	48	7	Larynx and Trachea.
3	48	75	109	151	189	101	10	Thyroid.
2	12	29	45	78	91	35	6	Tongue.
6	68	185	439	636	568	214	18	Mouth.
1	3	7	20	21	15	6	1	Peritoneum.
43	83	137	127	97	39	10	—	Pleura.
1	2	11	12	7	9	—	—	Brain.
—	—	—	—	—	1	—	—	Spinal Cord.
—	4	14	35	52	54	43	16	Pericardium.
—	3	15	24	44	59	42	7	Globe of Eye, Orbit.
2	8	19	33	37	35	28	6	Axilla.
4	9	18	33	31	35	10	2	Groin.
3	10	15	18	31	27	10	2	Lymphatic Glands.
36	77	88	160	252	310	234	69	Shoulder.
8	5	6	11	10	11	3	—	Arm, Leg.
3	9	8	16	20	16	8	2	Hip.
8	11	11	24	24	24	11	2	Skull.
3	15	32	38	51	34	14	1	Rib, Sternum.
15	34	86	179	274	260	150	18	Spinal Column.
2	2	2	2	6	7	6	—	Jaw.
29	49	131	197	207	188	59	9	Buttock.
38	185	491	835	707	372	96	7	Pelvic Bones.
9	40	93	204	263	217	83	9	Ovary.
3	8	14	25	33	39	25	4	Kidney and Supra-Renals.
24	50	143	264	261	167	41	3	Parotid Gland.
16	40	75	129	168	134	46	2	Lung.
4	9	28	56	83	94	35	4	Mediastinum.
19	51	62	143	193	199	123	14	Mesentery.
2	3	29	38	67	62	11	1	Lymphatic Glands of Neck.
12	45	161	479	657	770	340	33	Spleen.
3	12	26	60	87	63	32	9	Abdomen.
17	53	167	315	309	287	131	22	Thorax.
								Part not Stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund.

TABLE V.—ENGLAND and WALES.—MALES.—PROPORTION in 10,000 DEATHS from CANCER, of DEATHS at several AGES from CANCER of specified ORGANS or PARTS of the BODY.

(Based on a total of 98,701 deaths of MALES from Cancer in the eight years 1901-8.)

Part of Body Affected.	All Ages.	Ages at Death.							85 and up-wards.
		0—35	35—	45—	55—	65—	75—		
TOTAL	10,000	436	696	1,870	3,037	2,767	1,085	109	
Skin of—									
Face	188	4	11	23	38	53	47	12	
Lip	159	1	5	14	34	50	44	11	
Nose	19	2	1	2	4	5	4	1	
Scalp... ..	8	1	0	1	2	2	2	0	
Ear	20	1	1	2	2	5	7	2	
Stomach	2,144	38	147	403	678	645	219	14	
Intestines	781	27	54	129	226	241	97	7	
Rectum	1,024	31	59	170	319	311	122	12	
Breast	19	1	1	4	5	5	3	0	
Œsophagus	643	3	34	148	235	169	50	4	
Liver and Gall Bladder	1,264	30	74	212	405	384	145	14	
Pancreas	184	7	19	38	59	46	14	1	
Bladder and Urethra ...	310	5	14	46	87	109	44	5	
Pharynx, Throat	223	9	15	51	78	53	16	1	
Larynx and Trachea ...	195	2	12	50	70	48	12	1	
Thyroid	18	1	2	4	6	4	1	—	
Tongue	550	3	39	143	189	129	44	3	
Mouth	179	3	11	36	57	51	18	3	
Prostate	127	1	2	9	36	53	24	2	
Peritoneum	85	10	8	16	24	19	7	1	
Pleura	8	1	1	1	2	2	1	—	
Brain	87	36	16	17	13	5	0	0	
Spinal Cord	5	1	1	1	1	1	0	—	
Heart and Pericardium	1	0	—	1	0	0	—	—	
Globe of Eye, Orbit ...	30	10	2	3	4	6	4	1	
Axilla	13	2	1	1	3	4	2	0	
Groin	21	2	3	5	6	3	2	0	
Lymphatic Glands	21	4	2	4	5	4	2	0	
Shoulder	17	4	2	2	4	3	2	0	
Arm, Leg	137	31	11	16	27	27	21	4	
Hip	7	2	1	1	1	1	1	0	
Skull	13	5	1	2	2	2	1	0	
Rib, Sternum	17	4	2	3	4	3	1	0	
Spinal Column	26	5	2	5	8	5	1	0	
Jaw	292	10	20	65	91	73	31	2	
Buttock	3	1	0	0	1	1	0	—	
Pelvic Bones	54	12	6	8	12	12	4	0	
Kidney and Supra-Renals	108	25	11	20	26	19	7	0	
Testes and Penis	150	21	22	29	29	29	18	2	
Parotid Gland	31	2	2	6	8	9	4	0	
Lung	129	17	19	32	34	21	5	1	
Mediastinum	102	14	13	25	27	19	4	0	
Mesentery	22	3	3	5	4	5	2	0	
Lymphatic Glands of Neck.	287	15	22	68	92	61	26	3	
Spleen	21	3	2	4	6	5	1	0	
Abdomen	131	11	10	22	36	38	13	1	
Thorax	29	4	3	6	9	5	2	0	
Part not stated	98	11	9	17	28	22	10	1	

TABLE W.—ENGLAND and WALES.—FEMALES.—PROPORTION in 10,000 DEATHS from CANCER, of DEATHS at several AGES from CANCER of specified ORGANS or PARTS of the BODY.

(Based on a total of 141,780 deaths of FEMALES from Cancer in the eight years 1901-8.)

Part of Body Affected.				Ages at Death.							
				All Ages.	0-35	35—	45—	55—	65—	75—	85 and up-wards.
TOTAL	10,000	398	1,075	2,136	2,731	2,445	1,073	142	
Skin of—											
Face	89	2	3	9	14	25	27	9	
Lip	9	0	0	1	1	3	3	1	
Nose	12	1	0	1	2	4	3	1	
Scalp...	9	0	0	1	2	3	2	1	
Ear	5	0	1	1	1	1	1	0	
Stomach	1,417	23	95	247	421	439	175	17	
Intestines	743	19	47	121	209	230	105	12	
Rectum	595	22	49	104	168	166	77	9	
Uterus	2,219	92	392	637	591	369	124	14	
Breast	1,671	36	208	411	430	354	193	39	
Œsophagus	150	7	18	29	36	40	18	2	
Liver and Gall Bladder	1,340	21	76	228	417	414	168	16	
Pancreas	119	4	8	22	39	33	12	1	
Bladder and Urethra	93	1	6	12	25	31	16	2	
Pharynx, Throat	45	4	7	9	11	9	5	0	
Larynx and Trachea	45	4	8	10	11	9	3	0	
Thyroid	32	2	3	6	9	8	3	1	
Tongue	49	4	5	8	11	13	7	1	
Mouth	21	2	2	3	6	6	2	0	
Peritoneum	152	7	13	31	45	40	15	1	
Pleura	5	0	1	1	2	1	0	0	
Brain	47	17	10	9	7	3	1	—	
Spinal Cord	3	0	1	1	0	1	—	—	
Pericardium	0	—	—	—	—	0	—	—	
Globe of Eye, Orbit	20	5	1	2	4	4	3	1	
Axilla	13	0	1	2	3	4	3	0	
Groin	12	1	2	2	3	2	2	0	
Lymphatic Glands	10	2	1	2	2	2	1	0	
Shoulder	9	2	1	1	2	2	1	0	
Arm, Leg	96	17	6	11	18	22	17	5	
Hip	4	1	0	1	1	1	0	—	
Skull	7	2	1	1	1	1	1	0	
Rib, Sternum	10	2	1	2	2	2	1	0	
Spinal Column	14	2	2	3	4	2	1	0	
Jaw	74	6	6	13	19	18	11	1	
Buttock	2	1	0	0	0	1	0	—	
Pelvic Bones	65	9	9	14	15	13	4	1	
Ovary	196	20	35	59	49	26	7	0	
Kidney and Supra-Renals	79	17	7	14	19	15	6	1	
Parotid Gland	11	1	1	2	2	3	2	0	
Lung	70	8	10	19	18	12	3	0	
Mediastinum	43	5	5	9	12	9	3	0	
Mesentery	23	2	2	4	6	7	2	0	
Lymphatic Glands of Neck.	61	9	4	10	14	14	9	1	
Spleen	16	1	2	3	5	4	1	0	
Abdomen	179	7	11	34	46	55	24	2	
Thorax	21	2	2	4	6	4	2	1	
Part not stated	95	8	12	22	22	20	9	2	

liver and gall bladder are invaded in nearly 13 per cent. of the whole, the rectum in 10 per cent., and the intestines in 8 per cent. Taken together the parts here specified are attacked in more than half of the fatal cases. Among *females* the generative and mammary organs are affected in more than two-fifths of the total cases, while a further two-fifths are contributed by affections of the stomach, liver, intestines, and rectum taken together.

Diabetes Mellitus was the certified cause of death in 3,610 instances in the year under notice—this number being in excess of the quinquennial average by 322. Of the total deaths from this disease, not less than 73 per cent. occurred at ages above 45 years. From a table published in the Annual Report for 1905, it appears that in recent years there has been an increase in the loss of life from this disease, which has been greatest among women; and that in both sexes the increase has been mainly at ages beyond mid-life.

II.—DISEASES OF PARTICULAR ORGANS.

In the year 1908 about two-fifths of the deaths from all causes were referred to diseases of particular organs. In previous reports it has been remarked that while a general decline has occurred in the mortality from certain inflammatory disorders dealt with in this section, there has been a general increase in the mortality from others. This tendency is again illustrated by the figures now available. Restricting the survey to the twenty years covered by Table 22, it will be seen that from 1889 to 1908, the mortality attributed to meningitis, bronchitis, laryngitis, pleurisy and peritonitis taken together has fallen 45 per cent., while that attributed to otitis, endocarditis, acute and chronic nephritis, enteritis, gastro-enteritis, and appendicitis taken together has risen 52 per cent. To some extent these variations in mortality are apparent merely, and are the result of improved medical certification.

In the year under notice, as in several preceding years, a large number of letters of inquiry was addressed by Dr. Tatham to medical attendants respecting deaths that had been vaguely referred, in the original certificates, to one or another of the diseases above specified. From the answers to inquiries issued concerning deaths originally certified as from inflammation of the brain, larynx, or peritoneum, many deaths have been classed to puerperal sepsis, tuberculosis, diphtheria, malignant disease, cerebro-spinal fever or other definite headings. Of the deaths originally returned unsatisfactorily, the majority were, on the authority of the medical certifiers, transferred to appropriate headings in the tables.

Epilepsy.—The fall in the mortality from epilepsy recorded in several recent Reports still continues. In the year under notice there were registered as due to this disease 2,686 deaths, equal to a rate of 76 per million living, as against a mean rate of 115 per million in the ten years ending with 1880. In relation to this decrease it is desirable to note that many deaths which would formerly have been assigned to convulsions, without reference to the cause of that symptom, are now certified as from epilepsy.

Convulsions.—Attached to this heading, in the official Nomenclature of Diseases, is the following instruction—"this term being the name of a symptom, should be used only when more precise

"information is wanting. When the cause is known, the return "should be made under the head of that cause."* Notwithstanding that the Royal College of Physicians have issued similar instructions in their revisions of the last thirty years, convulsions still appears to cause the death of one in every 11 children dying under the age of one year. In the year 1908 not fewer than 11,504 deaths at all ages were referred to this symptom, 10,108 of which were those of infants under the age of one year. The details of child mortality from convulsions will be found in the Tables at pages 74-85.

Diseases of the Heart.—In the year under notice diseases of the heart are reported to have caused the deaths of 49,891 persons, namely, 23,918 males and 25,973 females. Full information concerning these deaths, their age and sex distribution, together with the several conditions included in this group, will be found in the abstracts on pages 302 and 303. Tables 21 and 22 indicate that valvular disease, including endocarditis, has been in recent years the most frequent of all the definite forms of this malady. The fact that the mortality from valvular affections and also from angina pectoris, dilatation, and fatty degeneration of the heart is apparently increasing from year to year must be considered in relation to the associated fact that the death-rate from indefinite forms of heart disease is decreasing.

According to the experience of the last eight years the mortality from valvular disease of the heart has been greater in the female than the male sex up to the age of 55 years, whilst after that age the reverse has been the case. During the first twenty years of life the mortality increases gradually, and from the 35th year onward very rapidly.

Diseases of the Blood Vessels.—To one or other of the conditions included under this head there were referred last year 31,336 deaths, 15,114 being those of males and 16,222 of females. By far the greater part of the deaths under this heading are referred to cerebral hæmorrhage or to its symptoms apoplexy or hemiplegia. On the average of the last eight years the deaths at all ages from cerebral hæmorrhage (together with apoplexy and hemiplegia) correspond to a rate of 666 per million for males, and of 760 per million for females. The mortality from this cause is low until after the age of puberty, but at ages above 35 years it accounts for the deaths of 2,088 in a million men, and of 2,287 in a million women. In the 20 years intervening between the 35th and the 55th year women fall victims to this disease in greater proportion than do men, whilst at ages above 55 years the mortality is higher among men. Since the year 1900 diseases of the blood vessels have been distinguished from other diseases of the circulatory system; but in previous years cerebral hæmorrhage, apoplexy, and hemiplegia were included among diseases of the nervous system. The recorded mortality from cerebral hæmorrhage has decreased substantially in recent years; but it is important to note that many deaths from this condition which are now properly attributed to Bright's disease or some equally definite cause, would in years gone by have been certified as from apoplexy or hemiplegia simply, without further remark. (Table 21, page 28.)

* "Nomenclature of Diseases," by the Royal College of Physicians of London, third revision, page 31.

The time honoured term "paralysis" still frequently appears in medical certificates, without mention of the lesion causing that symptom. In certifying deaths of this nature brain paralysis should invariably be distinguished from paraplegia, and a description of the lesion should be substituted, if possible, for such terms as hemiplegia and apoplexy. In cases where cerebral hæmorrhage occurs in association with disease of the kidney, the heart, or other important organ, the fact should be stated in the certificate. The septic nature of a certain portion of the deaths from diseases of the blood vessels is now recognized in the medical certificates (*see* supplementary tables, pages 312-313).

Laryngitis.—In the year under notice 997 deaths at all ages were referred to laryngitis, membranous laryngitis, not ascertained upon inquiry to be diphtheritic, being responsible for 31 of these deaths*.

Table 22 shows that in proportion to population the deaths referred to "laryngitis" are at the present time fewer than they were 20 years ago. But it must not be inferred that the mortality from laryngitis is correspondingly less now than it was formerly, as improved diagnosis, particularly in the case of diphtheria, may not unlikely account for a part of the decrease. It has been pointed out in previous reports that the age distribution of laryngitis corresponds somewhat closely to that of diphtheria and "croup," and this was the case in the year 1908, when about two-thirds of the deaths from laryngitis were those of children under the age of five years.

Bronchitis.—Among the several conditions now included under the head of "diseases of the respiratory system" bronchitis claims every year the largest number of victims,† the deaths last year numbering 38,702, and being equal to a crude rate of 1,092 per million living, without distinction of age or of sex. The recorded death-rate from this disease has fallen considerably in the course of the last 20 years, the average death-rate in the last five years having been lower than in the first five years of that period, by more than 48 per cent. (Table 22). Relatively to the numbers living at all ages, bronchitis affects both sexes almost equally, the rates last year being 1,102 per million for males and 1,083 per million for females (Tables 24 and 26). At ages under five years boys suffer more severely than girls, the rates at that age being 325 and 268, respectively, per 100,000 living of each sex (Tables 33 and 34, pages 76-79). Except at ages 5 to 15, and above 75 years, the mortality of males from bronchitis is higher than that of females.

Pleurisy.—The deaths classed under this heading numbered 1,242 last year, and were 104 below the average number in the preceding five years, corrected for increase of population. The mortality from this disease still continues to be higher among males than among females; the crude death-rate at all ages in the last eight years having averaged 47 and 33 per million living of the respective sexes. The tuberculous nature of some fatal pleurisies is now coming to be generally recognized, and in all cases where pleurisy is authoritatively referred to this infection the death is classified accordingly. The

* The Royal College of Physicians, in their recently issued nomenclature of diseases, recognize two chief forms of "simple laryngitis"; (a) catarrhal, and (b) membranous. But they attach to the form last-mentioned the warning that cases of diphtheria should not be returned under that heading.

† According to the returns the mortality from pneumonia has, in the last seven years, been greater than that from bronchitis; but pneumonia, being regarded as an infection, is now included among general diseases.

statistics of the last eight years show that the mortality from pleurisy is greater at ages below five years than at any other age up to about the forty-fifth year ; after which age it increases rapidly in both sexes. In the year under notice there were registered 414 fatal cases of pleurisy, of which the infective nature was recognized by the medical attendants. (See supplementary tables, pages 312-313.)

Gastric Ulcer.—The number of deaths from gastric ulcer varies little from year to year. In the year 1908 the deaths so returned amounted to 1,713, against 1,745 and 1,775, respectively, in the two years immediately preceding. Some of the deaths now classed to gastric ulcer had originally been certified as from peritonitis or some other indefinite cause, but were transferred to this heading after correspondence with the medical attendants.

In the eight years ended 1908 the death-rate at all ages from gastric ulcer averaged 36 per million for males, and 64 per million for females, but the difference between the rates for the two sexes has been diminishing throughout the period. In the Annual Report for 1906 attention was drawn to the remarkable age incidence of this disease, a feature common throughout the eight years referred to. Until the approach of puberty the disease seldom appears in the registers as a cause of death. Among women seven-tenths of the deaths occurred at ages from 15 to 45 years, whilst among men at the same ages the proportion was only four-tenths. Women experienced the highest mortality from gastric ulcer at ages from 20 to 25, when it accounted for the deaths of 116 in each million living at that age, or more than six times the rate experienced by men at the same time of life. At all ages after the forty-fifth year the male death-rate exceeded the female, the mortality attaining its maximum among men at ages above 65 years.

Appendicitis.—In the year under notice 2,136 deaths were referred to appendicitis or to perityphlitis. This total includes several deaths which were added as a result of medical inquiry respecting deaths originally referred to peritonitis, but the more precise nature of which has been subsequently stated by the several medical attendants. Since the year 1901, in which year for the first time appendicitis appeared in our tables as a separate cause of death, this disease has accounted for 14,540 deaths, and for an average annual death-rate of 65 per million among males, and of 43 per million among females. The disease appears to attack persons at all ages ; but, disregarding the ages above 75 years, when the rates are of doubtful value, the period of highest mortality in both sexes appears to be from the tenth year to the twentieth. At all stages of life except the most advanced the mortality is greater amongst males.

Peritonitis.—Under this heading 713 deaths are classed, and of these the infective nature has been medically attested in 50 instances (see supplementary tables, pages 312-313). The deaths attributed to peritonitis would have been considerably more numerous but for inquiries addressed to medical practitioners respecting the cause of this condition. In all cases where peritonitis is known to depend on hernial or other obstruction, on ulceration of the stomach or intestines, on appendicitis, metritis, or other definite cause, the death is referred to that cause, and not to peritonitis. Fortunately the precision of certification in these cases is increasing.

The deaths ultimately referred to peritonitis in the year under notice were equal to a rate of 20 per million living, or less than a third of the rate recorded even so recently as the year 1899.

The mortality in each sex was also 20 per million. It may be presumed that in recent years many of the deaths which ten years ago would have been ascribed to peritonitis are now referred to appendicitis, enteritis, intestinal ulceration, or some other definite disease.

Diseases of the liver.—To these diseases in the aggregate there were ascribed in the year under notice 5,565 deaths, corresponding to a rate of 157 per million living at all ages and of both sexes. Tables 24 and 26 show that at the present time among both men and women the mortality ascribed to liver diseases is much lower than it was twenty years ago. In the year 1889, for example, the rates were 317 per million living among males, and 289 among females; whereas in the year under present notice they were only 164 and 151 respectively.

The greater part of the mortality now ascribed to liver disease results from cirrhosis, which on account of its association with alcoholism is treated under that section (page cv).

Tables T and U give the sex and age distribution of the 31,458 deaths referred to malignant disease of the liver in the eight years 1901–8. The sex and age distribution of deaths from non-malignant liver diseases is shown in the abstracts on pages 306 and 307.

Acute Nephritis, Chronic Nephritis or Bright's Disease.—These conditions together account for the greater part of the mortality from diseases of the urinary system. In the year under notice 13,760 deaths were referred to this heading—a number corresponding to a rate of 388 per million living, without distinction of age or of sex.

The age incidence of mortality from these forms of disease was shown in tabular form in the Annual Report for 1907, and the remarks then made are still applicable.

Tumours and other Diseases of the Ovaries and Uterus.—Among affections of the female generative organs there were returned last year 968 deaths from non-malignant diseases of the ovaries or of the uterus. In the aggregate these deaths corresponded to a rate of 54 per million females living at all ages, the quinquennial average rate being 62 per million.

Diseases and Accidents of Pregnancy and Childbirth.—From pages xcvii and 297 it will be seen that in addition to 1,395 deaths from puerperal sepsis 1,966 deaths were attributed to other diseases and accidents of pregnancy and childbirth; particulars of the age distribution of these deaths will be found in Table S. on page xcvi. Of this total, 83 deaths were assigned to abortion or miscarriage, 57 to puerperal mania, 426 to puerperal convulsions, 560 to placenta prævia or flooding, and 840 to other accidents of pregnancy and childbirth. In 242 out of the 840 deaths last-mentioned the cause was precisely stated: this was ectopic gestation in 92 instances, ruptured uterus in 25, inversion of that organ in 3, deformed pelvis in 34, adherent placenta in 31, conditions necessitating Cæsarian section in 12, and mal-presentation in 6 instances. Of these 1,966 deaths, 382 were returned as due to a combination of causes,* the complicating cause being embolism or thrombosis in 221 instances, other diseases of the circulatory system in 55, kidney disease in 38, and bronchitis or pleurisy

* These complicating causes do not appear in Table S, the deaths having been classed to other diseases and accidents of pregnancy and childbirth.

in 17. The deaths now dealt with together with those from the puerperal septic diseases enumerated on page 297 numbered 3,361 and were equal to a rate of 3·57 per 1000 births. In the ten years immediately preceding the average proportion had been 4·31 per 1000. Table S. on page xcvi gives particulars of the 4,521 deaths from all causes whatever, either dependent on or associated with the puerperal state. By calculating the mortality on this number it is raised from 3·57 to 4·81 per 1000 births.* That table shows that of the deaths there enumerated 4,454 occurred at ages between 15 and 45 years. If then, the method be adopted of computing these deaths on the estimated number of women living within the same limits of age the mortality will be equal to 503 per million, or 26 per million less than that in the year 1907. In this connection it is necessary to intimate that in all cases in which parturition or miscarriage is known to have occurred within one month before the death of a patient, the fact should be noted by the certifying practitioner.

III.—INFANTILE MORTALITY.

Before attempting any analysis of the features of infantile mortality during 1908, it may be well briefly to review the tendencies displayed in regard to it by this and other European countries during recent years. It will be convenient to commence our survey with the year 1881, as this is the first year included in Tables 56-89, pages 112-145.†

During the greater part of this period of 28 years there has been no fall in the rate of infantile mortality in England and Wales, and reference to Table 27, page 64, shows that this statement holds good as far back as the commencement of registration. From 1881 to 1899 the rate was slightly on the ascendant, but since the latter year this rise has been more than compensated for by a considerable fall—a feature, as will be seen, common to the experience of most other European countries during the same period. It is difficult to avoid connecting this satisfactory tendency with the quickening of the public conscience upon the subject of late years, but it would be premature to assume that the improvement will necessarily be maintained, though there is much reason to hope so.

The rates for Ireland and Scotland also display a slight improvement during the last ten years. This however is much less marked than in the case of England and Wales; and since, as in the case of the latter country, there had been a gradual slight rise in the Irish and Scotch infantile mortalities till then, those countries display no fall during the period under review taken as a whole. The excess of the English over the Scotch rate has therefore been diminished, while that of the Scotch over the Irish has remained very constant.

Amongst continental countries displaying the same feature of a fall during the past 8-10 years, but not before, may be mentioned Prussia, Denmark, and Norway. The Prussian mortality, high throughout, was fairly uniform till 1900, since when it has fallen to not quite the

* It has previously been explained that this method of calculating these deaths in terms of birth is imperfect, because in England the data are lacking concerning the number of still births, as well as concerning the number of twin, and of multiple births.

† Certain differences in international practice with regard to registration of births and deaths, which have some effect upon the rates of infantile mortality returned, are neglected as not affecting the fluctuations of these rates here dealt with.

same extent as that of England and Wales since 1899. The Danish rate, which was formerly considerably above the Scotch, is now about equal to it, and the Norwegian, formerly almost identical with the Irish, has since 1897 been decidedly below it. The Swedish mortality has fallen slightly throughout the whole period, but at an increasing rate since 1899.

In the case of France the change came somewhat earlier. Its mortality may be said to be uniform up to 1895, since when a considerable fall has occurred. In this connection it may be noted that owing to the low birth-rate in France the recent development of measures preventive of infantile mortality commenced in that country somewhat earlier than in England. (The organization of schemes for encouraging natural and improving artificial feeding is especially referred to.) The French mortality, which in the earlier portion of the period under review was considerably above the English, has of recent years been almost as low as that of this country.

In contrast to all of the above, three of the countries with complete records in the Tables show a large and more or less continuous decline throughout the whole period. These are the Netherlands, Switzerland, and Finland, the mortalities for which fell from average rates for 1881-85 of 181, 171, and 162 respectively, to 112, 121, and 112 in 1907 (see Table on page lxxvii).^{*} In contrast with the Netherlands, the mortality of Belgium has been very steadily maintained, though it shows slightly the prevailing tendency to drop during the present century.

To summarise the above statements, the whole period since 1881 may be divided into two portions, approximately 1881-1898, and from 1899 onwards.

During the earlier period the infantile mortality of five out of the twelve countries dealt with—Prussia, Norway, Denmark, Belgium, and France (to 1895 only in the case of France)—remained about stationary. That of four others, the Netherlands, Switzerland, Finland, and Sweden, fell, considerably in the case of the first three. The mortality of three countries only, namely, England and Wales, Scotland, and Ireland, rose somewhat during the first period.

The second period is characterised by a fall in each of the twelve countries. This is considerable in the cases of England and Wales, France, the Netherlands, Norway, Prussia, and Denmark, and less marked in those of Ireland, Scotland, Finland, Belgium, Switzerland, and Sweden. None of the twelve countries shows greater progress during this period than England and Wales. The slight increase in the English mortality of 1908 as compared with that of 1907 is also shown, and to a larger extent, by those of the other countries for which returns are to hand.

Excluding diarrhoeal deaths, however, the infantile mortality of 1908 in this country is lower than that of 1907, so that if, as seems probable, the excess of diarrhoeal mortality in 1908 over 1907 was due to seasonal influences, the record of the year under review may be regarded as the more favourable of the two.

Table 37, page 84, contrasts the infantile mortality of 1908 with the average for the five preceding years, and permits an analysis of the fall of 8 per cent. shown. The fall becomes much more pronounced

^{*} An instance of a still more rapid fall is afforded by the New York returns (old city area) which indicate a diminution in infantile mortality of about 38 per cent. between the years 1891 and 1907. (The deaths per 1000 population under one year of age fell from 242 to 151 during these years.)

as the first year of life progresses, the reduction for the first three months being only 4 per cent., for the period 3-6 months 9 per cent., and for the second half of the year 14 per cent. The same figures apply to the urban group of counties and almost the same to the rural group considered separately, but as the urban mortality rates are much higher (*see* page cxxvi) the actual urban falls are correspondingly greater.

Nearly all the important causes of death contributed to the decline, particularly diarrhoeal diseases and convulsions. In the case of both these the proportional reduction was greatest at the highest, and least at the lowest age period shown. Tuberculous and respiratory diseases also show a considerable reduction, but tubercle forms an exception to the general rule that the percentage reduction increases with age. This may be due, however, to transference to other causes of some of the deaths of young infants formerly diagnosed as due to tubercle. The large group of wasting diseases finds its victims almost entirely amongst young infants, and shows but a slight reduction in 1908. The transference noted in previous reports of deaths formerly attributed to atrophy, &c., to other headings in this group is continued, if this probable explanation of the decrease in the one case and increase in the other may be accepted. The reduction under the head of infectious disease is almost entirely due to lessened mortality from measles.

It will be noted that even apart from diarrhoea, the deaths from which depend so largely upon seasonal influence, there was a general and substantial reduction in the mortality of the older infants, but the fact that more than half of the total deaths occurred during the first three months of life, for which the reduction of mortality is slight, suggests that the excess of deaths of young infants may be found to form at once the most important and the most difficult portion of the problem of infantile mortality. The difficulty may be largely due to the fact that these deaths, being chiefly dependent on adverse ante-natal conditions, demand preventive measures which are less easy to apply than those appropriate in the case of older infants.

The contrast of male with female infantile mortality is also interesting and important. This is shown for the principal causes of death in the tables on page cxxiv.

It will be seen that in 1908 the mortality of male infants was 24 per cent. above that of females, and that all the principal causes of death except whooping-cough displayed the same feature, and on the whole, to a very uniform extent. Both the rule and the exception are familiar features of infantile mortality. It will be seen also that the excess in the mortality of males decreases as the first year of life advances,* and this applies in the main to most of the principal separate causes of death as well as to deaths from all causes. As the chief excess of male mortality occurs at the period for which the reduction in infantile mortality is least, it follows that the effect of this reduction, if the process is maintained, will be to increase the excess of male over female deaths in the first year of life, and so of females in the general population.

If a single explanation be sought for the increasing reduction in infantile mortality as a whole, and the diminishing excess of male infantile mortality, as age advances, it may perhaps be found in the supposition of a lesser initial viability amongst males. This would

* This decrease is but slightly diminished if the mortality rates at 3-6 and 6-12 months be calculated in proportion not to births but to survivors at those ages.

INFANTILE MORTALITY.—ENGLAND AND WALES, 1908.—MORTALITY of MALE and FEMALE INFANTS.

Cause of Death.	Under 3 Months.			3 to 6 Months.			6 to 12 Months.			Under 1 Year.		
	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*
	Males.	Fe-males.		Males.	Fe-males.		Males.	Fe-males.		Males.	Fe-males.	
All Causes	72·86	55·70	131	25·69	21·48	120	34·38	30·32	113	132·93	107·50	124
Whooping-cough ..	0·95	1·16	82	1·20	1·28	94	2·52	2·98	85	4·67	5·42	86
Diarrhoeal Diseases ..	6·42	4·61	139	7·50	6·48	116	7·76	6·98	111	21·68	18·07	120
Premature Birth ..	21·79	17·31	126	0·24	0·22	109†	0·03	0·04	75†	22·06	17·57	126
Congenital Defects ..	6·73	5·20	129	0·42	0·43	98	0·35	0·29	121	7·50	5·92	127
Atrophy, Debility, Marasmus, Tuberculous Diseases..	12·49	9·27	135	2·76	2·36	117	1·54	1·45	106	16·79	13·08	128
Convulsions	0·82	0·52	158	1·66	1·28	130	2·69	2·30	117	5·17	4·10	126
Bronchitis and Pneumonia,	8·16	5·85	139	2·36	2·01	117	1·70	1·37	124	12·22	9·23	132
	6·92	5·27	131	5·60	4·36	128	10·24	8·32	123	22·76	17·95	127

* *i.e.*, the ratio of Male to Female mortality, the latter being taken as 100.
† These rates are of little or no significance owing to the paucity of the data upon which they are founded.

account for the greater excess of their deaths soon after birth, the period when as yet, owing as we may surmise to the influence of ante-natal conditions upon initial viability, least success has been met with in preventing the wastage of infant life. This lesser viability would seem to display itself quite as much in smaller resistance to such diseases as diarrhoea and bronchitis as in a greater mortality from causes more directly dependent upon ante-natal conditions, such as premature birth, &c.

INFANTILE MORTALITY.—ENGLAND AND WALES, 1908.—MORTALITY of LEGITIMATE and ILLEGITIMATE INFANTS.—ALL CAUSES.

Age.	England and Wales.			Urban Counties.			Rural Counties.		
	All Infants.	Legitimate.	Illegitimate.	All Infants.	Legitimate.	Illegitimate.	All Infants.	Legitimate.	Illegitimate.
Under 1 year ..	120·43	115·75	233·09	131·16	126·25	255·69	100·60	96·50	175·52
Under 3 months ..	64·43	61·78	128·25	67·69	64·96	136·88	59·51	56·75	109·74
3-6 months	23·62	22·49	50·83	26·52	25·31	56·91	17·40	16·51	34·08
6-12 months	32·38	31·48	54·01	36·95	35·98	61·90	23·69	23·24	31·70

MORTALITY of INFANTS under ONE YEAR of AGE, 1908.

PROPORTION OF DEATHS TO 1,000 BIRTHS.								
			All Causes.	Common Infectious Diseases.	Diarrhoeal Diseases.	Wasting Diseases.	Tuberculous Diseases.	Miscellaneous Diseases.
								Bronchitis and Pneumonia.
								Other Causes.
BOTH SEXES.								
England and Wales.	{ All Infants	..	120'43	7'41	19'90	42'37	4'65	20'40
	{ Legitimate	..	115'75	7'37	18'98	40'55	4'48	19'92
	{ Illegitimate	..	233'09	8'52	42'21	86'38	8'61	31'82
Urban Counties	{ All Infants	..	131'16	7'88	24'24	43'46	5'20	22'47
	{ Legitimate	..	126'25	7'85	23'09	41'56	5'02	21'98
	{ Illegitimate	..	255'69	8'79	53'55	91'90	9'67	34'74
Rural Counties ..	{ All Infants	..	100'60	7'29	9'23	40'50	3'30	16'00
	{ Legitimate	..	96'50	7'28	8'91	38'88	3'19	15'51
	{ Illegitimate	..	175'52	7'33	14'84	70'17	5'31	25'10
MALES.								
England and Wales.	{ All Male Infants	..	132'93	7'16	21'68	47'29	5'17	22'76
	{ Legitimate	..	127'92	7'10	20'78	45'27	5'00	22'27
	{ Illegitimate	..	253'88	8'94	43'52	96'19	9'24	34'74
Urban Counties	{ All Male Infants	..	144'25	7'55	26'21	48'48	5'78	25'05
	{ Legitimate	..	138'88	7'50	25'07	46'30	5'58	24'53
	{ Illegitimate	..	281'26	8'87	55'49	104'06	10'83	38'32
Rural Counties ..	{ All Male Infants	..	113'19	7'04	9'93	46'09	3'89	18'21
	{ Legitimate	..	108'65	6'98	9'55	44'47	3'83	17'74
	{ Illegitimate	..	196'75	8'30	16'97	75'81	5'05	26'71
FEMALES.								
England and Wales.	{ All Female Infants	..	107'50	7'65	18'07	37'29	4'10	17'95
	{ Legitimate	..	103'15	7'65	17'11	35'67	3'93	17'50
	{ Illegitimate	..	211'72	8'10	40'85	76'30	7'94	28'81
Urban Counties	{ All Female Infants	..	117'62	8'22	22'19	38'29	4'61	19'79
	{ Legitimate	..	113'18	8'20	21'03	36'66	4'46	19'34
	{ Illegitimate	..	229'49	8'69	51'55	79'43	8'49	31'07
Rural Counties ..	{ All Female Infants	..	87'52	7'53	8'47	34'69	2'69	13'70
	{ Legitimate	..	83'89	7'59	8'25	33'07	2'53	13'16
	{ Illegitimate	..	153'65	6'32	12'65	64'36	5'58	23'44

Tables 38 and 39, as well as the summary table here inserted, compare the mortality of legitimate and illegitimate infants. The excess of mortality amongst the illegitimate has increased from 94 per cent. in 1907 to 101 per cent. in 1908. This excess was in both years more marked in the urban than in the rural group of counties, in the first than in the second six months of life, and in the female sex, but the difference between the sexes was comparatively slight, and not nearly sufficient to counterbalance the greater mortality natural to male infants. The excess of illegitimate mortality is greatest from diarrhoeal and wasting diseases, and least from the group of common infectious diseases, the first-named cause being that upon which neglect would probably have most influence, and the last that upon which it would have least.

The mortality of infants in urban and rural areas is compared in Tables 35, 36, 38, and 39, as well as in the subjoined summary table. These show a considerable excess of urban mortality at most age periods, but much more in the later than the earlier part of the first year of life. For the first month of life, when over one-third of the total infantile mortality occurs, the urban excess is only six per cent.

INFANTILE MORTALITY in URBAN and RURAL COUNTY GROUPS, 1908.

Cause of Death.	Under 3 Months.			3 to 6 Months.			6 to 12 Months.			Under 1 Year.		
	Proportion to 1000 Births.		Ratio.*	Proportion to 1000 Births.		Ratio.*	Proportion to 1000 Births.		Ratio.*	Proportion to 1000 Births.		Ratio.*
	Urban.	Rural.		Urban.	Rural.		Urban.	Rural.		Urban.	Rural.	
All Causes	67·69	59·51	114	26·52	17·40	152	36·95	23·69	156	131·16	100·60	130
Whooping-cough ..	0·98	1·37	72	1·24	1·42	87	2·80	3·10	90	5·02	5·89	85
Diarrhoeal Diseases ..	6·66	3·02	221	8·43	3·21	263	9·15	3·00	305	24·24	9·23	263
Premature Birth ..	19·82	19·05	104	0·25	0·14	179†	0·02	0·03	67†	20·09	19·22	105
Congenital Defects ..	6·18	5·24	118	0·44	0·37	119	0·31	0·40	78	6·93	6·01	115
Atrophy, Debility, Marasmus.	11·07	11·47	97	2·79	2·16	129	1·70	1·02	167	15·56	14·65	106
Tuberculous Diseases ..	0·75	0·48	156	1·63	0·98	166	2·82	1·84	153	5·20	3·30	158
Convulsions	7·64	6·98	109	2·30	2·28	101	1·60	1·82	88	11·54	11·08	104
Bronchitis and Pneumonia.	6·48	5·30	122	5·51	3·69	149	10·48	7·01	150	22·47	16·00	140

* i.e., the ratio of Urban to Rural mortality, the latter being taken as 100.
† These rates are of little or no significance owing to the paucity of the data upon which they are founded.

It will be noted that both the excess of urban infantile mortality and the recent diminution in infantile mortality as a whole present the common feature of increase with increasing age of the children concerned, while the excess of male over female mortality follows the inverse rule. The explanation already suggested, namely, the greater influence of lack of initial viability upon the mortality of very young than of older infants, will probably account for this feature in regard to urban and rural mortality also. It must be supposed that it is the more preventable deaths caused rather by a bad environment than by a bad start in life at birth which occur in the town but not

in the country, so that it is only natural that the urban excess should increase with age. As the conditions of infant life in towns are improved they will become more and more approximated to those at present obtaining in the country districts and so the mortality at the later age periods may be expected to continue the fall at present in progress.

In view of the small excess of urban mortality under three months, both from all causes and especially from that group of causes which accounts for most of the deaths at this age, *i.e.* "wasting diseases," (including premature birth, congenital defects, atrophy &c., and other less important causes of death) we can scarcely hope that methods of combating infantile mortality by improving the environment of the infant after birth can effect any very rapid or striking reduction in mortality at this age. It is evident that the factors which lead to the birth of non-viable children, *e.g.*, those causing incomplete gestation, operated during 1908 to almost as great an extent in the rural as in the urban counties; and it seems likely that notable diminution of the mortality of very young infants, whether in country or town, will only be attained by successful attack upon these influences.

The summary table provides an interesting comparison of urban and rural mortalities from particular diseases. The rural excess from whooping-cough* is curious and compares with the excess of female mortality from this disease. One would expect town infants to be more exposed to infection. The great excess in deaths of urban children from diarrhoea probably marks the item on the list affording most hope of early reduction, as the small excess from wasting diseases that affording least.† Respiratory and tuberculous diseases also seem likely to decrease as the conditions of urban life improve. The term "convulsions" is so loosely used that it would be unsafe to attach any great significance to the apparent approximation of urban to rural mortality under this head.

ILL-DEFINED OR NOT SPECIFIED CAUSES OF DEATH.

In the year 1908 the deaths of 49,219 persons or 9·5 per cent. of the total deaths were attributed to causes that did not admit of precise classification.

* Years of urban and rural excess are about equal in number, but see page lxxxvi.

† This opinion, though in harmony with the views of various recent investigators of the subject, may seem to conflict with that expressed in the Annual Report for 1875, page xlv. The causes of infantile deaths which are inseparable from bad nursing and feeding, are there stated to be diarrhoea, convulsions, and atrophy. The selection was based upon a comparison of death-rates in London and in seven factory towns, which showed that the excess of mortality of the latter over that of London was greatest from the three causes named. Repetition, however, of this comparison for the year 1907 shows that, though the statement was true at the time, this was owing to loose use of the terms "convulsions" and "atrophy." The death-rate attributed to convulsions is now only one-third of what it was then, while that attributed to atrophy has fallen by 50 per cent. in the seven factory towns, and to a less extent in London. From comparison of the figures for 1903-7 with those for 1881-1885 in the case of the country as a whole it is seen that the fall in atrophy mortality has been proportionately much greater in the later portions of the first year of life. Evidently the "atrophy" dealt with by Dr. Farr, especially in the seven towns, included many deaths amongst older infants which would now be more precisely attributed to the cause, often of a preventable nature, occasioning the atrophy. Atrophy seems now in the main to represent immaturity at birth, but so far as the term is still applied to the results of post-natal influences continued reduction may be looked for.

As in previous years inquiries have been sent to medical practitioners asking for further information respecting deaths certified as due to some indefinite condition. The number of cases thus dealt with was about 5,000.

The inquiries chiefly related to certificates of peritonitis, tumours of various organs, septicæmia, pyæmia, hydrocephalus, cerebro-spinal meningitis, paralysis, convulsions, and eclampsia.

The additional information obtained led to the transference of many of the deaths to more definite headings.

Inquiries were also sent relating to deaths described as due to carcinoma, sarcoma, or cancer, in which no mention was made of the organ or part affected, and as a result this information was supplied in the majority of these cases.

VIOLENCE.

The deaths caused by different forms of accident or negligence are enumerated in the abstracts on pages 310 and 311, and also in the special Tables relating to violent deaths on pages 449 to 467. These tables show that 16,024 deaths were referred to this heading during the year 1908, corresponding to a rate of 452 per million living. Among males the deaths numbered 11,008, and were equal to a rate of 642 per million; the deaths of females numbered 5,016, and were equal to 274 per million. Of the 11,008 deaths of males from accident, 2,131 were stated to be caused by vehicles and horses, 2,063 by drowning, 1,392 by falls, 1,147 by accidents in mines, quarries, and excavations, and 1,067 by burns, scalds, and explosions. Of the deaths of females due to accident, 1,583 were caused by burns, scalds, and explosions, and 1,238 by falls. It will be seen that, as in previous years, the deaths of males exceeded those of females under every heading except that of "burns." The deaths caused by "vehicles other than railway" numbered 1,711, being 1,399 males and 312 females. The different kinds of vehicles are shown on pages 452-3 and 462-3, together with the number of deaths caused by each. The coroners' certificates do not in all cases fully describe the vehicles, but simply state that death was caused by "tramcar," "omnibus," "wagon, &c." In the absence of definite information these deaths have been separately abstracted under the heading "others" or "not defined." The tables show that 421 deaths were caused by vehicles (other than railway) propelled by mechanical power, 696 deaths were caused by horse-drawn vehicles, and 594 were caused by vehicles not thus defined.

The deaths from violence (apart from those attributed to homicide) of infants under the age of one month numbered 717, *viz.*, 381 males, and 336 females. Of the 717 deaths, the number attributed to suffocation in bed was 447, to other forms of suffocation 56, and to neglect 184. The number of infants at this age returned as "found drowned" was 16.

In the case of 15,633 out of the 16,024 deaths stated to be due to accident or negligence, coroners' inquests were held; the causes of 331 deaths were certified by medical practitioners, and in 60 cases the causes remained uncertified; 9 of these were not reported to the coroner.

The deaths at all ages of 2,844 men and 934 women were attributed to suicide, details of which will be found on pages 468 and 469.

Of the 311 deaths by homicide, 152 were of males and 159 of females. The Tables on pages 470 to 473 show that 187 of these were returned by coroners' juries as murder, and 124 as manslaughter (of which 6 were returned as justifiable homicide). The 311 deaths due to homicide include 53 of infants under one month, 49 of which were described as murder and 4 as manslaughter.

There were 12 executions (all males) during the year, the numbers in the preceding three years having been 17, 8 and 10 respectively.

I am, Sir,

Your obedient Servant,

T. H. C. STEVENSON.

BERNARD MALLET, ESQ.,

Registrar-General.

METEOROLOGY OF THE YEAR 1908.

REMARKS ON THE CONSPICUOUS METEOROLOGICAL OCCURRENCES
IN THE BRITISH ISLES IN 1908.

(Prepared in the Meteorological Office under the direction of
W. N. Shaw, Esq., LL.D., Sc.D., F.R.S.)

Various official reports, daily, weekly and monthly returns, and the notes of numerous rainfall observers have been utilised in preparing the following summary of the most prominent meteorological features of the year 1908 :—

1. *Gales*.—The worst storm of the year occurred between February 21st and 24th, during the progress of a very deep cyclonic disturbance which passed from the more northern portion of the Atlantic round by Shetland and down the North Sea to Germany. The wind, at first South-Westerly, afterwards North-Westerly to Northerly, increased to the force of a gale over practically the whole of the British Isles, attaining its greatest violence along the exposed western and northern coasts on the 22nd, when there were numerous records of a “whole gale” (force 10) in Scotland, Ireland and western England; a “storm” (force 11) at Wick, in Caithness, and at Rockabill, the Codling Bank, and the Scarweather, in the western Channels; and a “hurricane” (force 12) at Tarbet Ness, Pentland Skerries, Dunnet Head, Sule Skerry, Kirkwall (H.M.S. *Monarch*), and at Cape Wrath. In many localities the gale was maintained for 60 hours or longer, on the Donegal coast for about 84 hours. Great damage was occasioned on land but comparatively little at sea. The other gales of the year, even those which affected a great part of the Kingdom, were severe only in a few isolated situations. A tornado-like storm, felt over a very limited area, swept across the Thames Valley, near Hampton Court, late in the evening of June 1st; and on the afternoon of the 4th a similar one visited north Hertfordshire. Both disturbances occasioned considerable destruction of property. Towards the close of November and December, there were very rough days in some parts of the country, but, speaking generally, the second half of the year, and especially the autumnal portion, was unusually quiet. The anemometrical records from 25 stations disclose the following instances of wind velocities of 50 or more miles in an hour :—

January 7th–8th, Scilly, 55; 28th, 53; 31st, Deerness, 51.

February 22nd, Kingstown, 51, Southport, 52, Fleetwood, 55, Deerness, 59; 25th, Roche's Point, 50.

March 5th–6th, Plymouth, 51, Roche's Point, 52, Scilly, 54, Pendennis (Falmouth), 55; 8th, Pendennis, 54; 30th, 50.

August 26th–27th, Pendennis, 55; 31st, Plymouth, 50, Pendennis, 58.

September 1st, Scilly and Pendennis, 56.

November 22nd–23rd, Scilly, 51, Holyhead, 52, Southport, 54, Fleetwood, 56.

December 28th–29th, Deerness, 56; 30th, 54.

In gusts the highest velocities were 79 miles at Aberdeen on January 6th, 81 at Holyhead and Southport on February 22nd, 84 at Scilly on February 28th–29th. (For more detailed records, see Appendix III. of the Weekly Weather Report.)

2. *Rainfall.*—In the north-west of England and the north of Ireland there was an excess of precipitation, but in the other districts nearly all stations returned a deficiency. Blacksod Point had an excess of 8·4 ins., Rothesay 7·5 ins., Holyhead 6·4 ins., and Poltalloch 5·7 ins.; but many places lost more than 5 ins.—Jersey 9 ins., Glencarron and Killarney 9·2 ins., Balmoral 9·8 ins., Newquay 10·5 ins., Shaftsbury 10·8 ins., Roche's Point, 11·3 ins., and Villa Carey (Guernsey) 12·7 ins. The largest totals among the returns communicated to the Office were 80 ins. at Glencarron, 76·3 ins. at Fort William, 74 ins. at Laudale, 57·3 ins. at Blacksod Point, 57 ins. at Poltalloch, 55·7 ins. at Rothesay, 52·6 ins. at Stornoway, and 50·4 ins. at Valencia. Totals below 20 ins. were all at stations situated in the eastern half of England, the figures ranging down to 18 ins. at Shoeburyness and Skegness, 17·6 ins. at Cambridge and Clacton-on-Sea, and 16·5 ins. at Spurn Head. The frequency of measureable precipitation varied greatly, from 285 days at Foynes and Stornoway, 281 at Falta Sound, 270 at Cahir, and 265 at Blacksod Point to 146 at Portsmouth and Worthing, 144 in the Forest of Dean (at 900 feet), 137 at Brighton, 133 at Tottenham, 127 at Southend, and only 114 in the Forest of Dean (at 200 feet). Falls of an inch or more in a day were not numerous in any season. Those exceeding 2 inches were, on January 7th, 2·1 ins. at Heathfield (Sussex); 15th, 2·1 ins. at Caragh Lake (Kerry); 16th, 2·2 ins. at the same place; April 25th, 2·2 ins. (melted snow) at Salisbury, and 2·5 ins. (melted snow) at Bucklebury (Berks); June 3rd, 2·8 ins. at Cheadle; 13th, 2·2 ins. at Kirkby Lonsdale; July 16th, 2 ins. at Arlington and Llandovery; August 20th, 2·1 ins. at Kingstown, and 2·2 ins. at Bray; 31st, 2·3 ins. at Abersychan; September 8th, 3·6 ins. at Ardross Castle; 9th, 2·2 ins. at Sandside (Orkney); 11th, 3·2 ins. at Canterbury (southern suburb); 16th, 2·1 ins. at Graythwaite; October 21st, 4 ins. at Weymouth; December 15th, 2·1 ins. at Pembroke, and 28th, 2·1 ins. at Bray. A few very heavy falls in short periods were registered—On May 3rd, 0·24 in. in 7 minutes at Camden Square, London; June 1st, 0·27 in. in from 2 to 3 minutes at Kew; July 4th, 0·29 in. in 8 minutes at the same place; July 13th, 2·7 ins. reported to have fallen in $3\frac{1}{2}$ hours, at Herne Bay; August 22nd, 0·16 in. in 3 minutes, at Epsom; 27th, 0·45 in. in 5 minutes, at Raunds (Northamptonshire); September 11th, 1·5 in. in about 20 minutes, at Canterbury; 24th, 0·38 in. in 6 minutes at Epsom; October 21st, 4 ins. in 5 hours, at Weymouth, and 6·5 ins. in 5 hours, on Portland Breakwater.

3. *Snowstorms.*—In the earlier months considerable falls of snow were much more frequent than in several previous years. On various occasions in January, February and March, many districts received 2 ins. or more of snow, 8 ins. at Heathfield (Sussex) on January 8th, 11 ins. at Ardross Castle in the three days February 27th to 29th, and a heavy fall at Salisbury on March 3rd yielded 1·3 in. of water. The worst storm of the year, however, occurred nearer Midsummer than Midwinter. Slight snow fell in many localities in the first half of April, but after a very fine interval of a few days leading up to Easter, the weather assumed a most wintry aspect. From the 19th to the 27th snow fell daily in many places, heavily on the 23rd and 24th, culminating in an exceptional storm on the 25th. While the whole Kingdom was affected, the heaviest part of the storm was over southern England,

the greatest depth of snow reported, 30 ins. being at Bucklebury, and nearly as much appears to have fallen at Salisbury. The fall seems to have exceeded a foot in the surrounding counties, down to the Isle of Wight. Subsequently until after Christmas Day there was an almost entire absence of records of falls of snow, or even sleet, but in the night of December 26th the conditions changed, and during the four days 27th to 30th snow fell in nearly every part of Britain, in sufficient quantity to cause considerable inconvenience, mainly owing to drifts caused by the accompanying high winds. Here and there the records indicate an accumulation of a foot or more of snow in the four days, but generally the undrifted depth seems to have been less than six inches.

4. *Thunderstorms*.—Electrical disturbances were neither so frequent nor so violent as in most years. There were only a few scattered instances of thunderstorms in the first four months, the worst one accompanying the gale of February 22nd, but during May they were fairly numerous, more so than in any other month of the year. It was, however, a notable feature that as a rule they yielded no great falls of rain or hail, although in some cases the storms were described as severe. In the opening days of June the greater part of England was visited by storms, while Ireland and Scotland were scarcely affected. Locally, more particularly in the Midlands, the outbursts were very severe, and on the 3rd produced a great fall of rain at Cheadle, Staffs. The visitations of the remainder of the year presented no unusual features other than the purely local deluging rain and hail at Canterbury on September 11th, and in the neighbourhood of Weymouth on October 21st.

5. *Droughts*.—Fairly long spells of dry, rainless weather were rather more frequent than usual. From the end of January to the middle of February no rain fell in the Forest of Dean neighbourhood, and in various parts of England only a slight shower was experienced during the period. During the first three weeks of April the weather generally was dry, and in many places there were 12 or more rainless days, ranging upwards to 17 days at Dursley (Glos.) and Stockbridge (Hants.), while at Worcester Lodge, Forest of Dean, 0.02 ins. of rain fell once in 20 days. The second half of May was rather dry in many parts of southern and eastern England, the dry weather being maintained through June, during which month many stations had rain on less than 10 days, on 3 days only at Brighton, Totland Bay, Bournemouth, Weymouth and Portland Bill. From the middle of June to the end of the first week of July many places had no rain on 19 successive days, Parkstone (Dorset) 20 days, and Totland Bay 22 days. After a week's interval the longest drought of the year set in. Between July 17th and August 19th many places had 15 or more successive rainless days, ranging up to 30 at Parkstone, 32 at Southampton, Totland Bay, Weymouth, Portland Bill and Guernsey, 33 at Tonbridge, and 34 at Dursley. October was a month of exceptionally small rainfall, more especially in Scotland, where it was from 2 ins. to more than 7 ins. less than the average, and in many parts of the Kingdom the precipitation was more frequently in the form of dew, but there was no actual drought. Several districts in England had rainless weather during the first 10 days of November.

6. *Temperature*.—The highest temperatures of the year, those of 80° and upwards, occurred in each of the six months, May to October. The earliest record of 80° was at Leeds, on May 27th, a maximum of 81° being registered at Carlisle on the following day. This warm spell continued into the early days of June, 85° being reached at

Southampton, Barnet and Whitby on the 4th. Another warm period set in towards the end of the month, with maxima of 85° and upwards, 87° at Carlisle on June 28th, and at Clifton and Camden Town, London, on July 3rd, and 91° , the year's highest value, at Dumfries on July 2nd. The last week of July and the first week of August had many high records, 84° at Epsom on July 30th, and at Cullompton and Raunds on August 3rd, and on the same day 88° at Maidenhead. September 18th to 20th was very warm in many localities, with maxima from 75° to 79° , but on the 29th a more remarkable increase of warmth occurred, 80° to 82° being registered at various stations on the next two days, while on October 1st a maximum of 84 occurred at Whitby, and 83° at the same place on each of the next three days. In the early and late months there were no exceptionally high records in the many and prolonged mild periods experienced. On the other hand there were occasions when the afternoon temperatures were very low, below the freezing point at a number of stations in the opening days of January, not exceeding 27° at Bettws-y-Coed and Woburn, 28° at Glasgow, Newton Rigg and Reading. More striking than these were the low maxima of Easter week, there being numerous instances below 40° , with 35° as far south as Oxford and Reading, 34° at Birmingham and Rugby, while Deerness did not pass above 30° on April 22nd. Even on the shores of the English Channel the day readings were unusually low, Totland Bay having 13 days, and Guernsey 11 days with maximum values below 50° , the latter having 43° on the 24th, and the former on the 25th. There were many low maxima during May; along the south coast between the 4th and the 15th most of the afternoon readings were from 51° to 54° . The lowest maxima occurred on December 29th and 30th, 25° and under at a number of places in England, 22° at the more inland stations.

The *lowest* night temperatures were experienced on December 30th, when there were very numerous minima below 20° , a considerable number of places in England falling below 10° , to 1° at Woburn, 0° at Maidenhead, and -1° at Liphook (Hants). In the first half of January there were a number of minima below 15° , as low as 10° at Balmoral, West Linton, Rauceby and Raunds. On April 24th and 25th the minima were unprecedentedly low for the season, several records being below 20° , down to 10° at Balmoral, and 9° at Garforth. Again on November 10th values below 20° were recorded by several observers, 10° at Wokingham. During the very warm spell at the end of September, and beginning of October there were a number of night minima of 60° and upwards, 64° at Leith, and 65° at Rhyl on September 30th.

The range of temperature for the year amounted to 88° at Maidenhead, 82° at Epsom, 81° at Marlborough and Raunds, 80° at Woburn, and 75° and upwards at several other stations in the inland parts of England and at Dumfries, while it was only 45° at Falmouth, 44° at Castlebay and Roche's Point, 43° at Balta Sound, 42° at Deerness and Sumburgh Head, and 41° at Scilly, this last-mentioned station being the only one in the Kingdom which did not register a frost in the shade, temperature not descending below 33° .

7. *Bright Sunshine*.—The records of bright sunshine were in excess of the normal generally over the south-eastern, north-western, and south-western districts of England, most of the stations in the other districts receiving less than usual. Westminster had 220 hours more than the average, this favourable result being distributed over eleven months of the year, July alone returning a slight reduction on the normal. Llandudno had an excess of 235 hours, Bournemouth and

Ventnor 210 hours, Tunbridge Wells 209 hours, Blackpool 206 hours, Woolacombe 196 hours, Brighton 194 hours, and Eastbourne 193 hours. On the other hand Stornoway returns a deficiency of 141 hours, Newcastle-on-Tyne 139 hours, Valencia 126 hours, and Deerness 118 hours. The largest aggregates were 2,001 hours (45 per cent. of the possible duration) at Jersey, 1,994 hours (45 per cent.) at Totland Bay, 1,992 hours (45 per cent.) at Worthing, 1,976 hours (45 per cent.) at Villa Carey (Guernsey), 1,959 hours (44 per cent.) at Bognor, 1,949 hours (44 per cent.) at Portsmouth, 1,933 hours (44 per cent.) at Bournemouth, Ventnor and Brooklyn (Guernsey), 1,932 hours (44 per cent.) at Eastbourne, and 1,925 hours (44 per cent.) at Brighton. There were five stations at which the year's totals were less than 1,000 hours. Manchester City 991 hours (22 per cent.), Fort Augustus 975 hours (22 per cent.), Balta Sound 965 hours (22 per cent.), Newcastle-on-Tyne 927 hours (21 per cent.), and Hull 895 hours (20 per cent.).

8. *Fog*.—One of the most marked features of the year was the almost entire absence of any great fogs over the land. During the second half of January there was a good deal of fog, sometimes dense and lasting, in the main over the inland districts of England, but after that very little was reported until after the middle of September, when autumnal morning fogs of moderate density became rather frequent. They formed a striking accompaniment of the spell of very hot weather at the end of the month and in the early days of October, at times very thick in some localities. With the passing of the heat the fog frequency diminished, and from the middle of October to the close of the year the atmosphere over the country generally was remarkably free from fog.

There were very numerous well-defined periods of fog of more or less density on our coasts. From January 14th to 25th the weather along the shores of England was very foggy, Ireland and Scotland being but slightly affected. Nearly all sections of our coasts were visited during the first half of February. This spell was followed by a long period of clearer conditions, and it was not until April 27th that fog descended on nearly all coasts, thick in many places, and lasting until May 9th. There was again much fog from May 26th to June 4th, from June 22nd to July 8th, and from July 19th to August 4th, very dense on the English Channel round July 24th. For six weeks, down to September 16th, there were very few reports of fog. Then followed foggy spells from September 17th to October 20th, October 29th to November 7th, November 29th to December 7th, and the 14th to the 21st.

9. *Barometer*.—The mean distribution of atmospheric pressure for the whole year was in very close agreement with the normal, the values over the country generally being about 0·05 in. above the average. In the absence of any areas of excessively high or of low pressure the extreme range of the barometer was appreciably less than it was during the previous year. Readings above 30·5 ins. were uncommon, but in the first week of February there were many instances above 30·7 ins., the highest values for the year being registered on the 6th, in Ireland, Blacksod Point, reporting 30·81 ins., Roche's Point 30·84 ins., and Valencia 30·86 ins. Over northern Scotland the maximum readings were attained on April 16th, 30·64 ins. at Aberdeen, Nairn and Wick, and 30·65 ins. at Stornoway. Pressures below 29 ins. were not numerous, neither Scilly nor Valencia descending to this level throughout the year. February, the month in which the highest pressure occurred, was also the month having the lowest pressure, the

barometer failing to 28·17 ins. at Sumburgh Head late in the evening of the 22nd, when Stornoway went down to 28·4 ins. On March 9th Wick reported a reading of 28·5 ins. No other values as low as these were observed during the year. At Sumburgh Head the range for the year was 2·44 ins., at Stornoway 2·25 ins., and generally over the north of Scotland and of Ireland it exceeded 2 ins. The smallest range was 1½ in. at Scilly.

Unusually rapid oscillations of pressure were less frequent than in previous years. On February 14th, at Stornoway, the barometer fell 0·08 in. in one hour, and rose 0·19 in. in one hour. During the great storm of February 22nd, Stornoway had a fall of 0·1 in. in an hour, Aspatria and Castlebay 0·26 in. in two hours, the latter station 0·57 in. in 5 hours, and H.M.S. *Monarch* at Kirkwall, 0·5 in. in 5 hours. On March 30th Leith had a fall of 0·04 in. in 20 minutes.

10. *Floods*.—As the result of the melting of the snow of the end of February and beginning of March great floods were experienced in Cumberland on March 8th, while the rapid thawing of the heavy snow which fell round April 25th resulted in disastrous floods in the Thames Valley. Heavy rains in the last week of March caused heavy floods in Northamptonshire and neighbouring counties.

11. *Aurora Borealis*.—Aurora was observed in each month from January to April, and September to December, mainly at northern stations. Only occasionally was the phenomenon reported as bright. No severe magnetic storm was experienced.

12. *Illuminated Night Sky*.—At the end of June and the beginning of July there was a very remarkable illumination of the northern sky for about two hours before and after midnight, when it was possible to read small print without the aid of artificial light. The phenomenon was witnessed over practically the whole of Europe.

In continuation of the remarks given in previous annual reports the following notes refer exclusively to the stations the results from which are included in the tables already printed in the Quarterly Returns.

The highest temperatures of the air were at Camden Square and Clifton, 87°; Shrewsbury, 86°; and at Norwood, Coventry, Bath, Cheltenham, Southampton, and Bettws-y-Coed, 85°.

The lowest temperatures were at Buxton, 4°; Cambridge, 7°; and at Nottingham and Oxford, 9°.

The heaviest falls of rain at any of the stations were at Stonyhurst, 48·3 ins.; Bettws-y-Coed, 47·4 ins.; and at Llangammarch Wells, 44·4 ins.

The least falls of rain were at Spurn Head, 16·5 ins.; Cambridge and Clacton, 17·6 ins.; and at Cromer, 18·5 ins.

The greatest number of days of rain were at Cromer, 226; Cockle Park (Morpeth), 221; and at Stonyhurst and Bettws-y-Coed, 219.

The least number of days of rain were at Tottenham, 133; Brighton, 137; and at Portsmouth, 146.

The highest temperatures in the sun were at Bath and the Royal Observatory, Greenwich, 147°; Bath, 146°; and at Bath, Bettws-y-Coed, and Portsmouth, 145°.

The lowest temperatures on the grass were at Buxton 1°; the Royal Observatory, Greenwich 2°; and at Birmingham, Southampton, and Southport, 5°.

The greatest number of days of temperature on the grass at 30° or below were at Cockle Park (Morpeth), 141; at Berkhamsted, 122; and at Birmingham, Cambridge, and Hillington, 110.

T A B L E S.

TABLE 1.—United Kingdom: Population of its several portions estimated of the Islands in the British Seas, and of the portions

YEAR.	UNITED KINGDOM. AREA 77,497,227 ACRES.			ENGLAND AND WALES. AREA 37,327,479 ACRES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1859	28,590,224	13,915,802	14,674,422	19,686,701	9,606,982	10,079,719
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,977,133	14,086,431	14,890,702	20,119,314	9,801,152	10,318,162
1862	29,243,610	14,218,788	15,024,822	20,371,013	9,923,272	10,447,741
1863	29,479,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,437	14,431,943	15,248,494	20,883,889	10,172,089	10,711,800
1865	29,925,177	14,552,746	15,372,431	21,145,151	10,298,826	10,846,325
1866	30,147,755	14,656,115	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,132	14,781,924	15,627,208	21,677,525	10,557,066	11,120,459
1868	30,689,977	14,917,163	15,772,814	21,948,713	10,688,600	11,260,113
1869	30,978,278	15,056,678	15,921,600	22,223,299	10,821,775	11,401,524
1870	31,256,535	15,189,549	16,066,986	22,501,316	10,956,608	11,544,708
1871	31,555,694	15,331,177	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,183	15,485,219	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,559	15,630,140	16,547,410	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,994	16,138,194	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,941	16,325,250	17,250,691	24,699,539	12,022,796	12,676,743
1878	33,948,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,302,557	16,687,367	17,615,190	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,577	17,938,899	26,046,142	12,673,435	13,372,707
1882	35,206,617	17,122,482	18,084,135	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,225	18,212,496	26,626,949	12,944,923	13,682,026
1884	35,724,231	17,367,248	18,356,983	26,922,192	13,082,837	13,839,355
1885	36,015,691	17,505,358	18,510,243	27,220,706	13,222,216	13,998,490
1886	36,313,582	17,646,573	18,667,009	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,256	18,969,015	28,136,258	13,649,314	14,486,944
1889	37,178,929	18,052,088	19,126,841	28,448,239	13,794,721	14,653,518
1890	37,484,764	18,196,143	19,288,621	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,550,773	20,147,648	21,403,125	32,621,263	15,773,062	16,848,201
1902	41,961,199	20,347,886	21,613,313	32,997,626	15,952,154	17,045,472
1903	42,371,219	20,548,000	21,823,219	33,378,338	16,133,344	17,244,994
1904	42,793,272	20,753,466	22,039,806	33,763,434	16,316,647	17,446,787
1905	43,221,145	20,960,826	22,260,319	34,152,977	16,502,094	17,650,883
1906	43,661,092	21,172,539	22,488,553	34,547,016	16,689,707	17,857,309
1907	44,098,727	21,382,805	22,715,922	34,945,600	16,879,509	18,066,091
1908	44,546,822	21,600,361	22,946,441	35,348,780	17,071,524	18,277,256

to the **middle** of each of the **Years 1859-1908**, exclusive of the **Population** of the **Army, Navy, and Merchant Service Abroad.**

SCOTLAND.* AREA 19,459,155 ACRES.			IRELAND.* AREA 20,710,593 ACRES.			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,041,812	1,442,890	1,598,922	5,861,711	2,865,930	2,995,781	1859
3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839	1860
3,069,404	1,453,496	1,615,908	5,788,415	2,831,783	2,956,632	1861
3,097,009	1,468,180	1,628,829	5,775,588	2,827,336	2,948,252	1862
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,021	1,497,988	1,658,033	5,640,527	2,761,866	2,878,661	1864
3,185,437	1,513,120	1,672,317	5,594,589	2,740,800	2,853,789	1865
3,215,129	1,528,404	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,098	1,543,843	1,701,255	5,486,509	2,681,015	2,805,494	1867
3,275,350	1,559,438	1,715,912	5,465,914	2,669,125	2,796,789	1868
3,305,885	1,575,190	1,730,695	5,449,094	2,659,713	2,789,381	1869
3,336,707	1,591,101	1,745,606	5,418,512	2,641,840	2,776,672	1870
3,368,921	1,607,775	1,761,146	5,393,179	2,630,782	2,767,397	1871
3,404,798	1,626,461	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,056	1,645,361	1,795,695	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,183	1,703,388	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,022	1,723,180	1,866,842	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,665,443	1,762,787	1,902,656	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,923	1,939,641	5,145,770	2,519,219	2,626,551	1881
3,770,657	1,816,785	1,953,872	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,754	1,968,207	5,023,811	2,461,548	2,562,263	1883
3,827,478	1,844,830	1,982,648	4,974,561	2,439,581	2,534,980	1884
3,856,307	1,859,014	1,997,293	4,938,588	2,424,128	2,514,460	1885
3,885,155	1,873,308	2,011,847	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,225	2,041,476	4,801,312	2,360,717	2,440,595	1888
3,973,305	1,916,851	2,056,454	4,757,385	2,340,516	2,416,869	1889
4,003,132	1,931,589	2,071,543	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,483,880	2,179,870	2,304,010	4,445,630	2,194,716	2,250,914	1901
4,531,299	2,204,503	2,326,796	4,432,274	2,191,229	2,241,045	1902
4,579,223	2,229,414	2,349,809	4,413,658	2,185,242	2,228,416	1903
4,627,656	2,254,607	2,373,049	4,402,182	2,182,212	2,219,970	1904
4,676,603	2,280,085	2,396,518	4,391,565	2,178,647	2,212,918	1905
4,726,070	2,305,850	2,420,220	4,388,006	2,176,982	2,211,024	1906
4,776,063	2,331,907	2,444,156	4,377,064	2,171,389	2,205,675	1907
4,826,587	2,358,258	2,468,329	4,371,455	2,170,599	2,200,856	1908

* The Estimates of Population for Scotland and Ireland have been supplied by the Registrars-General for those parts of the United Kingdom.

TABLE 2.—ENGLAND AND WALES.—Marriages, Births, and Deaths,
1859-1908.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.		
		Total.	Males.	Females.	Le- gitimate.	Ille- gitimate.	Persons.	Males.	Females.
1859	167,723	689,881	352,662	337,219	645,130	44,751	440,781	223,576	217,205
1860	170,156	684,048	349,799	334,249	640,355	43,693	422,721	215,238	207,483
1861	163,706	696,406	355,972	340,434	652,249	44,157	435,114	222,281	212,833
1862	164,030	712,684	363,534	349,150	667,462	45,222	436,566	222,622	213,944
1863	173,510	727,417	372,019	355,398	680,276	47,141	473,837	242,203	231,634
1864	180,387	740,275	377,719	362,556	692,827	47,448	495,531	253,619	241,912
1865	185,474	748,069	381,444	366,625	701,484	46,585	490,909	252,218	238,691
1866	187,776	753,870	384,955	368,915	708,369	45,501	500,689	256,402	244,287
1867	179,154	768,349	392,224	376,125	723,163	45,186	471,073	242,588	228,486
1868	176,962	786,858	400,383	386,475	740,520	46,338	480,622	247,107	233,515
1869	176,970	773,381	394,570	378,811	728,690	44,691	494,828	254,863	239,965
1870	181,655	792,787	404,305	388,482	748,050	44,737	515,329	265,586	249,743
1871	190,112	797,428	405,605	391,823	752,653	44,775	514,879	265,563	249,316
1872	201,267	825,907	421,307	404,600	781,141	44,766	492,265	255,135	237,130
1873	205,615	829,778	422,757	407,021	786,617	43,161	492,520	254,985	237,535
1874	202,010	854,956	435,179	419,777	811,853	43,103	526,632	272,178	254,454
1875	201,212	850,607	434,225	416,382	809,794	40,813	546,453	282,202	264,251
1876	201,874	887,968	452,278	435,690	846,374	41,594	510,315	265,076	245,239
1877	194,352	888,200	451,896	436,304	846,045	42,155	500,496	260,567	239,929
1878	190,054	891,906	455,048	436,858	849,806	42,100	539,872	278,772	261,100
1879	182,082	880,389	447,914	432,475	838,200	42,189	526,255	271,496	254,759
1880	191,965	881,643	448,709	432,934	839,101	42,542	528,624	273,442	255,182
1881	197,290	883,642	450,180	433,462	840,522	43,120	491,935	253,605	238,330
1882	204,405	889,014	452,752	436,262	845,859	43,155	516,654	265,767	250,887
1883	206,384	890,722	453,076	437,646	848,076	42,646	522,997	269,262	253,735
1884	204,301	906,750	462,481	444,269	864,083	42,667	530,828	273,522	257,306
1885	197,745	894,270	455,809	438,461	851,477	42,793	522,750	268,305	254,445
1886	196,071	903,760	460,368	443,392	860,922	42,838	537,276	275,874	261,402
1887	200,518	886,331	451,603	434,728	844,197	42,134	530,758	272,137	258,621
1888	203,821	879,868	447,172	432,696	839,138	40,730	510,971	263,294	247,677
1889	213,865	885,944	451,218	434,726	845,317	40,627	518,353	266,102	252,251
1890	223,028	869,937	442,070	427,867	831,525	38,412	562,248	290,448	271,800
1891	226,526	914,157	465,660	448,497	875,376	38,781	587,925	302,494	285,431
1892	227,135	897,957	456,622	441,335	860,376	37,581	559,684	286,062	273,622
1893	218,689	914,572	465,711	448,861	875,714	38,858	569,958	291,889	278,069
1894	226,449	890,289	453,016	437,273	851,946	38,343	498,827	256,015	242,812
1895	228,204	922,291	468,886	453,405	883,455	38,836	568,997	290,704	278,293
1896	242,764	915,331	465,660	449,671	876,602	38,729	526,727	270,575	256,152
1897	249,145	921,683	469,180	452,503	883,274	38,409	541,487	280,211	261,276
1898	255,379	923,165	468,920	454,245	884,832	38,333	552,141	283,981	268,160
1899	262,334	928,646	473,172	455,474	891,522	37,124	581,799	299,472	282,327
1900	257,480	927,062	471,044	456,018	890,248	36,814	587,830	303,823	284,007
1901	259,400	929,807	473,944	455,863	893,608	36,199	551,585	285,618	265,967
1902	261,750	940,509	479,144	461,365	903,835	36,674	535,538	277,216	258,322
1903	261,103	948,271	482,229	466,042	910,969	37,302	514,628	266,290	248,338
1904	257,856	945,389	481,322	464,067	907,715	37,674	549,784	283,206	266,578
1905	260,742	929,293	472,886	456,407	891,978	37,315	520,031	267,601	252,430
1906	270,038	935,081	476,939	458,142	897,691	37,390	531,281	274,233	257,048
1907	276,421	918,042	467,728	450,314	881,853	36,189	524,221	269,259	254,962
1908	261,940	940,383	478,410	461,973	902,852	37,531	520,456	268,714	251,742

TABLE 3.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates and Infantile Mortality, 1859-1908.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.					
	Persons Married to 1000 Living.	Births to 1000 living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.*	Deaths of Child- ren under one year to 1000 Births	
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.			
1859	17.0	35.0	32.7	2.3	65	1046	22.4	23.3	21.5	1080	153	
1860	17.1	34.3	32.1	2.2	64	1047	21.2	22.1	20.3	1090	148	
1861	16.3	34.6	32.4	2.2	63	1046	21.6	22.7	20.6	1099	153	
1862	16.1	35.0	32.8	2.2	63	1041	21.4	22.4	20.5	1095	142	
1863	16.8	35.3	33.0	2.3	65	1047	23.0	24.1	21.9	1101	149	
1864	17.2	35.4	33.1	2.3	64	1042	23.7	24.9	22.5	1107	153	
1865	17.5	35.4	33.2	2.2	62	1040	23.2	24.5	22.0	1113	160	
1866	17.5	35.2	33.1	2.1	60	1043	23.4	24.6	22.2	1106	160	
1867	16.5	35.4	33.3	2.1	59	1043	21.7	23.0	20.5	1118	153	
1868	16.1	35.8	33.7	2.1	59	1036	21.8	23.1	20.7	1115	155	
1869	15.9	34.8	32.8	2.0	58	1042	22.3	23.6	21.0	1119	156	
1870	16.1	35.2	33.2	2.0	56	1041	22.9	24.2	21.6	1121	160	
1871	16.7	35.0	33.0	2.0	56	1035	22.6	23.9	21.3	1123	158	
1872	17.4	35.6	33.7	1.9	54	1041	21.3	22.6	19.9	1134	150	
1873	17.6	35.4	33.6	1.8	52	1039	21.0	22.4	19.8	1132	149	
1874	17.0	36.0	34.2	1.8	50	1037	22.2	23.6	20.9	1128	151	
1875	16.7	35.4	33.7	1.7	48	1043	22.7	24.1	21.4	1126	158	
1876	16.5	36.3	34.6	1.7	47	1038	20.9	22.3	19.6	1140	146	
1877	15.7	36.0	34.3	1.7	47	1036	20.3	21.7	18.9	1145	136	
1878	15.2	35.6	33.9	1.7	47	1042	21.6	22.9	20.3	1126	152	
1879	14.4	34.7	33.0	1.7	48	1036	20.7	22.0	19.6	1123	135	
1880	14.9	34.2	32.6	1.6	48	1036	20.5	21.8	19.3	1130	153	
1881	15.1	33.9	32.2	1.7	49	1039	18.9	20.0	17.8	1123	130	
1882	15.5	33.8	32.2	1.6	49	1038	19.6	20.7	18.5	1119	141	
1883	15.5	33.5	31.9	1.6	48	1035	19.6	20.8	18.5	1122	137	
1884	15.1	33.6	32.0	1.6	47	1041	19.7	20.8	18.5	1125	147	
1885	14.5	32.9	31.3	1.6	48	1040	19.2	20.3	18.2	1116	138	
1886	14.2	32.8	31.2	1.6	47	1038	19.5	20.6	18.5	1118	149	
1887	14.4	31.9	30.4	1.5	48	1039	19.1	20.2	18.1	1116	145	
1888	14.4	31.2	29.8	1.4	46	1033	18.1	19.2	17.0	1128	136	
1889	15.0	31.1	29.7	1.4	46	1038	18.2	19.3	17.2	1121	144	
1890	15.5	30.2	28.9	1.3	44	1033	19.5	20.8	18.3	1136	151	
1891	15.6	31.4	30.1	1.3	42	1038	20.2	21.5	19.0	1128	149	
1892	15.4	30.4	29.1	1.3	42	1035	19.0	20.0	18.0	1113	148	
1893	14.7	30.7	29.4	1.3	42	1038	19.2	20.3	18.1	1118	159	
1894	15.0	29.6	28.3	1.3	43	1036	16.6	17.6	15.6	1123	137	
1895	15.0	30.3	29.0	1.3	42	1034	18.7	19.7	17.7	1113	161	
1896	15.7	29.6	28.3	1.3	42	1036	17.1	18.1	16.1	1126	148	
1897	16.0	29.6	28.4	1.2	42	1037	17.4	18.6	16.2	1143	156	
1898	16.2	29.3	28.1	1.2	42	1032	17.5	18.6	16.5	1130	160	
1899	16.5	29.1	27.9	1.2	40	1039	18.2	19.4	17.2	1132	163	
1900	16.0	28.7	27.6	1.1	40	1033	18.2	19.5	17.1	1142	154	
1901	15.9	28.5	27.4	1.1	39	1040	16.9	18.1	15.8	1147	151	
1902	15.9	28.5	27.4	1.1	39	1039	16.2	17.4	15.2	1147	133	
1903	15.6	28.4	27.3	1.1	39	1035	15.4	16.5	14.4	1146	132	
1904	15.2	27.9	26.8	1.1	40	1037	16.2	17.3	15.2	1136	145	
1905	15.3	27.2	26.1	1.1	40	1036	15.2	16.2	14.3	1134	128	
1906	15.6	27.1	26.0	1.1	40	1041	15.4	16.4	14.4	1141	132	
1907	15.8	26.3	25.3	1.0	39	1039	15.0	16.0	14.1	1130	118	
1908	14.9	26.5	25.4	1.1	40	1036	14.7	15.7	13.7	1143	120	

* The figures in this column are based upon death-rates per million living.

TABLE 4.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates, in Groups of Years, 1838-1908.

PERIOD.	MAR- RIAGES.	BIRTHS.					DEATHS.			
	Persons Married to 1000 Living.	Births to 1000 Living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 Living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.†
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.	
1838-1908	16.0	32.6	30.9*	1.7*	53*	1041	20.4	21.5	19.4	1107
1841-50	16.1	32.6	—	—	—	1049	22.4	23.1	21.6	1070
1851-60	16.9	34.1	31.9	2.2	65	1046	22.2	23.1	21.4	1079
1861-70	16.6	35.2	33.1	2.1	61	1042	22.5	23.7	21.4	1109
1871-80	16.2	35.4	33.6	1.8	50	1038	21.4	22.7	20.1	1130
1881-90	14.9	32.4	30.9	1.5	47	1037	19.1	20.3	18.1	1122
1891-1900	15.6	29.9	28.7	1.2	42	1036	18.2	19.3	17.1	1127
1841-45	15.7	32.3	—	—	—	1052	21.4	22.1	20.6	1074
1846-50	16.5	32.8	30.6	2.2	67	1045	23.3	24.1	22.6	1067
1851-55	17.1	33.9	31.7	2.2	66	1046	22.7	23.5	21.8	1079
1856-60	16.7	34.4	32.2	2.2	65	1046	21.8	22.6	21.0	1079
1861-65	16.8	35.1	32.9	2.2	64	1043	22.6	23.7	21.5	1103
1866-70	16.4	35.3	33.2	2.1	58	1041	22.4	23.7	21.2	1116
1871-75	17.1	35.5	33.7	1.8	52	1039	22.0	23.3	20.7	1129
1876-80	15.3	35.3	33.6	1.7	48	1038	20.8	22.1	19.5	1133
1881-85	15.2	33.5	31.9	1.6	48	1038	19.4	20.5	18.3	1121
1886-90	14.7	31.4	29.9	1.5	46	1036	18.9	20.0	17.8	1124
1891-95	15.1	30.5	29.2	1.3	42	1036	18.7	19.8	17.7	1119
1896-1900	16.1	29.3	28.1	1.2	41	1035	17.7	18.8	16.6	1135
1901-05	15.6	28.1	27.0	1.1	39	1037	16.0	17.1	15.0	1142

* For the period 1845-1908 only.

† The figures in this column are based upon death-rates per million living.

TABLE 5.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates in each Quarter, in Groups of Years, 1838-1908, and in each Year, 1899-1908.

PERIOD.	PERSONS MARRIED TO 1000 LIVING.				BIRTHS TO 1000 LIVING.				DEATHS TO 1000 LIVING.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1908	12.8	16.5	15.9	18.6	33.7	33.5	31.7	31.3	22.9	20.0	18.8	20.1
1841-50	13.3	16.4	15.2	19.2	34.2	33.7	31.2	31.2	24.7	22.0	21.0	21.7
1851-60	14.1	17.1	16.3	20.1	35.8	35.5	32.8	32.5	24.7	22.1	20.3	21.9
1861-70	13.8	16.9	16.2	19.6	36.6	36.3	34.0	33.9	25.2	21.8	21.0	22.1
1871-80	13.4	16.5	15.8	19.2	36.6	36.1	34.6	34.5	23.7	20.9	19.6	21.3
1881-90	11.9	15.4	14.9	17.6	33.4	33.2	31.9	31.5	21.6	18.7	17.3	19.1
1891-1900	11.7	16.6	16.4	17.7	30.5	30.5	29.7	28.9	20.7	17.6	17.0	17.7
1899 ..	11.3	18.2	17.9	18.3	29.4	30.1	28.8	28.2	18.7	16.6	19.1	18.5
1900 ..	11.0	17.8	17.2	17.8	30.2	29.2	28.6	27.0	22.8	17.6	16.4	16.2
1901 ..	10.9	17.7	17.6	17.3	28.7	28.7	28.7	27.9	18.2	15.8	17.0	16.7
1902 ..	13.3	15.2	17.2	17.7	28.4	28.9	29.0	27.7	18.5	16.1	13.9	16.5
1903 ..	11.1	17.6	17.1	16.7	28.5	29.0	28.7	27.4	16.8	14.9	13.9	16.2
1904 ..	10.7	17.0	16.8	16.5	28.6	28.3	27.9	26.9	18.2	14.8	15.7	16.3
1905 ..	10.7	16.7	16.9	16.7	28.2	27.8	27.3	25.5	17.6	14.5	14.0	14.8
1906 ..	10.7	17.3	17.4	17.0	27.9	27.5	26.9	25.9	16.5	14.6	14.9	15.6
1907 ..	12.3	16.0	18.0	16.9	26.6	27.4	26.2	24.9	18.6	14.6	12.1	14.8
1908 ..	10.8	16.7	16.6	15.7	27.2	27.7	26.6	24.6	17.7	13.7	12.8	14.5

TABLE 6.—ENGLAND AND WALES.—Churches and Chapels of the Established Church, and Registered Buildings in which Marriages could be legally Solemnized, 31st December, 1908.

REGISTRATION COUNTY.	ALL RELIGIOUS DENOMI- NATIONS.	ESTABLISHED CHURCH.	Other Religious Denominations.													
			ALL OTHER RELIGIOUS DENOMINATIONS.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Church.*	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Jerusalem Church.	Catholic Apostolic Church.	Countess of Hunting- don's Connexion.	All Others.
ENGLAND AND WALES	30,989	15,715	15,274	1279	3475	2820	2527	1542	1114	843	434	192	53	49	43	903
I.—LONDON.																
London	1402	632	770	106	104	147	168	44	32	10	51	16	6	7	1	78
II.—SOUTH EASTERN.																
Surrey	520	259	261	28	56	54	61	15	3	—	12	2	1	—	1	28
Kent	859	512	347	32	80	69	96	22	13	—	9	3	1	—	3	18
Sussex	678	415	263	28	50	68	54	10	7	—	9	3	—	1	6	27
Hampshire .. .	786	452	334	26	66	75	56	36	26	—	7	4	—	1	2	35
Berkshire .. .	398	268	130	13	29	21	29	21	—	—	4	1	—	—	2	10
III.—SOUTH MIDLAND.																
Middlesex .. .	424	181	243	31	40	45	57	17	5	1	15	1	1	2	2	26
Hertfordshire ..	327	194	133	8	27	44	38	6	—	—	1	—	—	1	2	6
Buckinghamshire	316	198	118	5	21	22	44	15	—	—	—	—	—	—	—	11
Oxfordshire .. .	377	268	109	12	32	23	27	6	3	—	1	—	—	1	—	4
Northamptonshire	511	323	188	7	42	43	62	14	3	—	—	1	1	—	—	15
Huntingdonshire ..	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	2
Bedfordshire .. .	262	140	122	4	46	15	37	14	—	—	—	—	—	1	—	5
Cambridgeshire ..	330	197	133	5	30	21	47	20	5	—	1	—	—	—	1	3
IV.—EASTERN.																
Essex	810	452	358	29	60	114	63	23	16	—	8	4	2	3	2	34
Suffolk	705	509	196	11	34	56	56	21	5	—	3	2	—	—	—	8
Norfolk	939	710	229	12	44	33	45	62	17	—	2	2	1	1	2	8
V.—SOUTH WESTERN.																
Wiltshire	534	332	202	9	38	46	58	31	5	—	1	—	—	—	—	14
Dorsetshire .. .	432	310	122	12	34	35	14	15	2	—	—	3	—	—	—	7
Devonshire .. .	973	555	418	23	111	84	65	8	74	—	6	6	—	1	—	40
Cornwall	534	255	279	10	124	19	8	7	105	—	—	—	—	—	2	4
Somersetshire .. .	914	561	353	18	108	79	59	17	38	—	3	4	1	1	1	24
VI.—WEST MIDLAND.																
Gloucestershire ..	735	428	307	14	57	75	74	17	22	2	5	4	1	1	3	32
Herefordshire .. .	306	229	77	6	14	13	16	17	—	2	—	—	—	—	—	9
Shropshire .. .	518	319	199	13	39	46	17	57	10	10	2	—	—	1	—	4
Staffordshire .. .	840	376	464	48	146	58	38	83	56	1	7	6	1	3	—	17
Worcestershire ..	421	266	155	20	33	19	27	21	6	—	6	3	—	1	7	12
Warwickshire .. .	589	335	254	38	53	52	51	11	10	2	3	6	—	2	—	26
VII.—NORTH MIDLAND.																
Leicestershire .. .	560	306	254	18	70	36	67	35	8	—	1	4	—	—	—	15
Rutlandshire .. .	74	56	18	2	3	4	7	2	—	—	—	—	—	—	—	—
Lincolnshire .. .	980	663	317	14	138	25	35	63	31	—	1	3	1	—	—	6
Nottinghamshire ..	571	303	268	15	83	25	41	41	43	—	2	4	1	1	—	12
Derbyshire	518	221	297	20	89	39	28	57	42	—	3	3	2	—	1	13
VIII.—NORTH WESTERN.																
Cheshire	703	266	437	34	122	70	30	61	35	15	33	10	1	2	—	24
Lancashire .. .	2648	830	1818	301	389	276	177	160	166	31	72	45	24	6	3	174
IX.—YORKSHIRE.																
West Riding .. .	2051	719	1332	77	426	201	129	176	202	—	10	18	6	7	1	79
East Riding (with York)	445	255	190	18	68	22	9	51	9	—	6	1	1	1	—	4
North Riding .. .	520	280	240	29	104	27	13	47	6	1	4	4	—	—	—	5
X.—NORTHERN.																
Durham	688	279	409	60	100	29	25	95	41	1	34	4	—	1	—	19
Northumberland ..	470	192	278	40	40	18	10	43	33	—	76	1	1	1	—	6
Cumberland .. .	327	187	140	14	46	19	5	22	6	—	15	1	—	—	—	12
Westmorland .. .	139	85	54	3	22	8	5	8	2	—	1	1	—	—	—	4
XI.—WELSH.																
Monmouthshire .. .	435	180	255	14	31	50	98	20	8	27	—	1	—	1	—	5
South Wales .. .	2045	719	1326	33	95	420	366	15	15	340	5	21	—	—	1	15
Glamorganshire ..	911	237	674	22	58	195	191	8	14	158	5	8	—	—	1	14
Carmarthenshire ..	289	92	197	2	5	79	56	—	1	52	—	1	—	—	—	1
Pembrokeshire .. .	261	135	126	5	9	44	42	1	—	25	—	—	—	—	—	—
Cardiganshire .. .	312	117	195	1	12	65	32	—	—	73	—	12	—	—	—	—
Brecknockshire ..	203	104	99	3	8	33	27	2	—	26	—	—	—	—	—	—
Radnorshire .. .	69	34	35	—	3	4	18	4	—	6	—	—	—	—	—	—
North Wales .. .	1246	418	828	17	108	175	93	13	4	400	15	—	—	—	—	3
Montgomeryshire ..	200	76	124	1	22	28	17	5	—	51	—	—	—	—	—	—
Flintshire	127	37	90	4	16	18	4	4	2	37	5	—	—	—	—	—
Denbighshire .. .	242	84	158	4	20	31	20	4	2	71	5	—	—	—	—	1
Merionethshire ..	225	61	164	1	19	39	17	—	—	88	—	—	—	—	—	—
Carnarvonshire ..	341	106	235	6	26	51	23	—	—	123	4	—	—	—	—	2
Anglesey	111	54	57	1	5	8	12	—	—	30	1	—	—	—	—	—

* In accordance with the provisions of the United Methodist Church Act, 1907, the Bible Christian Church, the Methodist New Connexion Church, and the United Methodist Free Churches, have become merged in the single Denomination of the United Methodist Church.

TABLE 7.—ENGLAND AND WALES.—Marriages.—Manner of Solemnization,
1859-1908.

YEAR.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.	
								Roman Catholics.	Other Christian Denominations.				
								Registrar.	Authorized Person.				
1859	0·1	121	643	25	23	812	188	46	75	0·4	1·9	65	
1860	0·1	122	638	25	22	807	193	46	79	0·4	1·8	66	
1861	0·1	123	628	25	22	798	202	48	80	0·4	1·6	72	
1862	0·1	119	627	24	21	791	209	45	84	0·4	1·8	78	
1863	0·1	111	632	25	20	788	212	47	84	0·3	1·8	79	
1864	0·1	110	629	24	19	782	218	48	87	0·3	1·9	81	
1865	0·1	112	629	22	19	782	218	47	89	0·3	1·9	80	
1866	0·1	108	630	23	17	778	222	48	91	0·3	1·6	81	
1867	0·1	108	628	22	17	775	225	44	95	0·4	1·8	84	
1868	0·1	103	627	23	16	769	231	42	97	0·4	1·7	90	
1869	0·1	98	627	23	15	763	237	41	99	0·3	1·9	95	
1870	0·1	94	634	22	10	760	240	41	99	0·3	2·0	98	
1871	0·1	89	642	22	8	761	239	40	100	0·3	2·1	97	
1872	0·1	85	645	21	6	757	243	42	100	0·2	2·1	99	
1873	0·1	85	642	20	5	752	248	40	102	0·4	2·4	103	
1874	0·1	87	637	19	4	747	253	40	105	0·2	2·3	105	
1875	0·1	87	635	18	4	744	256	42	107	0·3	2·4	104	
1876	0·2	87	630	18	3	738	262	42	110	0·3	2·3	107	
1877	0·1	84	627	18	4	733	267	43	112	0·4	2·2	109	
1878	0·1	82	623	18	3	726	274	42	113	0·3	2·7	116	
1879	0·2	78	624	18	3	723	277	41	113	0·3	2·5	120	
1880	0·2	73	623	18	3	717	283	43	111	0·3	2·4	126	
1881	0·3	68	626	18	3	715	285	45	111	0·3	2·5	126	
1882	0·4	65	631	17	2	715	285	45	111	0·3	2·5	126	
1883	0·3	63	629	18	2	712	288	44	113	0·3	2·6	128	
1884	0·3	60	628	17	2	707	293	43	116	0·3	2·9	131	
1885	0·3	58	630	17	3	708	292	41	118	0·2	3·2	130	
1886	0·2	56	632	17	2	707	293	42	117	0·2	3·4	130	
1887	0·1	53	629	17	2	701	299	43	116	0·3	3·2	136	
1888	0·1	51	632	16	2	701	299	42	116	0·3	3·9	137	
1889	0·1	48	632	16	2	698	302	42	116	0·3	4·1	140	
1890	0·1	47	637	15	2	701	299	43	115	0·3	4·0	137	
1891	0·1	46	637	14	2	699	301	42	118	0·3	4·6	136	
1892	0·1	45	637	14	2	698	302	40	118	0·3	4·6	139	
1893	0·1	44	634	13	1	692	308	41	118	0·4	5·1	143	
1894	0·1	41	630	13	2	686	314	42	119	0·3	5·0	148	
1895	0·1	39	633	13	1	686	314	41	120	0·3	5·3	147	
1896	0·1	38	637	11	1	687	313	41	120	0·4	5·2	146	
1897	0·1	35	640	10	1	686	314	41	121	0·4	5·7	146	
1898	0·1	34	641	9	1	685	315	40	121	0·4	5·7	148	
1899	0·1	34	634	9	1	678	322	41	113	11	0·3	6·4	150
1900	0·1	34	629	8·0	0·9	672	328	40	106	22	0·3	6·5	153
1901	0·1	33	624	7·7	1·0	666	334	41	104	24	0·3	7·0	158
1902	0·1	33	620	7·2	0·7	661	339	41	101	26	0·3	7·4	163
1903	0·1	31	612	6·8	0·8	651	349	41	102	28	0·4	7·3	170
1904	0·2	30	604	7·0	0·7	642	358	41	101	30	0·3	7·0	179
1905	0·1	29	600	6·7	0·6	636	364	41	100	32	0·3	7·6	183
1906	0·1	28	596	6·6	0·6	631	369	42	97	33	0·3	8·3	188
1907	0·1	27	590	6·4	0·6	624	376	42	96	35	0·4	7·2	195
1908	0·1	27	582	5·9	0·6	616	384	41	95	37	0·4	6·6	204

TABLE 3.—LONDON.—Marriages.—Manner of Solemnization, 1859-1908.

YEAR.	OF 1000 MARRIAGES.											
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.					
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations. Registrar. Authorized Person.			
1859	0.2	142	751	2.7	1.0	897	103	43	27	0.1	9.2	24
1860	0.2	141	751	3.0	1.4	897	103	42	28	0.1	8.4	24
1861	0.2	138	747	3.1	1.4	890	110	46	29	0.2	7.7	27
1862	0.2	139	742	2.7	1.2	885	115	47	32	0.2	7.9	28
1863	0.3	128	752	3.0	1.4	885	115	49	30	0.1	8.5	27
1864	0.2	124	756	2.9	0.7	884	116	49	31	0.2	8.7	27
1865	0.3	129	760	2.8	0.6	893	107	43	30	—	7.9	26
1866	0.2	121	764	2.4	0.6	888	112	44	33	0.1	6.9	28
1867	0.3	123	760	2.7	0.8	887	113	39	35	0.1	6.9	32
1868	0.5	120	764	3.0	1.4	889	111	39	33	0.1	7.5	31
1869	0.4	114	762	3.0	1.1	881	119	35	35	0.1	7.9	41
1870	0.1	113	766	2.5	0.9	882	118	35	33	0.2	7.8	42
1871	0.1	106	772	1.9	0.6	881	119	35	33	0.1	8.4	42
1872	0.2	100	777	1.7	0.7	880	120	33	35	0.1	8.4	43
1873	0.2	99	772	1.2	1.0	873	127	34	36	0.3	10.0	47
1874	0.3	100	768	1.1	0.6	870	130	33	39	0.1	9.2	49
1875	0.3	97	772	1.4	0.6	871	129	32	39	0.1	9.4	43
1876	0.6	98	766	1.2	1.0	867	133	34	39	0.1	8.4	51
1877	0.4	97	760	1.3	0.6	859	141	35	40	0.2	8.6	57
1878	0.4	93	757	1.3	0.4	852	148	36	38	0.3	11.2	62
1879	0.5	88	756	0.7	0.2	845	155	36	39	0.2	9.9	70
1880	1.0	87	752	0.6	0.6	841	159	37	39	0.1	9.9	73
1881	1.2	82	753	0.7	0.5	837	163	37	40	0.3	10.5	75
1882	1.5	83	749	0.5	0.5	834	166	39	40	0.2	10.3	76
1883	1.2	79	746	0.8	0.4	827	173	36	41	0.1	10.4	85
1884	1.6	73	740	0.6	0.3	816	184	38	39	0.1	12.1	95
1885	1.4	73	740	0.5	0.6	816	184	37	41	0.1	13.3	93
1886	1.0	71	742	0.5	0.8	815	185	37	39	0.2	13.6	95
1887	0.4	65	734	1.5	0.4	801	199	38	42	0.2	13.5	105
1888	0.2	65	731	0.4	0.5	797	203	38	42	0.2	16.4	106
1889	0.3	58	729	0.3	0.6	788	212	38	44	0.3	16.7	113
1890	0.2	58	731	0.5	0.4	790	210	38	44	0.2	17.0	111
1891	0.4	57	722	0.5	0.7	781	219	37	43	0.3	19.3	119
1892	0.4	54	723	0.2	0.6	778	222	36	42	0.4	19.8	124
1893	0.4	48	719	0.4	0.4	768	232	38	41	0.4	21.2	131
1894	0.3	48	710	0.2	0.5	759	241	37	42	0.4	21.5	140
1895	0.6	45	707	0.4	0.6	754	246	36	44	0.3	21.5	144
1896	0.3	44	709	0.2	0.6	754	246	35	44	0.5	22.2	144
1897	0.2	40	704	0.3	0.6	745	255	36	42	0.4	24.3	152
1898	0.2	39	699	0.3	0.2	739	261	35	44	0.4	25.1	156
1899	0.3	40	689	0.2	0.3	730	270	35	43	0.2	28.5	160
1900	0.3	39	680	0.2	0.2	720	280	37	39	0.2	29.3	167
1901	0.5	37	672	0.2	0.2	710	290	37	38	0.2	32.2	176
1902	0.3	36	662	0.2	0.3	699	301	39	38	0.3	34.7	181
1903	0.4	33	652	0.2	0.2	686	314	40	39	0.3	34.4	192
1904	0.6	34	641	0.1	0.1	676	324	39	38	0.3	35.5	203
1905	0.5	31	632	0.2	0.1	664	336	39	38	0.2	38.4	210
1906	0.4	29	623	0.1	0.1	653	347	39	36	0.3	39.5	222
1907	0.3	30	610	0.1	0.1	641	359	39	35	0.3	36.3	238
1908	0.5	28	599	0.1	0.1	628	372	38	36	0.4	32.6	254

TABLE 9.—ENGLAND AND WALES.—First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1859-1908.

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bachelors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1859	859	909	141	91	62	191	267	376	182
1860	861	910	139	90	63	194	255	362	170
1861	860	909	140	91	64	195	246	347	161
1862	863	910	137	90	65	198	237	332	153
1863	865	912	135	88	66	199	238	331	153
1864	862	909	138	91	66	201	233	324	147
1865	861	908	139	92	67	201	225	312	141
1866	861	906	139	94	67	200	216	300	134
1867	857	904	143	96	69	202	211	288	127
1868	860	906	140	94	72	210	201	278	119
1869	860	905	140	95	72	214	199	276	117
1870	864	904	136	96	75	216	198	273	116
1871	861	903	139	97	79	220	194	268	113
1872	863	901	137	99	80	223	194	263	111
1873	863	899	137	101	82	224	188	254	106
1874	863	898	137	102	84	227	179	242	98
1875	859	898	141	102	83	222	172	232	93
1876	859	897	141	103	83	220	163	221	86
1877	862	901	138	99	81	220	153	209	79
1878	864	902	136	98	78	216	146	198	73
1879	865	905	135	95	74	214	138	185	67
1880	869	905	131	95	73	215	140	186	68
1881	872	908	128	92	72	214	135	177	64
1882	875	912	125	88	76	220	132	171	62
1883	876	911	124	89	74	218	126	155	55
1884	874	911	126	89	73	213	117	142	48
1885	873	912	127	88	70	210	107	129	43
1886	876	914	124	86	67	206	96	115	37
1887	878	916	122	84	65	202	91	106	34
1888	881	917	119	83	63	199	83	97	29
1889	885	919	115	81	61	199	78	90	27
1890	885	919	115	81	60	195	72	83	24
1891	886	919	114	81	59	190	64	73	21
1892	884	918	116	82	59	187	56	66	19
1893	886	920	114	80	56	181	50	57	16
1894	889	923	111	77	55	181	46	54	14
1895	891	924	109	76	52	174	40	48	13
1896	897	927	103	73	53	174	37	43	11
1897	902	931	98	69	51	170	33	40	10
1898	905	932	95	68	51	168	31	36	10
1899	908	933	92	67	50	165	29	34	9
1900	906	932	94	68	51	163	28	32	9
1901	903	928	97	72	50	160	25	29	8
1902	909	932	91	68	47	154	23	26	7
1903	912	934	88	66	46	152	19	23	6
1904	916	937	84	63	46	153	18	21	5
1905	915	937	85	63	44	147	17	20	5
1906	917	938	83	62	43	146	15	19	5
1907	916	939	84	61	41	142	14	17	4
1908	914	936	86	64	40	140	13	15	4

TABLE 10.—LONDON.—First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1859-1908.

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bache- lors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1859	856	901	144	99	30	134	106	191	61
1860	858	903	142	97	34	137	112	186	63
1861	860	904	140	96	35	135	110	181	61
1862	864	910	136	90	34	139	105	175	58
1863	865	910	135	90	34	139	110	180	63
1864	862	908	138	92	33	143	109	174	59
1865	869	908	131	92	35	148	102	164	54
1866	863	905	137	95	35	143	98	151	49
1867	858	901	142	99	35	148	93	145	46
1868	861	904	139	96	36	153	91	142	43
1869	865	908	135	92	39	157	90	150	46
1870	865	903	135	97	39	150	88	145	43
1871	866	904	134	96	39	158	92	147	48
1872	863	904	137	96	41	160	88	139	43
1873	864	902	136	98	43	161	84	133	41
1874	861	900	139	100	46	166	81	131	39
1875	860	900	140	100	47	168	87	128	41
1876	861	899	139	101	49	172	81	118	37
1877	863	905	137	95	51	172	78	115	35
1878	864	902	136	98	51	175	75	110	34
1879	863	907	132	93	50	177	74	103	31
1880	871	910	129	90	52	181	71	103	30
1881	875	909	125	91	53	183	69	98	29
1882	871	912	129	88	55	189	68	96	29
1883	878	911	122	89	59	189	62	83	24
1884	873	913	127	87	55	191	63	80	25
1885	875	909	125	91	59	196	58	74	23
1886	878	913	122	87	58	193	52	70	22
1887	879	914	121	86	57	195	49	64	19
1888	883	917	117	83	52	190	47	58	17
1889	889	920	111	80	52	182	42	54	16
1890	887	917	113	83	52	183	42	56	16
1891	888	918	112	82	49	174	37	50	15
1892	889	916	111	84	52	177	36	49	16
1893	888	916	112	84	47	168	34	43	14
1894	890	917	110	83	47	168	30	42	11
1895	893	921	107	79	44	159	27	37	10
1896	897	922	103	78	49	161	25	32	9
1897	902	927	98	73	46	162	26	33	11
1898	908	930	92	70	48	163	25	32	11
1899	906	927	94	73	45	158	25	33	12
1900	904	925	96	75	45	155	25	32	12
1901	902	923	98	77	44	150	24	30	12
1902	910	929	90	71	40	140	24	30	13
1903	911	929	89	71	38	137	22	31	13
1904	917	931	83	69	37	139	18	26	10
1905	918	934	82	66	36	130	18	25	9
1906	917	935	83	65	35	129	17	25	9
1907	917	935	83	65	32	118	16	23	8
1908	913	932	87	68	29	113	13	19	6

TABLE 11.—ENGLAND AND WALES.—Marriages.—Manner of Solemnization in Counties, 1908.

REGISTRATION COUNTY.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.			Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.	Authorized Person.			
ENGLAND AND WALES	0·1	27	582	5·9	0·6	616	384	41	95	37	0·4	6·6	204
I.—LONDON.													
London	0·5	28	599	0·1	0·1	628	372	38	36	11	0·4	32·6	254
II.—SOUTH EASTERN.													
Surrey	0·5	29	650	0·4	0·5	680	320	26	63	11	0·5	—	219
Kent	0·2	20	676	1·4	1·2	699	301	18	57	30	0·2	—	196
Sussex	—	29	676	1·2	1·2	707	293	16	76	7	0·2	0·7	193
Hampshire	0·3	26	615	2·0	1·2	645	355	20	87	10	0·3	1·1	237
Berkshire	—	21	687	0·5	—	708	292	12	57	18	0·5	—	205
III.—SOUTH MIDLAND.													
Middlesex	0·3	31	628	—	0·1	659	341	19	59	17	—	1·3	245
Hertfordshire ..	—	16	728	0·6	0·6	745	255	6	98	16	0·6	—	134
Buckinghamshire ..	0·8	26	721	—	0·8	749	251	9	110	22	—	—	110
Oxfordshire	0·7	32	697	—	0·7	730	270	14	75	19	2·8	—	159
Northamptonshire ..	—	14	652	1·5	2·3	670	330	5	83	73	—	—	169
Huntingdonshire ..	—	9	761	—	6·2	776	224	—	122	9	—	—	93
Bedfordshire	—	16	697	2·9	—	716	234	2	113	43	—	—	126
Cambridgeshire ..	0·7	16	720	—	—	737	263	5	97	27	—	—	134
IV.—EASTERN.													
Essex	—	17	677	0·6	0·4	695	305	28	73	23	0·4	0·2	180
Suffolk	—	22	715	1·2	4·8	743	257	8	85	17	—	—	147
Norfolk	—	22	703	0·6	2·9	729	271	6	74	30	0·3	0·3	160
V.—SOUTH WESTERN.													
Wiltshire	—	26	637	—	3·6	667	333	7	132	34	—	—	160
Dorsetshire	—	27	690	1·5	2·2	721	279	13	119	13	—	—	134
Devonshire	0·2	46	527	1·1	1·1	575	425	22	122	32	0·2	0·6	248
Cornwall	0·4	60	443	0·8	0·8	505	495	4	266	57	—	—	168
Somersetshire	—	32	652	3·3	2·7	690	310	5	151	28	0·9	—	125
VI.—WEST MIDLAND.													
Gloucestershire ..	—	23	598	0·8	0·8	623	377	17	104	31	1·0	1·4	223
Herefordshire	—	48	667	—	5·5	720	280	11	74	8	2·7	—	184
Shropshire	—	33	648	3·5	2·4	687	313	12	117	11	—	—	173
Staffordshire	—	17	692	2·3	0·4	712	283	33	70	34	0·1	1·0	150
Worcestershire	—	21	722	1·3	0·3	745	255	16	47	29	—	—	163
Warwickshire	—	12	683	2·6	1·0	699	301	28	52	20	2·0	4·3	195
VII.—NORTH MIDLAND.													
Leicestershire	—	21	592	1·4	1·7	616	384	21	107	40	0·3	0·6	215
Rutlandshire	—	48	789	—	—	837	163	—	68	—	—	—	95
Lincolnshire	—	25	679	0·7	1·5	706	294	9	80	69	—	0·5	136
Nottinghamshire ..	—	19	619	0·4	0·9	639	361	12	78	40	0·4	0·2	230
Derbyshire	—	29	618	3·2	1·5	652	348	22	120	55	—	—	151
VIII.—NORTH WESTERN.													
Cheshire	—	39	584	4·6	0·5	628	372	49	111	69	—	0·3	143
Lancashire	—	32	517	20·2	0·0	569	431	105	114	63	0·3	6·1	143
IX.—YORKSHIRE.													
West Riding	—	16	620	8·3	0·1	644	356	38	94	70	0·5	5·5	148
East Riding (with York)	—	35	618	0·5	1·3	655	345	34	63	60	—	4·7	183
North Riding	—	42	578	1·0	1·0	622	378	69	93	32	1·0	0·6	182
X.—NORTHERN.													
Durham	—	31	445	24·6	0·4	501	499	80	83	56	1·0	1·4	278
Northumberland ..	—	34	447	5·0	1·0	487	513	70	114	21	0·2	2·3	305
Cumberland	—	84	534	20·0	0·5	639	361	70	82	57	1·0	—	151
Westmorland	—	77	675	2·1	—	754	246	9	116	36	4·3	—	81
XI.—WELSH.													
Monmouthshire	—	25	409	2·3	—	436	564	33	224	19	—	0·7	287
South Wales	—	32	243	6·3	0·3	282	718	32	217	31	0·3	1·8	436
Glamorganshire ..	—	25	247	3·7	0·1	276	724	38	187	29	0·3	2·3	467
Cardiganshire	—	39	168	8·4	—	215	785	4	286	49	—	—	446
Pembrokeshire	—	66	346	18·2	—	430	570	23	207	58	—	—	282
Cardiganshire	—	84	156	28·7	4·1	273	727	2	320	21	—	—	384
Brecknockshire ..	—	52	250	11·9	—	314	686	19	525	2	—	—	140
Radnorshire	—	89	407	—	—	496	504	—	371	—	—	—	133
North Wales	0·3	38	265	5·7	0·6	310	690	16	379	20	—	—	275
Montgomeryshire ..	—	22	334	4·8	—	361	639	—	368	36	—	—	235
Flintshire	—	28	435	5·1	—	468	532	33	373	23	—	—	103
Denbighshire	1·1	22	318	—	—	341	659	12	327	13	—	—	307
Merionethshire ..	—	26	161	—	—	187	813	—	533	26	—	—	254
Carnarvonshire ..	—	59	185	15·7	2·2	262	738	9	359	14	—	—	356
Anglesey	—	86	112	—	—	198	802	81	478	18	—	—	225

NOTE.—In this table 0·0 indicates that the number of marriages was too small to show a rate of 0·05 per 1000. When no marriage occurred — is inserted.

TABLE 12.—ENGLAND AND WALES.—**Marriage-rates**, Proportions of **Marriages** of **Minors**, and of **Signatures by Mark** in Counties, **1898-1907**, and **1908**.

REGISTRATION COUNTY.	Persons Married to 1000 Living.		IN 1000 MARRIAGES.								
			Under 21 Years.				Signed by Mark.				
	Average of Ten Years, 1898-1907.	1908.	Average of Ten Years, 1898-1907.		1908.		Average of Ten Years, 1898-1907.		1908.		
			Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.
ENGLAND AND WALES	15·8	14·9	47	155	40	140	22	26	13	15	4
I.—LONDON.											
London	17·6	15·9	40	142	29	113	21	29	13	19	6
II.—SOUTH EASTERN.											
Surrey	14·0	13·4	30	113	22	96	13	8	8	7	2
Kent	14·4	12·8	35	153	22	122	17	14	10	9	2
Sussex	13·9	12·8	35	120	30	105	16	8	7	6	1
Hampshire.. ..	15·4	15·2	28	138	21	127	15	10	9	7	2
Berkshire	14·4	14·0	30	113	25	99	19	13	9	4	0
III.—SOUTH MIDLAND.											
Middlesex	13·8	13·4	41	137	27	108	13	11	7	5	1
Hertfordshire ..	13·3	13·8	45	118	31	90	26	14	20	11	2
Buckinghamshire ..	14·1	13·3	46	134	35	119	21	13	9	7	—
Oxfordshire	14·1	15·1	34	100	32	115	24	13	12	9	2
Northamptonshire ..	14·6	13·5	57	154	38	120	21	20	17	11	5
Huntingdonshire..	14·6	14·4	45	150	53	146	34	16	25	28	6
Bedfordshire	14·4	15·1	74	147	52	131	25	22	9	12	3
Cambridgeshire ..	14·3	13·7	49	141	47	171	36	21	27	13	6
IV.—EASTERN.											
Essex	13·9	12·9	41	159	29	127	20	17	11	9	2
Suffolk	14·0	13·5	44	144	33	133	32	16	20	8	2
Norfolk	14·1	14·3	50	147	32	128	31	18	23	9	3
V.—SOUTH WESTERN.											
Wiltshire	14·5	14·2	31	116	26	105	22	13	10	8	1
Dorsetshire	14·3	13·0	34	119	27	110	24	15	14	8	1
Devonshire.. ..	15·4	15·4	30	117	27	99	15	15	11	7	2
Cornwall	13·8	14·8	34	119	36	123	35	32	18	19	4
Somersetshire	13·8	13·8	39	112	27	88	28	18	16	11	3
VI.—WEST MIDLAND.											
Gloucestershire ..	15·4	14·6	40	119	28	92	22	20	15	11	2
Herefordshire	13·1	13·0	20	91	14	79	32	21	18	14	3
Shropshire	13·7	12·9	26	104	19	81	29	23	12	13	4
Staffordshire	16·2	14·6	67	191	60	173	28	33	16	18	6
Worcestershire ..	14·9	13·5	46	135	45	126	22	24	15	12	3
Warwickshire	17·1	16·0	59	170	51	158	23	30	15	18	5
VII.—NORTH MIDLAND.											
Leicestershire	15·6	14·7	67	168	60	150	16	17	7	9	1
Rutlandshire	12·6	14·7	20	113	20	116	18	6	14	—	—
Lincolnshire	16·0	15·7	46	170	42	168	19	16	13	8	1
Nottinghamshire ..	16·9	16·6	76	219	70	208	20	25	13	17	4
Derbyshire.. ..	15·9	15·3	58	200	52	187	15	19	11	12	3
VIII.—NORTH WESTERN.											
Cheshire	14·9	14·5	42	129	37	113	18	21	12	13	3
Lancashire.. ..	16·7	15·7	53	147	48	132	20	32	13	18	4
IX.—YORKSHIRE.											
West Riding	16·4	15·3	57	183	52	175	23	33	14	18	4
East Riding (with York) ..	15·9	15·4	50	188	39	164	16	21	11	12	3
North Riding	15·8	16·0	46	180	46	179	23	29	16	17	3
X.—NORTHERN.											
Durham	16·7	15·6	56	228	60	230	26	33	15	19	3
Northumberland ..	16·4	15·3	40	182	37	177	17	29	11	20	3
Cumberland	14·8	14·4	41	138	44	127	17	21	10	10	4
Westmorland	13·4	14·7	29	91	26	68	10	7	—	6	—
XI.—WELSH.											
Monmouthshire	16·3	17·5	55	207	59	209	38	43	23	23	5
South Wales	16·2	16·5	45	169	45	169	30	40	20	23	5
Glamorganshire	16·8	17·3	?	?	49	188	31	41	22	25	6
Carmarthenshire ..	15·4	16·6	?	?	41	121	26	43	13	17	4
Pembrokeshire	14·8	14·4	?	?	36	119	22	28	5	7	2
Cardiganshire.. ..	12·1	12·0	?	?	18	47	20	51	8	8	—
Brecknockshire	16·5	15·4	?	?	21	119	38	37	24	31	10
Radnorshire	13·4	9·9	?	?	27	133	26	25	—	9	—
North Wales	13·7	12·5	20	79	22	76	37	40	20	18	3
Montgomeryshire ..	13·4	13·3	?	?	31	94	42	29	24	10	—
Flintshire	12·2	12·4	?	?	23	98	44	44	23	23	8
Denbighshire	14·3	13·3	?	?	32	80	38	48	25	22	6
Merionethshire	13·0	10·7	?	?	6	69	23	28	9	9	—
Carnarvonshire	14·3	12·1	?	?	16	63	33	38	12	20	—
Anglesey	13·1	12·5	?	?	14	59	50	51	36	14	5

TABLE 13.—ENGLAND AND WALES.—Birth-rates and Crude Death-rates in Counties, 1898-1907, and 1908.

REGISTRATION COUNTY.	Births to 1000 Living.		Illegitimate Births in 1000 Births.		Males Born to 1000 Females Born.		Deaths to 1000 Living.				Deaths of Children under one year to 1000 Births.	
	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.		1908.		Ten Years 1898 to 1907.	1908.
							Persons.	Persons.	Males.	Females.		
ENGLAND AND WALES	28'1	26'5	40	40	1037	1036	16'4	14'7	15'7	13'7	142	120
I.—LONDON.												
London*	28'2	25'3	37	40	1036	1039	16'8	14'0	15'4	12'7	144	116
II.—SOUTH EASTERN.												
Surrey	24'3	24'4	38	35	1043	1055	13'4	12'7	14'0	11'6	112	84
Kent	24'8	22'4	40	41	1040	1011	14'6	12'2	12'7	11'6	122	91
Sussex	21'9	20'1	52	55	1035	1056	14'0	12'5	14'0	11'3	107	86
Hampshire	25'0	24'3	39	38	1040	1079	15'0	13'0	14'1	12'1	116	91
Berkshire	23'9	22'9	48	53	1025	1024	14'0	12'7	13'4	12'1	105	83
III.—SOUTH MIDLAND.												
Middlesex	28'7	28'0	29	28	1039	1042	13'6	11'8	12'7	11'0	127	93
Hertfordshire	24'0	23'7	40	35	1033	997	14'0	13'1	13'8	12'5	100	81
Buckinghamshire	25'3	23'9	41	37	1050	1126	14'0	12'5	13'4	11'6	102	83
Oxfordshire	23'5	24'0	53	57	1038	984	14'6	14'0	15'1	13'0	99	79
Northamptonshire	25'5	21'4	41	43	1035	1035	13'7	11'9	12'4	11'4	117	93
Huntingdonshire	24'7	24'2	49	53	1002	1051	15'2	14'1	13'7	14'6	101	83
Bedfordshire	23'9	24'2	49	43	1055	1087	14'4	13'2	14'2	12'2	115	93
Cambridgeshire	24'5	23'4	48	50	1063	1006	14'7	14'2	15'0	13'5	111	107
IV.—EASTERN.												
Essex	29'1	26'1	27	29	1040	1030	14'4	11'9	12'3	11'4	133	98
Suffolk	25'6	24'1	56	57	1045	1039	15'2	14'6	15'4	13'9	114	95
Norfolk	25'6	24'0	63	62	1038	1045	16'0	14'5	15'4	13'6	131	109
V.—SOUTH WESTERN.												
Wiltshire	25'0	24'2	41	40	1036	1002	14'4	12'9	13'0	12'9	92	79
Dorsetshire	23'3	21'7	39	42	1049	1025	14'3	12'9	13'2	12'7	94	78
Devonshire	23'3	21'8	39	41	1035	1051	15'9	14'7	15'7	13'9	122	105
Cornwall	23'1	22'2	49	47	1043	1045	15'8	14'7	15'7	13'7	120	105
Somersetshire	23'6	22'0	37	39	1040	1034	14'7	13'6	14'4	12'9	101	83
VI.—WEST MIDLAND.												
Gloucestershire	25'4	22'5	36	37	1041	1038	15'3	13'5	14'6	12'6	117	108
Herefordshire	23'3	21'9	65	64	1023	1024	15'7	14'4	16'0	13'0	102	74
Shropshire	25'8	24'1	63	59	1026	1008	15'4	14'7	15'2	14'1	106	100
Staffordshire	32'6	30'1	40	38	1037	1013	17'5	15'3	16'0	14'6	156	134
Worcestershire	27'3	24'7	37	39	1030	1047	14'6	13'2	14'2	12'3	126	104
Warwickshire	30'4	28'7	31	30	1034	1018	17'4	15'4	16'5	14'3	156	127
VII.—NORTH MIDLAND.												
Leicestershire	27'9	24'5	39	37	1033	1004	15'0	13'2	13'9	12'5	144	121
Rutlandshire	21'9	20'8	47	55	1038	981	14'1	14'6	15'4	13'7	99	89
Lincolnshire	26'7	27'4	54	53	1041	1038	15'7	14'8	15'7	13'8	134	112
Nottinghamshire	31'0	30'9	49	48	1031	1013	16'7	15'1	16'1	14'1	158	134
Derbyshire	29'6	29'2	41	38	1037	1031	15'3	14'1	14'9	13'2	136	115
VIII.—NORTH WESTERN.												
Cheshire	27'3	25'9	40	38	1039	1026	16'3	14'7	15'4	14'0	141	120
Lancashire	29'0	27'5	38	37	1034	1032	18'8	16'9	18'1	15'7	165	144
IX.—YORKSHIRE.												
West Riding	28'1	26'2	43	43	1031	1043	17'1	15'4	16'6	14'4	153	135
East Riding (with York)	29'0	27'5	51	54	1043	1036	16'9	15'4	16'9	13'9	152	129
North Riding	29'6	30'6	52	50	1049	1052	17'6	17'0	18'1	15'9	143	129
X.—NORTHERN.												
Durham	35'0	34'7	34	37	1038	1030	18'3	16'8	17'7	15'9	161	147
Northumberland	31'8	30'7	39	41	1040	1032	18'1	16'4	17'2	15'7	154	143
Cumberland	27'7	26'5	60	62	1057	1034	16'7	15'7	16'5	15'0	130	127
Westmorland	22'2	19'6	62	66	1069	1097	13'5	13'1	14'7	11'7	94	102
XI.—WELSH.												
Monmouthshire	34'5	36'9	29	26	1043	1076	17'5	17'5	18'2	16'9	144	136
South Wales	32'3	32'1	33	31	1037	1041	17'5	16'7	17'4	16'0	153	145
Glamorganshire	34'7	34'6	26	27	1036	1039	17'6	16'7	17'5	15'8	161	151
Carmarthenshire	29'4	30'4	37	32	1020	1074	17'2	17'8	19'1	16'6	139	139
Pembrokeshire	26'0	23'9	51	58	1052	1041	16'5	15'4	16'0	14'9	116	103
Cardiganshire	21'5	19'3	64	71	1064	1003	18'6	17'8	17'9	17'7	119	114
Brecknockshire	28'4	26'7	43	31	1033	1017	17'2	17'0	17'2	16'8	122	116
Radnorshire	24'8	17'7	64	65	1104	1173	13'8	11'0	10'5	11'5	103	109
North Wales	26'1	23'5	60	59	1050	1060	17'3	15'3	15'7	15'0	130	111
Montgomeryshire	24'4	22'2	74	69	1053	1170	16'4	14'7	15'2	14'2	105	75
Flintshire	28'5	29'7	41	39	1034	1027	16'9	16'6	16'2	16'9	110	106
Denbighshire	28'7	26'3	50	50	1054	1065	18'2	15'7	16'0	15'4	140	125
Merionethshire	25'4	20'4	71	80	1024	1040	17'2	14'9	15'8	14'1	133	118
Carnarvonshire	24'3	20'6	61	63	1062	1048	17'1	14'8	15'4	14'3	137	115
Anglesey	24'8	21'9	80	85	1075	1018	17'6	15'6	15'0	16'1	127	96

* See Note * to Table 28.

TABLE 14.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Sex and Age-constitution, 1859-1908.*—Persons.

YEAR.	DEATHS TO 1000 LIVING.—PERSONS.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
1859	21·2	69·9	9·3	5·0	6·8	8·4	9·5	12·1	16·5	28·4	60·6	134·6	289·1
1860	20·2	62·2	6·8	4·2	6·4	8·0	9·3	12·0	16·3	29·4	63·7	143·1	306·6
1861	20·5	66·9	6·8	4·3	6·7	8·2	9·4	11·8	16·1	28·8	61·0	138·0	290·5
1862	20·3	65·1	7·5	4·5	6·5	8·0	9·3	12·0	16·4	29·0	60·3	133·7	283·3
1863	21·7	72·7	10·1	5·1	6·6	8·3	9·6	12·4	16·5	29·3	60·0	133·7	297·8
1864	22·4	70·8	9·6	5·0	6·7	8·7	10·3	13·4	18·1	32·4	66·6	145·6	314·7
1865	22·0	70·1	7·9	4·7	6·6	8·8	10·4	13·4	18·5	31·7	64·2	144·3	307·9
1866	22·2	70·3	7·5	4·5	6·7	8·9	10·7	13·9	18·8	31·9	64·8	144·5	306·4
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·4	32·2	66·5	134·6	258·5
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	66·6	129·9	259·8
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9
1900	18·2	56·5	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2
1901	16·9	54·1	4·0	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·7	129·9	259·2
1902	16·2	49·1	4·0	2·2	3·2	4·1	5·7	9·4	15·7	29·6	61·6	129·5	264·9
1903	15·4	47·3	3·5	2·0	2·9	3·7	5·4	8·8	14·9	28·1	59·2	123·1	253·8
1904	16·2	51·6	3·5	2·1	3·0	3·8	5·3	8·8	15·0	29·2	62·3	131·4	283·7
1905	15·2	44·7	3·4	2·1	2·9	3·7	5·2	8·6	14·8	28·6	61·3	127·1	285·2
1906	15·4	45·3	3·5	2·1	2·9	3·6	5·1	8·6	14·8	29·0	61·7	129·0	299·3
1907	15·0	40·9	3·4	2·0	2·8	3·5	5·1	8·6	14·9	29·6	64·5	131·7	301·8
1908	14·7	40·6	3·2	1·9	2·6	3·4	4·9	8·2	14·5	28·7	63·3	130·0	292·8

* For the purposes of this Table, the populations shown in Table 1 have been distributed among the several groups of ages, according to the proportions found to prevail at the various Censuses.

† The death-rates in this column are based upon the sex and age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 15.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1859-1908.*—Males.

YEAR.	DEATHS TO 1000 LIVING.—MALES												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1859	21·9	74·7	9·2	4·8	6·4	8·4	9·2	12·3	17·8	30·8	64·2	140·2	298·9
1860	20·9	67·3	6·8	4·1	6·1	8·2	9·0	12·4	17·8	31·5	67·3	151·2	314·9
1861	21·3	71·8	6·7	4·3	6·4	8·3	9·2	12·3	17·6	30·9	65·4	146·5	315·7
1862	21·1	69·8	7·7	4·4	6·2	8·2	9·2	12·4	18·1	31·3	63·3	139·9	296·7
1863	22·6	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	63·9	139·4	309·7
1864	23·4	75·8	9·8	4·9	6·5	9·1	10·3	14·3	20·1	35·2	70·3	151·4	334·4
1865	23·1	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·6
1866	23·1	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5
1867	21·7	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4
1868	21·6	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4
1869	22·1	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9
1870	22·7	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7
1871	22·5	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8
1872	21·4	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0
1873	21·1	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9
1874	22·2	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8
1875	22·8	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8
1876	21·1	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6
1877	20·6	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9
1878	21·7	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9
1879	21·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5
1880	20·6	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9
1881	19·2	56·5	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5
1882	19·8	63·4	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1
1883	20·0	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2
1884	20·0	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1
1885	19·6	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2
1886	20·0	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1
1887	19·6	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1
1888	18·8	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7
1889	18·9	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6
1890	20·6	63·0	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5
1891	21·2	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1
1892	19·8	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4
1893	20·0	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8
1894	17·4	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6
1895	19·5	66·0	4·0	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1
1896	18·0	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9
1897	18·5	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·0
1898	18·5	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6
1899	19·4	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1
1900	19·5	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3
1901	18·1	58·9	4·0	2·3	3·4	4·7	6·2	10·6	18·1	33·6	68·0	139·8	277·4
1902	17·4	53·7	3·9	2·2	3·3	4·5	6·2	10·5	18·0	33·6	67·8	138·4	274·7
1903	16·5	51·7	3·4	2·0	3·0	4·1	5·8	9·6	16·9	32·1	65·2	132·6	268·3
1904	17·3	56·1	3·5	2·0	3·1	4·2	5·7	9·6	17·0	33·0	68·3	139·4	300·3
1905	16·2	48·8	3·4	2·0	3·0	4·0	5·6	9·4	16·7	32·4	66·8	136·9	294·1
1906	16·4	49·3	3·4	2·0	3·0	3·9	5·6	9·5	16·8	33·2	68·7	136·9	319·5
1907	16·0	44·8	3·3	1·9	2·9	3·8	5·6	9·5	16·9	33·7	70·5	138·3	316·0
1908	15·7	44·5	3·2	1·9	2·7	3·7	5·4	9·1	16·4	33·0	70·3	137·8	303·7

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 16.—ENGLAND AND WALES—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1859-1908.*—Females.

YEAR.	DEATHS TO 1000 LIVING.—FEMALES.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
1859	20·6	65·0	9·4	5·2	7·2	8·3	9·8	12·0	15·2	26·3	57·6	130·1	282·9
1860	19·5	57·2	6·9	4·4	6·7	7·8	9·5	11·8	15·0	27·5	60·6	136·7	301·3
1861	19·8	62·0	6·8	4·4	7·0	8·1	9·5	11·4	14·7	26·9	57·3	131·2	274·6
1862	19·6	60·3	7·4	4·6	6·8	7·8	9·4	11·7	14·8	26·9	57·7	128·7	274·9
1863	20·9	67·5	9·9	5·2	6·8	8·1	9·7	12·0	14·9	27·1	56·7	129·1	290·2
1864	21·6	65·8	9·4	5·1	7·0	8·4	10·3	12·6	16·5	29·8	63·4	141·1	302·3
1865	21·0	65·1	7·8	4·6	6·8	8·5	10·2	12·6	16·6	28·8	60·4	138·4	296·7
1866	21·3	65·6	7·2	4·5	6·9	8·6	10·5	13·2	16·9	29·3	61·3	139·8	295·7
1867	19·7	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·4	287·3
1868	19·7	63·9	7·4	4·1	6·3	7·7	9·4	11·5	14·9	26·4	55·0	125·8	261·5
1869	20·1	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1
1870	20·6	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3
1871	20·3	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4
1872	19·1	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0
1873	18·9	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5
1874	20·0	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0
1875	20·6	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3
1876	18·7	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0
1877	18·2	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6
1878	19·4	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7
1879	18·9	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7
1880	18·5	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9
1881	17·3	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8
1882	17·9	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0
1883	18·0	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0
1884	18·0	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4
1885	17·7	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8
1886	18·0	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1
1887	17·7	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1
1888	16·8	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1
1889	16·9	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3
1890	18·1	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6
1891	18·9	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7
1892	17·8	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4
1893	17·9	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0
1894	15·5	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6
1895	17·6	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2
1896	16·0	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4
1897	16·1	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6
1898	16·4	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6
1899	17·1	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2
1900	17·0	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9
1901	15·8	49·4	4·1	2·4	3·2	3·8	5·3	8·7	13·9	26·6	56·7	122·8	248·5
1902	15·2	44·5	4·1	2·3	3·1	3·8	5·3	8·5	13·6	26·1	56·6	123·0	259·1
1903	14·4	42·9	3·5	2·1	2·8	3·4	4·9	8·1	13·0	24·6	54·5	116·2	245·2
1904	15·2	47·2	3·5	2·1	2·9	3·4	4·9	8·0	13·1	26·0	57·5	125·5	273·9
1905	14·3	40·6	3·4	2·1	2·8	3·4	4·8	7·8	13·0	25·3	56·8	120·1	279·9
1906	14·4	41·2	3·6	2·2	2·7	3·3	4·7	7·8	13·0	25·3	56·1	123·2	287·4
1907	14·1	37·0	3·4	2·0	2·7	3·2	4·6	7·8	13·1	26·0	59·7	127·0	293·4
1908	13·7	36·6	3·2	1·9	2·5	3·1	4·5	7·4	12·8	25·0	57·7	124·3	286·4

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 17.—ENGLAND AND WALES.—Annual Death-rates in Groups of Years, at Twelve Age-periods, and General Death-rates corrected for Age-constitution, 1838–1908.*—Males and Females.

PERIOD.	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
DEATHS TO 1000 LIVING.													
MALES.													
1838 to 1908 }	20·7	66·6	6·8	3·8	5·4	7·2	8·6	12·4	18·7	33·3	68·3	146·4	307·4
1841-50	22·2	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3
1851-60	21·9	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2
1861-70	22·3	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0
1871-80	21·5	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4
1881-90	19·7	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8
1891-1900	19·2	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8
1841-45	21·3	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1
1846-50	23·1	73·8	9·5	5·4	7·3	10·0	10·5	13·6	19·2	33·2	69·5	153·0	319·5
1851-55	22·4	73·9	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·5	66·6	150·8	311·0
1856-60	21·4	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·4	30·4	64·3	142·6	305·4
1861-65	22·3	74·0	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·3	145·8	316·4
1866-70	22·2	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·6	33·5	67·8	148·7	313·6
1871-75	22·0	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·0	149·5	323·3
1876-80	21·0	67·0	6·3	3·4	4·9	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·6
1881-85	19·7	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·7	145·4	297·8
1886-90	19·6	61·9	4·9	2·8	4·1	5·5	7·4	12·0	19·4	35·2	72·1	147·9	313·8
1891-95	19·6	62·9	4·5	2·6	4·0	5·2	7·1	12·0	19·6	35·9	72·5	149·3	291·0
1896-1900	18·8	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·3	34·1	68·3	142·9	282·6
1901-05	17·1	53·8	3·6	2·1	3·2	4·3	5·9	9·9	17·3	32·9	67·2	137·4	283·0
FEMALES.													
1838 to 1908 }	18·9	56·9	6·6	3·9	5·7	6·8	8·4	11·2	15·2	27·9	59·7	132·3	281·2
1841-50	21·0	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3
1851-60	20·6	62·7	8·4	5·1	7·4	8·5	9·9	12·2	15·2	27·0	58·7	134·5	288·9
1861-70	20·4	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1
1871-80	19·3	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4
1881-90	17·6	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8
1891-1900	17·0	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4
1841-45	20·1	58·6	8·6	5·2	7·7	8·6	9·9	12·2	15·1	27·2	59·1	131·8	288·6
1846-50	21·9	63·7	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·8	140·1	297·9
1851-55	21·0	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·6	137·1	292·0
1856-60	20·1	62·3	8·3	4·8	7·1	8·2	9·6	11·9	14·8	26·5	58·1	131·9	285·8
1861-65	20·6	64·1	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·7	287·7
1866-70	20·3	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·4
1871-75	19·8	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·2	135·3	293·8
1876-80	18·7	56·8	5·9	3·5	5·0	6·2	8·0	11·2	15·4	28·6	60·8	135·5	299·0
1881-85	17·8	51·9	5·7	3·3	4·7	5·9	7·9	11·0	15·2	28·1	59·0	128·9	265·4
1886-90	17·5	52·0	4·9	2·9	4·1	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·2
1891-95	17·5	52·8	4·6	2·8	4·0	4·8	6·6	10·2	15·2	29·5	63·1	134·4	264·2
1896-1900	16·5	52·7	4·2	2·4	3·3	4·1	5·6	9·1	14·3	27·4	58·4	126·8	258·5
1901-05	15·0	44·9	3·7	2·2	3·0	3·6	5·0	8·2	13·3	25·7	56·4	121·5	261·3

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 4.

TABLE 18.—ENGLAND AND WALES: Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1908.*—Males.

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up-wards.
ENGLAND AND WALES	15·7	44·5	3·2	1·9	2·7	3·7	5·4	9·1	16·4	33·0	70·3	137·8	303·7
I.—LONDON.													
London.. .. .	16·2	44·1	2·9	2·0	2·6	3·2	5·2	10·1	18·6	34·8	74·4	146·9	303·9
II.—SOUTH EASTERN.													
Surrey	14·0	33·2	3·3	1·9	2·1	3·2	4·9	9·8	15·2	31·7	70·8	133·7	279·3
Kent	12·3	29·7	3·0	2·1	2·5	3·8	4·9	7·8	12·7	24·4	56·1	126·2	265·2
Sussex	12·3	26·9	2·3	1·0	2·1	4·0	5·4	8·4	13·8	27·4	57·6	127·5	323·6
Hampshire	13·2	31·4	2·9	1·4	2·7	4·4	6·3	10·2	14·6	25·4	57·2	120·2	320·8
Berkshire	12·1	27·5	2·3	1·5	2·4	3·2	4·9	7·0	14·2	25·6	56·9	137·9	294·1
III.—SOUTH MIDLAND.													
Middlesex	13·5	35·4	3·0	1·5	1·9	2·5	4·2	6·9	14·1	30·9	67·5	134·3	342·7
Hertfordshire ..	12·5	27·3	2·0	1·4	2·3	4·8	5·8	9·2	12·7	23·8	60·4	135·4	347·4
Buckinghamshire ..	11·8	28·8	2·8	1·5	2·3	4·9	4·2	7·2	11·9	23·3	50·5	126·2	336·9
Oxfordshire	12·4	26·8	2·4	1·8	2·9	4·2	4·6	6·4	13·8	28·0	61·2	137·3	375·7
Northamptonshire..	11·6	27·4	1·9	1·6	3·0	4·3	4·3	7·1	11·3	23·4	53·9	121·2	384·6
Huntingdonshire ..	10·5	26·9	2·1	0·4	3·7	3·0	3·6	6·7	7·7	21·4	49·9	122·6	320·8
Bedfordshire.. ..	12·7	33·4	3·6	1·3	1·9	3·3	4·3	7·9	13·0	22·9	58·1	139·1	304·3
Cambridgeshire ..	12·9	37·1	3·1	1·3	2·9	4·7	3·9	7·2	12·5	25·1	58·2	115·1	261·0
IV.—EASTERN.													
Essex	12·5	33·3	2·8	1·4	2·3	3·4	4·3	6·5	13·2	25·8	57·9	126·1	276·5
Suffolk	12·8	32·0	2·7	1·6	2·2	4·2	5·9	8·6	12·3	24·2	55·2	129·4	345·3
Norfolk	12·7	35·6	2·7	1·6	1·9	4·1	5·8	6·6	11·5	24·6	54·2	117·2	348·9
V.—SOUTH WESTERN.													
Wiltshire	11·1	25·8	2·3	1·5	2·6	2·4	4·0	6·1	10·8	27·7	53·5	117·4	325·7
Dorsetshire	11·5	24·1	2·0	2·0	3·1	4·7	5·2	7·7	11·9	22·8	57·5	120·5	252·0
Devonshire	13·9	33·5	2·9	2·0	2·9	4·4	6·0	9·4	16·8	28·2	59·8	123·5	316·3
Cornwall	13·9	34·4	2·9	1·3	3·1	5·6	6·1	8·9	16·4	26·7	61·3	118·5	294·6
Somersetshire	12·4	26·8	2·4	1·3	2·3	4·5	5·5	8·0	14·1	28·2	59·8	131·2	251·9
VI.—WEST MIDLAND.													
Gloucestershire ..	13·6	34·7	2·9	1·8	2·7	3·4	5·6	7·2	15·5	27·6	64·2	129·9	347·4
Herefordshire	12·5	25·1	2·8	1·0	1·5	3·1	3·9	9·2	15·4	32·5	62·1	137·3	332·6
Shropshire	12·9	31·6	2·9	1·5	3·0	3·8	5·4	6·6	12·8	26·0	60·5	140·6	362·1
Staffordshire.. ..	16·5	47·3	3·2	1·9	2·3	3·1	5·2	9·2	17·0	35·7	77·3	152·2	312·8
Worcestershire	13·7	36·1	2·4	1·3	2·3	3·2	4·5	7·3	14·2	31·0	68·1	138·3	321·3
Warwickshire	16·8	47·6	3·4	1·9	2·5	3·4	6·1	10·3	18·9	35·7	72·7	141·0	294·4
VII.—NORTH MIDLAND.													
Leicestershire	13·5	39·6	3·5	1·6	2·3	3·7	5·2	6·5	13·5	28·5	52·8	129·6	255·2
Rutlandshire.. ..	11·8	27·0	0·9	—	4·0	1·4	2·4	7·6	11·8	21·0	66·7	185·4	375·0
Lincolnshire	13·9	41·8	2·8	2·1	2·8	4·3	4·9	7·0	13·7	25·3	58·8	126·9	259·4
Nottinghamshire ..	15·9	50·8	3·1	2·0	2·9	3·1	4·6	7·4	14·9	31·2	66·9	156·4	288·4
Derbyshire	15·1	43·3	3·0	1·8	2·0	3·0	4·9	7·4	15·3	33·2	68·3	153·0	342·3
VIII.—NORTH WESTERN.													
Cheshire	15·8	43·6	3·1	1·8	2·6	2·8	5·7	9·3	16·1	33·4	78·6	140·2	287·0
Lancashire	19·9	57·2	4·2	2·2	3·1	4·0	6·1	11·4	21·2	44·8	94·0	162·9	318·5
IX.—YORKSHIRE.													
West Riding	17·7	51·5	3·4	1·9	2·9	4·0	4·9	9·2	18·5	38·3	87·1	163·6	334·5
East Riding (with York)..	16·4	48·9	3·1	2·3	2·8	3·4	5·7	9·0	16·4	31·9	74·1	145·5	347·7
North Riding	17·3	57·3	3·8	1·9	3·6	4·0	7·2	10·6	15·1	30·6	62·8	129·6	301·4
X.—NORTHERN.													
Durham	18·4	60·0	3·6	1·7	3·6	4·3	5·4	9·4	15·1	34·8	80·9	167·1	328·0
Northumberland ..	17·8	55·0	3·7	2·2	3·7	3·5	6·3	10·3	17·2	36·6	74·4	136·1	298·4
Cumberland	16·0	43·8	2·6	1·9	3·5	5·1	6·1	8·1	16·5	34·2	74·4	145·2	286·6
Westmorland	12·6	29·1	3·4	1·8	1·6	2·5	4·0	7·7	12·9	25·5	72·3	142·6	306·5
XI.—WELSH.													
Monmouthshire	18·3	57·3	3·7	2·4	3·5	5·0	6·6	10·7	18·0	39·4	69·0	137·7	280·3
South Wales	17·9	56·5	3·5	2·5	3·6	4·6	6·0	9·4	17·3	36·7	76·6	133·0	259·6
Glamorganshire ..	19·0	60·7	3·7	2·5	3·6	4·5	5·9	9·8	18·5	39·2	84·8	137·1	276·7
Carmarthenshire ..	18·4	58·4	3·5	2·9	3·9	4·5	6·4	9·1	15·1	41·2	73·5	161·4	213·0
Pembrokeshire	14·2	34·9	2·3	2·2	4·9	5·5	6·2	8·6	15·4	26·2	66·6	126·9	252·9
Cardiganshire	14·4	33·3	2·2	2·8	4·6	5·6	8·5	7·1	13·9	29·8	69·6	124·4	305·6
Brecknockshire ..	15·0	38·1	2·3	1·5	1·8	5·3	5·8	8·4	16·4	34·4	67·6	162·6	254·2
Radnorshire	8·8	26·2	5·5	—	—	0·8	2·4	2·6	7·1	19·9	46·1	72·8	309·5
North Wales	14·0	36·2	3·4	2·2	2·7	4·4	4·7	7·5	14·7	27·9	69·2	137·0	303·7
Montgomeryshire ..	11·6	25·6	2·7	2·4	3·0	3·5	5·3	5·4	9·8	25·7	57·6	142·0	291·7
Flintshire	15·3	43·4	3·5	2·0	1·2	2·9	6·6	6·0	17·3	27·5	72·2	160·1	352·9
Denbighshire	15·4	41·8	4·6	1·3	2·4	3·9	4·1	8·8	15·6	30·5	71·7	152·6	450·0
Merionethshire ..	14·1	28·8	2·1	2·3	2·9	5·6	4·6	8·4	17·6	29·7	76·1	164·1	266·7
Carnarvonshire ..	14·0	36·3	3·7	2·8	2·9	4·6	4·5	7·6	12·7	27·7	74·7	121·9	306·6
Anglesey	12·6	28·2	1·0	2·7	5·5	8·1	3·6	7·2	18·3	22·9	61·2	100·8	206·3

* The populations of the several counties, estimated to the middle of the year, are shown in Table 29. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates in this column are based upon the age-constitution of the male population of England and Wales as enumerated in 1901; they differ, therefore, from those in Table 13 and other tables.

TABLE 19.—ENGLAND AND WALES: Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1908.*—Females.

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
ENGLAND AND WALES	13·7	36·6	3·2	1·9	2·5	3·1	4·5	7·4	12·8	25·0	57·7	124·3	286·4
I.—LONDON.													
London.. .. .	13·3	36·2	3·0	1·9	2·1	2·4	3·5	7·3	13·0	24·7	55·3	121·4	297·1
II.—SOUTH EASTERN.													
Surrey	11·5	24·8	2·5	1·4	1·9	2·7	3·9	6·3	11·9	23·9	50·8	118·7	301·4
Kent	10·9	24·4	2·9	1·9	2·5	2·7	3·9	6·5	10·7	20·1	45·4	110·5	264·2
Sussex	10·2	21·5	2·1	1·5	1·7	2·5	3·6	5·4	10·6	18·6	49·7	108·5	266·7
Hampshire	11·3	25·9	3·1	2·0	2·3	2·7	4·2	6·0	10·5	20·3	48·0	115·1	274·8
Berkshire	10·7	22·1	2·7	1·4	2·6	2·9	3·4	5·5	9·6	18·4	53·7	120·0	292·2
III.—SOUTH MIDLAND.													
Middlesex	11·6	29·0	2·5	1·3	1·8	2·3	3·3	5·6	10·7	20·6	50·4	132·3	277·2
Hertfordshire ..	11·1	22·1	2·0	1·0	2·5	3·0	5·1	6·8	10·3	21·7	48·8	118·3	287·3
Buckinghamshire ..	10·1	19·6	2·9	1·4	1·5	3·1	2·9	5·8	6·9	17·1	52·1	121·2	353·4
Oxfordshire	10·9	22·7	1·2	1·9	2·6	4·1	3·8	6·0	9·4	19·9	51·7	119·4	312·3
Northamptonshire..	10·7	20·5	2·5	1·6	2·9	2·7	3·6	5·2	11·7	21·1	48·8	117·8	298·1
Huntingdonshire ..	10·8	25·3	4·1	2·1	3·5	3·0	4·1	4·9	5·0	14·0	61·1	99·4	362·7
Bedfordshire .. .	10·9	23·9	2·8	1·2	2·8	2·3	3·0	5·2	10·6	19·1	54·8	119·7	270·0
Cambridgeshire ..	11·3	31·4	3·7	1·5	2·7	3·6	3·8	5·7	9·0	18·8	44·3	100·3	228·8
IV.—EASTERN.													
Essex	11·5	27·7	2·8	1·5	2·0	2·4	3·6	6·0	10·6	22·2	48·9	122·3	289·4
Suffolk	11·5	24·1	2·1	1·5	2·6	3·7	5·3	6·1	10·4	19·6	51·6	127·5	295·8
Norfolk	11·0	27·4	2·8	2·2	2·3	3·5	4·0	6·0	8·7	16·4	45·6	109·9	313·6
V.—SOUTH WESTERN.													
Wiltshire	10·9	21·0	2·1	1·0	2·6	2·9	4·5	6·5	10·4	21·3	52·4	108·6	320·1
Dorsetshire	10·6	21·6	4·0	1·9	2·3	3·3	3·3	6·8	9·5	20·9	45·2	102·8	296·7
Devonshire	11·9	28·2	3·0	1·9	2·8	3·5	4·7	6·9	10·9	21·0	49·7	112·2	250·0
Cornwall	11·1	25·8	1·9	1·5	3·7	2·6	4·2	5·3	10·5	20·5	50·0	108·7	243·8
Somersetshire .. .	10·7	21·0	2·5	1·6	2·4	3·8	4·6	5·5	10·5	19·9	49·9	111·3	268·1
VI.—WEST MIDLAND.													
Gloucestershire ..	11·6	28·3	2·5	1·3	2·5	2·9	3·8	6·5	10·1	22·4	49·3	113·8	297·4
Herefordshire .. .	10·5	21·1	3·4	1·2	2·1	2·1	4·7	6·3	9·5	19·4	47·1	111·1	275·9
Shropshire	12·1	27·6	2·8	2·2	3·2	2·9	5·9	6·3	10·4	18·9	51·3	129·1	286·8
Staffordshire .. .	15·1	41·6	3·4	1·8	2·4	3·1	4·7	8·4	14·0	24·8	65·5	144·5	307·7
Worcestershire ..	12·0	27·2	3·0	1·7	2·5	2·5	3·7	6·7	12·1	22·7	52·9	127·5	271·7
Warwickshire .. .	14·5	40·4	3·7	1·9	2·6	2·5	4·6	8·0	14·0	26·5	61·0	123·3	271·7
VII.—NORTH MIDLAND.													
Leicestershire ..	12·6	32·7	2·7	1·4	2·5	3·2	4·0	6·9	11·5	20·8	51·6	128·3	352·0
Rutlandshire .. .	10·5	20·1	1·9	1·0	2·3	1·3	4·0	7·1	6·1	23·9	50·5	115·9	405·4
Lincolnshire .. .	12·2	31·0	3·1	2·2	2·7	4·1	4·8	6·4	12·0	19·5	49·8	109·4	254·9
Nottinghamshire ..	14·4	41·4	4·0	2·1	2·0	2·9	4·5	6·8	13·3	26·0	54·8	135·4	282·2
Derbyshire	13·7	34·0	3·4	1·2	2·3	2·9	5·0	6·4	11·3	25·8	64·3	134·0	321·1
VIII.—NORTH WESTERN.													
Cheshire	14·7	39·0	3·4	2·1	2·5	2·9	4·7	7·2	13·2	28·0	64·0	141·7	298·9
Lancashire	17·6	47·2	4·1	2·4	2·8	3·4	5·2	9·3	16·6	33·9	77·6	155·9	339·3
IX.—YORKSHIRE.													
West Riding .. .	15·5	40·9	3·6	2·1	2·8	3·5	4·4	7·5	13·9	28·5	69·0	149·0	363·3
East Riding (with York)..	13·6	36·3	3·6	2·1	2·7	4·1	5·0	8·1	12·0	24·9	53·6	115·9	230·0
North Riding .. .	15·6	48·4	4·2	2·2	2·3	4·0	5·1	7·7	13·4	25·0	57·7	126·4	366·1
X.—NORTHERN.													
Durham	16·7	50·7	3·8	2·1	3·0	4·0	5·7	9·2	14·4	29·5	65·3	128·0	319·9
Northumberland ..	16·4	47·8	3·5	2·2	3·1	3·7	5·2	8·9	15·4	26·6	64·5	148·2	329·4
Cumberland	14·7	36·4	3·1	2·6	3·7	4·2	6·1	6·2	14·2	26·8	64·5	129·5	309·4
Westmorland .. .	10·6	20·4	3·0	2·0	1·7	1·6	3·4	4·8	11·7	21·1	53·5	116·6	296·7
XI.—WELSH.													
Monmouthshire ..	16·7	50·5	2·8	2·3	3·7	4·4	6·2	9·5	15·0	28·9	65·0	125·4	279·2
South Wales .. .	15·9	46·9	3·2	2·8	3·3	4·6	6·3	9·3	14·7	28·1	62·6	112·0	211·3
Glamorganshire ..	16·6	50·0	3·1	2·6	2·7	4·4	6·1	9·8	15·3	30·0	67·0	118·4	221·2
Carmarthenshire ..	15·8	44·2	2·8	3·4	4·1	5·6	7·9	9·2	13·0	25·5	66·8	110·8	174·8
Pembrokeshire ..	13·3	27·5	3·1	3·5	4·4	5·1	6·1	6·5	14·9	22·2	66·0	96·6	244·1
Cardiganshire .. .	13·7	27·1	2·7	3·1	5·8	4·9	6·1	7·6	12·4	30·1	54·9	126·3	252·4
Brecknockshire ..	15·5	39·2	5·7	3·3	4·1	3·3	8·1	9·9	16·1	25·7	53·7	121·2	200·0
Radnorshire .. .	10·2	19·8	1·8	2·8	5·8	5·4	3·3	3·5	11·8	21·8	38·0	95·2	233·3
North Wales .. .	13·3	29·6	3·6	2·4	3·5	4·5	6·1	7·7	12·2	23·7	60·4	116·4	222·7
Montgomeryshire ..	11·3	15·8	2·1	0·9	4·0	4·4	6·7	5·2	9·1	19·9	66·6	130·9	283·2
Flintshire	15·3	36·9	4·1	1·5	3·2	3·7	4·4	11·2	13·0	31·0	65·9	136·1	316·7
Denbighshire .. .	14·3	33·4	3·5	2·1	3·1	4·7	5·3	9·8	12·9	25·3	64·6	125·3	246·4
Merionethshire ..	12·4	27·9	1·5	3·4	3·6	4·6	6·4	4·8	9·9	23·7	60·0	112·1	181·8
Carnarvonshire ..	13·0	28·3	5·0	3·3	3·6	4·3	6·5	7·0	13·3	22·0	56·4	100·7	196·7
Anglesey	13·4	28·6	3·8	2·5	4·2	5·7	7·8	7·9	13·2	23·1	49·1	122·6	194·8

* The populations of the several counties, estimated to the middle of the year, are shown in Table 30. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates in this column are based upon the age-constitution of the female population of England and Wales as enumerated in 1901: they differ, therefore, from those in Table 13 and other tables.

TABLE 20.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes, to a Million Persons living, in Successive Quinquennia, 1871-1905.

CAUSES OF DEATH.	5 Years 1871-75.	5 Years 1876-80.	5 Years 1881-85.	5 Years 1886-90.	5 Years 1891-95.	5 Years 1896-1900.	5 Years 1901-05.
All Causes	21962·4	20791·0	19403·0	18894·6	18718·0	17685·4	16004·6
Small-pox	410·8	78·4	78·0	13·6	20·0	6·6	25·4
Measles.. ..	373·2	384·8	413·0	468·4	407·2	421·0	325·8
Scarlet Fever	758·6	679·6	435·8	240·6	182·2	134·6	125·8
Typhus	81·4	34·2	22·8	6·6	3·8	1·4	1·4
Pyrexia* (Origin uncertain).	140·2	69·2	34·2	16·6	8·0	4·2	2·4
Enteric Fever.. ..	373·8	277·2	216·0	179·2	173·6	174·8	112·6
Whooping-cough ..	498·6	527·0	458·6	443·6	397·8	358·6	300·4
Diphtheria	120·8	121·8	156·2	169·6	252·6	272·4	204·2
Croup	184·2	154·2	163·4	125·8	70·0	34·2	16·8
Diarrhoea, Dysentery, and Cholera.	1031·0	852·8	672·0	681·0	652·0	818·6	677·8
Malaria	8·4	7·8	11·4	6·4	4·0	3·2	2·6
Rabies, Hydrophobia	2·0	1·8	1·2	0·6	0·2	0·0	0·0
Venereal Diseases ..	92·6	95·6	93·4	83·6	79·8	69·0	56·2
Puerperal Septic Diseases and Child- birth.	194·2	142·0	165·0	142·6	167·8	137·6	120·0
Pneumonia	1025·4	999·4	1001·8	1130·6	1251·4	1202·6	1270·8
Erysipelas	105·6	80·8	82·8	54·2	47·8	35·2	35·8
Phthisis	2218·0	2039·8	1830·4	1635·4	1462·2	1322·6	1215·2
Alcoholism	37·6	42·4	48·2	56·0	67·8	85·8	78·2
Rheumatic Fever, Rheum. of Heart.	127·2	62·0	97·6	89·2	88·0	82·8	76·6
Chronic Rheumatism		77·0	34·8	33·0	31·6	28·6	16·0
Cancer	445·6	493·6	547·6	631·6	711·4	800·2	864·0
Diabetes Mellitus ..	35·8	40·4	51·4	62·4	69·2	81·0	89·2
Premature Birth ..	446·8	472·8	475·2	507·2	561·8	574·2	569·4
Congenital Defects ..	71·0	89·0	89·6	85·4	89·8	89·6	135·4
Epilepsy	115·4	114·8	111·8	106·6	94·4	85·6	88·2
Heart and Blood Vessels Diseases.	?	2474·6	2383·0	2581·2	2504·0	2417·0	2296·4
Bronchitis	2220·8	2377·4	2153·6	2136·0	2074·2	1563·0	1237·0
Cirrhosis of Liver ..	71·9	109·6	119·6	122·2	120·0	134·6	121·2
Acute Nephritis, Uræmia, Bright's Disease, Albumin- uria.	183·2	248·6	288·8	318·2	340·2	367·6	378·6
Old Age	1206·8	1072·2	1015·0	975·8	929·2	928·2	927·4

* Called Simple Continued Fever previous to 1901.

TABLE 21.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1889-1908.—Persons.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
ALL CAUSES		513353	562248	557925	559684	569958	498827	568997	562727	541487	552141	581799	587830	551585	535538	514628	549784	520031	531281	524221	520456
Small-pox { Vaccinated Not Vaccinated Doubtful	4 2 17	4 — 12	3 17 29	55 106 270	150 253 1054	153 176 491	33 61 129	45 118 378	6 5 14	107 59 87	4 5 165	7 17 61	141 111 104	821 791 852	123 174 463	75 124 308	23 20 73	— — 20	2 2 6	— — 12
Cow-pox and other effects of Vaccination	83	95	91	123	127	108	86	151	103	116	124	25	17	123	26	106	93	106	120	93
Chicken-pox	14732	12614	12673	13553	11110	11757	11491	17618	12711	13220	9998	12710	9019	12930	9150	12306	11076	9444	12625	8011
Measles (Morbili)	148	77	51	78	45	52	30	56	44	37	37	37	58	31	39	35	38	25	47	22
German Measles	6698	6974	4959	5618	6982	5032	4532	5476	4577	3548	3722	3844	4339	4875	4158	3770	3834	3475	3220	2827
Scarlet Fever	137	151	137	85	137	115	58	71	49	47	29	29	11	2	69	37	38	9	24	13
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	55	4523	16886	15737	9689	8625	12880	3753	6088	10405	12417	16245	5666	7366	6322	5694	6953	6310	9257	10112
Whooping-cough	12225	13756	13612	13406	10176	12354	9594	13266	11431	10175	10129	11467	10205	9805	9522	11909	8709	8313	10255	9851
Mumps	79	78	77	84	77	61	54	77	85	59	72	94	90	93	86	108	98	110	118	113
Diphtheria	5368	5150	5036	6552	9466	8774	7895	8993	7654	7661	9295	9345	8898	7802	6077	5763	5456	6108	5732	5569
Cerebro-spinal Fever	23	38	31	29	13	23	23	11	10	11	21	9	59	60	68	81	127	71	161	116
Pyæriæ (origin uncertain)	413	361	325	244	265	203	203	157	120	136	113	113	101	93	76	67	53	29	39	26
Enteric Fever	5011	5146	4875	4037	6801	4781	5326	5125	4851	5708	6304	5591	5071	4149	3347	3153	3052	3169	2344	2651
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery	18764	17837	13962	15336	29721	10763	27392	17388	27051	30096	30971	23463	11864	8884	10357	12362	8534	11762	5138	7728
Tetanus	50	39	47	45	32	28	30	28	26	29	24	66	311	254	310	298	216	296	233	246
Malaria	158	146	133	110	120	88	109	106	118	91	94	109	57	201	257	257	248	254	226	180
Rabies, Hydrophobia	30	8	7	6	6	13	20	8	6	2	—	—	—	112	69	106	79	70	68	56
Glanders	8	3	4	5	6	2	3	1	6	4	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	7	4	3	6	7	10	13	9	18	18	5	2	4	5	8	4	6	1	4	7
Syphilis	2053	2056	1964	2041	2154	2011	2099	1832	1879	1801	1793	1842	1721	1693	1820	1834	1811	1718	1658	1702
Gonorrhoea§	275	276	343	306	303	322	331	352	379	335	344	367	356	31	25	37	34	44	35	35

* For deaths at groups of ages from these causes in 1908, see pp. 294-311.

† Called Food, Ptomaine-Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

§ Includes deaths from Stricture of the Urethra previous to 1902. See also note to Other Diseases of Urinary System, p. 32.

† Called Simple Continued Fever previous to 1901.

TABLE 22.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1839-1908.—Persons.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
ALL CAUSES		18221	19547	20213	18971	19151	16570	18685	17053	17379	17518	18249	18228	16909	16230	15418	16239	15227	15378	15001	14683
Small-pox { Vaccinated Not Vaccinated Doubtful		0	0	0	2	5	5	1	1	0	3	0	0	0	4	25	4	2	1	—	—
Cow-pox and other effects of Vaccination		1	—	1	4	9	16	2	4	0	2	0	1	3	24	5	4	4	1	0	—
Chicken-pox		2	1	1	9	35	2	4	12	0	3	5	0	3	26	14	9	2	1	0	—
Measles (Morbilli)		3	3	3	4	4	4	3	5	3	4	4	4	4	1	4	3	3	3	0	0
German Measles		518	439	436	459	373	391	377	570	408	419	314	394	276	392	274	363	324	273	361	226
Scarlet Fever		5	3	2	3	2	2	1	2	1	1	1	1	2	1	1	1	1	1	1	1
Typhus		235	242	170	190	235	167	149	177	147	113	117	119	133	148	125	111	112	101	92	80
Plague		5	5	5	3	—	—	—	2	2	1	1	1	1	2	2	1	1	0	1	0
Relapsing Fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza		0	0	0	0	0	0	0	0	0	0	—	—	0	0	—	0	0	0	0	0
Whooping-cough		2	157	574	533	325	220	423	122	195	330	389	504	174	223	189	168	204	183	265	285
Mumps		430	478	468	454	342	410	315	429	367	323	318	356	313	297	285	352	255	241	293	278
Diphtheria		3	3	3	3	318	291	2	2	3	2	2	3	3	3	3	3	3	3	3	3
Cerebro-spinal Fever		189	179	173	222	3	2	259	291	246	243	292	290	273	236	182	170	160	177	164	157
Pyrexia* (origin uncertain)		1	1	1	1	0	1	1	0	0	0	1	0	2	2	2	2	4	2	1	3
Enteric Fever		15	13	11	8	9	7	5	5	4	4	4	4	3	3	2	2	2	1	1	1
		176	179	168	137	229	159	175	166	156	181	198	173	155	126	100	93	89	92	67	75
Asiatic Cholera		p	p	p	p	p	p	p	p	p	p	p	p	—	—	—	—	—	—	—	—
Diarrhoea due to Food*		0	0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	6	9	6	8
Infective Enteritis, Epidemic Diarrhoea		660	620	480	520	999	358	900	563	868	955	971	728	364	149	232	502	339	527	145	287
Diarrhoea (not otherwise defined)		660	620	480	520	999	358	900	563	868	955	971	728	364	149	232	502	339	527	145	287
Dysentery		2	1	2	2	1	1	1	1	1	1	1	2	10	269	310	365	250	341	147	218
Typhoid		6	5	5	4	4	3	4	3	4	3	3	2	2	6	9	9	6	9	7	7
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid		1	1																		

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Persons.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
PuerperalSepticæmia,Puer.SepticIntoxication		1909	2016	2069	2439	3094	2257	1927	2123	1898	1767	1973	2017	{	1464	1258	1249	1307	1225	1056	1030
Puerperal Pyæmia		?	?	?	?	?	?	?	?	?	?	?	?		54	38	38	51	63	111	92
Phlegmasia Alba Dolens		29071	40373	42799	36891	38247	32577	35609	35405	34835	35462	39845	44300	{		17425	19445	18805	17276	21317	19034
Puerperal Fever (not otherwise defined)		?	?	?	?	?	?	?	?	?	?	?	?	{		7	—	4	6	214	190
Infective Endocarditis*		{		389	402	425	460	473	521
Lobar	{		3208	3891	4887	4991	5385	4818
Broncho-		{		18908	19445	18805	17276	21317	19034
Epidemic		{		10	—	4	6	214	190
Not defined		{		20067	20036	20671	19552	20259	17923
Erysipelas		1209	1375	1263	1474	1921	1353	1099	1101	1014	970	1227	1227	{		1280	1206	1255	1206	1033	836
Septicæmia, SepticIntoxication(notPuerperal)		471	532	478	529	669	567	521	573	577	508	655	735	{		351	364	403	442	442	416
Pyæmia (not Puerperal)		394	485	470	545	606	488	518	554	586	563	640	693	{		233	157	210	194	162	144
Phlegmon, Carbuncle (not Anthrax)		50	42	54	52	78	44	66	36	53	45	38	43	{		791	713	778	836	773	697
Phagedæna		?	?	?	?	?	?	?	?	?	?	?	?	{		32	26	52	24	29	31
Other Infective Processes		{		212	169	198	221	213	198
PulmonaryTuberculosis(TuberculousPhthisis)		44738	48366	46515	43323	43632	41641	42490	40251	41642	41335	42408	42987	{		10480	16386	16942	18384	19368	20192
Phthisis (not otherwise defined)		{		30191	25465	22008	21362	20471	19307
Tuberculous Meningitis		6647	6889	7180	6891	6725	6345	6746	6475	6606	6681	6449	6395	{		5961	6389	6083	6104	5885	5868
Tuberculous Peritonitis		7645	7632	7301	7135	7867	5763	7339	6044	6255	6357	6294	5976	{		2957	3915	3603	3857	3532	3783
Tuberculosis Mesenterica		{		2346	1898	1397	1238	969	994
Lupus		70	69	78	78	57	62	68	66	54	53	61	54	{		72	66	80	84	78	56
Tubercle of other Organs		{		1146	1662	1648	1809	1709	1624
General Tuberculosis		5205	5443	5911	5866	5518	5552	6084	5521	5438	5766	5508	5944	{		4071	4315	3921	3954	4061	4231
Scrofula		{		342	109	77	49	28	25
Parasitic Diseases		707	702	658	617	577	455	530	438	393	403	389	365	{		277	309	245	304	241	246
Starvation		41	52	71	61	71	53	50	33	41	46	43	41	{		18	30	21	26	21	15
Scurvy		22	21	20	20	18	23	34	20	34	26	34	44	{		31	44	48	51	41	50
Alcoholism, Delirium Tremens		1566	2037	2055	1971	2174	1842	2045	2188	2397	2464	2871	3638	{		3131	2358	2211	2281	2201	1937

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 28.)

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Persons.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
PuerperalSepticæmia,Puer.SepticIntoxication																					
Puerperal Pyæmia		67	70	71	83	104	75	63	69	61	56	62	63		46	44	38	37	35	30	29
Phlegmasia Alba Dolens															1	2	1	1	2	3	3
Puerperal Fever (not otherwise defined)															15	12	8	8	7	6	5
Infective Endocarditis*																					
Lobar																					
Broncho-																					
Epidemic																					
Not defined																					
Pneumonia		1022	1404	1471	1250	1285	1082	1169	1146	1118	1125	1250	1374		460	504	522	574	500	610	537
Erysipelas		43	48	43	50	65	45	36	36	33	31	38	38		615	738	602	592	566	580	506
Septicæmia,SepticIntoxication(notPuerperal)															35	39	32	36	35	30	24
Pyæmia (not Puerperal)		17	18	16	18	22	19	17	19	19	16	21	23		8	11	11	11	13	13	12
Phlegmon, Carbuncle (not Anthrax)		14	17	16	18	20	16	17	18	19	18	20	21		5	7	6	5	6	5	4
Phagedæna		2	1	2	2	3	1	2	1	2	1	1	1		22	24	21	21	24	22	20
Other Infective Processes															1	1	1	1	1	1	1
															6	3	4	4	6	6	6
PulmonaryTuberculosis(TuberculousPhthisis)		1573	1682	1599	1468	1466	1383	1395	1303	1336	1311	1330	1333		232	318	415	484	532	554	570
Phthisis (not otherwise defined)															1032	915	788	752	618	586	545
Tuberculous Meningitis		234	240	247	227	226	211	222	210	212	212	202	198		183	181	194	188	177	168	165
Tuberculous Peritonitis		269	265	251	242	264	191	243	196	201	202	197	185		90	90	105	116	112	101	107
Tabes Mesenterica															98	71	62	56	36	28	28
Lupus		2	2	3	3	2	2	2	2	2	2	2	2		2	2	2	2	2	2	2
Tubercle of other Organs															35	36	44	49	52	49	46
General Tuberculosis		183	189	203	199	185	184	200	179	175	183	173	184		125	123	128	127	114	116	119
Scrophula															10	5	4	3	1	1	1
Parasitic Diseases		25	24	23	21	19	15	17	14	13	13	12	11		11	8	9	9	9	7	7
Starvation		1	2	2	2	2	2	2	1	1	1	1	1		1	1	1	1	1	1	0
Scurvy		1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1
Alcoholism, Delirium Tremens		55	70	71	67	73	61	67	71	77	78	90	113		96	84	76	70	66	63	55

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Persons.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Opium, Morphia-habit Industrial Poisoning:— By Lead " Phosphorus " Arsenic and other Metals	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	..	113	116	131	123	133	131	142	125	127	133	103	114	101	83	90	87	78	74	92	105
	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Rheumatic Fever, Acute Rheumatism	2258	2418	2547	2523	3085	2646	2257	2677	2527	2415	2647	2787	{ 2170	2146	1812	1788	2121	2219	2024	1805
Rheumatism of Heart	897	938	1067	1029	878	799	888	850	914	905	923	894	615	629	570	586	354	333	415	363
Chronic Rheumatism	?	?	?	?	?	?	?	?	?	?	?	?	790	506	462	488	437	392	440	444
Rheumatoid Arthritis, Rheumatic Gout	545	604	653	600	619	565	606	579	570	522	559	504	848	811	883	944	898	951	981	960
Gout	?	?	?	?	?	?	?	?	?	?	?	?	521	489	466	500	415	461	450	416
Carcinoma*	18654	19433	20117	20353	21135	21422	22945	{ 1485	?	?	?	?	12693	13540	14813	15532	16079	17165	17610	18383
Sarcoma	?	?	?	?	?	?	?	23521	1485	1551	1706	1611	1676	1690	1789	1753	1787	1895	1847	1896
Cancer, Malignant Dis. (not otherwise defined)*	..	?	?	?	?	?	?	?	22958	22958	23645	24619	25110	13118	12642	12487	12397	12355	12608	12288	12438
Rickets	960	1124	1244	1321	1245	1230	1617	1233	1427	1396	1335	1293	1384	1369	1650	1822	1398	1377	1259	1189
Purpura	375	294	378	316	361	369	361	334	340	374	332	320	{ 302	298	305	293	260	250	302	293
Hæmophilia, Hæmorrhagic Diathesis	1432	1389	1558	1549	1524	1620	1883	1840	1849	1824	1866	1872	79	88	80	86	87	84	103	81
Anæmia, Leucocythæmia	1754	1863	1930	2011	2082	2037	2265	2286	2426	2585	2718	2767	1911	1842	1793	1843	1930	2050	2190	2175
Diabetes Mellitus	?	?	?	?	?	?	?	?	?	?	?	?	2904	2769	2844	3133	3174	3342	3360	3610
Premature Birth	14439	15208	16451	16577	17263	15837	17508	17384	17779	18352	18548	18479	18564	18909	19081	19627	18871	19061	18219	18671
Congenital Hydrocephalus	2396	2382	2511	2656	2723	2785	2720	2710	2793	2750	2883	2992	4078	399	464	417	364	377	329	379
Other Congenital Defects†	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Injury at Birth	51	83	50	73	128	120	134	178	166	162	333	448	603	651	689	772	709	866	816	942
Atelectasis	745	757	922	939	986	969	1079	1235	1075	1147	1199	1225	1184	1255	1312	1327	1444	1458	1553	1597
Want of Breast Milk	269	232	260	273	347	231	258	295	320	318	332	459	545	574	717	694	661	761	756	778
Teething	4366	4542	4661	4242	4057	3553	4193	3721	3728	3542	3396	3601	3268	3208	3265	2975	2343	2175	2088	1983

* For the years 1897-1900 deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."
† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.
‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Persons.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Opium, Morphia-habit	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Industrial Poisoning :—	..	4	4	5	4	4	4	5	4	4	4	3	4	3	3	3	3	2	2	3	3
By Lead..	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
" Phosphorus	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
" Arsonic and other Metals	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Rheumatic Fever, Acute Rheumatism	..	79	84	88	86	104	88	74	87	81	77	83	86	67	65	54	53	62	64	58	51
Rheumatism of Heart
Chronic Rheumatism	..	32	33	37	35	30	27	29	28	29	29	29	28	24	15	14	14	13	11	13	13
Rheumatoid Arthritis, Rheumatic Gout	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Gout	19	21	22	20	21	19	20	19	18	17	18	16	16	15	14	15	12	13	13	12
Carcinoma*
Sarcoma
Cancer, Malignant Dis. (not otherwise defined)*	..	656	676	692	690	710	712	753	762	737	750	772	779	402	383	374	366	362	365	352	351
Rickets	..	34	39	43	45	42	41	53	40	46	44	42	40	42	41	49	54	41	40	36	34
Purpura
Hæmophilia, Hæmorrhagic Diathesis	..	13	10	13	11	12	12	12	11	11	12	10	10	9	9	9	9	8	7	9	8
Anæmia, Leucocythæmia	..	50	48	54	53	51	54	62	60	59	58	59	58	59	56	54	54	57	59	63	61
Diabetes Mellitus	..	62	65	66	68	70	68	74	74	78	82	85	86	91	84	85	93	93	97	96	102
Premature Birth...	..	508	529	566	562	580	526	575	563	571	582	582	573	569	573	572	580	553	552	521	527
Congenital Hydrocephalus*
Other Congenital Defects*	..	84	83	86	90	92	92	89	87	90	87	91	93	125	120	124	127	111	111	9	11
Injury at Birth	..	2	3	2	2	4	4	4	6	5	5	10	14	18	20	21	23	21	25	23	27
Atelectasis	26	26	32	32	33	32	35	40	35	36	38	38	36	38	39	39	42	42	44	45
Want of Breast Milk	..	9	8	9	9	12	8	8	10	10	10	10	14	17	17	21	20	19	22	22	22
Teething	153	158	160	144	136	118	138	120	120	112	107	112	100	97	98	88	69	63	60	56

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Persons.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Meningitis, Inflammation of Brain	8561	9030	8455	7882	8108	8893	7561	7284	7429	7556	7555	7636	7073	6572	6341	6301	6034	5997	5429	5516
Softening of Brain	3299	3464	3275	3123	3023	2609	2748	2550	2489	2583	2546	2261	2161	2070	2174	2286	2182	2229	2279	2330
General Paralysis of Insane
Insanity (not Puerperal)
Chorea
Epilepsy
Convulsions
Laryngismus Stridulus
Locomotor Ataxy
Paraplegia, Diseases of Cord
Neuritis, Peripheral, Poly-Neuritis
Brain Tumour (not Specific)
Other Diseases of Nervous System
Otitis, Mastoid Disease
Epistaxis, Diseases of Nose
Ophthalmia, Diseases of Eye
Valvular Disease, Endocarditis (not Infective)*	7662	8356	9238	8772	9130	9315	10072	10220	10644	11059	12118	12882	12494	13003	13415	14557	14847	15470	16326	16363
Pericarditis	431	636	668	908	662	607	527	550	554	535	604	623	636	438	422	416	455	429	481	432
Hypertrophy of Heart
Angina Pectoris
Dilatation of Heart
Fatty Degeneration of Heart
Syncope, Heart Disease (not specified)†
Cerebral Hemorrhage, Cerebral Embolism,†	24423	25583	23412	25069	24497	22584	24527	23638	24371	24275	25249	25214	10734	12016	13396	14275	14763	14781	16543	17420
Apoplexy, Hemiplegia
Aneurysms
Senile Gangrene
Embolism, Thrombosis (not Cerebral)‡
Phlebitis
Varicose Veins
Other Diseases of Blood Vessel†

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 24.)
† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)." See also note to Hemorrhage on p. 34.
‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."
§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Persons.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Meningitis, Inflammation of Brain	301	314	291	265	272	229	248	236	238	240	237	217	199	190	186	177	174	155	156
Softening of Brain	116	120	113	106	102	87	90	83	80	82	70	66	63	65	67	64	65	65	66
General Paralysis of Insane	97	93	96	91	99	100	119	109	119	114	130	70	68	64	70	67	68	67	63
Insanity (not Puerperal)	3	4	5	4	4	4	4	4	5	5	5	6	5	4	4	4	4	4	4
Chorea	102	106	105	95	94	85	93	84	81	84	93	88	91	91	86	85	81	80	76
Epilepsy	756	749	764	701	701	602	673	594	590	576	574	542	502	453	434	379	363	331	325
Convulsions	24	23	28	24	20	16	20	17	16	16	14	14	13	13	12	12	9	10	10
Laryngismus Stridulus	67	70	74	69	68	69	75	67	71	71	75	13	15	15	15	16	16	17	16
Locomotor Ataxy	144	125	127	115	124	104	113	101	95	92	73	4	11	12	12	11	13	14	11
Paraplegia, Diseases of Cord												12	18	19	20	20	22	22	21
Neuritis, Peripheral, Poly-Neuritis												130	115	100	108	90	89	80	73
Brain Tumour (not Specific)																			
Other Diseases of Nervous System																			
Otitis, Mastoid Disease	18	20	19	21	26	24	27	27	29	28	32	29	28	30	31	33	33	32	29
Epistaxis, Diseases of Nose	3	3	3	3	3	3	2	3	3	3	2	2	2	2	2	2	2	2	2
Ophthalmia, Diseases of Eye	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
Valvular Disease, Endocarditis (not Infective)*	269	290	318	297	307	309	331	331	342	351	399	383	394	402	430	435	448	467	462
Pericarditis	15	22	23	21	22	20	17	18	18	17	19	19	13	13	12	13	12	14	12
Hypertrophy of Heart	11	10	12	10	9	7	8	7	6	7	7	6	8	7	7	7	7	6	8
Angina Pectoris	24	23	25	22	21	21	23	23	23	20	23	21	22	21	22	25	26	27	26
Dilatation of Heart																			
Fatty Degeneration of Heart																			
Syncope, Heart Disease (not specified)*	1220	1290	1323	1213	1151	1082	1184	1070	1104	1088	1128	922	880	823	841	780	761	772	733
Cerebral Hæmorrhage, Cerebral Embolism*	859	890	908	850	823	750	805	765	782	770	782	329	364	401	422	432	457	473	491
Apoplexy, Hemiplegia	29	29	26	27	29	28	28	27	28	28	27	404	357	305	293	256	256	245	230
Aneurysm*	50	50	54	48	42	43	44	38	41	40	45	43	30	31	32	32	32	33	30
Senile Gangrene	39	37	38	36	40	38	43	44	43	44	53	18	42	40	41	41	41	41	41
Embolism, Thrombosis (not Cerebral)*	5	5	6	6	6	4	4	5	5	5	6	5	4	5	4	4	4	4	13
Phlebitis																			
Varicose Veins	4	3	4	4	4	3	3	3	3	3	4	3	3	3	4	3	3	3	4
Other Diseases of Blood Vessels*	p	p	p	p	p	p	p	p	p	p	p	38	40	39	49	54	65	72	72

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Persons.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Laryngitis	1438	1556	1402	1400	1651	1392	1372	1428	1284	1189	1323	1384	{ 1409	1336	1104	1133	1067	1062	1112	966
Membranous Laryngitis (not Diphtheritic)	3241	3145	2638	2235	2102	1742	1647	1578	1099	863	1006	842	32	37	24	42	41	40	29	31
Croup (not Spasmodic nor Membranous)	181	172	137	166	154	133	126	139	132	126	124	136	831	609	443	475	465	460	371	320
Other Diseases of Larynx and Trachea..	55674	67104	75425	66858	56686	49356	59901	47417	46839	46821	51206	54580	62	36	44	46	57	61	43	38
Bronchitis	44535	43645	37131	42188	38915	35714	42204	38702
Emphysema, Asthma	2236	2554	3054	2882	2324	2150	2617	2130	2242	2354	2819	2615	2343	1586	1302	1615	1562	1533	1722	1670
Pleurisy	1321	1891	2005	1710	1837	1471	1537	1536	1493	1498	1645	1872	1655	1358	1299	1239	1369	1259	1322	1242
Fibroid Disease of Lung	4204	4847	5306	4629	4246	3691	4339	3857	3814	3553	3868	3816	{ 656	684	613	591	557	529	656	579
Other Diseases of Respiratory System	{ 3273	3084	2811	2918	2816	2699	2513	2607
Tonsillitis, Quinsy	1212	1184	1153	1095	1388	1080	1215	1116	1015	1079	1075	1130	{ 456	416	377	399	391	373	391	363
Dis. of Mouth, Pharynx, Oesophagus(not Spec.)*	609	580	429	589	558	555	514	512
Gastric Ulcer	3898	4261	4280	4318	4953	4563	5227	5086	5314	5545	5902	6626	{ 1542	1681	1667	1749	1747	1745	1775	1713
Gastritis, Gastric Catarrh	466	322	340	347	328	338	377	367	337	365	345	370	{ 5515	4742	4636	4498	3989	546	3267	3463
Other Diseases of Stomach (not Malignant)	{ 5806	4188	4494	525	497	618	557	508
Ulceration of Intestines†	4555	5165	5179	5633	8654	5946	10600	9756	13267	16214	19253	13078	{ 4106	2188	2682	3346	3964	5000	3637	4444
Enteritis (not Epidemic)†	1315	1220	1256	1294	1395	1217	1312	1249	1304	1325	1479	1387	{ 1244	1485	1729	1887	2728	3887	2450	3495
Gastro-enteritis	2682	2553	2684	2475	2683	2610	2791	2654	2794	2745	2816	2624	{ 1369	1513	1414	1491	1946	2144	1969	2136
Appendicitis, Perityphlitis	{ 2647	2445	2574	2510	2577	2645	2563	2653
Hernia	{ 208	291	289	245	258	238	268	269
Intestinal Obstruction	2374	2502	2594	2294	2575	2092	2172	2064	1975	1985	1994	1896	{ 1532	1115	1004	966	843	845	597	713
Other Diseases of Intestines§	3431	3563	3641	3609	3584	3473	3591	3782	4134	4146	4532	4639	{ 4308	4066	3916	3971	4008	3861	3903	3671
Peritonitis (not Puerperal)	5165	4915	4734	4339	4434	3919	3971	3832	3587	3527	3519	3402	{ 2867	2484	2316	2177	2085	2151	2021	1894
Cirrhosis of Liver	1479	1528	1462	1412	1547	1372	1032	953	975	815	664	639	{ 603	434	508	511	398	295	382	427
Other Diseases of Liver and Gall Bladder
Other Diseases of Digestive System*§

* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."

† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."

‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 22 (cont).—ENGLAND AND WALES—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Persons.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Laryngitis	51	54	48	47	55	46	45	46	41	38	41	43	{	40	33	33	31	31	32	27
Membranous Laryngitis (not Diphtheritic)														1	1	1	1	1	1	1
Croup (not Spasmodic nor Membranous)	114	109	91	76	71	51	54	51	35	27	32	26	25	18	13	14	14	13	11	9
Other Diseases of Larynx and Trachea	6	6	5	6	5	5	4	5	4	4	4	4	2	1	1	1	2	2	1	1
Bronchitis	1957	2333	2593	2266	1905	1535	1967	1535	1503	1479	1606	1692	1365	1323	1112	1246	1139	1034	1208	1092
Emphysema, Asthma	79	89	105	98	78	69	86	69	72	75	88	81	72	48	39	48	46	44	49	47
Pleurisy	46	66	69	58	62	50	50	50	48	48	52	58	51	41	39	37	40	36	38	35
Fibroid Disease of Lung	148	169	182	157	143	125	142	125	122	113	121	118	{	21	18	17	16	15	19	16
Other Diseases of Respiratory System													100	93	84	86	82	78	72	74
Tonsillitis, Quinsy																				
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*	43	41	40	37	47	36	40	36	33	34	34	35	{	13	11	12	11	11	11	10
Gastric Ulcer														18	13	17	16	16	15	14
Gastritis, Gastric Catarrh	135	148	147	146	166	165	172	165	171	176	185	205	{	51	50	52	51	51	51	48
Other Diseases of Stomach (not Malignant)														144	139	132	117	{	93	98
Ulceration of Intestines*	16	11	12	12	11	12	12	12	11	12	11	11	{	127	135	{	15	18	21	21
Enteritis (not Epidemic)*														178	135	16	116	145	105	125
Gastro-enteritis														126	80	134	80	113	70	99
Appendicitis, Perityphlitis	160	180	178	191	291	316	348	316	426	514	604	406	{	66	52	99	57	62	56	60
Hernia*														38	42	56	45	45	44	40
Intestinal Obstruction	46	42	43	44	47	40	43	40	42	42	46	43	42	46	42	44	45	45	44	40
Other Diseases of Intestines*	94	89	92	84	90	86	92	86	90	87	88	81	81	74	77	74	75	77	73	75
Peritonitis (not Puerperal)													6	9	9	7	8	7	8	8
Cirrhosis of Liver	83	87	89	78	87	67	71	67	63	63	63	59	47	34	30	28	25	24	20	20
Other Diseases of Liver	121	124	125	122	120	118	118	122	133	132	142	144	132	123	117	117	117	112	112	104
Other Diseases of Liver and Gall Bladder	181	170	163	147	149	124	130	124	115	112	110	105	88	75	69	64	61	62	58	53
Other Diseases of Digestive System*	52	54	50	48	52	31	34	31	31	26	21	20	18	13	15	15	12	9	11	12

* See note to Table 21.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Persons.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Diseases of Spleen	5	3	3	3	3	2	2	2	2	2	2	1	2	2	1	1	2	2	1	1
Other Diseases of Lymphatic System	8	8	8	10	9	9	9	9	9	10	10	10	11	11	11	10	11	12	11	11
Diseases of Thyroid Body*	5	6	6	6	8	6	7	7	8	9	10	10	14	13	13	14	14	14	15	15
Diseases of Supra Renal Capsules	5	6	5	5	5	5	6	6	6	6	6	6	5	5	6	6	6	7	5	6
Acute Nephritis, Uræmia	69	78	84	83	85	80	84	83	89	89	92	95	93	91	88	92	92	95	98	104
Chronic Bright's Disease, Albuminuria	248	254	259	250	255	250	271	260	271	264	289	306	297	279	284	295	282	292	299	284
Calculus (not Biliary)	8	9	8	8	8	8	8	7	9	9	8	8	7	8	7	8	7	8	8	7
Diseases of Bladder and of Prostate	75	72	75	73	71	67	75	71	70	75	73	72	72	74	75	74	72	76	70	71
Other Diseases of Urinary System*	39	38	41	35	32	25	25	22	25	23	22	13	12	18	17	17	19	18	17	17
Ovarian Tumour (not Malignant)	18	17	18	17	17	14	16	15	15	15	14	13	{	11	11	10	11	11	10	8
Other Diseases of Ovary
Uterine Tumour (not Malignant)
Other Diseases of Uterus and Vagina
Disorders of Menstruation
Other Diseases of Gener. & Mamm. Organs
Abortion, Miscarriage	3	6	8	9	5	5	6	7	6	6	6	7	5	4	5	4	4	4	3	2
Puerperal Mania	3	3	4	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Puerperal Convulsions	11	10	13	11	13	12	11	12	10	10	11	12	12	12	12	12	14	13	13	12
Placenta Prævia, Flooding	26	24	27	27	27	26	23	23	21	22	22	19	21	19	20	17	18	18	17	16
Other Accidents of Pregnancy and Childbirth	16	34	42	44	48	38	33	35	32	35	33	36	31	28	27	25	25	25	24	24
Caries, Necrosis	38	35	35	33	32	31	29	28	28	28	25	24	23	21	20	16	15	13	11	10
Arthritis, Peritonitis	7	9	9	9	10	9	9	9	9	9	9	9	6	7	6	7	7	6	7	7
Other Diseases of Locomotor System	39	35	31	23	18	16	17	14	13	13	12	9	11	9	9	8	9	11	7	7
Ulcer, Bed-sore	19	19	18	19	19	19	19	16	18	18	17	17	15	12	12	13	13	13	14	12
Eczema	14	14	15	14	15	13	13	12	12	12	13	12	11	11	10	10	9	9	8	8
Pemphigus	4	4	4	4	5	4	5	5	5	5	5	6	5	4	6	6	8	7	6	7
Other Diseases of the Skin	7	7	6	7	7	7	8	8	6	6	7	9	7	7	6	6	7	6	7	6

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES—Deaths from Various Causes at All Ages, 1889-1908.—Persons.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
OTHER SPECIFIED DISEASES.*		559	641	726	726	730	663	815	819	871	936	1086	1176	—	5	3	2	2	—	—	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.		21311	21434	21934	21303	22929	18281	22568	19745	20113	20355	20411	20372	19800	17708	17512	17546	16010	15900	14607	14920
Atrophy, Debility	26639	28102	29417	27866	26528	24517	29842	26168	28618	28698	31477	31776	30243	30351	30090	32303	31459	33208	32918	32895
Old Age	496	513	458	401	385	324	348	303	278	324	360	348	223	171	164	121	121	82	125	75
Dropsy, Ascites, Anasarca	140	153	135	151	119	126	135	79	121	82	81	73	83	82	86	89	80	68	93	84
Tumour	573	568	533	562	553	441	413	405	403	372	357	346	332	329	332	290	235	272	293	378
Abscess	125	145	123	127	161	157	135	131	107	108	114	118	28	56	43	35	36	32	35	35
Hæmorrhage†	377	437	394	402	348	285	301	317	204	199	212	244	175	177	142	45	30	24	19	15
Sudden Death (cause unascertained)	2652	2816	2694	2330	1922	1764	1990	1760	1931	1701	1621	1736	360	704	819	777	854	787	712	679
Other ill-defined causes	1108	592	267	243	201	156	177	138
Causes not specified
VIOLENT DEATHS.		14577	15762	16197	15801	16405	15433	16880	16122	16736	16342	17697	16919	1017	979	941	981	1113	1077	1084	1147
In Mines and Quarries	2690	2533	2469	2440	2424	2510	2546	2487
Vehicles and Horses	334	267	297	286	283	270	247	278
Ships, Boats, and Docks (not Drowning)	185	205	210	203	233	233	243	227
Building Operations	216	263	258	250	219	238	245	227
Machinery	149	118	114	127	112	114	91	101
Weapons and Implements	2754	2479	2287	2383	2485	2606	2610	2650
Burns and Scalds	515	495	458	520	510	539	545	550
Poisons, Poisonous Vapours	2764	2261	2516	2411	2502	2434	2255	2463
Drowning	1964	2039	1938	2084	1882	1877	1903	1826
Suffocation	2810	2676	2549	2538	2386	2562	2730	2630
Falls	437	237	197	284	231	304	154	234
Weather Agencies	1477	1244	1210	1220	1190	1154	1131	1204
Otherwise, or not stated
Battle	290	286	315	300	337	298	315	301	291	307	291	278	4	6	2	—	3	1	2	1
Homicide	2170	2205	2483	2583	2599	2729	2797	2656	2792	2877	2844	2896	336	297	295	327	302	284	265	311
Suicide	12	16	14	16	16	18	10	20	7	10	15	14	15	22	3511	3345	3545	3452	3533	3778
Execution	25	18	17	8	10	12

* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Persons.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
OTHER SPECIFIED DISEASES.*		20	22	25	25	25	22	27	27	28	30	34	36	—	0	0	0	0	—	—	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility ..</i>	..	749	745	754	722	770	607	741	639	646	646	640	632	607	537	525	518	469	460	418	421
<i>Old Age ..</i>	..	935	978	1007	942	892	817	988	846	918	910	984	983	931	923	902	959	922	957	945	926
<i>Dropsy, Ascites, Anasarca ..</i>	..	17	17	16	14	13	11	11	10	9	10	11	11	7	5	5	4	4	2	4	2
<i>Tumour ..</i>	..	5	5	5	5	4	4	4	3	4	3	3	2	3	2	3	3	2	2	3	2
<i>Abscess ..</i>	..	20	20	18	19	19	15	14	13	13	12	11	11	10	10	10	9	7	8	8	11
<i>Hæmorrhage* ..</i>	..	4	5	4	4	5	5	4	4	3	3	4	4	1	2	1	1	1	1	1	1
<i>Sudden Death (cause unascertained) ..</i>	..	13	15	13	14	12	9	10	10	7	6	7	8	5	5	4	1	1	1	1	0
<i>Other ill-defined causes ..</i>	..	93	97	93	79	65	59	65	57	62	54	{ 2	2	11	21	25	23	25	23	20	19
<i>Causes not specified ..</i>	..										51		54	34	18	8	7	6	5	5	4
VIOLENT DEATHS.																					
<i>In Mines and Quarries..</i>	..																				
<i>Vehicles and Horses ..</i>	..																				
<i>Ships, Boats, and Docks (not Drowning)</i>	..																				
<i>Building Operations ..</i>	..																				
<i>Machinery ..</i>	..																				
<i>Weapons and Implements ..</i>	..																				
<i>Burns and Scalds ..</i>	..																				
<i>Poisons, Poisonous Vapours ..</i>	..																				
<i>Drowning ..</i>	..																				
<i>Suffocation ..</i>	..																				
<i>Falls ..</i>	..																				
<i>Weather Agencies ..</i>	..																				
<i>Otherwise, or not stated ..</i>	..																				
<i>Battle ..</i>	..																				
<i>Homicide..</i>	..																				
<i>Suicide ..</i>	..																				
<i>Execution ..</i>	..																				
		513	548	556	535	551	512	554	522	537	518	554	525	{ 31 82		28	29	33	31	31	32
														{ 82 77		74	72	71	73	73	70
														{ 10 6		9	8	8	8	7	8
														{ 6 7		6	6	7	7	6	6
														{ 7 5		8	7	7	7	7	3
														{ 84 16		3	4	3	3	3	3
														{ 15 15		69	70	73	75	75	75
														{ 69 62		14	15	16	16	16	16
														{ 85 86		75	71	73	65	69	69
														{ 60 13		59	62	55	54	52	52
														{ 86 45		76	75	70	78	74	74
														{ 13 45		6	8	9	4	7	7
														{ 38 0		36	36	35	32	34	34
<i>Battle ..</i>	..																				
<i>Homicide..</i>	..																				
<i>Suicide ..</i>	..																				
<i>Execution ..</i>	..																				
		10	10	11	10	11	10	10	10	9	10	9	9	10	9	9	10	9	8	8	9
		76	77	85	88	87	91	92	86	90	91	89	90	96	99	105	99	104	100	101	107
		0	1	0	1	1	1	0	1	0	0	0	0	0	1	1	1	0	0	0	0

* See note to Table 21.

TABLE 24.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
ALL CAUSES		19290	20833	21465	20017	20251	17560	19719	18099	18584	18623	19419	19480	18108	17378	16506	17309	16216	16431	15952	15697
Small-pox { Vaccinated Not Vaccinated		0	0	0	2	7	5	2	2	0	4	0	0	5	33	6	3	1	—	0	—
Doubtful		1	—	1	4	10	6	2	4	0	2	0	0	4	25	7	5	0	0	0	—
Cow-pox and other effects of Vaccination		2	1	1	12	45	21	13	13	1	3	6	3	3	32	18	11	3	1	0	0
Chicken-pox		3	4	4	5	5	5	3	6	4	4	5	4	4	4	4	3	3	4	4	3
Measles (Morbilli)		559	467	462	483	400	419	397	602	433	445	330	417	302	416	292	386	341	284	390	242
German Measles		6	3	2	3	1	2	1	2	1	1	1	1	2	1	1	1	1	1	1	1
Scarlet Fever		243	250	177	196	238	168	152	184	152	119	121	125	139	155	131	116	116	107	97	82
Typhus		6	6	5	3	5	4	2	2	2	2	1	1	1	2	2	1	1	0	1	0
Plague		—	—	—	—	—	—	—	—	—	—	—	0	1	0	—	0	0	—	—	0
Relapsing Fever		0	0	0	0	0	0	0	0	0	0	—	0	0	0	—	—	0	0	—	0
Influenza		2	173	612	537	334	222	419	128	205	329	395	493	185	228	190	170	205	187	263	283
Whooping-cough		408	442	429	420	313	381	290	392	347	295	300	331	290	280	269	321	240	223	267	253
Mumps		4	3	3	3	3	2	2	3	3	2	3	3	3	3	3	3	3	3	3	3
Diphtheria		177	177	168	221	323	288	261	297	250	244	289	296	277	235	183	173	159	176	165	159
Cerebro-spinal Fever		1	2	1	1	1	0	1	0	0	0	1	1	2	3	2	3	4	2	6	4
Pyrexia* (origin uncertain)		13	12	10	8	9	7	5	5	3	5	3	3	3	3	2	2	1	1	1	1
Enteric Fever		188	199	185	154	251	185	195	196	178	210	231	210	185	150	120	112	106	110	81	94
Asiatic Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food*		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea...		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhoea*		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		77	75	74	78	83	73	76	66	69	66	63	63	61	59	61	62	61	56	56	55
		20	20	24	21	20	22	22	23	24	21	22	23	22	1	1	2	1	1	1	1

* See note on Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Males.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Puerperal Septicæmia, Puer. Septic Intoxication	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis*	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
{ Lobar	16643	24138	25332	21231	22103	18605	20327	20330	20163	20134	23044	26147	{ 173	190	180	203	208	230	212	251
{ Broncho-	{ 1437	2184	2017	2345	2982	3117	3341	3030
{ Epidemic	{ 8022	9974	9269	10345	10022	9057	11237	10270
Pneumonia	{ 54	7	3	—	3	4	2	3
{ Not defined	{ 12110	14361	11706	11529	12061	11448	11833	10368
Erysipelas	595	707	644	767	1025	706	564	570	501	516	624	646	{ 607	683	561	622	646	642	541	443
Septicæmia, Septic Intoxication (not Puerperal)	290	320	289	303	387	357	316	379	367	302	412	463	{ 152	205	196	204	221	235	273	251
Pyæmia (not Puerperal)	238	282	297	328	343	303	302	305	353	331	387	403	{ 113	142	140	101	135	113	93	84
Phlegmon, Carbuncle (not Anthrax)	20	25	28	24	35	20	34	20	16	25	17	16	{ 410	453	412	456	468	511	471	436
Phagedæna	?	?	?	?	?	?	?	?	?	?	?	?	{ 24	18	19	14	27	11	19	10
Other Infective Processes	?	?	?	?	?	?	?	?	?	?	?	?	{ 99	36	55	78	104	130	136	131
Pulmonary Tuberculosis (Tuberculous Phthisis)	23711	26049	25090	23223	23600	22755	23027	22166	23046	23037	23906	24491	{ 4333	6237	8293	9701	9981	10804	11299	11756
{ Phthisis (not otherwise defined)	{ 19121	16954	14729	14149	12245	11841	11348	10667
Tuberculous Meningitis	3650	3823	3992	3734	3663	3385	3691	3483	3522	3608	3452	3412	{ 3134	3084	3406	3359	3187	3117	3090	3057
Tuberculous Peritonitis	4025	4113	3897	3753	4116	3005	3910	3198	3355	3344	3335	3164	{ 1475	1477	1788	1994	1798	1925	1787	1924
Tabes Mesenterica	23	29	18	25	19	24	14	21	16	16	19	19	{ 1764	1311	1150	1064	784	660	531	554
Lupus	{ 666	663	842	28	935	22	28	18
Tubercle of other Organs	2725	2870	3123	3025	2926	2993	3294	2984	2939	3109	2959	3249	{ 2187	2116	2173	2253	2015	1022	957	978
General Tuberculosis	{ 177	70	65	47	37	2033	2117	2209
Scrofula	25	9	19
Parasitic Diseases	368	370	356	307	277	233	272	236	198	200	209	188	175	142	165	164	143	176	139	130
Starvation	27	29	39	35	37	28	24	19	25	23	28	24	11	16	19	17	17	14	15	11
Scurvy	12	14	10	13	14	12	20	9	20	17	23	18	15	15	22	21	21	26	21	25
Alcoholism, Delirium Tremens	998	1308	1327	1231	1334	1109	1237	1364	1460	1500	1735	2063	1778	1673	1475	1396	1297	1341	1328	1112

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 42.)

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Puerperal Septicæmia, Puer. Septic Intoxication Puerperal Pyæmia Phlegmasia Alba Dolens Puerperal Fever (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis* { Lobar { Broncho- Pneumonia { Epidemic { Not defined Erysipelas Septicæmia, Septic Intoxication (not Puerperal) Pyæmia (not Puerperal) Phlegmon, Carbuncle (not Anthrax) Phagedæna Other Infective Processes		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pulmonary Tuberculosis (Tuberculous Phthisis) Phthisis (not otherwise defined) Tuberculous Meningitis Tuberculous Peritonitis Tuberculous Lupus Tubercle of other Organs General Tuberculosis Scrofula		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starvation Scurvy Alcoholism, Delirium Tremens		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Males.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Opium, Morphia-habit	?	?	?	?	?	?	?	?	?	?	?	?	3	3	9	6	4	5	5	3
Industrial Poisoning :—																				
By Lead	90	86	105	102	105	102	115	101	102	112	91	105	96	80	88	83	76	70	89	102
" Phosphorus	?	?	?	?	?	?	?	?	?	?	?	?	—	1	—	—	—	—	1	—
" Arsenic and other Metals	?	?	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	2	1	1
Rheumatic Fever, Acute Rheumatism	1132	1215	1278	1306	1546	1280	1102	1317	1266	1195	1302	1430	{ 1108	1091	875	894	1016	1090	967	871
<i>Rheumatism of Heart</i>	415	377	494	454	408	359	368	348	395	405	405	392	302	278	239	240	158	137	181	156
Chronic Rheumatism	?	?	?	?	?	?	?	?	?	?	?	?	335	198	205	222	165	146	172	195
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	438	479	521	487	482	428	494	461	462	421	428	383	290	289	273	275	253	259	299	245
Gout													416	386	364	405	326	366	362	333
Carcinoma*													4746	5071	5743	6128	6423	6963	6895	7476
Sarcoma	6891	7137	7294	7547	7908	8077	8628	9216	{ 773	802	883	790	846	843	929	893	949	987	1034	1054
Cancer, Malignant Dis. (not otherwise defined)*									{ 8800	9130	9454	9685	5299	5184	5127	5065	5098	5307	5270	5371
Rickets	532	653	714	728	710	713	950	689	797	803	750	730	820	780	987	1076	791	778	707	697
Purpura	199	155	211	172	190	188	191	177	164	186	177	168	{ 148	140	150	129	130	110	145	148
Hæmophilia, Hæmorrhagic Diathesis	531	471	558	583	533	629	668	691	699	717	705	758	{ 49	59	49	59	47	46	57	57
Anæmia, Leucocythæmia	980	1076	1082	1142	1169	1166	1262	1243	1303	1437	1448	1455	768	792	761	786	840	894	1004	968
Diabetes Mellitus													1565	1462	1409	1612	1708	1736	1738	1842
Premature Birth.. .. .	8109	8489	9125	9344	9673	8990	9858	9739	10020	10393	10400	10316	10445	10661	10804	11097	10422	10767	10206	10553
Congenital Hydrocephalus†	1294	1308	1368	1412	1469	1540	1422	1459	1522	1550	1564	1604	2253	252	270	252	245	211	179	223
Other Congenital Defects†														2277	2327	2391	2493	2579	2547	2661
Injury at Birth	28	49	29	42	76	68	76	94	93	85	196	254	382	389	413	464	418	521	485	585
Atelectasis	445	434	547	544	593	562	599	717	616	662	701	726	695	769	750	753	690	856	915	916
Want of Breast Milk	149	137	144	149	185	135	136	167	178	175	180	246	317	326	414	383	379	439	434	447
Teething	2410	2462	2554	2351	2197	1959	2313	1976	2072	1904	1845	1979	1750	1775	1802	1593	1288	1201	1169	1078

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901, and subsequent years.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Opium, Morphia-habit Industrial Poisoning :— By Lead " Phosphorus " Arsenic and other Metals	..	p	p	p	p	p	p	p	p	p	p	p	p	o	o	1	o	o	o	o	o
	..	7	6	7	7	7	7	8	7	6	7	p	p	6	5	5	5	5	4	5	6
	..	p	p	p	p	p	p	p	p	p	p	p	p	—	o	—	—	—	—	o	—
	..	p	p	p	p	p	p	p	p	p	p	p	p	o	o	o	o	o	o	o	o
Rheumatic Fever, Acute Rheumatism	..	82	87	91	91	107	88	75	88	84	78	84	92	{	68	54	55	62	65	57	51
Rheumatism of Heart	..	30	27	35	32	28	25	25	23	26	27	26	25	21	17	15	15	10	8	11	9
Chronic Rheumatism	..	p	p	p	p	p	p	p	p	p	p	p	p	18	18	17	14	10	9	11	11
Rheumatoid Arthritis, Rheumatic Gout	..	32	34	37	34	33	29	34	31	31	28	28	25	26	24	23	25	20	22	18	15
Gout	19
Carcinoma*
Sarcoma	..	500	512	518	528	549	554	585	617	{	51	57	51	301	318	356	375	389	417	408	437
Cancer, Malignant Dis.(not otherwise defined)*	584	599	613	621	336	325	318	310	309	318	312	314
Rickets	..	39	47	51	51	49	49	64	46	53	53	49	47	52	49	61	66	48	47	42	41
Purpura	..	14	11	15	12	13	13	13	12	11	12	11	11	9	9	9	8	8	7	9	9
Hæmophilia, Hæmorrhagic Diathesis	3	4	3	4	3	3	3	3
Angæmia, Leucocythæmia	..	38	34	40	41	38	43	45	46	46	47	46	49	49	50	47	48	51	54	59	57
Diabetes Mellitus	..	71	77	77	80	81	80	86	83	86	94	94	93	99	92	87	99	104	104	103	108
Premature Birth	..	588	609	648	654	671	617	668	651	665	682	674	661	662	668	670	678	632	645	605	616
Congenital Hydrocephalus*	..	94	94	97	99	102	105	96	98	101	101	102	103	143	{	17	15	15	13	11	13
Other Congenital Defects*	143	144	146	151	155	151	155
Injury at Birth	..	2	4	2	3	5	5	5	6	6	6	13	16	24	24	24	28	25	31	29	34
Atelectasis	..	32	31	39	38	41	39	41	48	41	43	45	47	44	48	46	46	50	51	54	54
Want of Breast Milk	..	11	10	10	10	13	9	9	11	12	11	12	16	20	20	26	23	23	26	26	26
Teething	..	175	177	181	165	152	134	157	132	137	125	120	127	111	111	112	97	78	72	69	63

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Males.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Meningitis, Inflammation of Brain	4579	4962	4574	4172	4265	3594	4020	3900	4026	4035	4176	4105	3792	3528	3378	3404	3233	3301	2880	3016
Softening of Brain	1804	1909	1757	1730	1624	1417	1460	1372	1309	1345	1358	1189	1129	1118	1165	1209	1094	1156	1158	1183
General Paralysis of Insane	{	1738	1584	1802	1738	1772	1775	1713
Insanity (not Puerperal)	2364	2278	2435	2528	607	781	715	866	888	952	960	941
Chorea	25	26	36	32	39	30	35	40	33	38	40	43	57	55	41	33	36	37	38	41
Epilepsy	1494	1553	1563	1458	1446	1302	1439	1308	1336	1347	1371	1546	1533	1593	1598	1557	1496	1482	1458	1382
Convulsions	12197	12091	12726	11705	11579	10245	11536	10234	10445	10304	10044	10388	9863	9427	8649	8419	7377	7101	6545	6588
Laryngismus Stridulus	441	411	515	450	351	310	362	312	319	330	281	261	286	266	248	220	222	180	191	231
Locomotor Ataxy	1096	1142	1227	1195	1196	1230	1320	1221	1291	1293	1472	1472	{	1096	1139	1205	1115	1113	1030	1110
Paraplegia, Diseases of Cord	{	1288	1139	1205	1115	1113	1030	1110
Neuritis, Peripheral, Poly-Neuritis	{	46	112	125	103	128	140	132
Brain Tumour (not Specific)	2225	1883	1913	1746	1876	1580	1704	1608	1525	1435	1460	1176	{	324	352	330	357	383	383	371
Other Diseases of Nervous System	{	1924	1631	1797	1516	1568	1382	1291
Otitis, Mastoid Disease	305	336	316	349	447	389	494	456	511	486	496	589	491	483	564	618	624	648	601	578
Epistaxis, Diseases of Nose	39	43	47	50	50	44	35	51	48	42	44	37	42	49	36	49	41	41	27	38
Ophthalmia, Diseases of Eye	42	37	21	32	38	33	39	30	42	32	29	48	45	36	42	27	29	38	26	23
Valvular Disease, Endocarditis (not Infective)*	3584	3851	4232	3991	4243	4400	4659	4759	5078	5122	5639	5937	5724	6052	6164	6683	6816	7176	7454	7611
Pericarditis	255	362	363	346	379	355	279	296	349	318	332	369	337	231	219	226	230	237	273	237
Hypertrophy of Heart	161	153	193	172	145	120	137	126	113	104	140	138	121	164	155	149	137	152	149	181
Angina Pectoris	422	420	455	424	402	403	448	449	481	419	452	481	450	480	463	504	532	576	612	617
Dilatation of Heart	{	1276	1294	1430	1478	1551	1742	1670
Fatty Degeneration of Heart	{	960	950	990	1037	1045	1124	1133
Syncope, Heart Disease (not specified)†	16262	17450	17767	16857	15992	15404	16649	15584	16320	16109	17221	17204	14151	13803	13140	13315	12461	12639	12911	12469
Cerebral Haemorrhage, Cerebral Embolism†	11213	11869	12115	11459	11247	10335	11234	10752	11171	11083	11414	11629	{	5521	5954	6487	6344	7107	7403	7891
Apoplexy, Hemiplegia	629	659	565	630	657	660	654	642	688	707	723	697	6037	5349	4606	4375	3980	3949	3847	3696
Aneurysms	813	793	851	805	708	681	730	618	881	677	690	750	748	842	854	869	898	882	941	867
Senile Gangrene	420	418	495	426	471	452	548	544	527	548	603	693	257	717	710	746	788	788	783	801
Embolism, Thrombosis (not Cerebral)‡	231	185	174	171	187	231	192
Phlebitis	56	60	65	65	71	49	51	67	58	58	63	87	61	48	60	57	59	45	46	40
Varicose Veins	33	35	35	32	33	35	28	31	32	33	31	39	35	30	28	44	32	24	33	20
Other Diseases of Blood Vesselst	?	?	?	?	?	?	?	?	?	?	?	?	776	817	798	1057	1167	1372	1530	1604

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 38.)

† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Haemorrhage on p. 48.

‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."

§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Meningitis, Inflammation of Brain	332	356	325	292	296	247	273	261	267	265	271	263	240	221	209	208	196	198	171	176
Softening of Brain	131	137	125	121	113	97	99	92	87	88	88	76	72	70	72	73	66	69	69	69
General Paralysis of Insane	126	117	119	115	122	130	155	143	150	149	158	162	110	105	98	110	105	105	105	100
Insanity (not Puerperal)	2	2	3	2	3	2	2	3	2	2	3	3	4	3	3	2	2	2	2	2
Chorea	108	111	111	102	100	89	98	87	89	88	89	99	97	100	99	95	91	89	86	81
Epilepsy	884	867	903	819	803	703	783	685	693	676	651	666	625	591	530	515	447	425	388	384
Convulsions	32	29	37	31	24	21	25	21	21	22	18	17	18	17	15	13	13	11	11	13
Laryngismus Stridulus	79	82	87	84	83	84	90	82	86	85	95	94	80	69	26	25	27	28	27	28
Locomotor Ataxy	161	135	136	122	130	108	116	108	101	94	95	75	13	20	7	8	6	8	8	8
Paraplegia, Diseases of Cord													140	121	101	110	92	94	82	75
Neuritis, Peripheral, Poly-Neuritis																				
Brain Tumour (not Specific)																				
Other Diseases of Nervous System																				
Otitis, Mastoid Disease	22	24	22	24	31	27	34	31	34	32	32	38	31	30	35	38	38	39	36	34
Epistaxis, Diseases of Nose	3	3	3	3	3	3	2	3	3	3	3	2	3	3	2	3	2	2	2	2
Ophthalmia, Diseases of Eye	3	3	1	2	3	2	3	2	3	2	2	3	3	2	3	2	2	2	2	1
Valvular Disease, Endocarditis (not Infective)*	260	276	300	279	294	302	316	318	337	336	366	381	363	379	382	408	413	430	442	445
Pericarditis	18	26	26	24	26	24	19	20	23	21	22	24	21	14	14	14	14	14	16	14
Hypertrophy of Heart	12	11	14	12	10	8	9	8	7	7	9	9	8	10	10	9	8	9	9	11
Angina Pectoris	31	30	32	30	28	28	30	30	32	27	29	31	29	30	29	31	32	35	36	36
Dilatation of Heart													65	80	80	87	90	93	103	98
Fatty Degeneration of Heart													55	60	59	61	63	63	67	66
Syncope, Heart Disease (not specified)*	1179	1252	1261	1180	1110	1057	1129	1042	1082	1056	1117	1103	897	865	814	814	755	757	765	728
Cerebral Hæmorrhage, Cerebral Embolism*	813	852	860	802	780	709	762	719	741	727	740	746	307	346	369	396	403	420	439	461
Apoplexy, Hemiplegia													383	335	285	267	241	237	228	216
Aneurysm*	46	47	40	44	46	45	44	43	46	46	47	45	49	53	53	53	54	53	56	51
Senile Gangrene	59	57	60	56	49	47	50	41	45	44	45	48	47	45	44	46	47	47	46	47
Embolism, Thrombosis (not Cerebral)*	31	30	35	30	33	31	37	36	35	36	39	44	16	14	11	11	10	11	14	11
Phlebitis	4	4	5	5	5	3	3	4	4	4	4	6	4	3	4	4	4	3	3	2
Varicose Veins	2	3	2	2	2	2	2	2	2	2	2	3	2	2	2	3	2	1	2	1
Other Diseases of Blood Vessels*	p	p	p	p	p	p	p	p	p	p	p	p	49	51	49	65	71	82	91	94

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Males.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Laryngitis	774	838	765	766	884	758	742	803	694	752	732	732	{	690	613	624	579	578	633	512
Membranous Laryngitis (not Diphtheritic)	..	1728	1760	1392	1217	1153	939	891	834	598	553	465	465	19	21	13	25	260	259	18	15
Croup (not Spasmodic nor Membranous)	..	111	102	80	102	87	79	59	79	72	77	82	82	37	17	20	29	28	40	167	167
Other Diseases of Larynx and Trachea	27850	33686	37802	33071	27735	24656	29274	23569	23306	25095	26717	26717	21812	21341	18481	20578	18961	17429	20423	18859
Bronchitis	21812	21341	18481	20578	18961	17429	20423	18859
Emphysema, Asthma	1360	1507	1752	1672	1406	1263	1553	1287	1385	1628	1569	1569	1380	914	782	957	906	920	1041	985
Pleurisy	793	1158	1213	1033	1101	879	880	918	905	983	1136	1136	958	758	747	696	827	738	733	709
Fibroid Disease of Lung	2251	2660	2880	2490	2311	2028	2401	2108	2144	2191	2149	2149	476	507	467	413	411	408	490	415
Other Diseases of Respiratory System	{	1627	1520	1548	1465	1417	1297	1345
Tonsillitis, Quinsy	..	614	582	566	556	725	560	620	579	505	548	602	602	232	227	216	208	191	207	206	200
Dis. of Mouth, Pharynx, Oesophagus (not Spec.)*	..	1792	1892	1899	1872	2219	2015	2284	2200	2415	2537	2930	2930	323	324	227	306	273	279	254	236
Gastric Ulcer	220	150	172	175	163	168	178	199	183	181	171	171	475	514	529	552	613	667	655	674
Gastritis, Gastric Catarrh	2328	2587	2653	2906	4592	3111	5639	5091	7032	8483	7017	7017	{	2293	2254	2151	1928	1664	1592	1630
Other Diseases of Stomach (not Malignant)	..	639	582	599	608	676	621	626	586	627	617	677	677	3109	2188	2367	306	276	266	269	269
Ulceration of Intestines†	..	1301	1291	1331	1215	1339	1291	1378	1333	1425	1381	1287	1287	2192	1179	1397	1806	1478	2640	1910	2332
Enteritis (not Epidemic)†	..	1118	1162	1163	1089	1181	966	1060	1020	992	984	905	905	736	901	1016	1124	1096	1287	1337	1877
Gastro-enteritis	1301	1291	1331	1215	1339	1291	1378	1333	1425	1381	1287	1287	736	901	1016	1124	1096	1287	1337	1877
Appendicitis, Perityphlitis	..	1118	1162	1163	1089	1181	966	1060	1020	992	984	905	905	736	901	1016	1124	1096	1287	1337	1877
Hernia‡	..	1301	1291	1331	1215	1339	1291	1378	1333	1425	1381	1287	1287	736	901	1016	1124	1096	1287	1337	1877
Intestinal Obstruction	1118	1162	1163	1089	1181	966	1060	1020	992	984	905	905	736	901	1016	1124	1096	1287	1337	1877
Other Diseases of Intestines§	..	1301	1291	1331	1215	1339	1291	1378	1333	1425	1381	1287	1287	736	901	1016	1124	1096	1287	1337	1877
Peritonitis (not Puerperal)	1118	1162	1163	1089	1181	966	1060	1020	992	984	905	905	736	901	1016	1124	1096	1287	1337	1877
Cirrhosis of Liver	1926	2002	2089	2029	2007	1983	1962	2092	2283	2318	2527	2527	2375	2296	2196	2207	2166	2117	2070	2060
Other Diseases of Liver and Gall Bladder	..	2436	2341	2299	2071	2159	1826	1871	1786	1701	1664	1599	1599	1335	1110	984	906	866	882	850	746
Other Diseases of Digestive System*§	..	764	812	773	763	817	719	575	497	492	386	324	333	316	198	263	272	189	151	186	210

* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."
† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."
‡ Since 1902 Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Laryngitis .. <i>Membranous Laryngitis</i> (not Diphtheritic) <i>Croup</i> (not Spasmodic nor Membranous) Other Diseases of Larynx and Trachea .. Bronchitis	56	60	54	54	61	52	50	54	46	44	49	47	{ 46	43	38	38	35	35	38	30
	..	125	126	99	85	80	64	60	56	40	31	36	30	28	22	15	2	1	16	1	1
	..	8	7	6	7	6	5	4	5	5	5	5	5	2	1	1	2	2	2	1	10
	..	2019	2416	2682	2314	1924	1691	1986	1577	1546	1506	1627	1713	1383	1338	1146	1258	1149	1044	1210	1102
	..	99	108	124	117	98	87	105	86	92	91	106	101	87	57	48	58	55	55	62	58
Emphysema, Asthma	57	83	86	72	76	60	60	61	60	56	64	73	61	48	46	43	50	44	43	41
Pleurisy	163	191	204	174	160	139	163	141	142	128	142	138	{ 30	32	29	25	25	24	29	24
Fibroid Disease of Lung													{ 108	102	94	95	89	85	77	79
Other Diseases of Respiratory System																				
Tonsillitis, Quinsy Dis. of Mouth, Pharynx, Esophagus (not Spec.)* Gastric Ulcer .. Gastritis, <i>Gastric Catarrh</i> .. Other Diseases of Stomach (not Malignant) Ulceration of Intestines* .. Enteritis (not Epidemic)* .. <i>Gastro-enteritis</i> .. Appendicitis, Perityphlitis .. Hernia* .. Intestinal Obstruction .. Other Diseases of Intestines* .. <i>Peritonitis</i> (not Puerperal) .. Cirrhosis of Liver .. Other Diseases of Liver and Gall Bladder .. Other Diseases of Digestive System*	44	42	40	39	50	38	42	39	33	38	36	39	{ 15	14	13	12	12	12	12	
	..	130	136	135	131	154	138	155	147	160	163	165	188	{ 30	20	20	14	19	17	15	14
	..	16	11	12	12	11	12	12	13	12	13	12	11	{ 169	144	139	132	117	{ 100	94	39
	..	169	186	188	204	319	213	383	341	467	556	654	450	{ 197	137	147	{ 147	125	158	17	16
	..	46	42	43	43	47	43	42	39	42	40	44	43	{ 139	74	87	110	90	125	21	27
	..	95	93	94	85	93	89	93	89	95	91	90	83	{ 47	56	63	69	66	77	69	72
	..	81	83	83	76	82	66	72	68	66	67	64	58	{ 40	44	40	41	43	44	42	38
	..	140	144	148	142	139	136	133	140	151	152	167	162	{ 7	10	10	8	8	80	78	76
	..	177	168	163	145	150	125	127	119	113	109	109	103	{ 46	32	28	27	23	23	18	20
	..	55	58	55	53	57	49	39	33	33	25	21	21	{ 151	144	136	135	131	127	123	120
	..													{ 85	70	61	55	52	53	50	44
	..													{ 20	12	16	17	11	9	11	12
	..																				
	..																				
	..																				
	..																				

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Males.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Diseases of Spleen	72	49	48	47	49	34	31	25	35	26	1555	1724	1746	1619	1567	1664	1680	1716	1844	1975
Other Diseases of Lymphatic System	126	145	146	167	149	166	179	166	168	211	4930	5374	5235	5013	5074	5465	5207	5498	5573	5374
Diseases of Thyroid Body*	26	32	31	34	24	29	30	34	40	40	188	174	185	182	156	176	177	187	198	161
Diseases of Supra Renal Capsules.. .. .	61	97	55	72	69	79	74	85	76	92	2111	2075	2131	2201	2268	2258	2237	2403	2203	2256
Acute Nephritis, Uræmia	1079	1215	1393	1411	1448	1318	1428	1356	1528	1547	4930	5374	5235	5013	5074	5465	5207	5498	5573	5374
Chronic Bright's Disease, Albuminuria	3854	4049	4067	3993	4126	4107	4379	4324	4451	4568	188	174	185	182	156	176	177	187	198	161
Calculus (not Biliary)	183	205	176	164	186	192	176	170	211	197	2111	2075	2131	2201	2268	2258	2237	2403	2203	2256
Diseases of Bladder and of Prostate	1892	1847	1951	1907	1881	1763	2044	1963	2116	1995	496	287	229	459	445	451	496	480	470	486
Other Diseases of Urinary System†	726	721	756	652	625	479	496	453	451	496										
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gener. & Mamm. Organs	88	96	93	95	114	90	100	78	93	91	85	102	77	67	48	73	53	62	48	41
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	623	600	555	576	518	531	498	470	527	448	445	434	418	408	364	305	283	262	205	198
Arthritis, Periostitis	126	140	137	150	149	163	167	151	171	153	162	175	107	137	119	133	133	111	139	164
Other Diseases of Locomotor System	615	554	497	327	264	246	246	217	203	170	189	146	185	149	155	162	178	205	149	147
Ulcer, Bed-sore	195	196	173	177	216	194	199	194	181	174	173	192	160	132	153	136	140	157	144	129
Eczema	226	240	249	230	255	238	217	217	226	220	201	221	194	218	211	192	190	195	164	169
Peniphigus	40	57	64	61	68	64	78	82	69	78	83	100	96	81	98	104	140	134	123	135
Other Diseases of the Skin	76	83	84	100	102	89	128	125	104	108	108	142	130	108	103	92	119	110	129	111

* Deaths from Cretinism and Myxœdema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.
† Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa, p. 36.

TABLE 24 (cont.) :—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Diseases of Spleen	5	4	3	3	3	2	2	2	2	2	2	2	2	2	1	1	1	2	1	1
Other Diseases of Lymphatic System	9	10	10	12	10	11	12	11	11	14	12	13	13	14	13	13	15	14	13	14
Diseases of Thyroid Body*	2	2	2	2	2	2	2	2	3	3	2	2	4	4	4	4	4	4	4	5
Diseases of Supra Renal Capsules	4	7	4	5	5	5	5	6	5	5	6	6	5	5	6	6	4	7	5	6
Acute Nephritis, Uremia	78	87	99	99	100	90	97	91	101	101	101	111	111	101	97	102	102	103	109	115
Chronic Bright's Disease, Albuminuria	279	290	289	279	286	282	297	289	295	300	320	345	332	314	315	334	316	330	330	314
Calculus (not Biliary)	13	15	12	11	13	13	12	11	14	13	12	11	12	11	10	11	11	11	12	9
Diseases of Bladder and of Prostate	137	132	138	133	131	121	139	131	140	131	137	133	135	138	141	138	136	144	131	132
Other Diseases of Urinary System*	53	52	54	46	43	33	34	30	30	33	30	18	15	29	28	28	30	29	28	28
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Genes, & Mamm. Organs	6	7	7	7	8	6	7	5	6	6	6	7	5	4	3	4	3	4	3	2
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	45	43	39	40	36	36	34	31	35	29	29	28	27	26	23	19	17	16	12	12
Arthritis, Periostitis	9	10	10	10	10	11	11	10	11	10	11	11	7	9	7	8	8	7	8	10
Other Diseases of Locomotor System	45	40	35	23	18	17	17	15	13	11	12	9	12	9	10	10	11	12	9	9
Ulcer, Bed-sore	14	14	12	12	15	13	13	13	12	11	11	12	10	8	10	8	8	9	9	8
Eczema	16	17	18	16	18	16	15	15	15	14	13	14	12	14	13	12	12	12	10	10
Scrophulous	3	4	5	4	5	4	5	5	5	5	5	6	6	5	6	6	8	8	7	8
Other Diseases of the Skin.... .. .	6	6	6	7	7	6	9	8	7	7	7	9	8	7	6	6	7	7	8	6

* See note to Table 23.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Males.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
OTHER SPECIFIED DISEASES.*	14	16	19	17	19	17	20	20	19	22	24	27	—	0	0	0	0	—	—	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.																				
<i>Atrophy, Debility</i>	841	820	857	820	874	686	852	732	735	739	733	730	703	620	607	597	551	533	494	494
<i>Old Age</i>	816	865	883	832	781	719	874	748	814	798	873	879	829	822	805	840	813	853	821	821
<i>Dropsy, Ascites, Anasarca</i>	13	13	13	10	10	9	8	2	7	9	9	8	5	5	4	3	3	2	4	2
<i>Tumour</i>	3	4	4	4	3	3	4	2	3	2	2	2	2	2	2	2	2	2	2	2
<i>Abscess</i>	19	19	19	19	19	14	15	14	14	12	11	11	11	11	11	10	8	8	9	12
<i>Hæmorrhage*</i>	5	6	6	5	6	7	5	6	5	4	5	4	1	2	2	1	1	1	1	1
<i>Sudden Death (cause unascertained)</i>	16	17	18	16	14	11	11	13	8	7	8	9	7	6	6	2	1	1	1	0
<i>Other ill-defined causes</i>	109	119	110	94	75	69	75	66	75	62	61	61	43	21	28	27	28	28	25	23
<i>Causes not specified</i>															9	9	8	6	7	5
VIOLENT DEATHS.																				
In Mines and Quarries.. .. .																				
Vehicles and Horses																				
Ships, Boats, and Docks (not Drowning)																				
Building Operations																				
Machinery																				
Weapons and Implements																				
Burns and Scalds																				
Poisons, Poisonous Vapours																				
Drowning																				
Suffocation																				
Falls																				
Weather Agencies																				
Otherwise, or not stated																				
Battle																				
Homicide																				
Suicide																				
Execution																				

* See note to Table 23.

TABLE 25.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1889-1908.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
ALL CAUSES		252251	271800	285431	273622	278069	242812	278293	256152	261276	268160	283327	284007	265967	258322	248338	266578	252430	257048	254962	251742
Small-pox { Vaccinated .. Not Vaccinated .. Doubtful	2	—	1	23	51	73	9	18	1	45	—	3	63	296	25	19	10	—	—	—
	..	1	—	9	47	113	92	28	56	2	24	24	10	50	390	65	48	13	—	—	—
Cow-pox and other effects of Vaccination	31	21	11	104	411	190	62	182	5	43	69	22	42	339	166	128	30	12	3	5
	..	46	40	22	53	25	42	44	19	15	17	11	14	11	11	15	11	15	17	3	9
Chicken-pox	7016	6098	38	6646	5339	5650	5633	8625	46	49	53	58	58	62	59	49	41	39	52	50
Measles (Morbili)	65	39	27	37	26	22	16	25	26	18	23	23	28	16	20	16	20	41	6047	3876
German Measles	3345	3493	2464	2819	3532	2580	2294	2727	2281	1740	1858	1893	2151	2406	2037	1875	1917	1682	1576	1426
Scarlet Fever	59	71	63	37	66	57	30	35	23	20	12	15	16	24	36	17	19	4	11	5
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever	2	1	7	—	7	5	3	—	1	2	—	—	3	4	—	2	2	—	—	1
Influenza	26	2108	8065	8064	4861	3392	6707	1841	3003	5395	6332	8562	2754	3724	3255	2912	3566	3186	4826	5270
Whooping-cough	6603	7590	7561	7401	5661	6807	5319	7407	6197	5680	5507	6310	5632	5331	5188	6649	4755	4596	5754	5512
Mumps	29	39	37	40	28	26	28	36	45	28	30	52	46	42	42	58	46	57	64	64
Diphtheria	2922	2681	2671	3396	4814	4576	4044	4557	3890	3937	4842	4733	4524	4061	3130	2938	2830	3175	2947	2840
Cerebro-spinal Fever	11	13	21	16	3	16	14	3	6	4	6	1	30	20	39	38	56	37	60	49
Epyretic (origin uncertain)	231	189	179	123	137	100	80	82	70	67	63	59	51	52	43	37	30	19	20	16
Enteric Fever	2413	2377	2272	1843	3190	2080	2456	2190	2170	2503	2743	2319	2146	1753	1418	1316	1302	1329	971	1034
Asiatic Cholera	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Diarrhoea due to Food†	8856	8500	6602	7220	14101	5124	12987	8177	12807	14334	14793	11096	5603	2264	3559	8003	5294	131	92	137
Infertile Enteritis, Epidemic Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	16	7	18	8	9	6	9	6	11	12	7	14	137	109	133	127	95	146	109	107
Malaria	66	58	53	32	56	25	35	28	16	23	12	17	10	50	70	65	60	54	50	41
Rabies, Hydrophobia	8	4	1	1	1	2	3	1	—	1	—	—	—	—	—	11	8	15	6	7
Glanders	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	1	1	2	1	—	3	—	—	2	—	5	—	—	—	2	—	1	—	—	—
Syphilis	984	1007	922	933	964	945	973	852	833	794	821	852	765	758	834	825	809	781	706	763
Gonorrhoea	2	4	10	7	12	6	10	9	11	9	10	13	6	11	13	12	16	20	19	25

* For deaths at groups of ages from these causes in 1908, *see* pp. 295-311.

† Called Simple Continued Fever previous to 1901.
‡ Called Food, Ptomaine-Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

TABLE 26.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
ALL CAUSES		17214	18338	19037	17989	18119	15638	17715	16072	16248	16483	17153	17055	15786	15155	14401	15238	14301	14395	14113	13736
Small-pox { Vaccinated		0	—	0	2	3	5	1	1	0	0	—	0	4	17	1	1	1	—	—	—
Not Vaccinated		0	—	1	3	7	6	2	4	0	0	0	1	3	23	4	3	1	—	—	—
Doubtful		0	0	1	7	27	12	4	11	0	0	4	1	2	20	10	7	2	1	0	0
Cow-pox and other effects of Vaccination		2	2	1	2	2	2	2	1	1	1	1	1	1	1	3	1	1	1	0	0
Chicken-pox		3	3	3	3	4	3	3	4	3	3	3	3	3	4	3	3	2	2	3	3
Measles (Morbilli)		479	411	411	437	348	364	359	541	384	396	298	373	252	369	258	343	309	263	335	211
German Measles		4	3	2	2	2	1	1	2	2	1	1	1	2	1	1	1	1	1	1	1
Scarlet Fever		228	236	164	185	231	166	146	171	142	107	113	114	128	141	118	107	109	94	87	78
Typhus		4	5	4	2	4	4	2	2	1	1	1	1	1	1	2	1	1	0	1	0
Plague		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever		—	0	0	—	0	—	0	—	—	—	—	—	0	0	—	0	0	—	—	—
Influenza		2	142	538	530	317	218	427	116	187	332	385	514	163	218	189	166	202	178	267	288
Whooping-cough		451	512	504	487	369	438	339	465	385	349	335	379	334	313	301	380	269	257	318	301
Mumps		2	3	2	3	2	2	2	2	3	2	2	3	3	2	2	3	3	3	4	3
Diphtheria		199	181	178	223	314	295	257	286	242	242	294	284	269	238	182	168	160	178	163	155
Cerebro-spinal Fever		1	1	1	1	0	1	1	0	0	0	0	0	2	1	2	2	3	2	3	3
Pyrexia* (origin uncertain)		16	13	12	8	9	6	5	5	4	4	4	4	3	3	2	2	2	1	1	1
Enteric Fever		165	160	152	121	208	134	156	137	135	154	167	139	127	103	82	75	74	74	54	56
Asiatic Cholera.		p	p	p	p	p	p	p	p	p	p	p	p	—	—	—	—	—	—	—	—
Diarrhoea due to Food*		0	0	0	0	0	1	1	1	1	1	2	2	2	3	2	3	6	7	5	7
Infective Enteritis, Epidemic Diarrhoea.		605	573	440	475	919	330	827	513	796	881	899	666	333	133	206	457	300	481	128	258
Diarrhoea (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus		1	0	1	1	1	0	1	0	1	1	0	1	1	3	4	4	3	8	6	6
Malaria		5	4	4	2	4	2	2	2	1	1	1	1	1	1	1	4	3	3	3	2
Rabies, Hydrophobia		1	0	0	0	0	0	0	0	—	—	—	—	—	—	—	—	—	—	—	—
Glanders		0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Syphilis		67	68	61	61	63	61	62	53	52	49	50	51	45	44	48	47	46	44	39	42
Gonorrhoea		0	0	1	0	1	0	1	1	1	1	1	1	0	1	1	1	1	1	1	1

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Females.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
PuerperalSepticæmia,Puer.SepticIntoxication																					
Puerperal Pyæmia		1909	2016	2069	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056	1030
Phlegmasia Alba Dolens																					
Puerperal Fever (not otherwise defined) ..																					
Infective Endocarditis*		?	?	?	?	?	?	?	?	?	?	?	?	?							
{ Lobar																					
{ Broncho-																					
Pneumonia { Epidemic		12428	16235	17467	15660	16144	13972	15282	15075	14672	15328	16801	18153	{ 6984 40 3 }	8634	8156	9100	8783	8219	10080	8764
{ Not defined																					
Erysipelas		614	668	619	707	896	647	535	531	513	454	603	581	7957	9977	8379	8507	8610	8104	8426	7555
Septicæmia,SepticIntoxication(not Puerperal) ..														{ 551 106 58 }	617	521	584	609	564	492	393
Pyæmia (not Puerperal)		181	212	189	226	282	210	205	194	210	206	243	272		146	166	160	182	204	169	165
Phlegmon, Carbuncle (not Anthrax)		156	203	173	217	263	185	216	249	233	232	253	290		338	289	257	310	81	69	60
Phagedæna		30	17	26	28	43	24	32	16	37	20	21	27		14	16	12	25	13	302	261
Other Infective Processes		?	?	?	?	?	?	?	?	?	?	?	?	113	75	114	52	94	91	77	67
PulmonaryTuberculosis(TuberculousPhthisis) ..		21027	22317	21425	20100	20032	18886	19463	18085	18596	18298	18502	18496	{ 3229 14541 }	4213	5545	6685	6961	7580	8069	8436
Phthisis (not otherwise defined)															13237	11565	11316	9763	9521	9123	8640
Tuberculous Meningitis		2997	3066	3188	2957	3062	2960	3055	2992	3084	3073	2997	2983	2820	2877	3070	3030	2896	2987	2795	2811
Tuberculous Peritonitis		3620	3519	3404	3382	3751	2758	3479	2846	2900	3013	2959	2812	{ 1458 1431 }	1480	1733	1921	1805	1932	1745	1859
Tubes Mesenterica															1035	912	834	613	578	438	440
Lupus		47	40	60	53	38	38	54	45	38	37	42	35	41	56	44	38	57	62	50	38
Tubercle of other Organs															480	626	705	713	787	752	646
General Tuberculosis		2480	2573	2788	2841	2592	2559	2790	2537	2499	2657	2549	2695	{ 1884 165 }	1932	2092	2062	1906	1921	1944	2022
Scrofula															93	56	62	40	24	19	6
Parasitic Diseases		339	332	302	310	300	222	258	202	195	203	180	177	173	135	149	145	102	128	102	116
Starvation		14	23	32	26	34	25	26	14	16	23	15	17	7	10	9	13	4	12	6	4
Scurvy		10	7	10	7	4	11	14	11	14	9	11	26	16	15	22	23	27	25	20	25
Alcoholism, Delirium Tremens		568	729	728	740	840	733	808	824	937	964	1136	1575	1353	1111	1075	962	914	940	873	825

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 56.)

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
PuerperalSepticæmia,Puer.SepticIntoxication																				
Puerperal Pyæmia	130	136	138	160	202	145	123	133	118	109	120	121	{		86	73	71	74	69	58
Phlegmasia Alba Dolens													2	3	2	2	3	3	4	6
Puerperal Fever (not otherwise defined)													4	6	5	5	6	6	5	5
													28	23	17	16	15	14	12	10
Infective Endocarditis*																				
Lobar													12	11	12	11	12	13	14	15
Broncho-													48	76	69	88	108	105	113	98
Epidemic													415	507	473	520	498	460	558	478
Pneumonia	848	1095	1165	1030	1052	900	973	946	912	942	1021	1090	2	0	0	—	0	0	0	0
Not defined													472	585	486	486	488	454	466	412
Erysipelas	42	45	41	46	58	42	34	33	32	28	37	35	33	30	30	33	35	32	27	21
Septicæmia,SepticIntoxication(notPuerperal)													6	9	10	9	10	11	9	9
Pyæmia (not Puerperal)	12	14	13	15	18	14	13	12	13	13	15	16	3	5	3	3	4	5	4	3
Phlegmon, Carbuncle (not Anthrax)	10	14	12	14	17	12	14	16	14	14	15	17	18	20	17	15	18	18	17	14
Phagedæna	2	1	2	2	3	2	2	1	2	1	1	2	1	1	1	1	1	1	1	1
Other Infective Processes													7	4	7	3	5	5	4	4
PulmonaryTuberculosis(TuberculousPhthisis)																				
Phthisis (not otherwise defined)	1435	1506	1429	1321	1305	1216	1239	1135	1156	1125	1124	1111	{		247	322	382	424	447	460
													192	777	671	647	553	533	505	471
Tuberculous Meningitis	205	207	213	194	200	191	194	188	192	189	182	179	167	168	179	174	164	167	155	154
Tuberculous Peritonitis	247	237	227	222	244	178	221	179	180	185	180	169	87	87	100	110	102	108	97	101
Tabes Mesenterica													85	61	53	48	35	32	24	24
Lupus	3	3	4	3	2	2	3	3	2	2	3	2	2	3	3	2	3	3	3	2
Tubercle of other Organs													28	30	30	40	40	44	42	35
General Tuberculosis	169	174	186	187	169	165	178	159	155	163	155	162	112	113	121	118	108	108	108	110
Scrofula													10	5	3	4	2	1	1	0
Parasitic Diseases	23	22	20	20	20	14	16	13	12	12	11	11	10	8	9	8	6	7	6	6
Starvation																				
Scurvy	1	2	2	2	2	2	2	1	1	1	1	1	0	1	1	1	0	1	0	0
Alcoholism, Delirium Tremens	39	50	49	49	55	47	51	52	58	59	69	95	80	65	62	55	52	53	48	45

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Opium, Morphia-habit	?	?	?	?	?	?	?	?	?	?	?	?	6	11	7	4	9	4	7	7
Industrial Poisoning:—																				
By Lead	23	30	26	21	28	29	27	24	25	21	12	9	5	3	2	4	2	4	3	3
" Phosphorus	?	?	?	?	?	?	?	?	?	?	?	?	—	1	—	1	—	—	—	—
" Arsenic and other Metals	?	?	?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—
Rheumatic Fever, Acute Rheumatism	1126	1203	1269	1217	1539	1366	1155	1360	1261	1220	1345	1357	1062	1055	937	894	1105	1129	1057	934
Rheumatism of Heart													{	351	331	346	196	196	234	207
Chronic Rheumatism	482	561	573	575	470	440	520	502	519	500	518	502	455	308	257	266	272	246	268	249
Rheumatoid Arthritis, Rheumatic Gout	?	?	?	?	?	?	?	?	?	?	?	?	558	522	610	669	645	692	682	715
Gout	107	125	132	113	137	137	112	118	108	101	131	121	105	103	102	95	89	95	88	83
Carcinoma*													7947	8469	9070	9404	9656	10202	10715	10907
Sarcoma	11763	12296	12823	12806	13227	13345	14317	14305	712	749	823	821	830	847	860	860	838	908	813	842
Cancer, Malignant Dis. (not otherwise defined)*									14158	14515	15165	15425	7819	7458	7360	7332	7257	7301	7018	7067
Rickets	428	471	530	593	535	517	667	544	630	593	585	563	564	589	663	746	607	599	552	492
Purpura	176	139	167	144	171	181	170	157	176	188	155	152	154	158	155	164	130	140	157	145
Hæmophilia, Hæmorrhagic Diathesis													{	29	31	27	40	38	46	24
Anæmia, Leucocythæmia	901	918	1000	966	971	991	1215	1149	1150	1107	1161	1114	1143	1050	1032	1057	1090	1156	1186	1207
Diabetes Mellitus	774	787	848	869	913	871	1003	1043	1123	1148	1270	1312	1399	1307	1435	1521	1466	1606	1622	1768
Premature Birth..	6330	6719	7326	7233	7590	6847	7650	7645	7759	7959	8148	8163	8119	8248	8277	8530	8449	8294	8013	8118
Congenital Hydrocephalus†														147	194	165	119	166	150	156
Other Congenital Defects†	1102	1074	1143	1244	1254	1245	1298	1251	1271	1200	1319	1388	1825	1682	1807	1923	1999	2084	1973	2075
Injury at Birth	23	34	21	31	52	52	58	84	73	77	137	194	221	262	276	308	291	345	331	357
Atelectasis	300	323	375	395	393	407	480	518	459	485	498	499	489	486	562	574	614	602	638	681
Want of Breast Milk	120	95	116	124	162	96	122	128	142	143	152	213	228	246	303	311	282	322	322	331
Teething	1956	2080	2107	1891	1860	1594	1880	1745	1656	1638	1551	1622	1518	1433	1463	1382	1055	974	919	905

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Opium, Morphia-habit
Industrial Poisoning:—
By Lead
" Phosphorus
" Arsenic and other Metals
Rheumatic Fever, Acute Rheumatism
Rheumatism of Heart
Chronic Rheumatism
Rheumatoid Arthritis, Rheumatic Gout
Gout
Carcinoma*
Sarcoma
Cancer, Malignant Dis. (not otherwise defined)*
Rickets
Purpura
Hæmophilia, Hæmorrhagic Diathesis
Anæmia, Leucocythæmia
Diabetes Mellitus
Premature Birth
Congenital Hydrocephalus*
Other Congenital Defects*
Injury at Birth
Atelactasis
Want of Breast Milk
Teething

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Meningitis, Inflammation of Brain ..	3982	4068	3881	3660	3843	3299	3541	3384	3403	3521	3379	3531	3291	3044	2963	2897	2801	2696	2549	2500
Softening of Brain ..	1495	1555	1518	1393	1399	1192	1288	1178	1180	1238	1188	1072	1032	952	1009	1057	1088	1073	1121	1147
General Paralysis of Insane	{	544	549	578	549	568	557	504
Insanity (not Puerperal) ..	1008	1036	1124	1040	1204	1131	1330	1242	1439	1304	1376	1654	752	945	938	1060	1181	1200	1249	1227
Chorea ..	70	80	98	77	88	92	91	84	111	113	132	125	134	105	106	90	115	118	117	91
Epilepsy ..	1421	1492	1491	1351	1365	1253	1387	1273	1192	1311	1375	1451	1350	1412	1454	1357	1402	1315	1342	1304
Convulsions ..	9308	9444	9496	8982	9277	7881	8948	8113	7939	7861	7975	8114	7825	7127	6463	6288	5556	5427	5017	4936
Laryngismus Stridulus ..	239	242	287	261	253	183	238	208	193	172	154	175	182	173	187	178	142	125	124	112
Locomotor Ataxy ..	803	859	912	842	839	850	949	849	915	957	944	940	68	74	84	103	102	99	123	106
Paraplegia, Diseases of Cord	1013	960	948	988	960	982	953	1008
Neuritis, Peripheral, Poly-Neuritis	86	223	304	291	323	335	335	264
Brain Tumour (not Specific) ..	1901	1714	1769	1650	1829	1542	1733	1500	1428	1460	1496	1166	187	274	266	334	341	361	370	366
Other Diseases of Nervous System	2026	1882	1716	1850	1551	1511	1430	1286
Otitis, Mastoid Disease, ..	204	253	251	265	324	344	334	376	394	409	408	441	443	431	450	440	491	494	507	455
Epistaxis, Diseases of Nose ..	43	29	38	36	45	44	41	44	43	40	32	41	36	30	45	31	43	26	39	35
Ophthalmia, Diseases of Eye ..	31	16	27	23	26	32	33	27	24	18	24	28	26	24	28	30	32	37	34	19
Valvular Disease, Endocarditis (not Infective)*	4078	4505	5006	4781	4887	4915	5413	5461	5566	5937	6479	6945	6770	6951	7251	7874	8031	8294	8872	8752
Pericarditis ..	176	274	305	262	283	252	248	254	205	217	272	254	299	207	203	190	225	192	208	195
Hypertrophy of Heart ..	144	127	148	128	110	98	119	87	84	102	107	103	89	109	92	102	85	84	75	85
Angina Pectoris ..	256	242	272	226	237	243	248	259	233	223	246	255	225	248	237	249	307	313	330	312
Dilatation of Heart	1172	1327	1308	1595	1573	1576	1778	1685
Fatty Degeneration of Heart	{	1147	1113	1242	1231	1275	1359	1417
Syncope, Heart Disease (not specified)†	18461	19664	20705	18941	18261	17164	19419	17450	18090	18178	19292	19178	15915	15240	14311	15148	14173	13651	14081	13527
Cerebral Hæmorrhage, Cerebral Embolism‡	13210	13714	14297	13610	13250	12249	13293	12886	13200	13192	13835	13585	5897	6495	7442	7788	8119	8774	9140	9529
Apoplexy, Hemiplegia ..	195	174	185	180	198	191	195	198	191	182	176	178	7156	6434	5585	5633	4780	4881	4718	4473
Aneurysms ..	611	640	717	603	531	600	601	569	603	580	588	638	658	676	635	657	619	630	662	662
Senile Gangrene ..	683	634	611	650	706	697	766	825	820	846	978	1007	329	280	233	270	241	258	285	281
Embolism, Thrombosis (not Cerebral)†	74	88	99	104	99	76	84	86	90	103	117	107	102	99	111	91	91	91	84	85
Phlebitis ..	68	54	72	78	78	64	53	69	72	64	58	?	75	73	66	77	79	87	70	67
Varicose Veins ..	?	?	?	?	?	?	?	?	?	?	?	?	448	512	513	614	692	866	982	943
Other Diseases of Blood Vessels†

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 52.)
† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Hemorrhage on p. 62.
‡ For years prior to 1901, deaths from Cerebral Embolism and Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."
§ Since 1901 Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 26 (cont).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Meningitis, Inflammation of Brain Softening of Brain .. General Paralysis of Insane .. Insanity (not Puerperal) .. Chorea .. Epilepsy .. Convulsions .. Laryngismus Stridulus .. Locomotor Ataxy .. Paraplegia, Diseases of Cord .. Neuritis, Peripheral, Poly-Neuritis .. Brain Tumour (not Specific) .. Other Diseases of Nervous System	272	274	259	241	250	212	225	212	212	216	205	212	195	179	172	166	159	151	141	136
	..	102	105	101	92	91	77	82	74	73	76	72	64	61	56	59	60	62	60	62	63
	..	69	70	75	68	78	73	85	78	89	80	84	99	32	34	32	33	31	32	31	27
	..	5	5	7	5	6	6	6	5	7	7	8	8	45	6	6	5	7	7	6	67
	..	97	101	99	89	89	81	88	80	74	81	84	87	80	83	84	78	79	74	74	71
	..	635	637	633	591	604	508	570	509	494	483	485	487	464	418	375	359	315	304	278	269
	..	16	16	19	17	16	12	15	13	12	11	9	11	11	10	11	10	8	7	7	6
	..	55	58	61	55	55	55	60	53	57	59	57	56	4	4	5	6	6	6	7	6
	..	130	115	118	108	119	99	110	94	89	90	91	70	60	56	55	56	54	54	53	55
	5	13	18	17	16	18	19	14
	11	16	15	19	19	20	20	20
	120	110	100	106	88	85	79	70

Otitis, Mastoid Disease	14	17	17	17	21	22	21	24	25	25	25	26	26	25	26	25	28	28	28	25
Epistaxis, Diseases of Nose	3	2	3	2	3	3	3	3	3	2	2	2	2	2	3	2	2	1	2	2
Ophthalmia, Diseases of Eye	2	1	2	2	2	2	2	2	1	1	1	2	2	1	2	2	2	2	2	1
Valvular Disease, Endocarditis (not Infective)* Pericarditis .. Hypertrophy of Heart .. Angina Pectoris .. Dilatation of Heart .. Fatty Degeneration of Heart .. Syncope, Heart Disease (not specified)*	278	304	334	314	318	317	345	343	346	365	394	417	402	408	420	450	455	464	491	478
	..	12	18	20	17	18	16	16	16	13	13	17	15	18	12	12	11	13	11	11	11
	..	10	9	10	8	7	6	8	5	5	6	7	6	5	6	5	6	5	5	4	5
	..	17	16	18	15	15	16	16	16	14	14	15	15	13	15	14	14	17	18	18	17
	70	78	76	91	89	88	98	92
	63	67	65	71	70	71	75	77
	945	894	830	866	803	764	779	738
	..	1260	1326	1381	1245	1190	1105	1236	1095	1125	1117	1172	1152

Cerebral Haemorrhage, Cerebral Embolism* Apoplexy, Hemiplegia .. Aneurysm* .. Senile Gangrene .. Embolism, Thrombosis (not Cerebral)* .. Phlebitis .. Varicose Veins Other Diseases of Blood Vessels*	902	927	954	895	863	789	846	809	821	811	841	816	350	381	432	445	460	492	506	520
	..	13	12	12	12	13	12	12	12	12	11	11	11	425	377	324	316	271	274	261	244
	12	13	11	13	11	12	11	10
	39	40	37	38	35	35	37	36
	20	16	14	15	14	14	16	15
	6	6	6	5	5	5	5	5
	4	4	4	4	4	5	4	4

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Laryngitis																				
Membranous Laryngitis (not Diphtheritic)	664	718	637	634	767	634	630	625	590	512	571	652	{ 687	646	491	509	488	484	479	454
Croup (not Spasmodic nor Membranous)	1513	1385	1246	1018	949	803	756	744	501	394	453	377	384	266	207	216	205	15	11	16
Other Diseases of Larynx and Trachea	70	70	57	64	67	54	67	60	60	46	47	54	25	19	24	17	29	201	175	153
Bronchitis	27824	33418	37623	33787	28951	24700	30627	23848	23533	23651	26111	27863	22723	22304	18650	21610	19954	21	21	14
																		18285	21781	19843
Emphysema, Asthma	876	1047	1302	1210	918	887	1064	843	857	962	1191	1046	963	672	520	658	656	613	681	685
Pleurisy	528	733	792	677	736	592	657	618	588	637	662	736	697	600	552	543	542	521	589	533
Fibroid Disease of Lung	1953	2187	2426	2139	1935	1663	1938	1749	1670	1595	1677	1667	{ 180	177	146	178	146	121	166	164
Other Diseases of Respiratory System													{ 1575	1457	1291	1370	1351	1282	1216	1262
Tonsillitis, Quinsy																				
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*	598	602	587	539	663	520	595	537	510	496	527	528	{ 224	189	61	191	200	166	185	163
Gastric Ulcer													{ 286	256	202	283	285	276	260	276
Gastritis, Gastric Catarrh	2046	2369	2381	2446	2734	2548	2943	2886	2899	3053	3365	3696	{ 1067	1167	1138	1197	1134	1078	1120	1039
Other Diseases of Stomach (not Malignant)													{ 2654	2449	2382	2347	2061	1738	1675	1833
Ulceration of Intestines†	246	172	168	172	165	170	199	188	154	172	164	199	{ 2697	2000	2127	219	221	255	275	239
Enteritis (not Epidemic)†													{ 2697	2000	2127	2110	1900	2360	244	282
Gastro-enteritis	2227	2578	2526	2727	4062	2835	4961	4665	6235	7731	9167	6061	{ 1914	1009	1285	1540	1250	1805	1777	2112
Appendicitis, Perityphlitis													{ 508	584	713	763	850	867	808	900
Hernia‡	676	638	657	686	719	596	686	663	677	708	805	710	736	819	775	826	839	816	834	758
Intestinal Obstruction	1381	1262	1353	1260	1344	1319	1413	1321	1369	1364	1435	1337	1342	1277	1240	1240	1314	1309	1249	1352
Other Diseases of Intestines§													{ 97	137	134	108	127	110	137	120
Peritonitis (not Puerperal)	1256	1340	1431	1205	1394	1126	1112	1044	983	969	1010	991	806	609	554	531	460	454	389	368
Cirrhosis of Liver	1505	1561	1552	1580	1577	1490	1629	1690	1851	1828	1958	2112	1933	1770	1720	1764	1842	1744	1833	1611
Other Diseases of Liver and Gall Bladder	2729	2574	2435	2288	2275	2093	2100	2046	1886	1863	1832	1803	1532	1354	1332	1271	1219	1269	1171	1148
Other Diseases of Digestive System*§	715	716	689	649	730	653	457	456	483	429	340	306	287	236	245	239	209	144	196	217

* For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading "Other Diseases of Digestive System."

† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."

‡ Since 1902 Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Laryngitis ..	45	48	42	42		41	40	39	37	31	35	39	{	38	28	29	28	27	27	25
Membranous Laryngitis (not Diphtheritic)													{	1	1	1	1	1	1	1
Croup (not Spasmodic nor Membranous)	103	93	83	67		52	48	23	31	24	28	23	23	16	12	12	12	11	10	8
Other Diseases of Larynx and Trachea	5	5	4	4		3	4	3	4	3	3	3	1	1	1	1	2	1	1	1
Bronchitis ..	1899	2255	2509	2221		1591	1950	1673	1463	1454	1586	1673	1349	1308	1081	1235	1130	1024	1206	1083
Emphysema, Asthma ..	60	71	87	80		57	68	63	53	59	72	63	57	39	30	38	37	34	38	37
Pleurisy ..	36	49	53	45		38	42	44	37	39	40	44	41	10	8	31	31	29	33	29
Fibroid Disease of Lung													{	10	8	10	8	7	9	9
Other Diseases of Respiratory System ..	133	148	162	141		107	123	100	104	98	102	100	93	85	75	78	77	72	67	69
Tonsillitis, Quinsy	41	40	39	35		33	38	32	32	30	32	32	{	11	9	11	11	9	10	9
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*													{	15	12	16	16	15	14	15
Gastric Ulcer	139	160	159	161		164	187	222	180	188	204	222	169	144	138	134	117	97	93	100
Gastritis, Gastric Catarrh	17	12	11	11		11	13	12	10	11	10	12	160	117	123	{	13	14	15	13
Other Diseases of Stomach (not Malignant)													{	59	75	88	108	132	98	115
Ulceration of Intestines*													{	34	41	44	71	101	62	88
Enteritis (not Epidemic)*													{	48	45	47	48	48	45	49
Gastro-enteritis													{	73	74	71	74	73	46	41
Appendicitis, Perityphlitis													{	8	8	6	7	6	69	74
Hernia*	46	43	44	45		38	44	43	42	44	49	43	30	34	34	44	48	48	45	49
Intestinal Obstruction ..	94	85	90	83		85	90	80	85	84	87	80	80	48	45	47	48	46	46	41
Other Diseases of Intestines*	p	p	p	p		p	p	p	p	p	p	p	6	73	74	71	74	73	69	74
Peritonitis (not Puerperal)	86	90	95	79		73	71	60	61	60	61	60	48	36	32	30	26	25	22	7
Cirrhosis of Liver	103	105	104	104		96	104	127	115	112	119	127	115	104	100	101	104	98	101	88
Other Diseases of Liver and Gall Bladder	186	174	162	149		135	134	108	117	115	111	108	91	79	77	73	69	71	65	63
Other Diseases of Digestive System*	49	48	46	43		42	29	18	30	26	21	18	17	14	14	14	12	8	11	12

* See note to Table 25.

TABLE 25 (continued).--ENGLAND AND WALES.--Deaths from Various Causes at All Ages, 1889-1908.--Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Diseases of Spleen	60	49	45	47	52	41	38	35	38	32	24	21	34	32	25	25	36	26	29	17
Other Diseases of Lymphatic System	104	78	98	117	106	105	107	108	118	105	118	138	150	134	143	143	149	160	153	156
Diseases of Thyroid Body*	126	142	132	140	213	166	185	196	205	255	279	285	394	370	377	399	412	421	455	456
Diseases of Supra Renal Capsules	75	72	83	74	85	74	98	109	105	105	107	116	87	87	98	103	122	112	91	121
Acute Nephritis, Uræmia	906	1010	1044	1044	1080	1092	1129	1220	1260	1261	1363	1330	1289	1372	1384	1458	1473	1554	1591	1723
Chronic Bright's Disease, Albuminuria	3215	3270	3462	3385	3464	3424	3872	3999	3783	3969	4273	4486	4441	4208	4394	4541	4415	4584	4869	4688
Calculus (not Biliary)	59	46	61	66	55	53	65	53	61	57	57	75	59	67	61	86	72	77	80	74
Diseases of Bladder and of Prostate	231	213	220	240	236	253	254	236	219	211	210	243	222	235	225	241	232	238	238	249
Other Diseases of Urinary System	387	388	448	380	319	263	274	227	260	282	229	120	152	127	130	140	148	151	139	124
Ovarian Tumour (not Malignant)	498	494	536	499	506	435	500	456	457	447	446	406	348	373	374	350	389	375	357	292
Other Diseases of Ovary	617	648	648	675	723	734	688	710	745	682	709	667	339	334	359	353	376	353	327	358
Uterine Tumour (not Malignant)	81	87	77	63	71	76	91	73	74	65	88	92	316	305	278	316	327	305	319	287
Other Diseases of Uterus and Vagina	162	162	139	102	64	61	55	63	59	58	64	44	76	58	56	36	42	39	50	36
Disorders of Menstruation													19	16	6	14	20	18	10	14
Other Diseases of Gener. & Mamm. Organs																				
Abortion, Miscarriage	88	185	228	255	161	160	180	215	191	187	179	218	152	148	152	141	151	143	102	83
Puerperal Mania	87	87	105	77	83	76	65	77	74	59	74	73	70	79	62	62	66	68	70	57
Puerperal Convulsions	313	296	373	333	376	350	325	358	314	386	347	387	376	400	409	395	467	438	449	426
Placenta Prævia, Flooding	726	700	778	806	803	780	710	701	694	660	691	614	699	637	678	580	619	618	608	560
Other Accidents of Pregnancy and Childbirth	462	971	1234	1284	1433	1152	1012	1087	1079	1015	1062	1146	1018	938	888	835	868	850	826	840
Caries, Necrosis	449	412	463	405	424	403	400	389	349	339	340	346	344	298	289	234	239	193	177	150
Arthritis, Periostitis	87	116	117	113	145	114	119	112	101	102	137	118	82	80	83	106	89	92	110	88
Other Diseases of Locomotor System	496	461	401	355	260	246	268	208	215	183	184	148	164	137	129	114	137	186	105	116
Ulcer, Bed-sore	349	352	365	378	359	368	372	308	379	366	361	372	314	265	254	290	300	305	341	307
Eczema	162	154	180	188	205	148	188	163	147	177	153	150	173	144	137	134	130	103	123	117
Pemphigus	61	49	59	44	67	58	68	79	73	69	74	88	69	66	93	94	125	110	100	114
Other Diseases of the Skin	108	109	94	100	112	118	118	116	83	100	112	134	110	113	111	103	115	101	122	108

* Deaths from Cretinism and Myxædema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
Diseases of Spleen	4	5	3	3	3	3	2	2	2	2	1	1	2	2	1	1	2	1	2	1
Other Diseases of Lymphatic System	7	3	7	8	7	7	7	7	7	6	7	8	9	8	8	8	8	9	8	9
Diseases of Thyroid Body*	9	10	9	9	14	11	12	13	16	17	17	17	23	22	22	23	23	24	25	25
Diseases of Supra Renal Capsules	5	5	6	5	6	5	6	7	6	6	7	7	5	5	6	6	7	6	5	7
Acute Nephritis, Uræmia	62	68	70	69	70	70	72	77	78	78	83	80	77	80	80	83	83	87	88	94
Chronic Bright's Disease, Albuminuria	219	221	231	223	226	221	246	232	244	244	260	269	264	247	255	260	250	257	270	256
Calculus (not Biliary)	4	3	4	4	4	3	4	3	4	4	3	5	4	4	4	5	4	4	4	4
Diseases of Bladder and of Prostate	16	14	15	16	15	16	16	15	13	13	13	15	13	14	13	14	13	13	13	14
Other Diseases of Urinary System	27	26	30	25	21	17	17	14	17	17	14	7	9	7	8	8	8	8	8	7
Ovarian Tumour (not Malignant)	34	33	36	33	33	28	32	29	27	27	27	24	{	22	22	20	22	21	20	16
Other Diseases of Ovary	42	44	43	44	47	47	44	45	42	43	43	40	{	20	21	20	21	20	18	20
Uterine Tumour (not Malignant)	6	6	5	4	5	5	6	5	4	5	5	6	{	3	3	2	2	17	18	16
Other Diseases of Uterus and Vagina	11	11	9	7	4	4	4	4	4	4	4	3	1	1	0	1	1	2	3	2
Disorders of Menstruation																				1
Other Diseases of Gener. & Mamm. Organs																				
Abortion, Miscarriage	6	12	15	17	10	10	11	13	12	11	11	13	9	9	9	8	9	8	6	5
Puerperal Mania	6	6	7	5	5	5	4	5	5	4	4	4	4	5	4	4	4	4	4	3
Puerperal Convulsions	21	20	25	22	24	23	21	22	20	24	21	23	22	23	24	23	26	25	25	23
Placenta Prævia, Flooding	50	47	52	53	52	50	45	44	43	41	42	37	41	37	39	33	35	35	34	31
Other Accidents of Pregnancy and Childbirth	32	66	82	84	93	74	64	68	67	62	65	69	60	55	51	48	49	48	46	46
Caries, Necrosis	31	28	31	27	28	26	25	24	22	21	21	21	20	17	17	13	14	11	10	8
Arthritis, Periostitis	6	8	8	7	9	7	8	7	6	6	8	7	5	5	5	6	5	5	6	5
Other Diseases of Locomotor System	34	31	27	23	17	16	17	13	13	11	11	9	10	8	7	7	8	10	6	6
Ulcer, Bed-sore	24	24	24	25	23	24	24	19	24	22	22	22	19	16	15	17	17	17	19	17
Eczema	11	10	12	12	13	10	12	10	9	11	9	9	10	8	8	8	7	6	7	6
Peniphigus	4	3	4	3	4	4	4	5	5	4	4	5	4	4	5	5	7	6	6	6
Other Diseases of the Skin	7	7	6	7	7	8	8	7	5	6	7	8	7	7	6	6	7	6	7	6

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1889-1908.—Females.

CAUSES OF DEATH.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
OTHER SPECIFIED DISEASES.*	360	414	463	477	455	421	519	527	578	605	721	755	1	—	—	—	—	—	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.																			
<i>Atrophy, Debility</i> ..	9703	10003	9861	9585	10328	8287	10013	8805	9034	9092	9108	8989	7819	7721	7785	6920	6998	6267	6460
<i>Old Age</i> ..	15364	16043	16930	16053	15340	14103	16937	15038	16358	16550	17955	17961	17320	17111	18455	18018	18998	19001	18837
<i>Dropsy, Ascites, Anasarca</i> ..	319	330	270	258	238	198	228	186	167	185	221	223	97	95	73	77	46	65	39
<i>Tumour</i> ..	98	100	79	90	74	78	74	49	77	53	56	48	53	50	50	54	40	60	52
<i>Abscess</i> ..	307	297	272	294	277	232	185	199	197	189	185	169	147	148	128	106	132	142	170
<i>Hæmorrhage†</i> ..	52	62	45	56	75	58	55	46	38	48	40	55	12	14	15	17	15	19	16
<i>Sudden Death (cause unascertained)</i> ..	155	194	141	172	151	121	143	127	83	90	83	110	83	53	20	12	8	8	11
<i>Other ill-defined causes</i> ..	1171	1168	1142	989	835	762	888	768	800	753	23	26	298	362	342	386	326	291	277
<i>Causes not specified</i> ..											686	788	256	121	91	72	60	66	50
VIOLENT DEATHS.																			
In Mines and Quarries ..														1	—	—	2	—	—
Vehicles and Horses ..													324	330	337	355	377	349	356
Ships, Boats, and Docks (not Drowning) ..													1	3	—	3	2	1	3
Building Operations ..													12	13	—	—	—	—	—
Machinery ..													9	11	8	15	11	8	10
Weapons and Implements ..													1457	1292	1369	1450	1527	1507	1583
Burns and Scalds ..													161	168	196	198	198	216	188
Poisons, Poisonous Vapours ..													390	407	391	433	374	367	400
Drowning ..													950	936	972	855	893	864	890
Suffocation ..													1172	1171	1158	1106	1190	1270	1238
Falls ..													66	34	84	68	89	27	58
Weather Agencies ..													306	299	292	250	268	268	280
Otherwise, or not stated ..																			
Battle ..																			
Homicide ..																			
Suicide ..	131	126	157	147	152	136	150	147	132	145	148	139	166	158	151	169	144	126	159
Execution ..	544	570	620	676	659	677	726	677	702	711	723	730	807	871	822	862	797	901	934
	—	—	1	—	—	1	—	1	—	—	1	2	—	2	1	—	—	1	—

* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1889-1908.—Females.

CAUSES OF DEATH.		1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.
OTHER SPECIFIED DISEASES.*		25	28	31	31	30	27	33	33	36	37	44	45	—	0	—	—	—	—	—	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	662	675	658	630	673	534	637	552	562	559	553	540	517	459	448	445	392	392	347	352
<i>Old Age</i>	1048	1082	1126	1059	1004	904	1078	944	1020	1018	1089	1082	1019	1018	988	1055	1023	1064	1049	1029
<i>Dropsy, Ascites, Anasarca</i>	21	22	18	17	16	13	15	12	10	11	13	13	8	6	6	4	4	3	4	2
<i>Tumour</i>	7	7	5	6	5	5	5	3	5	3	3	3	3	3	3	3	3	2	3	3
<i>Abscess</i>	21	20	18	19	18	15	12	12	12	12	11	10	9	9	9	7	6	7	8	9
<i>Hæmorrhage*</i>	4	4	3	4	5	4	4	3	2	3	2	3	1	1	1	1	1	1	1	1
<i>Sudden Death (cause unascertained)</i>	11	13	9	11	10	8	9	8	5	6	5	7	4	5	3	1	1	0	1	1
<i>Other ill-defined causes</i>
<i>Causes not specified</i>	79	80	76	65	54	49	57	48	50	46	{ 42	47	26	15	7	5	4	3	4	3
VIOLENT DEATHS.																					
<i>In Mines and Quarries</i>	279	305	316	305	312	287	338	309	314	306	327	300	{ 0 23 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 }	—	19	0	—	—	—	
<i>Vehicles and Horses</i>																				
<i>Ships, Boats, and Docks (not Drowning)</i>																				
<i>Building Operations</i>																				
<i>Machinery</i>																				
<i>Weapons and Implements</i>																				
<i>Burns and Scalds</i>																				
<i>Poisons, Poisonous Vapours</i>																				
<i>Drowning</i>																				
<i>Suffocation</i>																				
<i>Falls</i>																				
<i>Weather Agencies</i>																				
<i>Otherwise, or not stated</i>																				
<i>Battle</i>	—	9	10	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Homicide</i>	—	9	10	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Suicide</i>	—	38	41	44	43	44	46	42	44	44	44	44	48	47	51	47	49	45	50	51
<i>Execution</i>	—	—	0	—	—	—	—	0	—	—	0	0	—	—	0	0	15	—	0	—

* See note to Table 25.

TABLE 27.—ENGLAND AND WALES.—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1859-1908.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.* (Origin uncertain.)	Diarrhoea, sentery, and Cholera.	
1838-42 (5 years.)	576	539	797		504	1053			298	154 (8 years.)
1847-50 (4 years.)	292	403	884		480	1246			1710	
1851-60	222	412	982		505	913			1088	
1861-70	162	443	971	187	530	886			1076	154
1871-80	245	379	719	121	513	58	326	105	942	149
1881-90	46	441	338	163	451	15	198	25	677	142
1891-1900	13	414	158	263	378	3	174	6	735	154
1859	193	485	976	517	456	806			1046	153
1860	136	479	485	261	429	652			560	148
1861	64	450	451	225	612	767			1044	153
1862	78	481	728	241	602	919			622	142
1863	286	550	1478	315	547	874			814	149
1864	364	397	1418	261	409	960			877	153
1865	301	405	837	196	409	1089			1225	160
1866	139	511	546	140	736	986			1525	160
1867	114	304	567	120	548	778			1003	153
1868	91	528	996	137	419	895			1473	155
1869	67	464	1244	117	493	193	390	239	967	156
1870	113	335	1446	120	529	147	388	233	1208	160
1871	1012	408	815	111	455	121	371	186	1132	158
1872	821	368	515	93	596	80	377	145	1030	150
1873	98	316	562	108	411	70	376	132	994	149
1874	88	517	1050	150	437	74	374	130	948	151
1875	35	257	851	142	594	62	371	108	1051	158
1876	99	408	691	129	432	48	309	81	942	146
1877	173	366	585	111	460	45	279	78	632	136
1878	74	310	753	140	710	36	306	71	1028	152
1879	21	362	694	120	503	21	231	58	460	135
1880	25	478	675	109	530	21	261	58	1202	153
1881	119	280	548	121	415	21	212	44	570	130
1882	50	483	521	152	579	36	229	39	666	141
1883	36	350	475	158	393	33	228	36	613	137
1884	82	419	402	186	425	12	236	28	1008	147
1885	103	533	233	164	481	12	175	24	503	138
1886	11	436	218	149	470	9	184	22	918	149
1887	19	602	282	160	404	8	185	18	744	145
1888	37	347	226	171	436	6	172	15	463	136
1889	1	518	235	189	430	5	176	15	660	144
1890	0	439	242	179	478	5	179	13	620	151
1891	2	436	170	173	468	5	168	11	480	149
1892	15	459	190	222	454	3	137	8	520	148
1893	49	373	235	318	342	5	229	9	1000	159
1894	27	391	167	291	410	4	159	7	359	137
1895	7	377	149	259	315	2	175	5	901	161
1896	17	570	177	291	429	2	166	5	564	148
1897	0	408	147	246	367	2	156	4	869	156
1898	8	419	113	243	323	1	181	4	957	160
1899	5	314	117	292	318	1	198	4	973	163
1900	3	394	119	290	356	1	173	4	730	154
1901	10	276	133	273	313	1	155	3	926	151
1902	75	392	148	236	297	2	126	3	429	133
1903	23	274	125	182	285	2	100	2	554	132
1904	15	363	111	170	352	1	93	2	879	145
1905	4	324	112	160	255	1	89	2	601	128
1906	1	273	101	177	241	0	92	1	886	132
1907	0	361	92	164	293	1	67	1	305	118
1908	0	226	80	157	278	0	75	1	520	120

* Called Simple Continued Fever previous to 1901.

TABLE 28.—LONDON.*—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1859-1908.

NOTE.—The boundaries of the Administrative and Registration Counties of London were made co-extensive in 1901. Previous to that year the figures in the table relate to the Registration County as constituted at the several dates. The figures refer to calendar years up to 1884, and subsequently to periods of 52 or 53 weeks.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1,000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.† (Origin uncertain.)	Diarrhoea, Dysentery, and Cholera.	
1838-40 (3 years.)	1065	695	1108		804	1339			294	—
1841-50	402	623	863		867	979			1469	157
1851-60	280	530	1017		877	886			1544	155
1861-70	276	576	1133	179	882	904			1284	162
1871-80	457	510	600	122	815	55	244	75	987	158
1881-90	142	636	333	256	691	8	186	18	753	152
1891-1900	9	582	187	489	499	1	136	3	752	159
1859	425	488	1277	284	639	675			1360	150
1860	323	752	726	174	744	531			553	153
1861	77	377	846	239	1260	656			1033	155
1862	128	816	1221	255	758	1284			680	143
1863	687	562	1706	275	749	988			913	151
1864	185	942	1097	207	819	1278			1071	169
1865	214	431	727	144	980	1074			1307	171
1866	457	730	622	152	973	884			2923	172
1867	436	370	470	145	738	708			1070	159
1868	190	625	929	158	745	786			1412	166
1869	87	458	1839	107	1187	225	337	194	1169	170
1870	302	450	1875	104	607	147	303	177	1253	164
1871	2422	437	582	105	701	118	267	133	1282	171
1872	537	505	276	80	979	52	242	97	1132	158
1873	34	637	191	95	777	82	269	96	1219	160
1874	17	490	773	122	545	91	256	98	970	156
1875	13	404	1056	167	920	37	235	78	975	162
1876	207	485	651	109	771	45	217	57	1048	157
1877	710	664	439	88	505	44	251	54	697	146
1878	388	411	495	155	1227	41	283	54	1001	164
1879	121	667	717	155	791	19	229	43	524	148
1880	125	402	820	144	930	20	186	35	1024	158
1881	619	663	553	172	516	24	254	35	824	148
1882	111	605	519	222	1212	14	252	25	575	151
1883	35	626	514	244	410	14	247	26	701	146
1884	313	575	362	241	799	8	234	20	1029	156
1885	332	736	176	224	624	7	146	21	669	148
1886	5	518	171	207	707	3	151	17	983	159
1887	2	715	354	235	723	4	145	12	929	158
1888	2	587	293	310	736	2	161	8	530	146
1889	0	559	188	376	423	4	126	10	647	141
1890	1	773	203	326	770	3	139	8	646	162
1891	2	428	137	316	682	2	125	10	575	154
1892	7	796	274	436	581	3	100	5	596	155
1893	43	386	369	743	541	1	157	5	799	164
1894	21	758	221	608	483	1	140	3	408	143
1895	13	601	189	523	338	1	136	2	817	165
1896	2	822	209	593	652	1	126	3	711	160
1897	4	434	175	505	414	0	126	2	922	158
1898	0	688	130	394	484	1	124	2	976	166
1899	1	478	89	434	383	0	169	0	933	167
1900	1	429	80	342	432	0	159	2	785	159
1901	51	431	129	293	354	1	110	2	860	148
1902	282	507	120	249	403	—	115	1	531	140
1903	3	445	78	161	354	1	80	1	636	130
1904	5	487	79	156	322	—	62	1	1025	145
1905	2	366	118	117	318	—	50	1	718	130
1906	—	405	113	147	260	—	55	1	940	131
1907	—	380	136	165	376	—	41	1	318	116
1908	—	313	112	149	202	—	46	0	532	113

* For the years 1874-1884 the deaths have been approximately corrected, and for later years they have been fully corrected by the distribution of those occurring in public institutions. The figures for 1908 may differ, therefore, from those in Tables 13, 31, and 40.

† Called Simple Continued Fever previous to 1901.

TABLE 29.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1903.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1908.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
ENGLAND & WALES.	17,071,524	15,697	0	242	82	0	283	253	159	1	94	579	687	623	178	112	32	188	813	95	60	1,383	1,102	—	818	7,913
I.—LONDON.	2,263,285	1552	—	339	104	—	257	187	155	—	62	623	1232	489	231	100	15	237	993	149	58	1557	1070	—	826	6668
II.—SOUTH EASTERN.																										
Surrey	389,499	13962	—	243	64	—	323	177	197	—	31	394	676	523	156	77	23	149	850	100	51	1247	661	—	650	7370
Kent	511,676	12749	2	117	68	—	300	160	121	—	101	320	616	497	117	90	25	210	871	78	49	867	698	—	731	6711
Sussex	292,877	13978	—	89	20	—	354	136	109	—	41	177	514	749	129	102	24	170	1117	95	78	967	647	—	708	7752
Hampshire..	406,751	14086	—	98	29	—	206	211	174	—	86	275	856	564	142	66	17	201	861	98	59	892	765	—	748	7738
Berkshire ..	143,896	13397	—	118	49	—	485	166	146	—	62	201	575	444	90	49	7	118	970	76	49	658	825	—	700	7609
III.—SOUTH MIDLAND.																										
Middlesex ..	470,443	12683	—	237	174	—	301	157	197	2	57	500	596	500	163	61	13	129	714	71	74	1206	818	—	585	6125
Hertfordshire ..	123,333	13819	—	81	49	—	340	178	194	—	40	202	720	372	89	81	8	202	1019	57	40	954	873	—	663	7657
Buckinghamshire ..	88,492	13400	—	68	113	—	361	259	192	—	—	169	406	597	68	56	—	214	744	56	56	992	890	—	586	7573
Oxfordshire ..	86,882	15071	—	23	11	—	333	195	149	—	34	253	379	792	103	92	—	149	1010	103	46	861	953	—	872	8713
Northamptonshire ..	187,491	12393	—	64	43	—	277	293	74	—	21	186	399	638	186	69	11	96	888	64	53	824	878	—	739	6590
Huntingdonshire..	21,649	13682	—	—	92	—	230	230	138	—	92	184	230	645	—	—	—	415	1152	—	92	1106	783	—	988	7325
Bedfordshire ..	85,815	14213	—	105	23	—	198	232	174	—	35	232	500	546	128	58	12	58	918	116	46	662	895	—	755	8520
Cambridgeshire ..	99,674	14988	—	410	40	—	350	390	200	—	30	150	520	600	110	30	10	180	1201	60	50	920	670	—	620	8447
IV.—EASTERN.																										
Essex	635,855	12340	—	329	113	—	249	157	193	—	61	492	547	513	174	67	28	151	648	83	45	1073	872	—	598	5947
Suffolk	180,021	15362	—	155	22	—	305	172	133	—	89	161	460	814	138	44	—	177	1014	111	89	958	1008	—	787	8725
Norfolk	227,404	15406	—	189	22	—	377	311	167	—	158	254	452	640	101	96	44	153	1022	118	53	715	912	—	693	8929

* The populations have been estimated to the middle of 1908 from the numbers enumerated at the Censuses of 1891 and 1901.
† Called Simple Continued Fever previous to 1901.

TABLE 30.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1908.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1908.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
ENGLAND & WALES.	18,277,256	13736	0	211	78	0	288	301	155	1	56	465	460	471	154	101	24	147	1027	67	62	988	1083	184	334	7079
I.—LONDON.	2,532,472	12712	—	291	92	—	287	219	136	1	32	459	588	333	189	78	12	162	1099	100	58	1131	1077	129	401	5838
II.—SOUTH EASTERN.																										
Surrey	438,392	11632	—	211	50	—	341	155	173	—	16	214	518	395	114	80	—	95	1079	73	43	870	759	114	291	6041
Kent	524,499	11576	4	137	38	—	306	158	124	—	59	274	485	397	120	76	11	146	1061	46	34	654	762	135	238	6311
Sussex	357,404	11340	—	50	25	—	396	131	61	—	22	162	374	416	134	37	22	137	1219	64	70	742	675	128	287	6158
Hampshire .. .	442,281	12077	—	88	32	—	282	291	201	—	43	189	521	377	131	97	9	151	1039	72	38	690	857	144	322	6503
Berkshire .. .	153,761	12080	—	65	45	—	318	233	183	—	52	149	402	435	71	39	6	104	1096	58	45	746	992	117	188	6741
III.—SOUTH MIDLAND.																										
Middlesex .. .	530,021	10986	—	207	149	—	288	166	183	—	40	414	365	388	119	56	17	102	884	55	47	847	832	151	303	5373
Hertfordshire ..	135,482	12486	—	29	59	—	331	169	96	—	15	110	611	317	118	103	—	74	1237	66	37	604	987	147	258	7118
Buckinghamshire	93,084	11603	—	21	64	—	471	236	139	—	21	75	321	418	43	21	—	75	1136	54	43	643	964	150	161	6547
Oxfordshire .. .	98,868	12982	—	20	20	—	182	242	121	—	10	222	383	353	141	50	—	121	1422	141	20	757	1110	111	363	7213
Northamptonshire	193,351	11394	—	15	31	—	221	360	77	—	51	108	350	550	108	57	15	103	1193	67	67	514	884	113	267	3243
Huntingdonshire..	22,870	14564	—	44	174	—	392	436	87	—	—	87	349	436	131	44	—	174	1483	87	87	1090	1221	87	262	7893
Bedfordshire .. .	97,765	12241	—	82	20	—	316	184	214	—	20	133	357	428	20	61	41	133	1163	51	102	581	1000	71	204	7060
Cambridgeshire ..	105,778	13510	—	198	9	—	339	443	236	—	75	94	339	453	104	113	9	170	1207	57	85	632	990	94	273	7590
IV.—EASTERN.																										
Essex	655,025	11438	—	292	97	—	242	193	202	2	44	425	397	361	129	78	20	114	900	52	52	711	920	157	254	5796
Suffolk	190,562	13936	—	141	31	—	387	220	99	—	52	183	403	602	110	52	5	194	1319	63	37	586	994	152	335	7971
Norfolk	249,284	13594	—	132	24	—	320	376	184	—	116	200	380	596	84	104	4	120	1288	36	24	517	1012	144	220	7713

* The populations have been estimated to the middle of 1908 from the numbers enumerated at the Censuses of 1891 and 1901.
† Called Simple Continued Fever previous to 1901.

TABLE 29 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1908.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1908.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																									
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
V.—SOUTH WESTERN.																											
Wiltshire ..	135,882	12961	—	73	44	—	294	154	73	—	29	66	448	587	125	73	22	147	778	59	73	778	947	—	506	7685	
Dorsetshire ..	103,481	13164	—	67	77	—	385	231	135	—	29	154	395	520	87	67	—	183	1012	67	67	964	578	—	713	7433	
Devonshire ..	326,380	15650	—	79	21	—	315	238	128	—	64	345	617	642	158	61	15	214	917	107	61	1136	1082	—	791	8658	
Cornwall ..	149,734	15725	—	7	60	—	226	240	140	—	33	200	746	839	133	113	13	206	759	53	47	932	859	—	759	9360	
Somersetshire ..	220,254	14412	—	168	14	—	317	54	63	5	23	208	557	503	136	68	23	122	1055	82	59	1001	874	—	765	8315	
VI.—WEST MIDLAND.																											
Gloucestershire ..	319,188	14578	—	181	28	—	212	250	191	—	62	300	691	450	166	59	9	147	825	94	66	1109	1003	—	728	8007	
Herefordshire ..	54,080	16006	—	55	37	—	387	74	148	—	37	148	664	498	111	92	—	111	1236	148	37	904	1088	—	627	9604	
Shropshire ..	130,527	15212	—	160	61	—	512	199	115	—	23	183	443	596	99	92	23	145	879	92	31	1054	940	—	1039	8526	
Staffordshire ..	678,331	15993	—	151	107	—	316	240	173	—	103	762	582	588	160	147	41	162	610	72	56	1281	1545	—	819	8078	
Worcestershire ..	266,155	14197	—	109	86	—	345	202	142	—	45	356	502	536	105	154	41	154	753	82	37	1060	1012	—	678	7798	
Warwickshire ..	478,432	16543	—	89	116	—	256	412	200	—	67	722	557	1013	177	92	17	166	826	87	54	1377	1281	—	838	8196	
VII.—NORTH MIDLAND.																											
Leicestershire ..	235,433	13856	—	411	68	—	199	199	89	4	72	390	665	538	140	89	30	165	775	114	21	957	839	—	712	7379	
Rutlandshire ..	9,968	15408	—	—	100	—	300	100	—	—	100	—	300	300	100	—	200	—	700	100	—	600	1300	—	700	10508	
Lincolnshire ..	252,590	15706	4	67	63	—	340	209	162	—	107	391	336	695	205	87	20	174	896	63	43	865	892	—	786	9301	
Nottinghamshire ..	326,904	16071	—	153	46	—	259	247	140	—	116	689	644	473	204	131	34	143	766	79	67	1397	1208	—	940	8335	
Derbyshire ..	265,141	14944	—	132	75	—	305	124	222	—	94	410	327	654	188	124	30	162	677	64	49	1211	1211	—	763	8122	
VIII.—NORTH WESTERN.																											
Cheshire ..	400,149	15412	—	312	120	—	274	297	147	2	82	541	489	638	160	157	42	194	778	92	65	1441	955	—	750	7876	
Lancashire ..	2,312,313	18115	0	351	154	2	250	311	185	1	157	891	821	759	201	142	39	204	713	98	72	1885	1485	—	889	8505	

* The populations have been estimated to the middle of 1908 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 30 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1908.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1908.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																									
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
V.—SOUTH WESTERN.																											
Wiltshire ..	137,229	12907	—	65	44	—	254	189	145	—	29	131	342	371	58	29	7	87	1097	80	58	807	858	174	291	7791	
Dorsetshire ..	104,420	12693	—	57	67	—	191	267	201	—	19	115	382	439	96	19	10	105	993	57	57	497	640	115	229	8137	
Devonshire..	364,611	13873	—	71	14	—	408	243	123	—	71	232	553	553	112	77	3	191	1212	63	52	785	993	148	238	7731	
Cornwall ..	171,271	13724	—	23	52	—	274	338	41	6	35	157	413	518	64	87	6	134	1232	64	64	670	751	175	198	8402	
Somersetshire ..	257,051	12946	—	136	16	—	353	105	85	—	4	155	372	473	66	74	4	120	1137	78	16	753	974	175	330	7520	
VI.—WEST MIDLAND.																											
Gloucestershire ..	368,869	12637	—	130	22	—	241	287	141	3	14	260	492	360	130	59	11	138	1103	59	38	803	1000	124	322	6900	
Herefordshire ..	57,965	12989	—	103	—	—	499	120	155	—	224	224	602	344	52	138	34	69	1118	—	17	602	740	103	396	7673	
Shropshire ..	132,743	14139	—	150	75	—	563	105	135	—	8	143	391	488	135	105	—	150	1277	90	38	894	841	195	346	8010	
Staffordshire ..	687,650	14603	—	131	125	—	276	341	187	—	70	621	412	434	174	165	30	158	799	58	67	998	1272	177	374	7734	
Worcestershire ..	295,533	12320	—	98	101	—	337	202	132	—	54	287	381	371	98	78	27	91	1060	51	78	790	992	148	287	6657	
Warwickshire ..	509,943	14261	—	92	94	—	268	495	186	—	51	639	342	518	129	78	16	119	952	55	63	1044	1201	172	389	7358	
VII.—NORTH MIDLAND.																											
Leicestershire ..	254,348	12535	—	396	78	—	180	223	122	—	20	384	474	482	149	110	8	145	1035	51	59	639	941	165	282	6592	
Rutlandshire ..	10,034	13715	—	—	—	—	298	298	99	—	—	99	398	199	—	99	—	—	1491	99	99	795	696	199	298	8548	
Lincolnshire ..	262,878	13832	—	30	46	—	345	307	159	4	80	319	421	543	140	106	34	156	1237	57	46	687	983	167	262	7703	
Nottinghamshire ..	341,071	14076	—	96	61	—	199	328	152	3	58	515	380	453	146	114	23	135	1035	61	85	1164	1205	202	386	7275	
Derbyshire..	270,337	13181	—	188	63	—	288	159	199	4	41	317	317	347	140	133	33	155	933	66	63	823	1114	288	258	7255	
VIII.—NORTH WESTERN.																											
Cheshire ..	443,151	14036	2	304	119	—	245	279	151	7	59	446	347	461	187	140	34	169	1037	43	68	992	1071	160	389	7326	
Lancashire..	2,507,332	15734	—	300	154	2	265	344	166	1	95	723	520	520	191	122	40	162	914	71	79	1279	1468	224	410	7684	

* The populations have been estimated to the middle of 1908 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 29 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1908.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1908.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																	All other Causes.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	
IX.—YORKSHIRE.																										
West Riding	1,464,366	3	336	59	—	266	285	133	—	131	759	721	626	181	155	54	195	738	90	55	1503	1306	—	—	823	8178
East Riding (with York)	243,347	—	258	20	—	238	164	135	—	90	914	484	770	197	94	20	229	844	78	49	1217	1143	—	—	943	9014
North Riding	192,738	—	404	21	—	316	228	248	5	145	1030	579	554	181	150	36	228	916	88	78	2163	931	—	—	838	8986
X.—NORTHERN.																										
Durham	671,788	—	252	64	—	196	423	180	—	199	980	287	757	215	194	94	209	603	74	50	1734	1280	—	—	937	8992
Northumberland..	341,352	—	93	20	—	181	377	158	—	85	672	631	760	289	207	50	193	777	73	50	1592	964	—	—	973	9036
Cumberland	130,528	—	38	38	—	283	435	153	—	145	260	504	672	252	122	53	183	802	99	69	1643	1031	—	—	978	8735
Westmorland	29,440	—	34	—	—	305	440	102	—	—	102	271	644	34	68	34	102	982	68	102	982	915	—	—	711	8772
XI.—WELSH.																										
Monmouthshire	178,742	—	234	45	—	379	552	184	—	179	497	446	413	179	95	45	184	536	89	128	2567	1384	—	—	1194	8831
South Wales	689,418	—	398	49	—	353	318	139	1	101	723	576	618	178	98	55	197	673	59	82	1703	1134	—	—	1247	8728
Glamorganshire	511,967	—	430	62	—	318	360	148	2	111	906	522	577	171	101	56	175	565	62	84	1825	1163	—	—	1362	8492
Carmarthenshire	61,858	—	709	—	—	339	258	129	—	48	258	661	822	306	129	64	290	725	97	129	1628	1145	—	—	1129	10190
Pembrokeshire	40,081	—	15974	25	—	274	124	174	—	50	174	647	722	174	75	75	149	1045	—	50	1045	871	—	—	871	9354
Cardiganshire	35,865	—	17935	111	—	862	250	28	—	56	250	1390	862	167	83	28	417	1418	—	28	1224	1029	—	—	723	8925
Brecknockshire	27,229	—	17177	—	—	476	73	37	—	220	110	366	513	73	73	37	183	1062	—	110	1758	1318	—	—	1028	9632
Radnorshire	12,418	—	10520	—	—	402	241	241	—	—	—	241	482	80	—	—	161	642	80	—	402	642	—	—	321	6585
North Wales	248,820	—	15675	52	—	561	401	140	4	36	204	413	362	188	100	44	224	998	80	68	1086	874	—	—	717	8551
Montgomeryshire	30,275	—	15185	—	—	494	231	33	—	—	—	494	889	264	165	—	132	856	99	—	758	1252	—	—	593	8892
Flintshire	31,746	—	283	31	—	346	565	314	31	126	220	283	1257	283	63	63	94	754	126	31	1225	1225	—	—	817	8073
Denbighshire	67,970	—	29	73	—	587	543	132	—	29	308	352	587	176	147	73	205	1144	103	73	1335	880	—	—	704	8542
Merionethshire	31,537	—	29	126	—	632	—	95	—	32	95	632	1107	190	95	63	95	1265	32	63	1297	980	—	—	696	8285
Carnarvonshire	69,980	—	71	43	—	613	442	143	—	14	271	456	855	100	43	29	356	926	43	100	941	584	—	—	798	8591
Anglesey	17,312	—	58	—	—	634	403	115	—	58	58	173	749	288	115	—	403	922	115	115	634	518	—	—	518	9159

* The populations have been estimated to the middle of 1908 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 30 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1908.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1908 * (Females.)	DEATH-RATE PER MILLION LIVING FROM																			ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis. Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
IX.—YORKSHIRE.																										
West Riding (with York)	1,550,781	1	298	62	—	260	361	122	—	80	604	463	451	149	143	22	152	1,071	60	78	1056	1162	220	334	7213	
East Riding (with York)	253,436	—	252	16	—	220	224	193	—	79	842	445	626	130	91	12	153	1129	55	47	854	976	240	378	6932	
North Riding	199,432	—	480	40	—	260	250	280	—	50	675	399	590	270	130	40	210	1060	70	65	1470	910	160	335	8202	
X.—NORTHERN.																										
Durham	656,168	—	225	59	—	187	658	187	3	91	862	322	720	211	152	84	176	775	67	65	1248	1254	277	272	8028	
Northumberland	337,245	—	104	24	—	228	476	160	3	62	683	476	651	216	154	65	201	1008	56	65	1156	1073	237	325	8241	
Cumberland	138,702	—	29	58	—	403	460	165	—	122	187	295	719	144	115	58	137	1136	50	93	1172	920	288	273	8131	
Westmorland	34,136	—	117	58	—	321	292	58	—	29	88	205	555	58	29	—	117	1227	58	88	643	438	29	380	6896	
XI.—WELSH.																										
Monmouthshire	170,651	—	228	76	—	333	684	164	—	82	485	467	514	140	76	47	99	742	58	82	1870	1321	356	374	8662	
South Wales	680,090	—	337	43	—	302	399	179	—	45	629	545	695	183	106	37	160	852	69	92	1229	1050	326	317	8358	
Glamorganshire	487,798	—	399	53	—	241	468	178	—	39	806	470	638	188	106	51	127	752	55	96	1317	1069	352	333	8106	
Cardiganshire	66,918	—	417	15	—	432	194	194	—	60	209	805	894	283	119	—	268	909	75	104	1238	864	298	238	8941	
Pembrokeshire	43,274	—	23	23	—	254	115	92	—	23	254	691	820	115	138	—	184	991	46	69	714	1175	300	277	8597	
Cardiganshire	44,782	—	22	—	—	735	178	111	—	22	134	869	846	156	67	—	290	1648	156	67	757	1114	111	334	10132	
Brecknockshire	27,061	—	184	37	—	405	479	332	—	184	111	516	921	37	37	—	258	958	184	37	1474	1179	332	332	8808	
Radnorshire	10,257	—	—	—	—	389	389	389	—	97	97	486	292	97	194	—	97	875	97	194	583	194	292	97	6614	
North Wales	283,200	—	70	23	—	606	444	185	—	39	178	440	823	158	116	19	205	1043	77	58	745	912	247	267	8327	
Montgomeryshire	31,701	—	157	—	—	503	220	31	—	—	94	535	755	63	94	—	157	1258	31	63	503	912	157	346	8340	
Flintshire	30,832	—	324	32	—	776	615	420	—	65	65	388	809	129	32	—	226	647	162	—	712	1520	291	291	9445	
Denbighshire	67,738	—	—	44	—	633	707	236	—	74	353	456	589	133	103	15	191	1134	103	59	898	810	339	309	8199	
Merionethshire	32,936	—	—	61	—	515	273	121	—	61	121	242	848	212	91	—	91	1150	91	121	575	939	182	91	8355	
Carnarvonshire	76,805	—	39	—	—	545	338	182	—	13	130	519	987	195	208	52	234	974	52	65	701	844	234	247	7698	
Anglesey	18,188	—	—	—	—	822	329	—	—	—	164	329	1097	219	—	—	384	1097	—	—	1152	493	164	329	9486	

* The populations have been estimated to the middle of 1908 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 31.—ENGLAND AND WALES.—Crude Death-rates to a Million Persons from Puerperal Septic Diseases and Accidents of Childbirth to
NOTE.—These rates are calculated upon the deaths registered in each County,

REGISTRATION COUNTY.	TO A MILLION PERSONS LIVING.									
	Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping- cough.	
	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.
ENGLAND & WALES.	14	0	339	226	117	80	219	157	303	278
I.—LONDON.										
London*	3	—	462	314	94	98	244	145	370	204
II.—SOUTH EASTERN.										
Surrey	5	—	179	226	44	57	168	184	233	165
Kent	190	3	182	127	51	53	227	122	232	159
Sussex	1	—	129	67	29	23	191	83	182	133
Hampshire	3	—	213	93	44	31	231	188	220	253
Berkshire	4	—	176	90	38	47	169	168	195	201
III.—SOUTH MIDLAND.										
Middlesex	39	—	293	221	145	160	241	189	307	161
Hertfordshire	3	—	157	54	47	54	121	143	217	173
Buckinghamshire	3	—	162	44	42	88	230	165	216	247
Oxfordshire	11	—	127	11	53	16	102	134	186	220
Northamptonshire	3	—	168	39	108	37	113	76	228	327
Huntingdonshire	4	—	113	22	33	134	138	112	207	336
Bedfordshire	3	—	181	92	27	22	213	196	215	206
Cambridgeshire	9	—	168	301	56	24	131	218	225	417
IV.—EASTERN.										
Essex	30	—	312	311	81	105	314	198	349	175
Suffolk	3	—	165	148	33	27	132	116	283	196
Norfolk	1	—	198	159	72	23	192	176	272	345
V.—SOUTH WESTERN.										
Wiltshire	1	—	154	69	60	44	131	110	154	172
Dorsetshire	—	—	107	62	41	72	146	168	147	249
Devonshire	1	—	257	75	59	17	110	126	231	241
Cornwall	0	—	129	16	36	56	95	87	277	292
Somersetshire	0	—	184	180	46	15	159	75	190	81
VI.—WEST MIDLAND.										
Gloucestershire	2	—	312	154	74	25	204	164	231	270
Herefordshire	1	—	119	80	46	18	158	151	207	98
Shropshire	2	—	161	155	51	68	133	125	233	152
Staffordshire	3	—	444	141	179	116	278	180	333	291
Worcestershire	1	—	250	103	106	94	139	137	242	202
Warwickshire	3	—	345	91	149	105	201	193	364	455
VII.—NORTH MIDLAND.										
Leicestershire	9	—	271	403	108	73	306	106	245	212
Rutlandshire	—	—	82	—	53	50	174	50	136	199
Lincolnshire	3	2	170	48	98	54	183	161	263	259
Nottinghamshire	5	—	380	124	112	54	157	146	305	288
Derbyshire	6	—	289	160	136	69	157	210	247	142
VIII.—NORTH WESTERN.										
Cheshire	10	1	299	307	129	119	181	149	289	287
Lancashire	12	0	474	325	205	154	218	175	355	328
IX.—YORKSHIRE.										
West Riding	13	2	408	317	163	61	250	127	300	324
East Riding (with York)	45	—	358	255	87	18	198	165	294	195
North Riding	59	—	314	442	103	31	221	265	265	239
X.—NORTHERN.										
Durham	13	—	421	239	169	62	183	183	373	539
Northumberland	14	—	320	98	149	22	173	159	376	426
Cumberland	5	—	406	33	109	48	133	159	284	448
Westmorland	5	—	109	78	73	31	82	78	145	361
XI.—WELSH.										
Monmouthshire	2	—	439	231	118	60	360	174	346	617
South Wales	6	—	357	368	129	46	414	159	334	358
Glamorganshire	8	—	437	415	143	58	483	163	383	413
Carmarthenshire	—	—	248	558	130	8	274	163	246	225
Pembrokeshire	1	—	121	48	61	24	196	132	207	120
Cardiganshire	—	—	82	62	79	12	192	74	171	210
Brecknockshire	8	—	135	147	96	18	365	184	256	276
Radnorshire	10	—	149	—	69	—	297	308	147	308
North Wales	3	—	176	71	73	37	159	163	260	423
Montgomeryshire	2	—	70	97	27	—	72	32	192	225
Flintshire	2	—	217	303	110	32	246	367	189	590
Denbighshire	5	—	279	15	121	59	211	184	335	625
Merionethshire	—	—	152	—	48	93	196	108	235	139
Carnarvonshire	4	—	128	54	58	20	109	163	248	387
Anglesey	—	—	171	28	23	—	140	56	197	365

* See Note * to Table 28.

living from the **Principal Epidemic Diseases**, and from **Phthisis**; and **Deaths 1000 Births**, in **Registration Counties, 1898-1907**, and **1908**.

no correction having been made for those occurring in Public Institutions.

TO A MILLION PERSONS LIVING.										TO 1000 BIRTHS.		REGISTRATION COUNTY.
Fever.						Diarrhoea (including Dysentery).		Phthisis.		Puerperal Septic Diseases and Accidents of Childbirth.		
Typhus.		Enteric.		Pyrexia† (Origin uncertain.)								
Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	Ten Years 1898 to 1907.	1908.	
1	0	127	75	3	1	722	520	1234	1115	4'31	3'57	ENGLAND & WALES.
0	—	100	46	1	0	785	537	1584	1299	3'14	2'69	I.—LONDON. London.*
0	—	53	23	2	—	518	299	1092	1047	3'43	2'46	II.—SOUTH EASTERN.
1	—	130	80	1	—	582	296	1151	996	3'48	3'06	Surrey.
0	—	73	31	1	—	417	169	1212	1003	3'88	3'52	Kent.
0	—	137	63	3	—	545	230	1349	1148	3'42	3'10	Sussex.
1	—	46	57	1	—	387	174	1001	925	4'25	2'64	Hampshire.
0	—	82	48	1	1	826	455	1017	914	3'17	2'84	Berkshire.
1	—	64	27	—	—	429	151	1079	1006	3'56	3'25	III.—SOUTH MIDLAND.
1	—	64	11	1	—	322	121	886	868	3'48	3'22	Middlesex.
1	—	41	21	1	—	261	236	969	940	3'70	2'46	Hertfordshire.
1	—	90	37	1	—	430	146	1052	967	3'77	2'69	Buckinghamshire.
1	—	58	45	—	—	357	134	1030	829	2'88	1'85	Oxfordshire.
1	—	55	27	1	—	531	179	1053	907	3'59	1'57	Northamptonshire.
1	—	78	53	3	—	364	121	1064	951	3'81	2'08	Huntingdonshire.
0	—	141	53	2	1	906	458	1026	907	3'18	3'05	Bedfordshire.
1	—	80	70	2	—	335	172	1134	1136	3'83	3'24	Cambridgeshire.
1	—	119	136	3	—	543	226	1011	1031	3'92	3'14	IV.—EASTERN.
1	—	43	29	2	—	245	99	921	873	4'51	3'63	Essex.
1	—	59	24	1	—	245	134	987	868	3'87	2'65	Suffolk.
0	—	103	68	2	—	413	286	1230	1178	4'44	3'57	Norfolk.
0	—	69	34	3	3	315	177	1231	1236	4'63	4'21	V.—SOUTH WESTERN.
0	—	48	13	1	2	264	180	965	944	3'89	4'28	Wiltshire.
0	—	65	36	1	1	420	278	1106	986	4'13	2'96	Dorsetshire.
1	—	23	18	—	—	181	187	938	1050	4'72	2'44	Dorsetshire.
1	—	44	15	2	—	236	163	974	958	3'56	4'09	Devonshire.
0	—	168	86	2	—	902	691	1018	1007	4'53	2'96	Cornwall.
0	—	87	50	1	—	456	320	934	888	4'04	3'17	Somersetshire.
0	—	146	58	2	—	1027	679	1278	1205	4'12	3'09	VI.—WEST MIDLAND.
1	—	91	45	1	2	758	387	1065	1075	3'67	3'49	Gloucestershire.
1	—	54	50	—	—	179	50	733	598	3'72	4'78	Herefordshire.
0	—	156	93	3	2	560	354	993	996	4'29	3'11	Shropshire.
0	—	194	87	2	1	875	600	1063	972	4'61	3'23	Staffordshire.
0	—	117	67	1	2	574	363	926	821	4'50	4'98	Worcestershire.
1	—	129	70	4	5	700	491	1118	959	5'09	3'25	Warwickshire.
6	2	182	125	5	1	1065	801	1415	1299	5'08	4'24	VII.—NORTH MIDLAND.
0	—	169	105	2	—	829	679	1189	1124	5'06	4'32	Leicestershire.
1	—	162	84	3	—	1030	877	1170	1160	4'27	4'46	Rutlandshire.
0	—	146	97	7	3	656	849	1075	1055	4'25	2'66	Lincolnshire.
1	—	186	146	6	2	911	921	1248	1043	4'69	3'91	Nottinghamshire.
2	—	128	73	5	1	734	677	1504	1259	4'30	3'83	Derbyshire.
3	—	73	133	1	—	317	222	1137	1093	5'29	5'59	VIII.—NORTH WESTERN.
1	—	53	16	2	—	168	94	822	831	5'57	0'80	Cheshire.
0	6	157	131	8	—	569	491	921	919	5'65	4'72	Lancashire.
1	1	157	74	4	1	511	676	1290	1217	6'14	5'04	IX.—YORKSHIRE.
2	1	170	76	4	1	765	857	1146	1103	6'07	4'95	West Riding.
1	—	154	54	4	—	233	232	1593	1595	6'22	5'10	East Riding (with York).
1	—	134	36	1	—	240	215	1356	1448	6'16	6'51	North Riding.
1	—	58	37	4	—	237	185	2203	1954	7'33	3'21	X.—NORTHERN.
1	—	187	202	9	—	248	110	1041	1157	6'87	6'20	Durham.
1	—	70	44	5	—	149	44	907	748	3'75	7'46	Northumberland.
1	—	77	37	4	2	306	191	1453	1269	6'17	5'35	Cumberland.
1	—	33	—	2	—	219	48	1243	1336	6'25	3'62	Westmorland.
1	—	116	96	7	16	318	143	1082	1371	5'80	4'83	XI.—WELSH.
1	—	100	51	2	—	437	331	1218	992	7'02	6'43	Monmouthshire.
1	—	44	46	3	—	182	108	1621	1408	6'75	4'56	South Wales.
1	—	80	14	4	—	291	197	1718	1413	5'41	5'93	Glamorganshire.
1	—	60	28	6	—	255	112	1427	1180	4'67	3'84	Cardiganshire.

† Called Simple Continued Fever previous to 1901.

TABLE 32.—ENGLAND AND WALES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS...	—	0'00	0'01	0'05	0'10	0'16	0'52	0'46	0'47	0'47
II. DIARRHOEAL DIS.	0'00	0'05	0'17	0'39	0'39	1'00	2'09	2'46	2'56	2'39
III. WASTING DIS. ..	10'07	10'33	3'88	3'30	2'10	29'68	4'64	2'64	1'64	1'05
IV. TUBERC. DIS. ..	0'00	0'01	0'01	0'03	0'03	0'08	0'23	0'38	0'46	0'51
V. MISCELLAN. DIS...	1'42	2'42	1'81	1'99	1'71	9'35	6'10	4'64	3'89	3'38
ALL CAUSES ..	11'49	12'81	5'88	5'76	4'33	40'27	13'58	10'58	9'02	7'80
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	0'00
Chicken-pox ..	—	—	—	0'00	—	0'00	0'00	0'00	0'00	0'01
Measles	—	0'00	0'00	0'01	0'01	0'02	0'03	0'02	0'01	0'03
Scarlet Fever ..	—	—	0'00	—	—	0'00	0'00	0'00	0'01	0'01
Diphtheria, Croup	—	0'00	0'00	0'00	0'00	0'00	0'01	0'01	0'01	0'01
Whooping-cough	—	—	0'01	0'04	0'09	0'14	0'48	0'43	0'44	0'41
II. { Enteritis	—	0'03	0'06	0'08	0'07	0'24	0'37	0'45	0'38	0'36
Gastro-enteritis	—	0'01	0'04	0'08	0'07	0'20	0'31	0'31	0'34	0'31
Gastro-intestinal Catarrh.	—	0'00	0'01	0'02	0'03	0'06	0'10	0'11	0'10	0'11
Diarrhoea (other forms).	0'00	0'01	0'06	0'21	0'22	0'50	1'31	1'59	1'74	1'61
III. { Premature Birth	7'41	5'25	1'88	1'54	0'91	17'99	1'27	0'34	0'14	0'06
Congenital Defects.	1'19	2'02	0'90	0'55	0'30	4'96	0'66	0'35	0'19	0'13
Want of Breast Milk, Starvation.	—	0'02	0'03	0'04	0'06	0'15	0'17	0'16	0'09	0'08
Atrophy, Debility, Marasmus.	1'47	2'04	1'07	1'17	0'83	6'58	2'54	1'79	1'22	0'78
IV. { Tuberculous Meningitis.	—	0'01	0'00	0'01	0'01	0'03	0'03	0'07	0'10	0'13
Tuberculous Peritonitis, Ta- bes Mesenterica.	—	0'00	0'01	0'01	0'01	0'03	0'12	0'20	0'23	0'23
Other Tubercu- lous Diseases.	0'00	0'00	0'00	0'01	0'01	0'02	0'08	0'11	0'13	0'15
Syphilis	0'02	0'03	0'08	0'10	0'07	0'30	0'32	0'21	0'14	0'09
Erysipelas ..	—	0'00	0'01	0'02	0'03	0'06	0'07	0'03	0'02	0'02
Rickets	—	—	—	0'00	—	0'00	0'01	0'03	0'03	0'03
Injury at Birth..	0'60	0'31	0'05	0'02	0'01	0'99	0'01	0'00	0'00	—
Meningitis (not Tuberculous).	—	0'02	0'03	0'02	0'01	0'08	0'09	0'12	0'14	0'18
V. { Convulsions ..	0'33	1'58	0'90	0'73	0'57	4'11	1'69	1'23	0'96	0'72
Laryngitis ..	—	0'01	0'00	0'00	0'00	0'01	0'01	0'01	0'01	0'01
Bronchitis ..	0'01	0'05	0'24	0'40	0'37	1'07	1'50	1'10	0'95	0'75
Pneumonia ..	0'00	0'04	0'11	0'17	0'20	0'52	1'01	0'91	0'88	0'82
Gastritis, Gastric Catarrh.	—	0'02	0'04	0'07	0'07	0'20	0'31	0'28	0'19	0'19
Suffocation ..	0'10	0'20	0'06	0'07	0'11	0'54	0'37	0'30	0'18	0'14
Other Causes ..	0'36	0'16	0'29	0'39	0'27	1'47	0'71	0'42	0'39	0'43

Mortality under 5 Years of Age, 1908.

to 1000 Births.							Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.	
Months.							Under 1 year.	1 year.	2 years.	3 years.		4 years.
5—	6—	7—	8—	9—	10—	11—						
0'49	0'60	0'67	0'77	0'86	0'89	1'05	7'41	8'72	4'41	3'29	2'55	5'43
2'02	1'76	1'45	1'26	1'14	0'94	0'83	19'90	4'71	0'80	0'25	0'14	5'80
0'74	0'55	0'40	0'35	0'25	0'23	0'20	42'37	0'93	0'20	0'08	0'05	10'09
0'49	0'44	0'44	0'47	0'41	0'37	0'37	4'65	3'70	1'83	1'18	0'93	2'58
3'06	2'89	2'95	2'74	2'51	2'36	2'23	46'10	16'76	6'75	3'87	2'74	16'67
6'80	6'24	5'91	5'59	5'17	4'79	4'68	120'43	34'82	13'99	8'67	6'41	40'57
—	—	—	—	—	—	—	0'00	—	—	—	—	0'00
0'00	0'01	0'01	0'01	0'01	0'00	0'00	0'05	0'02	0'01	0'01	0'01	0'02
0'07	0'14	0'19	0'24	0'31	0'37	0'46	1'89	3'90	1'64	0'95	0'59	1'83
0'00	0'01	0'01	0'01	0'03	0'02	0'02	0'12	0'37	0'54	0'55	0'47	0'40
0'02	0'02	0'02	0'04	0'05	0'05	0'07	0'31	0'82	0'88	1'10	1'10	0'82
0'40	0'42	0'44	0'47	0'46	0'45	0'50	5'04	3'61	1'34	0'68	0'38	2'36
0'27	0'24	0'20	0'15	0'14	0'12	0'11	3'03	0'63	0'12	0'06	0'04	0'87
0'26	0'20	0'19	0'13	0'14	0'11	0'09	2'59	0'57	0'10	0'04	0'04	0'75
0'08	0'06	0'02	0'02	0'03	0'03	0'03	0'75	0'09	0'02	0'01	0'00	0'20
1'41	1'26	1'04	0'96	0'83	0'68	0'60	13'53	3'42	0'56	0'14	0'06	3'98
0'02	0'02	0'00	0'01	0'00	0'00	0'00	19'85	—	—	—	—	4'61
0'10	0'08	0'07	0'06	0'04	0'04	0'04	6'72	0'17	0'07	0'04	0'03	1'62
0'06	0'04	0'03	0'02	0'02	0'01	—	0'83	—	—	—	—	0'19
0'56	0'41	0'30	0'26	0'19	0'18	0'16	14'97	0'76	0'13	0'04	0'02	3'67
0'16	0'16	0'17	0'19	0'15	0'14	0'14	1'47	1'39	0'83	0'56	0'43	0'97
0'20	0'15	0'15	0'16	0'14	0'11	0'11	1'83	1'11	0'39	0'21	0'16	0'79
0'13	0'13	0'12	0'12	0'12	0'12	0'12	1'35	1'20	0'61	0'41	0'34	0'82
0'05	0'04	0'03	0'02	0'02	0'02	0'01	1'25	0'07	0'02	0'01	0'01	0'31
0'01	0'01	0'01	0'00	0'00	0'00	0'00	0'23	0'01	0'01	0'00	0'00	0'06
0'04	0'05	0'05	0'06	0'05	0'05	0'06	0'46	0'63	0'20	0'05	0'01	0'28
—	—	—	—	—	—	—	1'00	0'00	—	—	—	0'23
0'18	0'18	0'19	0'16	0'17	0'16	0'16	1'81	1'13	0'55	0'34	0'26	0'87
0'51	0'40	0'32	0'26	0'23	0'17	0'15	10'75	1'04	0'41	0'14	0'07	2'82
0'01	0'02	0'01	0'01	0'02	0'02	0'02	0'16	0'20	0'17	0'16	0'13	0'16
0'69	0'64	0'62	0'56	0'52	0'48	0'44	9'32	2'77	0'75	0'32	0'17	2'96
0'90	0'95	1'06	1'10	0'99	0'99	0'95	11'08	7'37	2'64	1'27	0'81	4'97
0'12	0'10	0'09	0'07	0'07	0'05	0'04	1'71	0'26	0'09	0'05	0'03	0'48
0'06	0'03	0'03	0'01	0'01	0'01	0'01	1'69	0'05	0'01	0'01	0'01	0'41
0'49	0'47	0'54	0'49	0'43	0'41	0'39	6'64	3'23	1'90	1'52	1'24	3'12

TABLE 33.—ENGLAND AND WALES. **Males.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Under 1 month.	Months.			
			1—	2—	3—		1—	2—	3—	4—
I. COM. INFEC. DIS...	—	—	0'02	0'03	0'10	0'15	0'47	0'44	0'47	0'44
II. DIARRHOEAL DIS.	—	0'06	0'22	0'46	0'48	1'22	2'49	2'71	2'76	2'54
III. WASTING DIS. ..	11'49	11'60	4'32	3'69	2'31	33'41	5'22	2'92	1'81	1'16
IV. TUBERC. DIS. ..	—	0'01	0'02	0'02	0'03	0'08	0'29	0'45	0'53	0'56
V. MISCELLAN. DIS ..	1'61	3'01	2'06	2'22	1'95	10'85	6'99	5'17	4'28	3'74
ALL CAUSES ..	13'10	14'68	6'64	6'42	4'87	45'71	15'46	11'69	9'85	8'44
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	0'00
Chicken-pox ..	—	—	—	—	—	—	—	0'00	0'00	0'02
Measles	—	—	0'01	0'01	0'01	0'03	0'03	0'02	0'02	0'02
Scarlet Fever ..	—	—	—	—	—	—	0'00	0'00	0'01	0'00
Diphtheria, Croup	—	—	—	—	0'00	0'00	0'01	0'02	0'01	0'01
Whooping-cough	—	—	0'01	0'02	0'09	0'12	0'43	0'40	0'43	0'39
II. { Enteritis	—	0'04	0'07	0'10	0'10	0'31	0'46	0'49	0'41	0'40
Gastro-enteritis..	—	0'01	0'06	0'10	0'09	0'26	0'37	0'37	0'37	0'34
Gastro-intestinal	—	0'00	0'01	0'03	0'03	0'07	0'11	0'11	0'13	0'12
Catarrh.	—	0'01	0'08	0'23	0'26	0'58	1'55	1'74	1'85	1'68
Diarrhoea (other forms).	—	0'01	0'08	0'23	0'26	0'58	1'55	1'74	1'85	1'68
III. { Premature Birth	8'56	6'95	2'01	1'65	0'96	20'13	1'32	0'34	0'14	0'07
Congenital Defects.	1'30	2'31	1'02	0'65	0'32	5'60	0'74	0'39	0'19	0'14
Want of Breast Milk, Starvation.	—	0'01	0'05	0'07	0'06	0'19	0'17	0'18	0'12	0'10
Atrophy, Debility, Marasmus.	1'63	2'33	1'24	1'32	0'97	7'49	2'99	2'01	1'36	0'85
IV. { Tuberculous Meningitis.	—	0'01	0'01	0'00	0'01	0'03	0'05	0'09	0'11	0'13
Tuberculous Peritonitis, Tabes Mesenterica.	—	—	0'01	0'01	0'01	0'03	0'15	0'22	0'28	0'25
Other Tuberculous Diseases.	—	0'00	0'00	0'01	0'01	0'02	0'09	0'14	0'14	0'18
Syphilis	0'02	0'03	0'09	0'10	0'07	0'31	0'36	0'22	0'15	0'09
Erysipelas ..	—	0'00	0'02	0'03	0'02	0'07	0'09	0'02	0'02	0'01
Rickets	—	—	—	0'00	—	0'00	0'01	0'03	0'03	0'04
Injury at Birth ..	0'73	0'36	0'08	0'03	0'01	1'21	0'01	0'00	0'00	—
Meningitis (not Tuberculous).	—	0'02	0'03	0'03	0'02	0'10	0'11	0'13	0'16	0'22
V. { Convulsions ..	0'37	1'96	1'02	0'81	0'67	4'83	1'90	1'43	1'04	0'78
Laryngitis.. ..	—	0'01	0'00	0'00	0'00	0'01	0'01	0'01	0'01	0'01
Bronchitis ..	0'01	0'07	0'28	0'46	0'40	1'22	1'66	1'19	1'02	0'84
Pneumonia ..	0'01	0'04	0'13	0'19	0'24	0'61	1'22	1'02	1'01	0'91
Gastritis, Gastric Catarrh.	—	0'03	0'05	0'07	0'08	0'23	0'38	0'32	0'20	0'21
Suffocation ..	0'09	0'21	0'07	0'08	0'10	0'55	0'36	0'28	0'19	0'14
Other Causes ..	0'38	0'28	0'29	0'42	0'34	1'71	0'88	0'52	0'45	0'49

Mortality under 5 Years of Age, 1908.

to 1000 Births.							Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.	
Months.							Under 1 year.	1 year.	2 years.	3 years.		4 years.
5—	6—	7—	8—	9—	10—	11—						
0'47	0'60	0'67	0'69	0'84	0'88	1'04	7'16	8'35	4'23	3'08	2'44	5'28
2'20	1'87	1'54	1'35	1'16	1'04	0'80	21'68	4'79	0'79	0'23	0'14	6'34
0'73	0'57	0'41	0'38	0'26	0'22	0'20	47'29	0'96	0'22	0'10	0'04	11'47
0'57	0'49	0'45	0'51	0'43	0'40	0'41	5'17	3'91	1'97	1'25	0'97	2'83
3'43	3'21	3'23	3'06	2'77	2'53	2'37	51'63	18'10	7'14	4'10	2'83	18'62
7'40	6'74	6'30	5'99	5'46	5'07	4'82	132'93	36'11	14'35	8'76	6'42	44'54
—	—	—	—	—	—	—	0'00	—	—	—	—	0'00
0'00	0'00	0'01	0'00	0'00	0'01	0'00	0'04	0'04	0'01	0'01	0'00	0'02
0'08	0'14	0'21	0'25	0'36	0'37	0'47	2'00	4'08	1'70	0'91	0'55	1'92
—	0'01	0'00	0'01	0'04	0'03	0'03	0'13	0'36	0'53	0'54	0'46	0'40
0'01	0'02	0'02	0'03	0'04	0'06	0'09	0'32	0'84	0'89	1'09	1'14	0'84
0'38	0'43	0'43	0'40	0'40	0'41	0'45	4'67	3'03	1'10	0'53	0'29	2'10
0'27	0'23	0'24	0'17	0'13	0'14	0'11	3'36	0'60	0'11	0'06	0'04	0'96
0'28	0'22	0'20	0'14	0'15	0'12	0'08	2'90	0'58	0'09	0'04	0'03	0'84
0'09	0'06	0'02	0'03	0'04	0'04	0'03	0'85	0'09	0'02	0'01	0'01	0'23
1'56	1'36	1'08	1'01	0'84	0'74	0'58	14'57	3'52	0'57	0'12	0'06	4'31
0'03	0'01	0'00	0'01	0'01	0'00	—	22'06	—	—	—	—	5'23
0'09	0'09	0'08	0'07	0'04	0'03	0'04	7'50	0'18	0'08	0'04	0'03	1'84
0'06	0'04	0'04	0'02	0'01	0'01	—	0'94	—	—	—	—	0'22
0'55	0'43	0'29	0'28	0'20	0'18	0'16	16'79	0'78	0'14	0'06	0'01	4'18
0'18	0'17	0'17	0'19	0'18	0'17	0'16	1'63	1'44	0'86	0'58	0'44	1'01
0'23	0'18	0'15	0'18	0'14	0'10	0'11	2'02	1'18	0'42	0'24	0'18	0'88
0'16	0'14	0'13	0'14	0'11	0'13	0'14	1'52	1'29	0'69	0'43	0'35	0'91
0'06	0'06	0'02	0'03	0'02	0'02	0'01	1'35	0'07	0'03	0'01	0'00	0'34
—	0'00	0'01	0'00	0'00	0'00	—	0'22	0'01	0'00	0'00	0'01	0'06
0'05	0'06	0'06	0'09	0'04	0'07	0'06	0'54	0'76	0'21	0'06	0'01	0'34
—	—	—	—	—	—	—	1'22	—	—	—	—	0'29
0'20	0'20	0'19	0'17	0'18	0'16	0'17	1'99	1'32	0'61	0'38	0'25	0'98
0'54	0'42	0'35	0'29	0'27	0'20	0'17	12'22	1'09	0'41	0'14	0'07	3'24
0'01	0'02	0'01	0'02	0'02	0'02	0'02	0'17	0'19	0'19	0'15	0'15	0'17
0'76	0'71	0'69	0'59	0'55	0'50	0'47	10'20	2'86	0'75	0'35	0'17	3'25
1'06	1'06	1'23	1'24	1'14	1'05	1'01	12'56	7'91	2'72	1'27	0'86	5'52
0'14	0'10	0'07	0'05	0'06	0'05	0'04	1'85	0'28	0'07	0'04	0'03	0'52
0'05	0'03	0'03	0'01	0'01	0'01	0'01	1'67	0'06	0'01	0'01	0'01	0'41
0'56	0'55	0'57	0'57	0'48	0'45	0'41	7'64	3'55	2'14	1'69	1'27	3'50

TABLE 34.—ENGLAND AND WALES. **Females.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Under 1 month.	Months.			
			1—	2—	3—		1—	2—	3—	4—
I. COM. INFEC. DIS...	—	0'00	0'00	0'06	0'11	0'17	0'57	0'49	0'46	0'48
II. DIARRHŒAL DIS.	0'00	0'05	0'11	0'30	0'28	0'74	1'68	2'19	2'37	2'24
III. WASTING DIS. ..	8'60	8'98	3'44	2'92	1'87	25'81	4'04	2'36	1'49	0'96
IV. TUBERC. DIS. ..	0'00	0'00	0'00	0'02	0'03	0'05	0'17	0'30	0'39	0'46
V. MISCELLAN. DIS...	1'22	1'85	1'54	1'78	1'49	7'88	5'16	4'09	3'45	3'00
ALL CAUSES ..	9'82	10'88	5'09	5'08	3'78	34'65	11'62	9'43	8'16	7'14
I. { Small-pox.. ..	—	—	—	—	—	—	—	—	—	—
{ Chicken-pox ..	—	—	—	0'00	—	0'00	0'00	—	—	0'01
{ Measles	—	0'00	0'00	0'00	0'01	0'01	0'02	0'02	0'01	0'03
{ Scarlet Fever ..	—	—	0'00	—	—	0'00	—	0'00	0'00	0'00
{ Diphtheria, Croup	—	0'00	0'00	0'00	0'01	0'01	0'01	0'00	0'01	0'01
{ Whooping-cough	—	—	0'00	0'06	0'09	0'15	0'54	0'47	0'44	0'43
II. { Enteritis	—	0'03	0'04	0'06	0'04	0'17	0'28	0'40	0'35	0'32
{ Gastro-enteritis..	—	—	0'02	0'04	0'06	0'12	0'24	0'25	0'32	0'29
{ Gastro-intestinal	—	0'00	0'01	0'01	0'02	0'04	0'09	0'11	0'07	0'09
{ Catarrh.	—	—	—	—	—	—	—	—	—	—
{ Diarrhœa (other	0'00	0'02	0'04	0'19	0'16	0'41	1'07	1'43	1'63	1'54
{ forms).	—	—	—	—	—	—	—	—	—	—
III. { Premature Birth	6'22	5'51	1'74	1'43	0'85	15'75	1'21	0'35	0'14	0'06
{ Congenital De-	1'07	1'74	0'78	0'45	0'28	4'32	0'58	0'30	0'20	0'12
{ fects.	—	0'02	0'02	0'02	0'05	0'11	0'18	0'14	0'07	0'07
{ Want of Breast	—	0'02	0'02	0'02	0'05	0'11	0'18	0'14	0'07	0'07
{ Milk, Starvation.	—	0'02	0'02	0'02	0'05	0'11	0'18	0'14	0'07	0'07
{ Atrophy, Debi-	1'31	1'71	0'90	1'02	0'69	5'63	2'07	1'57	1'08	0'71
{ lity, Marasmus.	—	—	—	—	—	—	—	—	—	—
IV. { Tuberculous	—	0'00	—	0'00	0'01	0'01	0'02	0'05	0'08	0'12
{ Meningitis.	—	0'00	0'00	0'02	0'01	0'03	0'09	0'18	0'19	0'21
{ Tuberculous	—	0'00	0'00	0'02	0'01	0'03	0'09	0'18	0'19	0'21
{ Peritonitis, Ta-	—	0'00	0'00	0'02	0'01	0'03	0'09	0'18	0'19	0'21
{ bes Mesenterica.	—	0'00	0'00	0'02	0'01	0'03	0'09	0'18	0'19	0'21
{ Other Tubercu-	0'00	—	0'00	0'00	0'01	0'01	0'06	0'07	0'12	0'13
{ lous Diseases.	—	—	—	—	—	—	—	—	—	—
{ Syphilis	0'02	0'03	0'07	0'08	0'08	0'28	0'27	0'21	0'13	0'09
{ Erysipelas ..	—	0'00	0'00	0'02	0'03	0'05	0'04	0'02	0'02	0'03
{ Rickets	—	—	—	—	—	—	0'00	0'03	0'02	0'02
{ Injury at Birth ..	0'49	0'25	0'02	0'00	0'00	0'76	0'01	—	—	—
{ Meningitis (not	—	0'01	0'02	0'01	0'01	0'05	0'06	0'11	0'11	0'15
{ Tuberculous).	—	0'01	0'02	0'01	0'01	0'05	0'06	0'11	0'11	0'15
{ Convulsions ..	0'28	1'19	0'78	0'65	0'47	3'37	1'46	1'02	0'87	0'66
V. { Laryngitis.. ..	—	0'00	0'01	0'00	—	0'01	0'01	0'01	0'01	0'00
{ Bronchitis.. ..	0'00	0'04	0'20	0'34	0'34	0'92	1'33	1'00	0'87	0'66
{ Pneumonia ..	—	0'03	0'09	0'15	0'16	0'43	0'79	0'80	0'75	0'73
{ Gastritis, Gastric	—	0'02	0'04	0'07	0'05	0'18	0'23	0'23	0'19	0'17
{ Catarrh.	—	0'02	0'04	0'07	0'05	0'18	0'23	0'23	0'19	0'17
{ Suffocation ..	0'10	0'17	0'05	0'07	0'12	0'51	0'37	0'33	0'17	0'15
{ Other Causes ..	0'33	0'11	0'26	0'39	0'23	1'32	0'59	0'33	0'31	0'34

Mortality under 5 Years of Age, 1903.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'50	0'57	0'67	0'84	0'89	0'92	1'09	7'65	9'10	4'55	3'49	2'66	5'60
1'87	1'63	1'36	1'21	1'08	0'85	0'85	18'07	4'65	0'81	0'26	0'15	5'28
0'76	0'52	0'40	0'30	0'22	0'23	0'20	37'29	0'92	0'19	0'07	0'06	8'73
0'43	0'39	0'43	0'42	0'40	0'34	0'32	4'10	3'50	1'69	1'12	0'91	2'34
2'62	2'61	2'66	2'40	2'28	2'17	2'07	40'39	15'36	6'39	3'64	2'62	14'68
6'18	5'72	5'52	5'17	4'87	4'51	4'53	107'50	33'53	13'63	8'58	6'40	36'63
—	—	—	—	—	—	—	—	—	—	—	—	—
0'01	0'01	0'01	0'01	0'01	—	0'00	0'06	0'01	0'01	0'01	0'01	0'02
0'06	0'13	0'18	0'22	0'27	0'37	0'45	1'77	3'71	1'57	0'98	0'62	1'75
0'00	0'01	0'01	0'02	0'02	0'02	0'02	0'10	0'37	0'54	0'56	0'49	0'40
0'02	0'02	0'02	0'04	0'06	0'05	0'05	0'30	0'80	0'86	1'11	1'07	0'81
0'41	0'40	0'45	0'55	0'53	0'48	0'57	5'42	4'21	1'57	0'83	0'47	2'62
0'28	0'24	0'15	0'14	0'14	0'11	0'11	2'69	0'66	0'13	0'05	0'04	0'79
0'24	0'18	0'18	0'13	0'12	0'11	0'10	2'28	0'57	0'10	0'04	0'05	0'67
0'09	0'05	0'03	0'02	0'01	0'02	0'02	0'64	0'10	0'03	0'00	0'00	0'17
1'26	1'16	1'00	0'92	0'81	0'61	0'62	12'46	3'32	0'55	0'17	0'06	3'65
0'02	0'02	0'01	0'01	0'00	—	0'00	17'57	—	—	—	—	4'00
0'11	0'08	0'06	0'04	0'03	0'04	0'04	5'92	0'17	0'06	0'04	0'03	1'41
0'06	0'03	0'02	0'01	0'02	0'01	—	0'72	—	—	—	—	0'16
0'57	0'39	0'31	0'24	0'17	0'18	0'16	13'08	0'75	0'13	0'03	0'03	3'16
0'15	0'15	0'18	0'17	0'12	0'12	0'12	1'29	1'34	0'81	0'55	0'43	0'90
0'17	0'12	0'14	0'15	0'14	0'11	0'10	1'63	1'04	0'35	0'18	0'14	0'71
0'11	0'12	0'11	0'10	0'14	0'11	0'10	1'18	1'12	0'53	0'39	0'34	0'73
0'04	0'03	0'03	0'01	0'02	0'02	0'01	1'14	0'07	0'02	—	0'01	0'28
0'02	0'02	0'02	0'00	0'00	0'01	0'00	0'23	0'01	0'01	0'01	—	0'06
0'03	0'03	0'03	0'03	0'06	0'05	0'06	0'36	0'50	0'19	0'04	0'02	0'23
—	—	—	—	—	—	—	0'77	0'00	—	—	—	0'18
0'16	0'16	0'20	0'15	0'16	0'16	0'14	1'61	0'95	0'49	0'30	0'26	0'76
0'48	0'38	0'29	0'24	0'18	0'14	0'14	9'23	0'99	0'41	0'13	0'06	2'41
0'01	0'02	0'01	0'01	0'02	0'02	0'02	0'15	0'20	0'14	0'16	0'12	0'15
0'63	0'56	0'56	0'52	0'48	0'47	0'40	8'40	2'69	0'75	0'29	0'16	2'68
0'72	0'83	0'90	0'95	0'83	0'93	0'89	9'55	6'81	2'55	1'27	0'76	4'41
0'09	0'10	0'11	0'08	0'08	0'05	0'05	1'56	0'24	0'10	0'07	0'03	0'44
0'08	0'03	0'03	0'02	0'01	0'01	0'01	1'72	0'04	0'01	0'02	0'01	0'41
0'36	0'45	0'48	0'39	0'44	0'31	0'35	5'67	2'86	1'72	1'35	1'19	2'67

TABLE 35.—URBAN COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 Day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS. ..	—	0'00	0'00	0'05	0'12	0'17	0'47	0'46	0'44	0'47
II. DIARRHOEAL DIS. ..	0'00	0'06	0'21	0'46	0'42	1'15	2'46	3'05	3'07	2'92
III. WASTING DIS. ..	10'02	10'40	4'05	3'48	2'00	29'95	4'87	2'73	1'83	1'12
IV. TUBERC. DIS. ..	0'00	0'00	0'01	0'03	0'03	0'07	0'26	0'42	0'51	0'55
V. MISCELLAN. DIS. ..	1'50	2'50	1'88	2'20	1'87	9'95	6'67	5'01	4'20	3'70
ALL CAUSES ..	11'52	12'96	6'15	6'22	4'44	41'29	14'73	11'67	10'05	8'76
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	0'00
Chicken-pox ..	—	—	—	0'00	—	0'00	0'00	0'00	0'00	0'00
Measles ..	—	0'00	0'00	0'01	0'02	0'03	0'04	0'02	0'01	0'03
Scarlet Fever ..	—	—	0'00	—	—	0'00	0'00	0'00	0'01	0'00
Diphtheria, Croup	—	—	0'00	0'03	0'01	0'01	0'01	0'01	0'01	0'01
Whooping-cough	—	—	0'00	0'04	0'09	0'13	0'42	0'43	0'41	0'43
II. { Enteritis ..	—	0'04	0'07	0'09	0'07	0'27	0'41	0'55	0'44	0'40
Gastro-enteritis ..	—	0'01	0'06	0'08	0'07	0'22	0'34	0'34	0'37	0'36
Gastro-intestinal Catarrh.	—	0'00	0'01	0'02	0'03	0'06	0'12	0'15	0'13	0'14
Diarrhoea (other forms).	0'00	0'01	0'07	0'27	0'25	0'60	1'59	2'01	2'13	2'02
III. { Premature Birth	7'38	6'36	1'94	1'58	0'88	18'14	1'34	0'34	0'15	0'07
Congenital Defects.	1'24	2'02	0'98	0'57	0'29	5'10	0'73	0'35	0'21	0'14
Want of Breast Milk, Starvation.	—	0'02	0'04	0'04	0'04	0'14	0'18	0'16	0'11	0'09
Atrophy, Debility, Marasmus.	1'40	2'00	1'09	1'29	0'79	6'57	2'62	1'88	1'36	0'82
IV. { Tuberculous Meningitis	—	0'00	0'01	0'00	0'01	0'02	0'04	0'09	0'10	0'12
Tuberculous Peritonitis, Tabes Mesenterica.	—	0'00	0'00	0'02	0'01	0'03	0'14	0'22	0'26	0'28
Other Tuberculous Diseases.	0'00	—	0'00	0'01	0'01	0'02	0'08	0'11	0'15	0'15
Syphilis ..	0'03	0'03	0'08	0'11	0'08	0'33	0'39	0'23	0'17	0'10
Erysipelas ..	—	0'00	0'01	0'03	0'03	0'07	0'07	0'02	0'03	0'03
Rickets ..	—	—	—	0'00	—	0'00	0'01	0'03	0'03	0'03
Injury at Birth ..	0'60	0'30	0'96	0'02	0'01	0'99	0'01	0'00	0'00	—
Meningitis (not Tuberculous).	—	0'02	0'04	0'03	0'02	0'11	0'11	0'16	0'15	0'20
Convulsions ..	0'36	1'66	0'97	0'82	0'63	4'44	1'87	1'33	1'01	0'77
V. { Laryngitis ..	—	—	0'00	0'00	—	0'00	0'01	0'01	0'01	0'01
Bronchitis ..	0'01	0'05	0'24	0'47	0'38	1'15	1'62	1'12	1'00	0'80
Pneumonia ..	0'00	0'04	0'12	0'17	0'22	0'55	1'09	0'95	0'96	0'93
Gastritis, Gastric Catarrh.	—	0'02	0'04	0'07	0'07	0'20	0'35	0'31	0'22	0'21
Suffocation ..	0'12	0'20	0'07	0'09	0'15	0'63	0'49	0'39	0'22	0'17
Other Causes ..	0'38	0'18	0'25	0'39	0'28	1'48	0'65	0'46	0'40	0'45

Mortality under 5 Years of Age, 1908.

to 1000 Births.							Deaths per 1000 Survivors.				Death-rate per 1000 living under 5 years of age.	
Months.							Under 1 year.	1 year.	2 years.	3 years.		4 years.
5—	6—	7—	8—	9—	10—	11—						
0'50	0'65	0'69	0'85	0'94	1'03	1'21	7'88	10'18	5'10	3'74	2'78	6'19
2'44	2'17	1'80	1'59	1'38	1'15	1'06	24'24	5'99	1'05	0'26	0'14	7'30
0'80	0'59	0'45	0'40	0'27	0'23	0'22	43'46	1'07	0'25	0'08	0'04	10'67
0'57	0'47	0'48	0'55	0'48	0'41	0'43	5'20	4'42	2'16	1'32	1'04	3'02
3'40	3'14	3'29	3'05	2'85	2'66	2'46	50'38	19'12	7'70	4'44	3'05	18'89
7'71	7'02	6'71	6'44	5'92	5'48	5'38	131'16	40'78	16'26	9'84	7'05	46'07
—	—	—	—	—	—	—	0'00	—	—	—	—	0'00
0'01	0'01	0'01	0'01	0'01	0'01	0'00	0'06	0'04	0'01	0'01	0'01	0'03
0'08	0'17	0'23	0'30	0'37	0'45	0'54	2'27	4'76	1'93	1'09	0'70	2'23
0'00	0'02	0'01	0'02	0'04	0'02	0'04	0'16	0'48	0'73	0'71	0'57	0'52
0'01	0'02	0'02	0'05	0'05	0'07	0'10	0'37	1'00	0'93	1'19	1'07	0'90
0'40	0'43	0'42	0'47	0'47	0'48	0'53	5'02	3'90	1'50	0'74	0'43	2'51
0'30	0'30	0'22	0'17	0'15	0'15	0'14	3'50	0'81	0'14	0'04	0'03	1'04
0'26	0'23	0'21	0'14	0'14	0'13	0'10	2'84	0'69	0'12	0'04	0'04	0'86
0'12	0'06	0'03	0'04	0'03	0'04	0'03	0'95	0'12	0'03	0'01	0'00	0'26
1'76	1'58	1'34	1'24	1'06	0'83	0'79	16'95	4'37	0'76	0'17	0'07	5'14
0'03	0'01	0'00	0'01	0'00	0'00	0'00	20'09	—	—	—	—	4'80
0'09	0'09	0'07	0'05	0'03	0'03	0'04	6'93	0'16	0'07	0'04	0'02	1'71
0'07	0'04	0'04	0'02	0'02	0'01	—	0'38	—	—	—	—	0'21
0'61	0'45	0'34	0'32	0'22	0'19	0'18	15'56	0'91	0'18	0'04	0'02	3'95
0'18	0'18	0'20	0'22	0'18	0'17	0'17	1'67	1'65	0'97	0'60	0'48	1'13
0'23	0'15	0'16	0'19	0'16	0'12	0'12	2'06	1'27	0'42	0'22	0'17	0'91
0'16	0'14	0'12	0'14	0'14	0'12	0'14	1'47	1'50	0'77	0'50	0'39	0'98
0'07	0'06	0'03	0'02	0'02	0'01	0'01	1'44	0'08	0'02	—	0'01	0'37
0'01	0'01	0'01	0'00	0'00	0'00	—	0'25	0'02	0'00	0'00	0'00	0'07
0'04	0'04	0'04	0'06	0'04	0'06	0'07	0'45	0'08	0'20	0'05	0'02	0'30
—	—	—	—	—	—	—	1'00	0'00	—	—	—	0'24
0'21	0'21	0'23	0'20	0'19	0'19	0'18	2'14	1'36	0'60	0'38	0'25	1'03
0'52	0'40	0'37	0'27	0'23	0'17	0'16	11'54	1'06	0'43	0'16	0'07	3'10
0'02	0'02	0'01	0'01	0'03	0'02	0'02	0'17	0'21	0'17	0'16	0'14	0'17
0'79	0'68	0'67	0'59	0'56	0'52	0'42	9'92	3'11	0'85	0'33	0'15	3'26
1'03	1'06	1'22	1'29	1'17	1'17	1'13	12'55	8'74	3'14	1'54	0'97	5'88
0'12	0'11	0'11	0'07	0'07	0'05	0'05	1'87	0'30	0'10	0'06	0'03	0'55
0'08	0'04	0'04	0'02	0'02	0'01	0'01	2'12	0'06	0'01	0'02	0'01	0'53
0'51	0'51	0'56	0'52	0'52	0'46	0'41	6'93	3'50	2'18	1'74	1'40	3'38

TABLE 36.—RURAL COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS...	—	0'01	0'03	0'08	0'08	0'20	0'64	0'65	0'62	0'47
II. DIARRHOEAL DIS...	—	0'09	0'18	0'26	0'24	0'77	1'25	1'00	1'21	1'01
III. WASTING DIS. ..	10'07	10'72	3'41	3'13	2'01	29'34	4'32	2'47	1'43	0'89
IV. TUBERC. DIS. ..	—	0'03	—	—	0'01	0'04	0'20	0'24	0'33	0'36
V. MISCELLAN. DIS. ..	1'33	2'78	1'52	1'62	1'49	8'74	5'37	4'28	3'24	2'98
ALL CAUSES ..	11'40	13'63	5'14	5'09	3'83	39'09	11'78	8'64	6'83	5'71
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	—	—	—	—	—	—	—	0'01
Measles	—	—	0'02	0'01	—	0'03	0'02	0'02	0'01	0'02
Scarlet Fever ..	—	—	—	—	—	—	—	0'01	—	—
Diphtheria, Croup	—	0'01	—	—	0'01	0'02	—	0'02	0'01	—
Whooping-cough	—	—	0'01	0'07	0'07	0'15	0'62	0'60	0'60	0'44
II. { Enteritis	—	0'05	0'06	0'07	0'06	0'24	0'23	0'27	0'26	0'17
Gastro-enteritis..	—	—	0'05	0'08	0'09	0'22	0'31	0'21	0'24	0'24
Gastro-intestinal	—	—	0'02	0'01	0'01	0'04	0'05	0'05	0'01	0'02
Catarrh, Diarrhoea (other forms).	—	0'04	0'05	0'10	0'08	0'27	0'66	0'47	0'70	0'58
III. { Premature Birth	7'50	6'34	1'55	1'55	0'75	17'69	1'02	0'34	0'07	0'06
Congenital Defects.	0'98	1'88	0'73	0'47	0'28	4'34	0'55	0'35	0'19	0'10
Want of Breast Milk, Starvation, Atrophy, Debility, Marasmus.	—	—	0'02	0'02	0'05	0'09	0'18	0'10	0'04	0'05
IV. { Tuberculous Meningitis.	—	0'02	—	—	0'01	0'03	0'01	0'03	0'06	0'08
Tuberculous Peritonitis, Tabes Mesenterica.	—	—	—	—	—	—	0'11	0'12	0'18	0'07
Other Tuberculous Diseases.	—	0'01	—	—	—	0'01	0'08	0'09	0'09	0'21
Syphilis	0'01	—	0'06	0'09	0'04	0'20	0'20	0'15	0'12	0'04
Erysipelas ..	—	0'01	—	0'03	0'03	0'07	0'05	0'03	0'02	0'02
Rickets	—	—	—	—	—	—	—	0'05	0'05	0'01
Injury at Birth ..	0'57	0'25	0'04	0'02	0'01	0'89	—	—	—	—
Meningitis (not Tuberculous).	—	0'01	—	—	—	0'01	0'06	0'07	0'13	0'13
V. { Convulsions ..	0'43	1'89	0'74	0'57	0'58	4'21	1'42	1'35	0'90	0'75
Laryngitis ..	—	0'03	—	0'01	—	0'04	0'02	0'02	0'01	0'02
Bronchitis ..	—	0'06	0'20	0'30	0'32	0'88	1'35	0'98	0'65	0'69
Pneumonia ..	0'01	0'06	0'08	0'13	0'16	0'44	0'93	0'72	0'65	0'56
Gastritis, Gastric Catarrh.	—	0'03	0'05	0'06	0'06	0'20	0'30	0'29	0'17	0'21
Suffocation ..	0'03	0'20	0'04	0'06	0'02	0'35	0'09	0'11	0'07	0'09
Other Causes ..	0'28	0'24	0'31	0'35	0'27	1'45	0'95	0'51	0'47	0'46

Mortality under 5 Years of Age, 1908.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'43	0'56	0'69	0'68	0'77	0'75	0'83	7'29	5'33	2'52	2'01	1'79	3'88
0'99	0'68	0'61	0'45	0'52	0'43	0'31	9'23	1'68	0'34	0'15	0'13	2'48
0'50	0'40	0'33	0'28	0'24	0'17	0'13	40'50	0'71	0'14	0'09	0'05	9'12
0'29	0'38	0'32	0'28	0'32	0'30	0'24	3'30	2'21	0'92	0'82	0'62	1'61
2'65	2'66	2'33	2'52	1'99	1'86	1'66	40'28	11'78	4'71	2'79	2'38	13'09
4'86	4'68	4'28	4'21	3'84	3'51	3'17	100'60	21'71	8'63	5'86	4'97	30'18
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0'01	—	0'01	—	0'01	0'04	0'01	0'01	—	—	0'01
0'02	0'11	0'10	0'12	0'17	0'22	0'25	1'09	1'65	0'86	0'60	0'38	0'92
—	—	0'02	0'01	—	—	0'01	0'05	0'13	0'14	0'18	0'25	0'15
0'03	0'01	0'02	0'01	0'03	0'03	0'04	0'22	0'41	0'56	0'76	0'88	0'56
0'38	0'44	0'54	0'54	0'56	0'50	0'52	5'89	3'13	0'95	0'47	0'28	2'24
0'18	0'09	0'12	0'09	0'12	0'08	0'08	1'93	0'30	0'08	0'07	0'05	0'52
0'26	0'16	0'10	0'12	0'11	0'09	0'08	2'14	0'32	0'11	0'03	0'04	0'57
0'03	0'03	0'01	0'01	—	0'01	—	0'26	0'02	0'01	—	0'01	0'06
0'52	0'40	0'38	0'23	0'29	0'25	0'15	4'90	1'04	0'14	0'05	0'03	1'33
0'01	0'01	—	0'02	—	—	—	19'22	—	—	—	—	4'23
0'08	0'08	0'06	0'08	0'06	0'06	0'06	6'01	0'26	0'11	0'05	0'05	1'42
0'06	0'03	0'01	0'02	0'03	0'01	—	0'62	—	—	—	—	0'14
0'35	0'28	0'26	0'16	0'15	0'10	0'07	14'65	0'45	0'03	0'04	—	3'33
0'07	0'14	0'14	0'15	0'12	0'08	0'06	0'97	0'86	0'35	0'40	0'29	0'58
0'11	0'13	0'09	0'06	0'09	0'06	0'09	1'11	0'64	0'26	0'16	0'10	0'47
0'11	0'11	0'09	0'07	0'11	0'16	0'09	1'22	0'71	0'31	0'26	0'23	0'56
0'03	0'04	0'02	—	0'02	—	0'01	0'83	0'03	0'03	—	—	0'19
0'02	—	0'01	0'01	—	—	—	0'23	—	0'01	—	—	0'05
0'03	0'04	0'08	0'05	0'04	0'08	0'09	0'52	0'54	0'18	0'05	—	0'27
—	—	—	—	—	—	—	0'89	—	—	—	—	0'20
0'09	0'08	0'09	0'07	0'12	0'09	0'06	1'00	0'59	0'23	0'22	0'12	0'45
0'63	0'54	0'24	0'39	0'22	0'22	0'21	11'08	0'79	0'32	0'06	0'08	2'68
—	0'02	—	0'02	—	0'01	—	0'16	0'14	0'15	0'15	0'15	0'15
0'46	0'60	0'48	0'53	0'31	0'38	0'41	7'72	2'03	0'43	0'20	0'20	2'26
0'68	0'74	0'78	0'83	0'80	0'64	0'51	8'28	4'55	1'66	0'75	0'61	3'31
0'14	0'08	0'05	0'06	0'03	0'06	0'03	1'62	0'14	0'05	0'07	0'02	0'41
0'04	0'01	0'03	—	0'01	—	—	0'80	0'05	0'04	—	—	0'19
0'53	0'51	0'55	0'56	0'44	0'38	0'34	7'15	2'92	1'61	1'29	1'20	2'93

TABLE 37.—ENGLAND AND WALES.—Both Sexes. Mortality of Infants and Young Children,* Average 1903-1907 and 1908.

Cause of Death.		Proportion of Deaths to 1000 Births.								Death-rate per 1000 living under 5 years of age.	
		Under 3 months.		3 to 6 months.		6 to 12 months.		Under 1 year.			
		1903-07.	1908.	1903-07.	1908.	1903-07.	1908.	1903-07.	1908.	1903-07.	1908.
I. COM. INFEC. DIS. ..		1'15	1'14	1'46	1'43	5'67	4'84	8'28	7'41	6'63	5'43
II. DIARRHOEAL DIS. ..		6'02	5'55	7'71	6'97	8'84	7'38	22'57	19'90	6'61	5'80
III. WASTING DISEASES		38'13	36'96	3'62	3'43	2'08	1'98	43'83	42'37	10'78	10'09
IV. TUBERC. DISEASES		0'86	0'69	1'64	1'46	2'86	2'50	5'36	4'65	2'89	2'58
V. MISCELLAN. DIS. ..		21'18	20'09	11'47	10'33	18'42	15'68	51'07	46'10	18'99	16'67
ALL CAUSES ..		67'34	64'43	25'90	23'62	37'87	32'38	131'11	120'43	45'90	40'57
I.	Small-pox ..	0'02	—	0'01	0'00	0'01	—	0'04	0'00	0'01	0'00
	Chicken-pox ..	0'01	0'00	0'01	0'01	0'04	0'04	0'06	0'05	0'03	0'02
	Measles	0'06	0'07	0'19	0'11	2'38	1'71	2'63	1'89	2'62	1'83
	Scarlet Fever ..	0'01	0'00	0'02	0'02	0'14	0'10	0'17	0'12	0'57	0'40
	Diphtheria, Croup	0'03	0'02	0'04	0'04	0'28	0'25	0'35	0'31	0'98	0'82
	Whooping-cough	1'02	1'05	1'19	1'25	2'82	2'74	5'03	5'04	2'42	2'36
II.	Diarrhoea (all forms): Enteritis, Gastro-enteritis, Gastro-intestinal Catarrh.	6'02	5'55	7'71	6'97	8'84	7'38	22'57	19'90	6'61	5'80
III.	Premature Birth	20'01	19'60	0'23	0'22	0'04	0'03	20'28	19'85	4'86	4'61
	Congenital Defects.	5'51	5'97	0'42	0'42	0'33	0'33	6'26	6'72	1'59	1'62
	Want of Breast Milk, Starvation.	0'45	0'48	0'22	0'23	0'10	0'12	0'77	0'83	0'19	0'19
	Atrophy, Debility, Marasmus.	12'16	10'91	2'75	2'56	1'61	1'50	16'52	14'97	4'14	3'67
IV.	Tuberculous Meningitis.	0'13	0'13	0'39	0'39	1'03	0'95	1'55	1'47	1'07	0'97
	Tuberculous Peritonitis, Tuberculous Mesenterica.	0'47	0'35	0'80	0'66	0'99	0'82	2'26	1'83	0'92	0'79
	Other Tuberculous Diseases.	0'26	0'21	0'45	0'41	0'84	0'73	1'55	1'35	0'90	0'82
	Syphilis	0'83	0'83	0'31	0'28	0'16	0'14	1'30	1'25	0'33	0'31
	Erysipelas ..	0'18	0'16	0'06	0'05	0'04	0'02	0'28	0'23	0'07	0'06
	Rickets	0'04	0'04	0'13	0'10	0'44	0'32	0'61	0'46	0'38	0'28
	Injury at Birth..	0'82	1'00	0'00	0'00	0'00	—	0'82	1'00	0'20	0'23
V.	Meningitis (not Tuberculous).	0'31	0'29	0'56	0'50	1'18	1'02	2'05	1'81	1'02	0'87
	Convulsions ..	8'05	7'03	2'55	2'19	1'98	1'53	12'58	10'75	3'40	2'82
	Laryngitis ..	0'04	0'03	0'04	0'03	0'11	0'10	0'19	0'16	0'20	0'16
	Bronchitis ..	3'67	3'67	2'66	2'39	4'07	3'26	10'40	9'32	3'49	2'96
	Pneumonia ..	2'19	2'44	2'63	2'60	6'51	6'04	11'33	11'08	5'37	4'97
	Gastritis, Gastric Catarrh.	0'86	0'79	0'60	0'50	0'48	0'42	1'94	1'71	0'56	0'48
	Suffocation ..	1'29	1'21	0'44	0'38	0'15	0'10	1'88	1'69	0'47	0'41
	Other Causes ..	2'90	2'60	1'49	1'31	3'30	2'73	7'69	6'64	3'50	3'12

* The divisions of the first year of life are limited to three in this table because the deaths in the several weeks and months of the first year were not abstracted separately previous to 1905.

TABLE 38.—Mortality of **Illegitimate** as compared with **Legitimate Infants** under one **Year** of **Age, 1908.**

Cause of Death.	Proportion of Deaths among Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants to 1000 Legitimate Births.									
	England and Wales.						Urban Counties.		Rural Counties.	
	Both Sexes.		Males.		Females.		Both Sexes.		Both Sexes.	
	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.
I. COM. INFECTION. DIS.	8'52	7'37	8'94	7'10	8'10	7'65	8'79	7'85	7'33	7'28
II. DIARRHOEAL DIS.	42'21	18'98	43'52	20'78	40'85	17'11	53'55	23'09	14'84	8'91
III. WASTING DIS. ..	86'38	40'55	96'19	45'27	76'30	35'67	91'90	41'56	70'17	38'88
IV. TUBERC. DIS. ..	8'61	4'48	9'24	5'00	7'94	3'93	9'67	5'02	5'31	3'19
V. MISCELLAN. DIS...	87'37	44'37	95'99	49'77	78'53	38'79	91'78	48'73	77'87	38'24
ALL CAUSES ..	233'09	115'75	253'88	127'92	211'72	103'15	255'69	126'25	175'52	96'50
I { Small-pox ..	—	0'00	—	0'00	—	—	—	0'00	—	—
Chicken-pox ..	0'13	0'05	0'05	0'04	0'22	0'06	0'20	0'06	—	0'04
Measles	2'50	1'87	2'42	1'99	2'59	1'74	2'81	2'25	1'47	1'07
Scarlet Fever ..	0'13	0'12	0'21	0'13	0'05	0'11	0'15	0'16	0'18	0'04
Diphtheria, Croup	0'32	0'31	0'32	0'32	0'32	0'30	0'30	0'37	0'18	0'22
Whooping-cough	5'44	5'02	5'94	4'62	4'92	5'44	5'33	5'01	5'50	5'91
II { Enteritis	6'90	2'87	7'46	3'19	6'32	2'53	8'39	3'31	3'11	1'86
Gastro-enteritis..	5'52	2'47	5'78	2'78	5'24	2'15	6'12	2'71	3'30	2'07
Gastro-intestinal Catarrh.	1'68	0'71	1'63	0'82	1'73	0'60	2'52	0'89	—	0'27
Diarrhoea (other forms).	28'11	12'93	28'65	13'99	27'56	11'83	36'52	16'18	8'43	4'71
III { Premature Birth	33'68	19'28	37'79	21'41	29'45	17'08	35'29	19'49	31'15	18'57
Congenital Defects.	9'19	6'62	10'46	7'38	7'89	5'84	9'43	6'84	8'79	5'86
Want of Breast Milk, Starvation.	3'25	0'73	4'10	0'81	2'38	0'65	3'80	0'77	1'28	0'58
Atrophy, Debility, Marasmus.	40'26	13'92	43'84	15'67	36'58	12'10	43'38	14'46	28'95	13'87
IV { Tuberculous Meningitis.	1'76	1'45	1'94	1'62	1'57	1'28	1'88	1'65	1'28	0'95
Tuberculous Peritonitis, Tabes Mesenterica.	3'73	1'75	3'94	1'94	3'51	1'55	4'29	1'93	1'83	1'07
Other Tuberculous Diseases.	3'12	1'28	3'36	1'44	2'86	1'10	3'50	1'39	2'20	1'17
Syphilis	9'22	0'92	9'88	1'00	8'54	0'83	10'02	1'10	4'95	0'60
Erysipelas ..	0'24	0'23	0'16	0'22	0'32	0'23	0'20	0'25	0'37	0'22
Rickets	1'12	0'43	1'31	0'51	0'92	0'34	1'23	0'42	0'73	0'51
Injury at Birth ..	2'08	0'96	1'79	1'20	2'38	0'70	1'68	0'97	1'65	0'85
Meningitis (not Tuberculous).	2'16	1'79	2'58	1'97	1'73	1'61	2'91	2'11	1'65	0'96
V { Convulsions ..	20'04	10'36	22'92	11'77	17'08	8'90	20'28	11'19	19'79	10'60
Laryngitis ..	0'24	0'16	0'21	0'17	0'27	0'15	0'25	0'17	—	0'17
Bronchitis.. ..	15'43	9'06	17'08	9'92	13'73	8'18	16'38	9'66	13'37	7'41
Pneumonia ..	16'39	10'86	17'66	12'35	15'08	9'32	18'36	12'32	11'73	8'10
Gastritis, Gastric Catarrh.	3'25	1'65	3'26	1'80	3'24	1'49	3'31	1'82	4'58	1'46
Suffocation ..	3'44	1'62	3'99	1'57	2'86	1'68	4'24	2'04	3'85	0'63
Other Causes ..	13'76	6'33	15'15	7'29	12'38	5'36	12'92	6'68	15'20	6'73

TABLE 39.—Mortality of **Illegitimate** as compared with

—	Cause of Death.	Proportion of Deaths among to 1000			
		Under 1 Week.	Weeks.		
			1—	2—	3—
ENGLAND AND WALES.	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	0'05	0'11
	II. Diarrhoeal Diseases	0'05	0'29	0'93	0'83
	III. Wasting Diseases	31'13	7'14	7'62	3'94
	IV. Tuberculous Diseases	—	0'03	0'03	0'07
	V. Miscellaneous Diseases ..	10'52	3'14	3'23	2'86
	ALL CAUSES {	Illegitimate ..	41'70	10'60	11'86
		Legitimate ..	23'58	5'68	5'51
					4'19
	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	—	0'16
	II. Diarrhoeal Diseases	0'11	0'53	0'79	1'15
	III. Wasting Diseases	36'01	7'94	8'67	4'31
	IV. Tuberculous Diseases	—	0'05	0'05	0'16
	V. Miscellaneous Diseases ..	11'24	3'67	3'68	3'26
	ALL CAUSES {	Illegitimate ..	47'36	12'19	13'19
		Legitimate ..	26'97	6'41	6'14
					4'70
	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	0'11	0'05
	II. Diarrhoeal Diseases	—	0'05	1'08	0'49
	III. Wasting Diseases	26'10	6'32	6'54	3'57
	IV. Tuberculous Diseases	—	—	—	—
	V. Miscellaneous Diseases ..	9'78	2'60	2'75	2'43
	ALL CAUSES {	Illegitimate ..	35'88	8'97	10'48
		Legitimate ..	20'07	4'93	4'86
					3'66
URBAN COUNTIES.	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	—	0'05
	II. Diarrhoeal Diseases	0'05	0'20	1'08	0'99
	III. Wasting Diseases	32'67	7'95	7'75	3'65
	IV. Tuberculous Diseases	—	—	0'05	0'15
	V. Miscellaneous Diseases ..	10'60	2'96	3'21	3'11
	ALL CAUSES {	Illegitimate ..	43'32	11'11	12'09
		Legitimate ..	23'75	5'95	5'99
					4'30
	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	0'18	0'19
	II. Diarrhoeal Diseases	0'18	0'73	0'92	0'37
RURAL COUNTIES.	III. Wasting Diseases	29'32	3'66	7'70	3'11
	IV. Tuberculous Diseases	—	—	—	—
	V. Miscellaneous Diseases ..	10'81	2'57	2'56	3'66
	ALL CAUSES {	Illegitimate ..	40'31	6'96	11'36
		Legitimate ..	24'20	5'04	4'75
					3'63

Legitimate Infants under One Year of Age, 1908.

Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants
Legitimate Births.

Under 1 Month.	Months.											Total under 1 Year.
	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
0'16	0'32	0'61	0'59	0'64	0'43	0'77	0'72	0'88	1'04	1'17	1'19	8'52
2'10	5'90	5'75	5'67	5'59	4'56	3'28	2'64	2'00	1'89	1'55	1'28	42'21
49'83	12'13	8'39	4'66	3'20	2'24	1'73	1'31	0'83	0'72	0'83	0'51	86'38
0'13	0'56	0'80	1'01	0'96	0'83	0'80	0'88	0'85	0'72	0'59	0'48	8'61
19'75	12'35	9'47	8'13	6'82	5'50	5'28	5'29	4'53	3'84	3'40	3'01	87'37
71'97	31'26	25'02	20'06	17'21	13'56	11'86	10'84	9'09	8'21	7'54	6'47	233'09
38'96	12'84	9'98	8'56	7'41	6'52	6'01	5'71	5'44	5'04	4'68	4'60	115'75
0'16	0'37	0'53	0'79	0'84	0'26	1'10	0'63	0'68	0'89	1'31	1'38	8'94
2'58	6'94	5'78	5'94	4'94	4'57	3'42	2'84	2'00	1'73	1'47	1'31	43'52
56'93	14'03	9'04	4'57	3'15	2'16	2'00	1'16	1'00	0'84	1'05	0'26	96'19
0'26	0'53	0'84	1'05	1'10	0'84	0'84	0'74	1'20	0'84	0'37	0'63	9'24
21'85	14'40	9'41	9'10	7'68	6'10	5'78	4'98	4'90	4'74	3'53	3'52	95'99
81'78	36'27	25'60	21'45	17'71	13'93	13'14	10'35	9'78	9'04	7'73	7'10	253'88
44'22	14'61	11'11	9'37	8'05	7'13	6'48	6'13	5'83	5'31	4'96	4'72	127'92
0'16	0'27	0'70	0'38	0'43	0'59	0'43	0'81	1'08	1'19	1'03	1'03	8'10
1'62	4'81	5'73	5'41	6'27	4'54	3'13	2'43	2'00	2'05	1'62	1'24	40'85
42'53	10'15	7'73	4'76	3'30	2'32	1'46	1'46	0'65	0'59	0'59	0'76	76'30
—	0'59	0'76	0'97	0'81	0'81	0'76	1'03	0'49	0'59	0'81	0'32	7'94
17'56	10'28	9'50	7'12	5'89	4'92	4'76	5'62	4'16	2'93	3'30	2'49	78'53
61'87	26'10	24'42	18'64	16'70	13'18	10'54	11'35	8'38	7'35	7'35	5'84	211'72
33'52	11'02	8'80	7'72	6'74	5'89	5'52	5'27	5'04	4'76	4'39	4'48	103'15
0'05	0'25	0'74	0'44	0'59	0'49	0'59	0'74	1'18	1'24	1'14	1'34	8'79
2'32	7'16	7'94	7'40	6'37	5'48	4'74	3'50	2'57	2'62	1'92	1'53	53'55
52'02	12'92	9'53	4'84	3'46	2'62	1'97	1'28	0'89	0'99	0'79	0'59	91'90
0'20	0'59	1'04	1'22	1'14	1'09	0'89	0'79	0'94	0'89	0'39	0'49	9'67
19'88	12'68	9'56	8'31	7'69	5'77	6'27	6'18	4'69	4'03	3'61	3'11	91'78
74'47	33'60	28'81	22'21	19'25	15'45	14'46	12'49	10'27	9'77	7'85	7'06	255'69
39'99	13'98	10'99	9'57	8'34	7'40	6'73	6'49	6'29	5'77	5'39	5'31	126'25
0'37	0'18	0'73	0'73	0'92	0'55	0'37	0'55	0'55	0'37	0'73	1'28	7'33
2'20	2'01	1'83	0'92	3'30	1'65	0'73	0'55	0'55	0'18	0'55	0'37	14'84
43'79	9'89	6'96	3'85	2'57	0'55	0'55	0'18	0'73	0'37	0'55	0'18	70'17
—	0'37	—	0'92	0'37	0'18	0'73	1'27	0'18	0'37	0'37	0'55	5'31
19'60	12'28	9'53	7'14	4'93	5'50	4'03	2'58	5'14	2'74	2'75	1'65	77'87
65'96	24'73	19'05	13'56	12'09	8'43	6'41	5'13	7'15	4'03	4'95	4'03	175'52
37'62	11'06	8'07	6'47	5'37	4'67	4'59	4'23	4'04	3'83	3'43	3'12	96'50

TABLE 40.—ENGLAND AND WALES.—**Infantile Mortality** from **Several Causes** in **Registration Counties, 1908.**

REGISTRATION COUNTY.	Deaths under One Year to 1,000 Births.									
	All Causes.	Measles.	Whooping-cough.	Diarrhoeal Diseases.	Wasting Diseases.	Tuberculous Diseases.	Meningitis and Convulsions.	Bronchitis.	Pneumonia.	Other Causes.
ENGLAND AND WALES..	120	2	5	20	42	5	13	9	11	13
I.—LONDON.										
London*	116	3	4	22	38	6	7	7	13	16
II.—SOUTH EASTERN.										
Surrey	84	2	3	11	33	3	6	5	8	13
Kent	91	1	4	14	34	4	8	8	8	10
Sussex	86	0	4	9	38	3	6	6	9	11
Hampshire	91	1	5	11	37	3	7	7	9	11
Berkshire	83	1	4	9	35	1	6	7	8	12
III.—SOUTH MIDLAND.										
Middlesex	93	2	3	17	34	4	7	6	10	10
Hertfordshire	81	0	5	7	35	3	10	8	5	8
Buckinghamshire	83	0	5	7	38	2	6	6	6	13
Oxfordshire	79	—	5	10	30	2	7	8	8	9
Northamptonshire	93	1	7	7	43	2	8	10	8	7
Huntingdonshire	83	—	8	7	35	1	4	4	11	13
Bedfordshire	93	0	4	7	44	1	10	9	6	12
Cambridgeshire	107	3	9	6	49	4	6	7	7	16
IV.—EASTERN.										
Essex	48	2	3	17	38	4	8	7	8	11
Suffolk	95	1	5	7	43	4	8	8	7	12
Norfolk	109	1	8	9	47	5	8	8	6	17
V.—SOUTH WESTERN.										
Wiltshire.. .. .	79	0	4	5	37	1	5	6	9	12
Dorsetshire	78	1	6	6	35	2	8	4	8	8
Devonshire	105	1	6	14	37	3	11	10	9	14
Cornwall.. .. .	105	0	7	11	44	3	11	7	10	12
Somersetshire	83	2	2	8	36	2	8	7	8	10
VI.—WEST MIDLAND.										
Gloucestershire	108	2	6	13	41	4	9	9	12	12
Herefordshire	74	—	2	7	33	2	9	6	8	7
Shropshire	100	2	4	8	40	3	12	9	11	11
Staffordshire	134	1	4	22	50	6	15	12	10	14
Worcestershire	104	1	3	16	43	5	8	8	8	12
Warwickshire	127	1	7	25	47	4	10	9	10	14
VII.—NORTH MIDLAND.										
Leicestershire	121	3	5	19	46	4	15	7	9	13
Rutlandshire	89	—	5	5	36	10	10	14	7	2
Lincolnshire	112	1	6	14	43	4	13	8	7	16
Nottinghamshire	134	1	5	22	50	5	14	10	14	13
Derbyshire	115	1	2	15	43	6	15	11	11	11
VIII.—NORTH WESTERN.										
Cheshire	120	3	5	20	42	6	11	10	11	12
Lancashire	144	3	5	28	45	6	15	12	13	17
IX.—YORKSHIRE.										
West Riding	135	3	6	24	44	5	16	12	13	12
East Riding (with York)	129	2	3	32	44	3	13	8	10	14
North Riding	129	2	3	26	46	5	15	7	11	14
X.—NORTHERN.										
Durham	147	2	7	25	50	5	18	14	12	14
Northumberland	143	1	6	24	51	5	19	12	12	13
Cumberland	127	0	9	11	48	7	11	9	13	19
Westmorland	102	2	12	5	45	1	10	7	10	10
XI.—WELSH.										
Monmouthshire	136	2	10	19	41	4	20	10	16	14
South Wales	145	3	6	24	42	4	27	9	13	17
Glamorganshire	151	3	7	28	42	5	27	9	14	16
Cardiganshire	139	4	4	14	36	6	36	10	12	17
Pembrokeshire	103	1	4	13	39	3	16	8	10	9
Cardiganshire	114	1	6	14	39	3	22	6	10	13
Brecknockshire	116	1	5	6	47	1	21	10	16	9
Radnorshire	109	—	5	2	60	2	15	10	2	13
North Wales	111	1	9	10	36	4	22	9	8	12
Montgomeryshire.. .. .	75	1	7	2	28	2	14	5	4	12
Flintshire	106	2	8	10	31	4	19	13	10	9
Denbighshire	125	—	13	11	44	6	22	9	7	13
Merionethshire	118	—	4	14	38	2	28	13	11	8
Carnarvonshire	115	0	10	12	36	4	25	7	8	13
Anglesey	96	—	10	4	28	1	32	3	12	6

* See Note * to Table 28.

TABLE 41.—ENGLAND AND WALES.—Mortality among Children aged 0-5 Years, from Several Causes, in Registration Counties, 1908.

REGISTRATION COUNTY.	Deaths under 5 Years of Age to 1,000 Living.									
	All Causes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	Diarrhoeal Diseases.	Tuberculous Diseases.	Meningitis and Con-vulsions.	Bronchitis.	Pneumonia.
ENGLAND AND WALES..	40·57	1·83	0·40	0·82	2·36	5·80	2·58	3·69	2·96	4·97
I.—LONDON.										
London	40·18	2·74	0·53	0·92	1·83	6·34	3·40	2·08	2·14	5·78
II.—SOUTH EASTERN.										
Surrey	29·05	1·92	0·27	0·90	1·57	3·21	1·90	2·10	1·57	3·54
Kent	27·08	1·07	0·25	0·64	1·43	3·66	1·84	2·30	2·14	3·01
Sussex	24·18	0·53	0·08	0·39	1·28	2·28	1·87	1·53	1·67	3·16
Hampshire	28·69	0·75	0·18	0·64	2·31	2·88	1·72	2·09	2·16	3·06
Berkshire	24·79	0·76	0·25	0·73	1·84	2·13	0·89	1·81	1·97	2·77
III.—SOUTH MIDLAND.										
Middlesex	32·23	1·74	0·79	1·00	1·32	4·78	1·91	2·19	2·09	4·15
Hertfordshire	24·72	0·44	0·22	0·73	1·49	1·71	1·52	2·79	2·32	2·14
Buckinghamshire	24·15	0·34	0·25	0·49	2·12	1·77	0·84	1·63	1·87	2·51
Oxfordshire	24·72	0·05	0·10	0·61	2·09	2·96	1·17	1·99	2·40	2·71
Northamptonshire	23·91	0·31	0·04	0·38	2·75	1·67	1·21	2·03	2·37	2·86
Huntingdonshire	26·09	0·21	0·83	0·41	3·11	2·28	0·83	1·04	1·04	4·56
Bedfordshire	28·63	0·62	—	0·98	1·85	1·90	0·82	2·88	2·78	2·37
Cambridgeshire	34·24	2·34	0·09	0·77	3·69	1·53	1·89	1·85	2·21	3·56
IV.—EASTERN.										
Essex	30·50	2·23	0·49	0·94	1·35	4·65	1·72	2·06	2·12	3·21
Suffolk	28·05	1·12	0·10	0·33	1·70	1·86	1·58	2·15	2·39	3·08
Norfolk	31·45	1·27	0·08	0·61	2·96	2·30	1·99	2·11	2·41	2·58
V.—SOUTH WESTERN.										
Wiltshire.. .. .	23·43	0·53	0·07	0·39	1·55	1·35	0·99	1·38	1·91	3·13
Dorsetshire	22·86	0·55	0·23	0·60	2·17	1·29	1·29	2·12	1·06	3·05
Devonshire	30·82	0·65	0·12	0·63	2·32	3·45	1·42	2·89	2·81	3·71
Cornwall.. .. .	30·11	0·15	0·18	0·42	2·82	2·73	1·39	2·76	1·94	3·60
Somersetshire	23·92	1·28	0·06	0·32	0·76	2·16	1·24	2·04	1·86	3·15
VI.—WEST MIDLAND.										
Gloucestershire	31·52	1·35	0·16	0·68	2·40	3·25	1·78	2·36	2·32	4·68
Herefordshire	23·13	0·42	—	0·58	0·92	2·42	1·84	2·50	1·67	2·42
Shropshire	29·61	1·15	0·30	0·51	1·32	1·96	1·52	3·18	2·40	4·06
Staffordshire	44·45	1·01	0·57	0·87	2·19	6·70	3·04	4·44	3·70	4·73
Worcestershire	31·64	0·82	0·40	0·61	1·65	4·37	2·26	2·41	2·26	3·28
Warwickshire	44·01	0·67	0·57	0·92	3·68	7·30	2·07	3·38	3·18	5·00
VII.—NORTH MIDLAND.										
Leicestershire	36·14	3·22	0·42	0·45	1·77	4·51	1·98	3·92	2·43	3·52
Rutlandshire	23·61	—	—	—	1·97	0·98	2·46	2·46	3·44	2·46
Lincolnshire	36·36	0·40	0·26	0·73	2·30	4·11	2·11	3·76	2·66	3·22
Nottinghamshire	46·08	0·97	0·22	0·53	2·31	6·59	2·60	4·42	3·44	6·44
Derbyshire	38·63	1·24	0·25	0·86	1·11	4·40	2·81	4·35	3·70	4·70
VIII.—NORTH WESTERN.										
Cheshire	41·28	2·53	0·61	0·79	2·43	5·71	3·00	3·57	2·99	4·81
Lancashire	52·21	2·67	0·79	1·07	2·78	8·71	3·35	4·90	3·92	6·41
IX.—YORKSHIRE.										
West Riding	46·17	2·57	0·29	0·68	2·76	7·00	2·97	4·48	3·87	5·71
East Riding (with York)	42·58	1·96	0·07	0·77	1·60	9·09	2·26	3·73	2·93	4·83
North Riding	52·80	3·48	0·13	1·69	1·99	8·88	3·28	5·40	2·53	6·83
X.—NORTHERN.										
Durham	55·35	1·65	0·28	0·98	3·90	8·54	3·53	6·07	5·06	6·18
Northumberland	51·42	0·76	0·15	0·90	3·34	7·62	3·53	6·00	4·25	6·33
Cumberland	40·06	0·22	0·26	1·12	3·73	3·26	3·00	3·73	2·78	5·01
Westmorland	24·66	0·46	0·15	0·31	3·39	1·39	0·92	2·00	1·54	2·62
XI.—WELSH.										
Monmouthshire	53·87	1·72	0·26	1·00	4·65	6·74	2·31	6·54	3·73	8·83
South Wales	51·68	2·80	0·25	0·89	2·82	7·44	2·48	7·87	3·09	6·67
Glamorganshire	55·29	3·02	0·29	0·92	3·11	8·69	2·61	8·13	3·20	7·17
Cardiganshire	51·19	4·70	0·07	0·94	1·88	4·37	2·96	10·35	3·43	5·91
Pembrokeshire	31·21	0·33	0·22	0·99	1·10	3·29	1·75	4·27	2·30	3·83
Cardiganshire	30·25	0·38	0·13	0·38	2·04	3·45	1·15	5·10	1·79	3·83
Brecknockshire	38·68	1·11	—	0·48	2·39	1·75	1·59	6·21	3·02	6·68
Radnorshire	23·15	—	—	1·18	2·35	0·39	0·78	2·75	1·57	1·96
North Wales	32·91	0·61	0·16	0·70	3·70	2·57	1·82	5·54	2·35	3·34
Montgomeryshire	20·69	0·74	—	0·30	1·93	0·45	1·19	3·72	1·34	1·64
Flintshire	40·20	2·40	—	2·13	4·53	2·80	2·40	5·32	3·99	4·53
Denbighshire	37·63	0·13	0·13	0·69	5·16	3·21	2·20	5·73	2·33	3·78
Merionethshire	28·35	—	0·57	0·57	1·29	2·86	1·29	5·73	2·86	2·86
Carnarvonshire	32·29	0·53	0·20	0·40	3·65	2·92	1·79	5·50	2·19	3·05
Anglesey	28·38	0·27	—	—	3·45	1·06	1·06	7·69	0·53	3·98

TABLE 42.—ENGLAND AND WALES.—Deaths from Various Causes to a Million Deaths from All Causes, 1908.

CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.
ALL CAUSES	1,000,000	Rickets.. .. .	2285	Intestinal Obstruction ..	5997
Small-pox	23	Purpura	563	Other Dis. of Intestines ..	517
Cow-pox and other effects of Vaccination.	25	Hæmophilia, Hæmorrhagic Diathesis.	156	Peritonitis (not Puerperal)	1370
Chicken-pox	179	Anæmia, Leucocythæmia	4179	Cirrhosis of Liver	7053
Measles (Morbilli) ..	15392	Diabetes Mellitus	6936	Other Diseases of Liver and Gall Bladder.	3639
German Measles	42	Premature Birth	35874	Other Diseases of Digestive System.	820
Scarlet Fever.. ..	5432	Congenital Hydrocephalus	728	Diseases of Spleen	75
Typhus.. .. .	25	Other Congenital Defects	9100	Other Diseases of Lymphatic System.	763
Plague	2	Injury at Birth	1810	Diseases of Thyroid Body	1055
Relapsing Fever	6	Atelectasis	3068	Diseases of Supra Renal Capsules.	419
Influenza	19429	Want of Breast Milk ..	1495	Acute Nephritis, Uræmia..	7105
Whooping-cough	18928	Teething	3810	Chronic Bright's Disease, Albuminuria.	19333
Mumps.. .. .	217	Meningitis, Inflammation of Brain.	10598	Calculus (not Biliary) ..	452
Diphtheria	10700	Softening of Brain	4477	Diseases of Bladder and of Prostate.	4813
Cerebro-spinal Fever ..	223	General Paralysis of Insane.	4260	Other Diseases of Urinary System.	1172
Pyrexia* (origin uncertain)	50	Insanity (not Puerperal)..	4166	Ovarian Tumour (not Malignant).	561
Enteric Fever	5094	Chorea	254	Other Diseases of Ovary ..	60
Asiatic Cholera	—	Epilepsy	5161	Uterine Tumour (not Malignant).	688
Diarrhœa due to Food† ..	569	Convulsions	22104	Other Diseases of Uterus and Vagina.	551
Infective Enteritis, Epidemic Diarrhœa.	19544	Laryngismus Stridulus ..	659	Disorders of Menstruation	69
Diarrhœa (not oth. defined)	14848	Locomotor Ataxy	1120	Other Dis. of Generative and Mammary Organs.	106
Dysentery	473	Paraplegia, Diseases of Cord.	4070	Abortion, Miscarriage ..	153
Tetanus	346	Neuritis, Peripheral, Polyneuritis.	761	Puerperal Mania	110
Malaria	108	Brain Tumour(not Specific)	1416	Puerperal Convulsions ..	819
Rabies, Hydrophobia ..	—	Other Diseases of Nervous System.	4951	Placenta Prævia, Flooding	1076
Glanders	13	Otitis, Mastoid Disease ..	1985	Other Accidents of Pregnancy and Childbirth.	1614
Anthrax (Splenic Fever)..	25	Epistaxis, Diseases of Nose.	140	Caries, Necrosis	669
Syphilis	3270	Ophthalmia, Diseases of Eye.	81	Arthritis, Periostitis ..	484
Gonorrhœa	67	Valvular Disease, Endocarditis (not Infective).	31440	Other Diseases of Locomotor System.	505
Puerperal Septicæmia, Puer. Sept. Intoxication.	1979	Pericarditis	830	Ulcer, Bedsore	838
Puerperal Pyæmia.. ..	177	Hypertrophy of Heart ..	511	Eczema	550
Phlegmasia Alba Dolens ..	159	Angina Pectoris	1785	Pemphigus	478
Puerperal Fever (not oth. defined).	365	Dilatation of Heart ..	6446	Other Diseases of the Skin.	421
Infective Endocarditis ..	1001	Fatty Degeneration of Heart.	4900	Other Specified Diseases ..	—
Pneumonia { Lobar	9257	Syncope, Heart Disease (not specified).	49949	Atrophy, Debility	28667
{ Broncho-	36572	Cerebral Hæmorrhage, Cerebral Embolism.	33471	Old Age	63202
{ Epidemic	8	Apoplexy, Hemiplegia ..	15696	Dropsy, Ascites, Anasarca ..	144
{ Not defined	34437	Aneurysm	2035	Tumour	161
Erysipelas	1606	Senile Gangrene	2798	Abscess	726
Septicæmia, Sept. Intox. (not Puerperal).	799	Embolism, Thrombosis (not Cerebral).	909	Hæmorrhage	67
Pyæmia (not Puerperal) ..	277	Phlebitis	240	Sudden Death (Cause unascertained).	29
Phlegmon, Carbuncle (not Anthrax).	1339	Varicose Veins	167	Other ill-defined causes ..	1305
Phagedæna	60	Other Diseases of Blood Vessels.	4894	Causes not specified	265
Other Infective Processes	380	Laryngitis	1856	In Mines and Quarries	2204
Pulmonary Tuberculosis (Tuberc. Phthisis).	38797	Membranous Laryngitis(not Diphtheritic).	60	Vehicles and Horses ..	4779
Phthisis (not other. defined)	37096	Croup (not Spasmodic nor Membranous).	615	Ships, Boats, and Docks (not Drowning).	534
Tuberculous Meningitis ..	11275	Other Diseases of Larynx and Trachea.	73	Building Operations ..	436
Tuberculous Peritonitis ..	7269	Bronchitis	74362	Machinery	436
Tabes Mesenterica	1910	Emphysema, Asthma ..	3209	Weapons and Implements.	194
Lupus	108	Pleurisy	2386	Burns and Scalds	5092
Tubercle of other Organs..	3120	Fibroid Disease of Lung ..	1112	Poisons, Poisonous Vapours.	1057
General Tuberculosis ..	8129	Other Diseases of Respiratory System.	5009	Drowning.. .. .	4732
Scrofula	48	Tonsillitis, Quinsy	697	Suffocation	3508
Parasitic Diseases	473	Dis. of Mouth, Pharynx, Esophagus(notSpecific).	934	Falls	5053
Starvation	29	Gastric Ulcer.. .. .	3291	Weather Agencies	450
Scurvy	96	Gastritis, Gastric Catarrh..	6654	(Otherwise, or not stated	2313
Alcoholism, Delirium Tremens.	3722	Other Diseases of Stomach (not Malignant).	976	Battle	2
Opium, Morphia Habit ..	19	Ulceration of Intestines ..	1430	Homicide	598
Industrial Poisoning:—		Enteritis (not Epidemic)..	8539	Suicide	7259
By Lead	202	Gastro-enteritis	6715	Execution	23
" Phosphorus	—	Appendicitis, Perityphlitis	4104		
" Arsenic and other Metals.	2	Hernia	2709		
Rheumatic Fever, Acute Rheumatism.	3468				
Rheumatism of Heart ..	697				
Chronic Rheumatism ..	853				
Rheumatoid Arthritis, Rheumatic Gout.	1844				
Gout	799				
Carcinoma	35321				
Sarcoma	3643				
Cancer, Malignant Disease (not otherwise defined).	23898				

* Called Simple Continued Fever previous to 1901. † Called Food, Ptomaine-Poisoning previous to 1904.

TABLE 43.—ENGLAND AND WALES.—Names on the Registers, Searches, and Fees received, at the General Register Office, 1859-1908.

YEAR.	NAMES ON THE REGISTERS AT THE END OF EACH YEAR.				SEARCHES IN THE REGISTERS, INCLUDING NON-PAROCHIAL.	
	PERSONS MARRIED.	BIRTHS.	DEATHS.	TOTAL.	NUMBER.*	AMOUNT RECEIVED FOR SEARCHES AND FOR CERTIFICATES.*
1859	6,418,898	12,899,118	8,747,522	28,065,538	6,483	£ s. d. 949 17 0
1860	6,759,210	13,583,166	9,170,243	29,512,619	7,085	1,031 18 0
1861	7,086,622	14,279,572	9,605,357	30,971,551	7,484	1,099 1 6
1862	7,414,682	14,992,256	10,041,923	32,448,861	8,522	1,250 12 6
1863	7,761,702	15,719,673	10,515,760	33,997,135	8,825†	1,280 17 6†
1864	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,866 15 6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031 11 0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,579	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,325	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†

* The figures in these columns refer to periods of 52 weeks except those marked †, which refer to periods of 53 weeks.

TABLE 44.—ISLANDS IN THE BRITISH SEAS. **Area and Population; and Births and Deaths, 1884–1908.**

YEAR.	ISLANDS IN THE BRITISH SEAS.	ISLE OF MAN.	JERSEY.	GUERNSEY AND ADJACENT ISLANDS.				
Area in Acres }	193,408	145,325	28,717	19,366				
ENUMERATED POPULATION.								
1881	141,260	53,558	52,445	35,257				
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1884	3,618	3,024	1,448	1,129	1,471	1,166	699	729
1885	3,562	2,921	1,439	1,074	1,369	1,179	754	668
1886	3,778	2,960	1,574	1,096	1,464	1,145	740	719
1887	3,739	2,674	1,515	1,133	1,458	973	766	568
1888	3,810	2,663	1,564	1,078	1,523	1,025	723	560
1889	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.
* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 45.—BALANCE inward or outward on **Passenger Movement** into and out of the **United Kingdom, 1895-1908.**

YEAR.	BALANCE OUTWARD ON MOVEMENT TO AND FROM NON-EUROPEAN COUNTRIES.				BALANCE INWARD ON MOVEMENT TO AND FROM EUROPEAN COUNTRIES. (ALL NATION- ALITIES).*	NET BALANCE OUTWARD ON TOTAL MOVEMENT TO AND FROM ALL COUNTRIES. (ALL NATION- ALITIES).*
	OF BRITISH NATION- ALITY.	FOREIGNERS.	NATIONALITY NOT DIS- TINGUISHED.	TOTAL.		
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,183	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence, the figures given above for the years 1895 to 1907, cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.
† Balance inward. ‡ Balance outward.

TABLE 46.—ARMY. **Strength and Mortality, 1869–1908.**
(Regiments on Passage Out and Home are included with the Number Abroad.)

YEAR.	STRENGTH.			DEATHS.			DEATH-RATE PER 1000.		
	TOTAL ARMY.	IN UNITED KING-DOM.	ABROAD.	TOTAL ARMY.	IN UNITED KING-DOM.	ABROAD.	TOTAL ARMY.	IN UNITED KING-DOM.	ABROAD.
1839 ..	186,668	86,278	100,390	3,250	903	2,347	17·4	10·5	23·4
1870 ..	180,444	89,670	90,774	2,638	1,029	1,609	14·6	11·5	17·7
1871 ..	192,665	105,757	86,908	2,327	1,005	1,322	12·1	9·5	15·2
1872 ..	192,007	104,154	87,853	2,649	940	1,709	13·8	9·0	19·5
1873 ..	188,379	100,583	87,796	2,139	931	1,208	11·4	9·3	13·8
1874 ..	186,389	97,635	88,754	2,136	1,007	1,129	11·5	10·3	12·7
1875 ..	184,669	97,193	87,476	2,269	1,061	1,208	12·3	10·9	13·8
1876 ..	184,433	97,146	87,287	2,102	930	1,172	11·4	9·6	13·4
1877 ..	190,502	101,904	88,598	1,801	856	945	9·5	8·4	10·7
1878 ..	200,758	109,201	91,557	2,249	778	1,471	11·2	7·1	16·1
1879 ..	191,290	88,215	103,075	4,239	796	3,443	22·2	9·0	33·4
1880 ..	188,986	91,887	97,099	3,333	756	2,577	17·6	8·2	26·5
1881 ..	188,798	91,946	96,852	2,650	844	1,806	14·0	9·2	18·6
1882 ..	189,229	94,295	94,934	2,224	806	1,418	11·8	8·5	14·9
1883 ..	181,971	90,071	91,900	1,783	672	1,111	9·8	7·5	12·1
1884 ..	183,004	89,994	93,010	1,611	523	1,088	8·8	5·8	11·7
1885 ..	198,064	91,579	106,485	2,730	735	1,995	13·8	8·0	18·7
1886 ..	203,805	98,057	105,748	2,813	703	2,110	13·8	7·2	20·0
1887 ..	209,574	106,767	102,807	2,006	568	1,438	9·6	5·3	14·0
1888 ..	211,105	106,913	104,192	2,041	731	1,310	9·7	6·8	12·6
1889 ..	210,298	105,956	104,342	1,961	525	1,436	9·3	5·0	13·8
1890 ..	209,221	105,668	103,553	1,813	631	1,182	8·7	6·0	11·4
1891 ..	209,699	104,860	104,839	1,869	562	1,307	8·9	5·4	12·5
1892 ..	213,540	106,115	107,425	1,950	502	1,448	9·1	4·7	13·5
1893 ..	217,279	106,074	111,205	1,803	586	1,217	8·3	5·5	10·9
1894 ..	219,121	105,749	113,372	1,871	447	1,424	8·5	4·2	12·6
1895 ..	220,309	107,636	112,673	1,839	491	1,348	8·3	4·6	12·0
1896 ..	220,742	106,408	114,334	1,862	431	1,431	8·4	4·1	12·5
1897 ..	219,283	102,155	117,128	2,188	403	1,785	10·0	3·9	15·2
1898 ..	225,027	102,202	122,825	2,699	452	2,247	12·0	4·4	18·3
1899 ..	238,739	107,504	131,235	2,516	486	2,030	10·5	4·5	15·5
1900 ..	383,037	117,041	266,996	10,554	958	9,596	27·6	8·2	36·1
1901 ..	412,949	126,797	286,152	6,237	780	5,457	15·1	6·2	19·1
1902 ..	379,048	126,992	252,056	4,029	625	3,404	10·6	4·9	13·5
1903 ..	295,589	137,755	157,834	2,067	703	1,364	7·0	5·1	8·6
1904 ..	283,691	134,345	149,346	1,715	444	1,271	6·0	3·3	8·5
1905 ..	274,158	132,141	142,017	1,526	385	1,141	5·6	2·9	8·0
1906 ..	263,834	129,421	134,413	1,445	399	1,046	5·5	3·1	7·8
1907 ..	249,890	123,668	126,222	1,186	382	804	4·7	3·1	6·4
1908 ..	247,277	124,422	122,855	1,178	329	849	4·8	2·6	6·9

TABLE 47.—ROYAL NAVY. **Mortality in the Service Afloat, 1869–1908.**
(From the Statistical Reports of the Health of the Navy.)

YEAR.	DEATH-RATE PER 1000.			YEAR.	DEATH-RATE PER 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1869 ..	9·9	7·3	2·6	1889 ..	5·33	3·87	1·45
1870 ..	19·6	6·7	12·9	1890 ..	8·54	4·14	4·40
1871 ..	8·5	6·3	2·2	1891 ..	6·17	4·68	1·49
1872 ..	8·2	5·6	2·6	1892 ..	5·58	4·50	1·08
1873 ..	8·3	6·0	2·3	1893 ..	11·29	4·07	7·21
1874 ..	9·4	6·7	2·7	1894 ..	5·76	4·05	1·71
1875 ..	8·8	6·9	1·9	1895 ..	6·60	4·64	1·95
1876 ..	9·24	5·99	3·24	1896 ..	5·28	3·81	1·47
1877 ..	7·05	4·91	2·13	1897 ..	5·23	3·78	1·45
1878 ..	14·41	5·32	9·09	1898 ..	4·91	3·56	1·35
1879 ..	8·58	6·23	2·34	1899 ..	5·41	3·87	1·53
1880 ..	12·57	4·62	7·95	1900 ..	7·27	4·96	2·30
1881 ..	10·94	5·27	5·67	1901 ..	5·34	3·38	1·96
1882 ..	9·49	6·87	2·62	1902 ..	5·92	3·51	2·40
1883 ..	5·88	4·05	1·82	1903 ..	4·19	2·79	1·40
1884 ..	9·00	5·83	3·16	1904 ..	4·45	3·14	1·31
1885 ..	7·04	4·77	2·27	1905 ..	3·90	2·74	1·15
1886 ..	6·88	5·04	1·83	1906 ..	3·68	2·48	1·20
1887 ..	8·32	4·89	3·42	1907 ..	3·35	2·26	1·09
1888 ..	5·71	3·95	1·75	1908 ..	3·37	2·07	1·30

TABLE 43.—MERCHANT SERVICE. **Number and Mortality of Masters and Seamen** employed in **Sea-going Vessels** (excluding Fishing Vessels and Yachts) registered in the **United Kingdom** and the **Isle of Man**, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending **30th June, 1890-1891 to 1907-1908.**

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

YEARS.	No. of MASTERS and SEAMEN EMPLOYED.*	No. of DEATHS REPORTED.				DEATH-RATE per 1000.			
		From all Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.	From all Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.
Deaths in Sailing Vessels.									
1890-1891	65,792	1,526	352	805	369	23·2	5·4	12·2	5·6
1891-1892	63,357	1,561	455	750	356	24·6	7·2	11·8	5·6
1892-1893	63,618	1,248	392	541	315	19·6	6·2	8·5	5·0
1893-1894	61,327	1,344	374	613	357	21·9	6·1	10·0	5·8
1894-1895	58,537	1,400	484	594	322	23·9	8·3	10·1	5·5
1895-1896	56,095	1,370	410	637	323	24·4	7·3	11·4	5·8
1896-1897	53,267	965	285	413	267	18·1	5·4	7·8	5·0
1897-1898	49,858	781	295	255	231	15·7	5·9	5·1	4·6
1898-1899	46,553	896	271	430	195	19·2	5·8	9·2	4·2
1899-1900	43,356	754	256	307	191	17·4	5·9	7·1	4·4
1900-1901	41,151	894	215	474	205	21·7	5·2	11·5	5·0
1901-1902	38,400	686	207	294	185	17·9	5·4	7·7	4·8
1902-1903	36,406	588	217	196	175	16·2	6·0	5·4	4·8
1903-1904	34,748	652	175	300	177	18·8	5·0	8·6	5·1
1904-1905	32,466	599	166	283	150	18·5	5·1	8·7	4·6
1905-1906	30,204	576	146	287	143	19·1	4·8	9·5	4·7
1906-1907	28,142	386	103	152	131	13·7	3·7	5·4	4·7
1907-1908	25,821	462	105	226	131	17·9	4·1	8·8	5·1
Deaths in Steam Vessels.									
1890-1891	148,635	1,513	690	403	420	10·2	4·6	2·7	2·8
1891-1892	154,890	1,759	951	354	454	11·4	6·1	2·3	2·9
1892-1893	155,942	1,430	667	429	334	9·2	4·3	2·8	2·1
1893-1894	156,990	1,799	747	607	445	11·5	4·8	3·9	2·8
1894-1895	159,257	1,538	733	363	442	9·7	4·6	2·3	2·8
1895-1896	162,129	1,697	761	517	419	10·5	4·7	3·2	2·6
1896-1897	165,966	1,868	717	486	465	10·1	4·3	2·9	2·8
1897-1898	168,158	1,412	759	234	419	8·4	4·5	1·4	2·5
1898-1899	172,830	1,961	843	651	467	11·3	4·9	3·8	2·7
1899-1900	177,751	1,981	1,043	462	476	11·1	5·9	2·6	2·7
1900-1901	183,394	1,887	1,052	370	465	10·3	5·7	2·0	2·5
1901-1902	187,043	1,939	1,022	481	436	10·4	5·5	2·6	2·3
1902-1903	193,755	1,797	1,024	305	468	9·3	5·3	1·6	2·4
1903-1904	198,734	1,600	1,015	181	404	8·1	5·1	0·9	2·0
1904-1905	202,111	1,704	993	327	384	8·4	4·9	1·6	1·9
1905-1906	207,607	1,909	1,128	287	494	9·2	5·4	1·4	2·4
1906-1907	214,828	1,924	1,141	347	436	9·0	5·3	1·6	2·0
1907-1908	221,092	1,850	1,208	181	461	8·4	5·5	0·8	2·1
Total.									
1890-1891	214,427	3,039	1,042	1,208	789	14·2	4·9	5·6	3·7
1891-1892	218,247	3,320	1,406	1,104	810	15·2	6·4	5·1	3·7
1892-1893	219,560	2,678	1,059	970	649	12·2	4·8	4·4	3·0
1893-1894	218,317	3,143	1,121	1,220	802	14·4	5·1	5·6	3·7
1894-1895	217,794	2,938	1,217	957	764	13·5	5·6	4·4	3·5
1895-1896	218,224	3,067	1,171	1,154	742	14·1	5·4	5·3	3·4
1896-1897	219,233	2,633	1,002	899	732	12·0	4·5	4·1	3·3
1897-1898	218,016	2,193	1,054	489	650	10·1	4·8	2·2	3·0
1898-1899	219,383	2,857	1,114	1,081	662	13·0	5·1	4·9	3·0
1899-1900	221,107	2,735	1,299	769	667	12·4	5·9	3·5	3·0
1900-1901	224,545	2,781	1,267	844	670	12·4	5·6	3·8	3·0
1901-1902	225,443	2,625	1,229	775	621	11·6	5·5	3·4	2·8
1902-1903	230,161	2,385	1,241	501	643	10·4	5·4	2·2	2·8
1903-1904	233,482	2,252	1,190	481	581	9·6	5·1	2·1	2·5
1904-1905	234,577	2,303	1,159	610	534	9·8	4·9	2·6	2·3
1905-1906	237,811	2,485	1,274	574	637	10·4	5·4	2·4	2·7
1906-1907	242,970	2,310	1,244	499	567	9·5	5·1	2·1	2·3
1907-1908	246,913	2,312	1,313	407	592	9·4	5·3	1·6	2·4

* The figures relating to employment are made up for the year ending in December, and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

‡ These figures include only deaths resulting from casualties to ships.

TABLE 49.—ENGLAND AND WALES. Prices and Pauperism, 1859-1908.

YEAR.	AVERAGE PRICES.									PAUPERISM.			
	CONSOLS* (for Money) per £100 stock.	WHEAT per Quarter in England and Wales.†	MEAT. Price per lb. at the Metropolitan Cattle Market (sinking the Offal).‡						Average Price of SEABORNE COAL per Ton in the London Market.§	Average Number, to 1000 Persons living, in receipt of Poor Law Relief.			In-door Paupers to 1000 in receipt of out- door Relief.
			BEEF.			MUTTON.				Total.	In-door.	Out-door.	
			Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.					
	£ s. d.	s. d.	d.	d.	d.	d.	d.	d.	s. d.				
1859	95 0 0	43 9	4 ⁴ / ₈	—	6 ⁴ / ₈	4 ⁶ / ₈	—	7 ¹ / ₈	—	41·5	5·6	35·9	157
1860	93 19 8	53 3	4	—	6 ⁴ / ₈	5	—	7 ¹ / ₈	—	40·1	5·6	34·5	161
1861	92 0 8	55 4	4	—	6 ⁴ / ₈	5	—	7 ¹ / ₈	—	41·9	6·1	35·8	170
1862	93 8 9	55 5	4	—	6 ⁴ / ₈	5	—	6 ⁶ / ₈	—	46·7	6·4	40·3	160
1863	92 17 10	44 9	4 ¹ / ₈	—	6 ⁴ / ₈	4 ⁶ / ₈	—	7 ¹ / ₈	—	48·0	6·3	41·7	151
1864	90 6 3	40 2	4 ⁴ / ₈	—	6 ⁴ / ₈	5 ⁵ / ₈	—	7 ¹ / ₈	—	43·8	6·1	37·7	161
1865	89 11 7	41 10	4 ⁴ / ₈	—	7	5 ⁵ / ₈	—	8 ² / ₈	—	41·9	6·0	35·9	168
1866	87 16 11	49 11	4 ⁶ / ₈	—	7	5 ⁴ / ₈	—	8	—	40·5	6·1	34·4	176
1867	93 1 3	64 5	4 ⁴ / ₈	—	6 ⁶ / ₈	5	—	7	—	42·5	6·4	36·1	178
1868	93 19 5	63 9	4 ⁴ / ₈	—	6 ⁶ / ₈	4 ⁴ / ₈	—	6 ⁶ / ₈	—	43·6	6·8	36·8	183
1869	93 2 2	48 2	4 ⁴ / ₈	—	7 ¹ / ₈	5	—	7 ¹ / ₈	—	43·4	6·7	36·7	183
1870	92 13 2	46 10	4 ⁴ / ₈	—	7 ¹ / ₈	5 ² / ₈	—	7 ¹ / ₈	—	43·5	6·6	36·9	180
1871	92 18 5	56 8	5 ² / ₈	—	7 ⁶ / ₈	5 ⁴ / ₈	—	8 ² / ₈	—	41·6	6·3	35·3	179
1872	92 10 8	57 0	5 ¹ / ₈	—	7 ⁷ / ₈	6	—	8 ² / ₈	—	36·9	6·0	30·9	192
1873	92 14 8	58 8	5 ⁵ / ₈	—	8 ¹ / ₈	6 ² / ₈	—	9	31 0	33·9	5·9	28·0	210
1874	92 12 6	55 8	5 ⁵ / ₈	—	8 ¹ / ₈	5 ¹ / ₈	—	8	23 8	31·5	5·8	25·7	225
1875	93 15 11	45 2	5 ⁵ / ₈	—	8 ¹ / ₈	5 ¹ / ₈	—	9 ¹ / ₈	21 8	29·7	5·6	24·1	233
1876	95 5 8	46 2	5 ¹ / ₈	—	8 ¹ / ₈	5 ¹ / ₈	—	9 ¹ / ₈	19 1	27·5	5·7	21·8	260
1877	95 10 0	56 9	4 ⁴ / ₈	—	8 ¹ / ₈	4 ⁴ / ₈	—	9 ¹ / ₈	17 5	27·0	6·0	21·0	283
1878	95 5 0	46 5	4 ⁴ / ₈	—	8 ¹ / ₈	4 ⁴ / ₈	—	9 ¹ / ₈	16 4	27·3	6·2	21·1	293
1879	97 12 10	43 10	4	—	7 ⁷ / ₈	4 ⁴ / ₈	—	8 ² / ₈	15 11	29·0	6·5	22·5	290
1880	98 10 8	44 4	4 ⁴ / ₈	—	7 ⁷ / ₈	4 ⁴ / ₈	—	8 ² / ₈	14 10	28·4	6·7	21·7	310
1881	100 2 6	45 4	4 ⁴ / ₈	—	7 ¹⁰ / ₈	5 ¹ / ₈	—	9	16 0	28·2	6·8	21·4	318
1882	100 17 10	45 1	4 ⁴ / ₈	—	8	5 ¹ / ₈	—	9 ¹ / ₈	15 10	27·2	6·7	20·5	325
1883	101 8 2	41 7	5	—	8 ¹ / ₈	5 ¹ / ₈	—	9 ¹ / ₈	16 10	26·7	6·6	20·1	331
1884	101 4 8	35 8	4 ⁴ / ₈	—	7 ⁷ / ₈	4 ⁴ / ₈	—	8 ² / ₈	15 5	26·0	6·6	19·4	333
1885	99 4 8	32 10	3 ⁴ / ₈	—	6 ⁶ / ₈	4 ⁴ / ₈	—	7 ¹ / ₈	15 5	26·0	6·6	19·4	338
1886	100 17 10	31 0	3 ⁴ / ₈	—	6 ³ / ₈	4 ¹ / ₈	—	8 ¹ / ₈	14 9	26·6	6·6	20·0	328
1887	101 16 2	32 6	3 ⁴ / ₈	—	5 ⁵ / ₈	3 ⁴ / ₈	—	7 ¹ / ₈	14 10	26·2	6·6	19·6	336
1888	101 0 0	31 10	3 ⁴ / ₈	—	6 ⁶ / ₈	3 ⁴ / ₈	—	7 ¹ / ₈	14 10	26·0	6·6	19·4	337
1889	98 0 9	29 9	—	—	—	—	—	—	16 6	25·0	6·4	18·6	345
1890	96 10 0	31 11	—	—	—	—	—	—	18 7	23·8	6·2	17·6	350
1891	95 14 8	37 0	—	—	—	—	—	—	18 3	22·8	6·0	16·8	360
1892	96 13 6	30 3	4 ⁴ / ₈	6 ¹ / ₈	7 ¹ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	17 7	22·7	6·1	16·6	370
1893	98 7 4	26 4	4 ⁴ / ₈	6 ¹ / ₈	7 ¹ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	19 0	23·2	6·4	16·8	378
1894	101 1 5	22 10	3 ⁴ / ₈	5 ¹ / ₈	6 ⁶ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	16 1	23·3	6·5	16·8	386
1895	106 3 3	23 1	4	6	6 ⁶ / ₈	5 ¹ / ₈	8	8 ¹ / ₈	14 7	24·2	6·6	17·6	376
1896	110 5 7	26 2	3 ⁴ / ₈	5 ¹ / ₈	6 ⁶ / ₈	4 ⁷ / ₈	7 ¹ / ₈	8 ¹ / ₈	14 4	23·3	6·5	16·8	385
1897	112 8 0	30 2	3 ⁴ / ₈	5 ¹ / ₈	6 ⁶ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	15 7	23·0	6·4	16·6	390
1898	110 19 6	34 0	3 ⁴ / ₈	5 ¹ / ₈	6 ⁴ / ₈	4 ⁶ / ₈	7 ¹ / ₈	8 ¹ / ₈	16 2	22·9	6·5	16·4	393
1899	107 3 11	25 8	3 ⁴ / ₈	5 ¹ / ₈	6 ⁴ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	17 10	21·7	6·4	15·3	414
1900	99 12 11	26 11	4 ⁴ / ₈	6	7 ¹ / ₈	5	7 ¹ / ₈	9	22 10	21·0	6·2	14·8	418
1901	94 5 8	26 9	3 ⁴ / ₈	6	6 ⁷ / ₈	4 ⁷ / ₈	7 ¹ / ₈	8 ⁴ / ₈	19 4	21·2	6·3	14·9	427
1902	94 7 5	28 1	4 ⁴ / ₈	6 ¹ / ₈	7 ⁴ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	18 1	21·3	6·4	14·9	434
1903	90 15 8	26 9	4 ⁴ / ₈	6 ⁶ / ₈	7 ⁷ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	16 2	21·5	6·6	14·9	447
1904	88 5 6	23 4	4 ⁴ / ₈	5 ⁵ / ₈	6 ⁷ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	15 2	22·4	7·1	15·3	460
1905	89 13 9	29 8	4 ⁴ / ₈	5 ⁵ / ₈	7	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	14 11 ¹ / ₄	23·0	7·2	15·8	458
1906	88 6 6	28 3	4 ¹ / ₈	5 ² / ₈	6 ⁷ / ₈	6 ⁶ / ₈	8	9 ¹ / ₈	15 9	22·6	7·2	15·4	469
1907	84 3 4	30 7	4 ¹ / ₈	5 ² / ₈	7 ¹ / ₈	6 ⁶ / ₈	8 ¹ / ₈	9 ¹ / ₈	19 6	22·2	7·2	15·0	483
1908	86 1 2	32 0	4	5 ² / ₈	7 ¹ / ₈	5 ¹ / ₈	7 ¹ / ₈	8 ¹ / ₈	17 6	22·6	7·5	15·1	498

* The prices of Consols for the years 1859-88 relate to stock bearing 3 per cent. interest, from 1889 to 31st March, 1903, to stock bearing 2½ per cent., and since then to stock bearing 2¼ per cent.

† From the Board of Trade Statistical Abstract.

‡ The Registrar-General is unable to give precise information as to the price of meat for the years 1889-91.

§ The prices of coal are furnished by the Mineral Statistics Department of the Home Office.

|| Derived from Returns, published by the Local Government Board of the number of persons in receipt of Relief on each Saturday.

¶ March Quarter only.

TABLE 50.—Meteorological Elements,

YEAR.	Mean Weekly Movement of the Air in Miles.*	Departure from Average of 50 Years.	Fall of Rain in Inches.	Departure from Average of 50 Years.	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years.	Mean Temperature of the Air.	Departure from Average of 50 Years.
	Miles.	Miles.	Inches.	Inches.	%	%	°	°
1859 ..	1598	- 334	25'9	+ 1'8	80	- 1	50'7	+ 1'3
1860 ..	1676	- 256	32'0	+ 7'9	84	+ 3	47'0	- 2'4
1861 ..	1666	- 266	20'8	- 3'3	84	+ 3	49'4	0'0
1862 ..	1680	- 252	26'2	+ 2'1	84	+ 3	49'5	+ 0'1
1863 ..	1775	- 157	20'0	- 4'1	80	- 1	50'3	+ 0'9
1864 ..	1597	- 335	16'7	- 7'4	78	- 3	48'5	- 0'9
1865 ..	1553	- 379	29'0	+ 4'9	80	- 1	50'3	+ 0'9
1866 ..	1917	- 15	30'7	+ 6'6	82	+ 1	49'8	+ 0'4
1867 ..	1981	+ 49	28'4	+ 4'3	82	+ 1	48'6	- 0'8
1868 ..	2029	+ 97	25'2	+ 1'1	78	- 3	51'5	+ 2'1
1869 ..	2043	+ 111	24'0	- 0'1	81	0	49'5	+ 0'1
1870 ..	1872	- 60	18'5	- 5'6	79	- 2	48'7	- 0'7
1871 ..	1749	- 183	22'3	- 1'8	81	0	48'7	- 0'7
1872 ..	1998	+ 66	30'0	+ 5'9	82	+ 1	50'7	+ 1'3
1873 ..	1940	+ 8	23'4	- 0'7	82	+ 1	48'9	- 0'5
1874 ..	1915	- 17	20'0	- 4'1	82	+ 1	49'3	- 0'1
1875 ..	1942	+ 10	28'2	+ 4'1	80	- 1	49'2	- 0'2
1876 ..	2036	+ 104	24'2	+ 0'1	80	- 1	50'1	+ 0'7
1877 ..	2184	+ 252	26'9	+ 2'8	79	- 2	49'4	0'0
1878 ..	1880	- 52	29'2	+ 5'1	81	0	49'6	+ 0'2
1879 ..	1873	- 59	31'3	+ 7'2	83	+ 2	46'2	- 3'2
1880 ..	1928	- 4	29'8	+ 5'7	84	+ 3	49'4	0'0
1881 ..	2030	+ 98	25'2	+ 1'1	81	0	48'7	- 0'7
1882 ..	2151	+ 219	25'2	+ 1'1	84	+ 3	49'7	+ 0'3
1883 ..	2058	+ 126	21'9	- 2'2	82	+ 1	49'4	0'0
1884 ..	2034	+ 102	18'1	- 6'0	80	- 1	50'7	+ 1'3
1885 ..	2008	+ 76	24'0	- 0'1	81	0	48'6	- 0'8
1886 ..	1962	+ 30	24'2	+ 0'1	81	0	48'7	- 0'7
1887 ..	1927	- 5	19'9	- 4'2	79	- 2	47'8	- 1'6
1888 ..	2049	+ 117	27'5	+ 3'4	82	+ 1	47'7	- 1'7
1889 ..	1934	+ 2	23'3	- 0'8	83	+ 2	48'8	- 0'6
1890 ..	1946	+ 14	21'9	- 2'2	81	0	48'6	- 0'8
1891 ..	1945	+ 13	25'1	+ 1'0	82	+ 1	48'4	- 1'0
1892 ..	1863	- 69	22'3	- 1'8	80	- 1	48'1	- 1'3
1893 ..	1909	- 23	20'1	- 4'0	76	- 5	51'1	+ 1'7
1894 ..	2019	+ 87	26'9	+ 2'8	81	0	49'9	+ 0'5
1895 ..	1951	+ 19	19'7	- 4'4	78	- 3	49'3	- 0'1
1896 ..	1932	0	22'4	- 1'7	79	- 2	50'2	+ 0'8
1897 ..	2033	+ 101	22'1	- 2'0	79	- 2	50'3	+ 0'9
1898 ..	1956	+ 24	18'9	- 5'2	78	- 3	51'3	+ 1'9
1899 ..	1911	- 21	22'3	- 1'8	77	- 4	50'6	+ 1'2
1900 ..	2050	+ 118	23'2	- 0'9	79	- 2	50'4	+ 1'0
1901 ..	1970	+ 38	20'3	- 3'8	78	- 3	49'2	- 0'2
1902 ..	1933	+ 1	19'3	- 4'8	80	- 1	49'2	- 0'2
1903 ..	2226	+ 294	35'5	+11'4	80	- 1	50'1	+ 0'7
1904 ..	1913	- 19	20'7	- 3'4	82	+ 1	49'8	+ 0'4
1905 ..	2063	+ 131	23'0	- 1'1	81	0	49'9	- 0'5
1906 ..	2093	+ 161	24'7	+ 0'6	79	- 2	50'7	+ 1'3
1907 ..	1977	+ 45	22'3	- 1'8	81	0	49'7	+ 0'3
1908 ..	1932	0	23'8	- 0'3	83	+ 2	50'1	+ 0'7
Average } in 50 Years. }	1932	—	24'1	—	81	—	49'4	—

* Approximated to the results of the Robinson's Anemometer by reduction from Whewell's in 1859.

Greenwich, 1859-1908.

MEAN TEMPERATURE of the AIR in the Quarter ended the last day of								YEAR.
March.	Departure from Average of 50 Years.	June.	Departure from Average of 50 Years.	Sept.	Departure from Average of 50 Years.	Dec.	Departure from Average of 50 Years.	
°	°	°	°	°	°	°	°	
43·3	+ 3·3	53·7	+ 0·7	62·8	+ 2·3	43·3	- 1·0	1859
38·8	- 1·2	50·5	- 2·5	56·2	- 4·3	42·6	- 1·7	1860
39·9	- 0·1	51·8	- 1·2	60·4	- 0·1	45·5	+ 1·2	1861
41·0	+ 1·0	53·3	+ 0·3	58·8	- 1·7	45·0	+ 0·7	1862
42·6	+ 2·6	53·1	+ 0·1	58·8	- 1·7	46·8	+ 2·5	1863
37·9	- 2·1	53·1	+ 0·1	59·4	- 1·1	43·7	- 0·6	1864
36·5	- 3·5	56·2	+ 3·2	62·5	+ 2·0	46·0	+ 1·7	1865
41·2	+ 1·2	53·0	0·0	58·9	- 1·6	46·2	+ 1·9	1866
38·9	- 1·1	53·5	+ 0·5	59·7	- 0·8	42·5	- 1·8	1867
41·4	+ 1·4	55·8	+ 2·8	63·9	+ 3·4	45·1	+ 0·8	1868
41·3	+ 1·3	52·0	- 1·0	61·4	+ 0·9	43·3	- 1·0	1869
38·0	- 2·0	54·4	+ 1·4	60·7	+ 0·2	41·6	- 2·7	1870
40·2	+ 0·2	51·5	- 1·5	61·3	+ 0·8	41·8	- 2·5	1871
43·6	+ 3·6	52·8	- 0·2	61·1	+ 0·6	45·3	+ 1·0	1872
39·4	- 0·6	51·8	- 1·2	60·3	- 0·2	44·2	- 0·1	1873
41·4	+ 1·4	52·8	- 0·2	60·9	+ 0·4	42·3	- 2·0	1874
39·5	- 0·5	53·4	+ 0·4	60·7	+ 0·2	43·1	- 1·2	1875
39·5	- 0·5	51·7	- 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	- 1·1	58·5	- 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	- 2·7	1878
37·1	- 2·9	49·5	- 3·5	58·1	- 2·4	39·9	- 4·4	1879
39·8	- 0·2	52·4	- 0·6	61·4	+ 0·9	44·0	- 0·3	1880
37·3	- 2·7	52·9	- 0·1	60·0	- 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	- 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	- 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	- 0·5	62·7	+ 2·2	44·1	- 0·2	1884
40·3	+ 0·3	52·4	- 0·6	59·1	- 1·4	42·8	- 1·5	1885
36·5	- 3·5	52·5	- 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	- 2·7	51·6	- 1·4	61·0	+ 0·5	41·3	- 3·0	1887
36·9	- 3·1	51·6	- 1·4	57·6	- 2·9	44·6	+ 0·3	1888
38·2	- 1·8	54·5	+ 1·5	58·9	- 1·6	43·5	- 0·8	1889
41·4	+ 1·4	52·8	- 0·2	58·4	- 2·1	40·8	- 3·5	1890
37·6	- 2·4	51·6	- 1·4	59·3	- 1·2	45·0	+ 0·7	1891
37·5	- 2·5	53·4	+ 0·4	59·2	- 1·3	42·3	- 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	- 1·9	46·4	+ 2·1	1894
35·2	- 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	- 0·1	42·4	- 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	- 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	- 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	- 0·8	52·8	- 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	- 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	- 0·4	1901
40·5	+ 0·5	51·0	- 2·0	59·6	- 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	- 1·8	60·0	- 0·5	45·2	+ 0·9	1903
39·5	- 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	- 2·1	1905
41·1	+ 1·1	52·8	- 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	- 0·1	60·1	- 0·4	45·8	+ 1·5	1907
39·5	- 0·5	53·8	+ 0·8	60·3	- 0·2	46·6	+ 2·3	1908
40·0	—	53·0	—	60·5	—	44·3	—	{ Average in 50 Years.

TABLE 51.—Quarterly Meteorological

Winter .. Jan., Feb., March. Spring .. April, May, June. Summer .. July, Aug., Sept. Autumn .. Oct., Nov., Dec.	Temperature of										Elastic Force of Vapour		Weight of Vapour in a Cubic Foot of Air.	
	Air.			Evaporation.		Dew Point.		Air—Daily Range.			Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.
	Mean of Maximum and Minimum.	Diff. from Average of 130 Years.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.					
1908.	°	°	°	°	°	°	°	°	°	°	in.	in.	grs.	gr.
YEAR	50·1	+ 1·4	+ 0·7	46·6	+ 0·1	43·9	+ 0·4	15·5	- 0·3	·298	+·005	3·4	0·0	
Winter Quarter	39·5	+ 0·6	- 0·3	37·0	- 0·8	34·6	- 0·6	12·1	+ 0·3	·200	-·007	2·3	- 0·1	
Spring do.	53·8	+ 1·4	+ 0·9	49·1	0·0	45·4	+ 0·2	18·4	- 1·5	·311	+·005	3·5	+ 0·1	
Summer do.	60·3	+ 0·5	- 0·1	55·7	- 0·8	52·6	- 0·4	19·1	- 0·6	·397	-·005	4·5	- 0·1	
Autumn do.	46·6	+ 2·9	+ 2·2	44·5	+ 1·9	43·1	+ 2·5	12·5	+ 0·8	·284	+·027	3·2	+ 0·1	

In this table + and - respectively signify that the number in the *preceding* column is

Elements, Greenwich, 1908.

Degree of Humidity.		Reading of Barometer, reduced to 32° F.		Weight of a Cubic Foot of Air.		Rain.		Reading of Thermometer on Grass.												
Mean (Saturation = 100).	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Amount.	Diff. from Average of 86 Years.	Number of Nights it was			Lowest Reading at Night.	Highest Reading at Night.	Winter	Spring	Summer	Autumn				
								At or below 30°.	Between 30° and 40°.	Above 40°.										
°/o	°/o	ins.	in.	grs.	grs.	Sums.		Sums.			°	°					1908.			
83	+ 1	29·850	+ ·073	544	+ 2	ins. 23·78	ins. - 1·02	112	148	106	2·0	57·1					YEAR.			
85	+ 1	29·861	+ ·087	556	+ 4	5·19	+ 0·25	60	30	1	8·8	45·8					Winter Quarter			
76	- 1	·840	+ ·055	540	+ 2	5·70	+ 0·09	15	42	34	19·0	56·2					Spring do.			
80	+ 3	·828	+ ·032	533	+ 3	8·16	+ 0·99	4	30	58	24·5	57·1					Summer do.			
91	+ 2	29·873	+ ·120	548	+ 1	4·73	- 2·35	33	46	13	2·0	52·7					Autumn do.			

above or below the average to the amount of the quantities to which the signs are affixed.

TABLE 52.—Monthly Meteorological Elements at Greenwich, 1908.

1908.		Baro- meter.	Air Temperature.						Hygrometer.				Earth Temperature.		Bright Sunshine.			
			Mean of		Mean of A and B.	Difference from Average.†	Absolute Minimum and Maximum.			Mean of Observations at 9 a.m. and 9 p.m.*.				At 1 foot depth.	At 3 ft. 2 in. depth.	Total Observed.	Difference from Average.†	Per cent of Possible.
			A	B			Mini- mum.	Maxi- mum.	Day of Month.	Maxi- mum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.					
		ins. 32° F. at Station Level.* (Bar. 159 ft. above M.S.L.)	°	°	°	°	°	°	°	°	ins. °	°	°	°	hrs. °	hrs. °	°	°
January	..	29.983	30.9	41.7	36.3	-2.1	18	6 & 12	54	27	1.4	.186	88	41.7	57	+16	22	22
February	..	29.919	35.7	47.5	41.6	+1.8	28	3	55	17	2.0	.213	84	42.1	63	+6	22	22
March	..	29.681	33.9	47.6	40.7	-1.8	24	15	59	24	2.1	.202	83	41.9	102	+3	28	28
April..	..	29.772	36.8	51.7	44.3	-3.8	28	9	62	29	2.8	.220	79	44.1	137	-10	33	33
May	29.834	47.2	66.2	56.7	+2.9	38	24	77	19	3.6	.344	77	50.6	200	+14	41	41
June	29.914	49.7	71.0	60.4	+0.1	42	7	82	4	4.6	.369	73	57.8	262	+65	53	53
July	29.844	53.2	73.0	63.1	-0.6	47	20	84	3	4.0	.426	78	61.1	202	-34	41	41
August	..	29.822	51.4	70.1	60.7	-2.2	47	31	83	3	3.8	.392	78	61.7	214	+4	48	48
September..	..	29.818	47.7	66.4	57.0	-1.2	36	13	80	30	2.6	.374	83	57.9	165	+10	44	44
October	..	29.966	46.0	62.9	54.5	+4.1	33	25	79	2	1.1	.360	92	56.7	133	+38	40	40
November	29.889	39.8	52.1	45.9	+2.5	22	10	59	1	1.5	.272	89	51.0	77	+29	29	29
December	29.763	35.3	43.5	39.4	-0.2	12	30	54	13	1.0	.219	92	47.4	22	-11	9	9
Year	29.850	42.3	57.8	50.1	0.0	—	—	—	—	2.5	.298	83	51.2	1,634	+132	37	37

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain and Temperature, and 10 years for Sunshine.
Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale (force 8 and above) are given in the table.

TABLE 52—(continued).

1908.	Cloud.	Rain and other forms of Precipitation.				Weather. Number of days of							Wind. Number of Observations at 9 a.m. and 9 p.m.*										
		Most in a day.		Total Fall.	Difference from Average.†	Amount.	Day of Month.	Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky.‡	Overcast.‡	Fog.	Wind force 8 and above.								
Mean of Observa- tions of amount at 9 a.m. and 9 p.m. (Scale 0-10.)	ins.	ins.	ins.	ins.	8	9	3	0	0	7	16	12	0	16	6	5	10	6	5	13	10	2	
January	6.3	1.51	-0.37	0.95	17	13	3	1	0	2	10	7	0	14	1	1	1	1	1	1	13	21	10
February	6.3	1.46	-0.02	0.41	25	17	8	1	1	3	12	3	0	12	3	6	4	5	6	15	10	4	
March ..	6.7	2.22	+0.70	0.55	23	15	5	5	1	5	15	0	0	9	2	2	7	5	2	4	9	4	
April ..	6.9	2.10	+0.53	0.56	30	15	0	2	0	2	6	0	0	5	4	2	6	3	4	18	15	3	
May ..	6.1	1.53	-0.39	0.53	4	6	0	1	3	4	10	2	0	2	4	7	8	6	2	12	8	2	
June ..	5.7	2.07	+0.03	0.95	13	12	0	0	1	6	9	0	0	4	4	5	4	5	1	13	19	2	
July ..	5.8	3.66	+1.26	1.04	28	14	0	1	1	3	9	0	0	6	6	9	7	2	1	7	16	4	
August ..	5.5	3.28	+0.94	0.72	3	12	0	0	1	4	12	1	0	5	5	2	2	3	4	15	21	4	
September	5.8	1.22	-0.93	0.36	17	10	0	1	0	9	10	13	0	1	9	2	5	9	17	7	4	0	
October	5.0	5.97	-0.81	0.69	21	12	0	1	0	3	14	7	0	6	3	3	4	8	2	14	14	3	
November	6.8	0.76	-1.46	0.22	29	15	2	0	0	1	22	7	0	5	6	2	5	8	9	19	9	2	
December	8.5	2.00	+0.17	0.32	—	150	21	13	8	49	145	52	0	85	53	65	81	72	69	46	150	156	40
Year ..	6.3	23.78	-0.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m. and 9 p.m. is less than .2, and as an "overcast" day if the average is greater than .8. Record is also kept of the days persistently cloudless and days persistently overcast from midnight to midnight. The number of such days for the period January to December, 1908, are:—clear sky, 2, 0, 0, 0, 0, 0, 0, 3, 0, 0; and overcast, 3, 0, 1, 1, 0, 0, 0, 0, 0, 2.

TABLE 53.—Mean Annual Values of Meteorological

1908.	Station.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.		
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Minimum and Maximum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
				A Minimum.	B Maximum.			Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
1. LONDON:—		Ft.	Ins.	°	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%	
Tottenham ..		55	29·957	43·7	57·0	50·4	+0·6	16	Dec. 30	82	July 3	49·9	2·2	·322	86	—	51·6	1,576	—	36
Camden Square ..		123	29·896	43·4	58·5	51·0	+0·6	14	Dec. 30	87	July 3	50·1	2·3	·317	85	49·9	49·6	1,357	—	31
Westminster ..		54	29·948	44·5	57·2	50·9	+0·8	18	Dec. 31	83	July 3	47·7	1·9	·295	86	—	—	1,364	+220	31
Greenwich ..		159	29·850	42·9	57·8	50·1	0·0	12	Dec. 30	84	July 3	49·1	2·6	·298	83	—	51·2	1,634	+132	37
Norwood ..		235	29·797	42·9	57·3	50·1	+0·5	14	Dec. 30	85	June 4	49·2	2·5	·301	83	49·8	—	—	—	—
Kew ..		34	29·994	43·6	56·8	50·2	+0·7	15	Dec. 30	81	July 3	49·6	2·8	·298	81	49·9	50·5	1,543	+ 76	35
District Value..		—	—	43·4	57·4	50·4	+0·6	12	—	87	—	—	—	—	49·9	50·7	1,495	+158	34	
2. ENGLAND, CENT.:—																				
(a) East, (b) West.																				
a	Huddersfield ..	411	29·530	41·6	53·7	47·7	—	14	Dec. 30	81	July 2	46·8	2·0	·288	87	48·0	47·6	1,099	—	25
	Wakefield ..	100	29·868	41·9	56·2	49·1	+1·2	11	Dec. 30	82	July 2	48·9	2·9	·287	81	—	—	—	—	—
	Belvoir Castle..	276	29·701	41·3	55·0	48·2	+0·1	10	Dec. 30	80	June 3, 4 July 2 Aug. 3	47·2	1·7	·295	89	—	49·0*	1,485	—	34
	Coventry ..	309	29·679	42·0	56·1	49·1	+0·2	13	Dec. 31	85	June 3	48·3	2·6	·288	83	49·7	50·3	1,395	—	32
	Nottingham ..	85	29·892	41·1	55·9	48·5	+0·1	9	Dec. 30	84	July 2	46·5	1·1	·292	92	48·4	48·8	1,295	—	29
	Birmingham ..	512	29·417	42·4	51·7	48·6	+0·5	14	Dec. 30	82	July 3	47·1	2·2	·286	85	47·4	48·1	1,140	—	26
	Oxford ..	212	29·802	42·1	56·5	49·3	+0·3	9	Dec. 30	84	July 3	47·2	2·1	·287	85	—	—	1,530	+ 32	35
	Bath ..	84	29·927	42·6	57·3	50·0	+0·2	16	Dec. 30	85	July 3	47·7	1·7	·299	88	51·6	52·7	1,741	—	39
	Shrewsbury ..	212	29·774	41·3	56·7	49·0	0·0	14	Jan. 4	86	July 3	48·1	1·9	·306	87	—	—	—	—	—
	Buxton ..	997	28·920	39·5	51·8	45·7	+0·4	4	Dec. 30	78	July 2	45·2	2·0	·268	86	47·7	47·3	1,298	—	29
b	Sheffield ..	450	29·507	42·6	54·6	48·6	+0·1	14	Dec. 30	80	July 22 Sept. 30	48·0	2·4	·292	84	47·7	47·8	1,281	—	29
	Stokesay ..	375	29·609	40·0	56·1	48·1	—	11	Jan. 5	84	July 3	47·7	1·9	·296	88	—	—	—	—	—
	Cheltenham ..	206	29·806	43·1	56·2	49·7	+1·1	19	Jan. 6	85	July 3	49·6	2·6	·301	83	—	—	1,591	—	36
District Value..		—	—	41·2	55·7	48·2	+0·4	3	—	86	—	—	—	—	48·3	48·6	1,376	— 31	31	
3. ENGLAND, S.E.:—																				
Salisbury ..		186	29·824	40·8	57·2	49·0	0·0	12	Dec. 30, 31	84	July 3	48·6	1·7	·315	89	51·7	—	—	—	—
Brighton ..		48	29·980	44·8	55·9	50·4	0·0	18	Dec. 30	82	June 3 July 2	51·0	2·7	·319	83	—	51·5	1,925	+194	44
Eastbourne ..		36	29·990	44·7	55·7	50·2	+0·1	17	Dec. 31	79	June 4	50·6	2·2	·323	86	51·5	52·0	1,932	+193	44
Portsmouth ..		18	30·022	45·0	57·5	51·3	+1·0	17	Dec. 30	83	June 4 July 2	51·5	3·1	·316	81	52·3	52·9	1,949	—	41
Southampton .		84	29·953	44·0	58·1	51·1	+0·6	16	Dec. 30	85	June 4	50·4	2·6	·319	84	—	—	1,787	+122	40
Ventnor ..		80	29·934	46·3	57·0	51·7	+0·4	20	Dec. 30	83	June 4	51·8	3·0	·319	81	—	—	1,933	+210	44
District Value .		—	—	43·1	56·3	49·5	0·0	0	—	88	—	—	—	—	50·7	51·2	1,742	+139	39	

* 3 feet. The sunshine entered to Portsmouth is registered at Southsea.

lements from Observations at several Stations in the Year 1908.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m. and 6 p.m.																	
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 106.)	Overcast. (See Note on p. 106.)	Fog.	Wind force 8 and above.	Force (0 12).		Direction.															
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.								
mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																											
6.9	22.0	—	1.26	Jan. 7	133	17	8	18	23	151	26	2	56	72	61	104	48	61	29	179	79	99								
7.0	23.7	- 1.5	1.38	Jan. 7	160	15	5	8	50	193	22	—	—	94	94	110	30	26	44	92	132	110								
6.3	21.3	- 3.1	1.15	Jan. 7	165	20	9	16	39	139	15	7	129	87	52	89	73	39	46	166	114	66								
6.3	23.8	- 0.3	1.04	July 13	150	21	13	8	49	145	52	0	85	53	65	81	72	69	46	150	156	40								
6.0	25.9	+ 1.0	1.29	June 4	171	21	7	15	58	130	77	0	62	110	59	105	44	25	79	155	87	68								
6.5	22.2	- 1.8	1.60	Jan. 7	161	15	6	16	34	140	31	0	112	126	76	73	66	30	70	159	81	51								
6.5	23.2	- 0.8	1.60	—	157	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
6.7	30.8	—	0.99	Sept. 20	204	30	8	14	32	154	29	7	120	130	48	50	55	56	58	97	165	73								
6.6	20.3	- 6.1	0.65	Mar. 25	152	23	12	12	37	145	45	1	68	21	56	87	69	64	61	153	164	57								
6.6	21.5	- 3.9	0.82	Mar. 25	211	31	14	29	30	145	70	6	186	143	71	37	19	43	117	157	77	68								
7.0	23.1	- 2.6	1.22	Aug. 31	199	24	5	6	60	203	14	1	108	128	34	46	68	44	96	150	82	84								
7.2	21.3	- 3.5	0.69	Mar. 25	195	19	8	13	23	153	37	3	76	11	37	69	119	46	51	170	162	67								
6.6	26.5	- 0.9	1.20	June 17	168	18	0	9	33	143	16	1	78	82	80	67	66	47	90	129	95	76								
7.0	23.9	- 1.1	1.66	April 25	179	16	9	8	37	139	40	2	169	52	74	93	42	53	112	132	111	63								
6.7	23.3	- 7.2	0.99	Aug. 23	158	—	—	—	59	137	—	—	164	8	32	170	63	45	26	121	171	96								
6.5	23.4	—	1.14	June 17	183	16	3	3	32	146	18	5	129	42	32	19	25	167	83	102	92	170								
6.8	42.0	- 8.6	1.21	Nov. 21	218	48	16	17	39	156	46	3	129	153	21	25	89	49	36	108	139	109								
7.2	25.4	- 7.2	0.78	Dec. 15	179	30	5	15	11	155	49	0	41	104	77	55	19	53	87	139	101	97								
7.2	29.2	—	0.99	Mar. 24	181	22	9	7	21	174	19	15	105	194	83	50	14	62	102	90	58	79								
5.9	20.2	- 7.4	1.08	Aug. 31	158	15	1	7	58	122	6	1	81	75	22	52	30	94	60	221	112	66								
6.6	24.4	- 2.0	2.78	—	181	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
6.5	29.8	- 2.4	2.18	April 25	203	15	0	6	26	126	40	8	144	16	84	66	24	61	70	141	97	173								
6.6	21.5	- 6.1	1.14	Jan. 7	137	10	4	11	57	185	22	8	152	76	80	98	58	82	42	154	76	66								
5.1	25.8	- 5.1	1.38	Jan. 7	154	16	1	6	84	97	8	4	96	124	30	145	32	61	15	141	99	85								
5.9	20.5	- 7.1	0.95	Oct. 18	146	11	2	4	93	137	14	1	306	2	64	104	72	92	40	118	120	120								
5.8	27.8	- 3.1	1.69	Aug. 27	176	18	6	10	67	117	31	5	182	8	16	178	3	120	9	187	34	177								
6.1	21.4	- 8.2	0.81	July 16	161	12	3	3	58	118	10	1	160	52	91	62	92	58	71	107	138	61								
6.1	24.6	- 2.5	2.18	—	172	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								

TABLE 53 (continued).—Mean Annual Values of Meteorological

1908.		Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.		
Station.	Mean of			Mean of A and B.	Difference from Normal.	Absolute Minimum and Maximum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.		
	A Minimum.					B Maximum.	Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.						Humidity.	
4. ENGLAND, E.:—		Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	In.	°/°	°	°	Hrs.	Hrs.	%
(a) North, (b) South.																				
a	Cromer	139	—	42·7	54·5	48·6	—	20	Jan. 6	81	July 30	48·6†	2·0†	·306†	87†	—	—	1,488	—	34
	Hillington	92	—	40·6	55·4	48·0	−0·2	11	Dec. 30	81	Aug. 3	47·6	1·9	·296	87	—	—	1,404	− 95	32
	Norwich	93	—	42·4	55·7	49·1	—	17	Jan. 5	81	July 30	—	—	—	—	—	—	—	—	—
b	Cambridge	43	29·961	41·3	57·0	49·2	+0·3	7	Dec. 30, 31	82	July 30	48·3	2·2	·304	86	50·1	50·9	1,578	+ 18	36
	Bennington	411	29·603	41·2	55·9	48·6	+0·3	15	Dec. 30	82	Aug. 3	47·4	2·1	·289	85	50·3	50·3	—	—	—
	Clacton	62	29·947	43·9	54·8	49·4	−0·2	17	Dec. 30, 31	76	June 4	47·8	1·7	·304	88	50·6	51·9	1,736	—	39
	Berkhampsted..	397	29·601	40·7	53·4	48·6	+0·2	12	Dec. 30	83	July 3	47·3	2·0	·291	86	50·4	—	1,526	—	35
District Value..		—	—	42·3	55·6	48·8	+0·6	1	—	83	—	—	—	—	—	50·5	51·0	1,582	− 1	36
5. ENGLAND, N.E.:—																				
(a) North, (b) South.																				
a	Cockle Park (Morpeth).	331	29·575	40·0	52·3	46·2	—	16	Dec. 30	75	July 2, 22	46·1	1·6	·288	89	46·5	46·9	1,414	—	32
	Shields	117	29·835	40·9	53·7	47·3	+0·1	19	Dec. 30	79	July 22	43·2	1·6	·287	89	—	—	—	—	—
	Durham	352	29·564	40·4	53·6	47·0	+0·2	15	Dec. 30	82	July 2	46·8	2·1	·286	86	—	—	1,254	− 63	28
	York	53	29·926	42·0	55·6	48·8	+0·7	13	Dec. 30	84	July 2	48·0	2·2	·294	86	48·4	48·4	1,259	− 17	28
b	Hull	12	29·971	42·1	55·3	48·7	+0·9	12	Dec. 30	81	July 22	48·8	2·3	·300	85	47·8	48·5	895	—	20
	Spurn Head	28	29·929	44·2	53·0	48·6	+0·3	25	Dec. 30	75	July 30	47·0	1·5	·296	90	—	—	—	—	—
	Lincoln	42	—	41·1	56·0	48·6	+0·2	11	Dec. 30, 31	81	July 2	—	—	—	—	48·7	49·1	—	—	—
District Value..		—	—	41·6	54·5	47·9	+0·6	10	—	85	—	—	—	—	—	47·9	48·2	1,406	− 45	32
6. ENGLAND, N.W.:—																				
(a) England, N.W. (b) North Wales.																				
a	Southport	42	29·944	43·2	54·6	48·9	+0·7	16	Dec. 30	81	July 3	48·5	2·2	·298	85	49·9	50·2	1,549	+ 83	35
	Manchester (City).	195	29·781	44·6	55·2	49·9	—	21	Dec. 30	82	July 1	49·4	2·6	·304	83	48·6	49·8	991	—	22
	Aspatria	254	29·679	41·7	54·0	47·9	+0·8	17	Jan. 4	81	June 26	47·5	1·9	·297	87	—	—	1,440	—	33
	Stonyhurst	363	29·591	41·9	53·1	47·5	+0·1	16	Dec. 30	83	July 2	47·4	2·4	·286	83	—	—	1,314	− 42	30
	Liverp'l, Bidston Obs.	197	29·764	44·1	53·8	49·0	+0·1	16	Jan. 5	79	July 3	48·5	2·5	·291	83	—	—	1,481	—	33
b	Llandudno	21	29·936	45·2	55·9	50·6	+0·7	22	Jan. 4	80	June 28	50·5	2·9	·302	81	—	—	1,691	+235	38
	Bettws-y-Coed	100	29·853	42·0	55·9	49·0	−0·7	15	Jan. 4	85	July 3	48·5	2·1	·300	86	48·0	48·6	1,348	—	30
District Value..		—	—	42·7	54·4	48·4	+0·2	12	—	86	—	—	—	—	—	48·7	48·9	1,463	+ 76	33

† 9 a.m.

Elements from Observations at several Stations in the Year 1908.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of									Wind.											
														No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m. and 6 p.m.											
	Total Fall.	Difference from Normal.		Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. 106.)	Overcast. (See Note on p. 106.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
Amount.				Day of Month.	Moderate and Strong Wind. (Force 4-7.)									Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.			
Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																						
7.8†	18.5	—	0.65	July 13	226	15	4	7	—	—	22	3	335	16	91	59	39	60	127	159	93	88			
7.0	25.5	- 2.0	0.74	July 13	214	22	13	16	21	161	16	0	70	90	62	90	56	73	29	165	106	61			
—	25.2	—	1.80	July 13	218	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6.3	17.6	- 5.1	0.90	April 23	165	18	17	18	39	129	51	6	180	122	63	49	14	99	41	193	67	84			
6.8	20.5	- 5.5	0.78	Aug 22	189	25	11	23	34	149	73	0	31	170	28	79	56	57	40	124	127	51			
6.6	17.6	—	1.25	July 13	148	21	12	17	17	103	24	6	252	7	71	76	78	78	100	87	137	98			
6.5	25.3	- 3.2	1.36	Jan. 7	186	23	25	17	36	136	51	0	8	141	46	62	47	41	79	106	132	78			
6.6	21.3	- 2.4	1.80	—	183	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6.8	26.1	- 4.0	1.13	July 17	221	26	10	15	13	139	12	23	202	54	22	28	14	121	54	121	147	171			
7.8	20.0	- 5.0	0.80	Mar. 6	182	17	8	2	4	195	49	1	106	15	64	50	60	82	131	167	116	47			
7.5	19.4	- 7.8	0.71	July 8	182	29	6	14	28	204	14	4	81	208	48	27	33	17	126	121	99	53			
6.3	21.8	- 3.5	0.90	July 8	200	25	5	14	49	130	36	2	43	15	94	43	50	54	207	70	144	55			
7.0	20.2	- 5.6	0.76	July 8	188	26	11	10	20	168	54	1	39	177	46	81	32	48	23	131	123	71			
6.2	16.5	- 3.1	0.74	Sept. 22	165	20	5	14	35	113	62	9	316	3	69	60	66	79	119	139	113	84			
—	20.7	- 2.6	0.72	April 25	187	20	5	10	—	—	13	2	—	53	17	87	94	57	38	148	135	103			
6.9	20.5	- 4.4	1.45	—	187	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7.1	32.5	- 0.4	1.42	Aug. 20	198	11	12	9	18	166	30	17	332	39	38	36	81	163	76	96	122	81			
—	32.5	- 2.7	1.05	July 16	186	21	6	9	—	—	19	2	29	20	58	65	95	120	114	112	104	44			
6.2	39.3	+ 0.3	1.33	Aug. 27	218	19	14	7	38	121	22	13	160	137	76	56	28	29	57	173	126	50			
6.8	48.3	+ 1.5	1.58	Nov. 21	219	32	22	24	33	153	16	0	77	249	32	55	58	12	52	97	135	42			
6.8	28.9	+ 0.1	1.12	July 16	190	20	15	12	25	140	26	7	184	7	21	38	119	135	53	145	160	54			
6.7	30.8	0.0	0.84	Sept. 8	208	7	9	5	19	132	2	1	57	56	58	35	40	32	35	68	360	48			
5.7	47.4	—	1.28	Sept. 8	219	17	21	8	38	66	1	30	96	27	31	32	56	51	16	207	160	152			
6.7	36.8	+ 1.8	1.69	—	206	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 53 (continued).—Mean Annual Values of Meteorological

1908.	Station.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine.		
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Minimum and Maximum.				Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
				A Minimum.	B Maximum.			Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
7. ENGLAND, S.W.:—		Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%
(a) South Wales.																				
(b) England, S.W.																				
a	Llangammarch Wells.	585	29·379	39·2	54·6	46·9	-0·9	11	Jan. 12	84	July 3	47·4	1·9	·293	87	49·0	49·2	1,336	—	30
	Pembroke..	150	29·822	45·9	54·3	50·1	+0·2	24	Jan. 3	76	July 3	49·0	1·4	·318	90	—	—	1,626	- 16	37
	Clifton ..	229	—	44·7	56·9	50·8	+0·9	19	Dec. 30	87	July 3	—	—	—	—	—	—	1,596	—	36
	Portland Bill ..	23	29·987	47·4	54·9	51·2	+0·2	24	Dec. 30	74	June 4	50·3	1·6	·333	89	—	—	—	—	—
b	Plymouth ..	116	29·914	46·3	57·1	51·7	+0·8	24	Jan. 3	79	July 3	51·9	2·9	·326	82	52·5	—	1,813	+163	41
	Falmouth ..	183	29·854	47·3	55·8	51·6	+0·6	28	Jan. 3	73	July 2	51·4	2·5	·324	84	—	—	1,743	- 23	39
	Woolacombe ..	79	29·922	47·0	56·1	51·6	-0·6	23	Jan. 4	81	July 3	51·3	2·5	·322	83	—	—	1,822	+196	41
District Value..		—	—	44·2	55·7	49·8	+0·3	11	—	87	—	—	—	—	—	51·0	50·4	1,612	+ 46	36
8. ENGLISH CHAN.:—																				
	Scilly	20	30·004	49·4	56·6	53·0	+0·7	33	Jan. 4, 11	74	July 4	51·3	2·1	·332	85	—	—	1,745	- 66	29
	Jersey	36	31·016	46·7	57·9	52·3	+0·2	25	Jan. 25	82	June 3	50·8	2·2	·326	85	—	—	2,001	+ 74	45
	Guernsey ..	311	29·725	47·3	56·5	51·9	+0·1	28	Jan. 4	76	Aug. 14	51·1	2·5	·323	83	53·2	53·5	1,933	+ 27	44
District Value..		—	—	48·0	57·4	52·6	+0·5	25	—	82	—	—	—	—	—	—	—	1,907	+ 3	43

NOTES ON THE STATISTICAL TABLES.

Hours of Observation.—On July 1st, 1908, the hour of morning observation at telegraphic reporting stations was changed from 8 a.m. to 7 a.m. Observations are now made at 7 a.m. and 6 p.m. G.M.T. at telegraphic reporting stations (8 a.m. and 8 p.m. at Oxford), and at 9 a.m. and 9 p.m., mean local time, at normal climatological stations. The names of normal climatological stations are printed in heavy type. Observations are taken at 9 a.m. only at Brighton, Coventry, Llangammarch Wells and Portsmouth, and at 9 a.m. and 6 p.m. at Ventnor. At the telegraphic reporting stations, the names of which are printed in ordinary type, the results given under hygrometer and cloud are based on the morning observations only.

Barometer.—The correction for latitude has not been applied. The values are for station level. They are the means of readings at 7 a.m. and 6 p.m., or at 9 a.m. and 9 p.m. respectively, except in the cases of Brighton, Coventry, Llangammarch Wells, Portsmouth and Ventnor, where they are the means of the observations at 9 a.m.

Rainfall.—The amounts are for the 24 hours commencing at the time of morning observation.

Weather Phenomena.—The number of days of Rain, Snow, Hail, Thunder-storm, Fog and Gale are counted irrespective of the hours at which the phenomena occur. Except in the case of rainfall (see above) the day is the civil day. A day is reckoned as a day of “clear sky,” if the mean of the estimates of the “amount of cloud” at the two hours of observation is less than 2, and as an “overcast” day if the mean is greater than 8.

Wind Summaries.—The results given under wind direction, and the number of observations of calms and of fresh or strong wind, are based on the observations at fixed hours taken twice a day. At Brighton, Coventry, Llangammarch Wells, Portsmouth, and Camden Square, where observations of wind (and cloud) are taken

Elements from Observations at several Stations in the Year 1908.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., and 6 p.m.									
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 106.)	Overcast. (See Note on p. 106.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.							
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	Ins.	Ins.	Ins.																			
8.0	44.4	—	1.55	July 9	218	16	10	6	34	252	33	0	126	198	72	66	18	8	46	38	150	136
6.8	38.5	+ 3.4	2.08	Dec. 15	208	9	17	3	13	109	59	24	437	2	62	87	66	79	84	128	118	106
—	26.6	— 8.0	1.37	July 16	168	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	20.0	—	1.63	Oct. 21	158	5	0	1	33	110	42	19	360	18	65	69	105	57	50	108	153	107
6.5	31.0	— 4.9	1.31	Aug. 27	189	5	7	2	45	146	36	9	?	110	86	47	84	70	65	99	80	91
5.8	37.6	— 7.8	1.63	Dec. 28	206	1	19	3	49	121	16	0	149	90	113	45	55	56	71	118	87	97
5.5	24.8	— 7.2	0.87	Aug. 26	185	6	14	8	72	108	16	0	225	44	21	112	88	83	37	140	79	128
6.3	32.8	— 6.1	2.93	—	195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.9	24.7	— 8.9	1.01	Sept. 21	201	2	3	1	0	206	41	9	410	0	90	55	86	44	94	113	132	118
6.8	25.2	— 9.0	0.93	Sept. 3	198	15	19	7	42	136	43	25	331	3	27	83	109	91	38	80	173	137
5.5	26.2	— 11.4	0.78	Feb. 16	181	9	7	9	53	77	45	32	241	55	49	89	17	76	89	109	134	114
6.5	24.9	— 8.0	1.01	—	195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

only once a day, the observer's results have been multiplied by 2, in order to render them more nearly comparable with those for other stations. At Ventnor the results are based on observations at 9 a.m. and 6 p.m. (January 3 p.m.). At Falmouth, Kew and Stonyhurst the wind observations are based on the records of a standard Robinson anemometer (factor 2.2). (At Plymouth and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer.) Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales.

Averages.—The averages used are—Temperature and Rainfall for the 35 years 1871–1905; Bright Sunshine for the 25 years 1881–1905. The values are published in Appendix III. to the Weekly Weather Report of the Meteorological Office for 1906.

Royal Observatory, Greenwich.—The averages for Temperature and Rainfall, with which the current values are compared, are for the 65 years 1841–1905. The averages for sunshine are for the period 1897–1906. The earth temperatures are taken at a depth of 3 ft. 2 ins. The daily rainfall amounts are those for the 24 hours comprising the civil day.

Mean Values for Districts.—The yearly mean values for districts for temperature, rainfall and sunshine are computed from the data for those stations which are included in the Weekly Weather Report of the Meteorological Office. The selection of stations is not identical with that included in this Report. The district values, as quoted, are comparable with the statistics published in previous issues of the Weekly Weather Report of which a Summary is in course of preparation. The averages with which the current district values are compared are for the 25 years 1881–1905. The district values for amount of cloud and earth temperatures are taken from the Monthly Weather Report of the Meteorological Office.

TABLE 54--continued.--INTERNATIONAL STATISTICS.--Males and Females at Twelve Groups of Ages in a Million Persons at All Ages.

	RUSSIA (EURO- PEAN).	FINLAND.	GERMAN EMPIRE.	PRUSSIA.	AUSTRIA.	HUNGARY.	BULGARIA.	THE NETHER- LANDS.	BELGIUM.	FRANCE.	SWITZER- LAND.	SPAIN.	ITALY.
CENSUS YEAR	1897.	1900.	1900.	1900.	1900.	1900.	1900.	1899.	1900.	1901.	1900.	1900.	1901.
Persons All Ages..	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years	151,215	129,898	130,753	133,830	130,537	133,866	145,739	129,852	117,061	93,190	114,082	116,089	126,866
5--	121,757	110,077	113,651	116,105	111,250	115,940	131,263	112,937	103,349	83,757	101,576	113,513	109,863
10--	112,418	105,430	103,579	105,641	102,301	106,155	124,898	105,419	96,686	84,126	94,538	105,272	104,437
15--	101,189	97,042	94,367	94,300	95,358	100,702	109,594	95,315	96,329	85,161	95,163	83,720	92,988
20--	83,477	87,518	90,468	88,688	87,381	80,733	71,772	87,470	90,522	82,753	90,725	83,530	81,559
25--	138,705	139,534	149,389	147,697	143,751	135,319	123,777	142,001	154,383	150,795	154,385	145,188	131,225
35--	111,339	115,479	115,980	116,533	118,838	122,325	98,639	109,778	119,008	133,934	123,450	123,035	115,862
45--	80,943	94,050	87,802	86,649	91,865	94,499	78,038	86,834	88,528	112,582	91,642	101,890	98,595
55--	56,466	68,609	65,217	62,839	68,951	66,155	64,845	70,316	72,244	91,652	76,145	74,653	76,858
65--	29,822	38,106	35,530	34,373	36,444	32,785	33,548	42,006	43,233	58,411	43,191	37,812	44,702
75 years and upwards	12,331	14,247	13,264	13,149	13,324	11,444	17,726	18,050	18,656	23,639	15,101	14,187	17,000
Age not stated	338	--	--	196	--	77	161	22	1	--	--	1,111	45
Males All Ages	489,599	494,765	492,082	492,318	491,485	497,656	509,995	493,835	496,722	491,977	490,741	488,015	497,385
Under 5 years	75,236	65,622	65,602	67,253	65,297	67,100	73,692	65,517	58,871	46,566	57,133	58,609	64,709
5--	60,389	55,376	56,894	58,259	55,976	57,992	63,921	56,752	51,807	41,830	50,857	57,250	55,882
10--	55,998	51,908	51,908	53,117	50,788	53,050	63,693	53,091	48,505	42,180	47,318	53,060	52,882
15--	48,484	48,985	47,300	47,496	46,626	46,626	56,652	47,772	48,376	42,487	48,008	40,528	46,065
20--	40,378	44,076	45,057	43,675	43,315	39,580	36,555	43,027	45,514	40,885	44,506	39,490	40,269
25--	67,095	69,907	74,282	73,386	70,525	66,462	61,410	69,020	77,444	74,886	77,050	69,888	63,722
35--	54,761	57,244	57,087	57,331	58,547	61,688	50,835	54,301	59,305	66,652	60,295	59,377	56,953
45--	39,151	45,616	41,958	41,465	44,516	47,406	39,516	42,737	43,463	54,924	43,624	48,665	48,477
55--	27,463	32,149	30,234	29,057	32,903	33,235	35,288	34,053	34,917	44,214	35,257	35,839	37,860
65--	14,339	16,981	15,931	15,446	16,952	16,237	18,295	19,509	20,339	27,241	19,803	18,190	22,126
75 years and upwards	6,132	5,752	5,769	5,725	6,040	5,550	9,046	8,046	8,180	10,282	6,890	6,540	8,472
Age not stated	173	--	--	108	--	44	92	10	1	--	--	579	18
Females All Ages..	510,401	505,235	507,918	507,682	508,515	502,344	490,005	506,165	503,273	508,023	509,259	511,985	502,615
Under 5 years	75,979	64,276	65,151	66,577	65,240	66,766	72,047	64,335	58,190	46,624	56,949	57,489	62,157
5--	61,368	54,701	56,757	57,846	55,274	57,948	65,342	56,185	51,542	41,927	50,719	56,263	53,981
10--	56,420	52,373	51,671	52,524	51,513	53,105	61,205	52,328	48,181	41,946	47,220	52,212	51,605
15--	52,705	48,057	47,067	46,804	48,732	51,370	53,942	47,543	47,953	42,674	47,157	43,192	46,923
20--	43,089	43,442	45,411	45,013	44,066	41,173	35,217	44,443	45,008	42,068	46,219	44,040	41,290
25--	71,610	69,637	75,107	74,311	73,226	68,857	62,367	72,581	76,939	75,909	77,335	75,300	67,503
35--	56,578	58,235	58,893	59,202	60,291	60,637	47,804	55,477	59,703	67,282	63,155	63,658	58,909
45--	41,792	48,434	45,844	45,184	47,349	47,093	38,522	44,097	45,065	57,658	48,018	53,225	50,118
55--	29,003	36,460	34,983	33,782	36,048	32,920	29,557	36,263	37,327	47,408	40,888	38,814	38,998
65--	15,483	21,125	19,539	18,927	19,492	16,548	15,253	22,497	22,894	31,170	23,388	19,622	22,576
75 years and upwards	6,199	8,495	7,495	7,424	7,284	5,894	8,680	10,004	10,476	13,357	8,211	7,647	8,528
Age not stated	165	--	--	88	--	33	69	12	0	--	--	532	27

TABLE 55.—Births and Deaths per 1000 of the Population, in the UNITED
(Tabulated from returns furnished by

YEAR.	UNITED KINGDOM.	ENGLAND AND WALES.	SCOTLAND.	IRELAND.	AUSTRALIAN COMMONWEALTH.						NEW ZEALAND.	PROVINCE OF ONTARIO.	CEYLON.	JAMAICA.	DENMARK.	NORWAY.	SWEDEN.
					NEW SOUTH WALES.	VICTORIA.	QUEENS- LAND.	SOUTH AUSTRALIA.	WESTERN AUSTRALIA.	TASMANIA.							
BIRTHS PER																	
1831	32.5	33.9	33.7	24.5	37.9	31.2	37.2	38.6	33.9	33.4	37.9	21.1	27.1	36.7	32.2	30.6	29.1
1832	32.3	33.8	33.5	24.0	37.2	30.1	35.9	38.0	35.8	33.8	37.3	22.1	26.7	35.7	32.3	31.1	29.4
1833	32.0	33.5	32.8	23.5	37.3	30.3	36.9	38.0	33.9	34.8	36.3	22.3	29.6	41.5	31.8	31.2	28.9
1834	32.2	33.6	33.7	23.9	38.4	30.9	35.8	39.0	33.8	36.5	35.9	23.1	31.3	36.1	33.3	31.3	30.0
1835	31.6	32.9	32.7	23.5	37.8	31.3	36.7	39.0	35.2	36.2	34.3	23.5	28.1	37.8	32.5	31.6	29.4
1836	31.5	32.8	32.9	23.2	37.4	31.3	37.8	36.8	39.2	35.5	33.1	22.0	27.1	36.1	32.4	31.2	29.8
1837	30.7	31.9	31.7	23.1	37.1	32.5	38.1	35.5	37.9	35.4	32.1	21.7	32.7	34.7	31.7	31.2	29.7
1838	30.1	31.2	31.3	22.8	37.2	32.7	37.8	34.4	35.9	34.8	31.2	21.8	31.8	39.1	31.5	31.2	28.8
1839	30.0	31.1	30.9	22.7	35.0	33.3	36.3	33.5	37.1	33.9	30.2	22.6	27.7	35.3	31.2	30.1	27.7
1890	29.2	30.2	30.4	22.3	35.4	33.6	37.2	33.3	34.7	33.5	29.4	22.0	31.9	38.4	30.5	30.3	28.0
1891	30.4	31.4	31.2	23.1	34.5	33.6	36.4	33.9	35.0	33.4	29.0	21.1	31.9	38.3	31.0	30.9	28.3
1892	29.5	30.4	30.7	22.5	34.0	32.5	35.8	32.6	33.1	32.7	27.8	19.7	30.2	37.3	29.6	29.6	27.0
1893	29.8	30.7	30.8	23.0	33.5	31.2	33.7	32.0	34.2	31.5	27.5	19.8	31.3	40.6	30.8	30.6	27.4
1894	28.8	29.6	29.9	23.0	31.7	29.1	31.9	30.8	28.3	31.9	27.3	19.2	33.2	37.2	30.4	29.6	27.1
1895	29.4	30.3	30.0	23.3	31.0	28.5	32.9	30.7	26.3	31.0	26.8	18.8	31.8	38.8	30.3	30.5	27.5
1896	29.0	29.6	30.4	23.7	28.7	27.2	30.1	29.0	22.7	29.2	26.3	20.7	32.0	38.5	30.5	30.2	27.2
1897	28.9	29.6	30.0	23.5	28.9	26.5	29.9	27.7	25.8	28.9	26.0	20.9	37.7	39.8	29.8	29.9	26.7
1898	28.7	29.3	30.1	23.3	27.6	25.5	28.3	25.8	29.4	27.5	25.7	20.4	38.8	38.1	30.2	30.1	27.1
1899	28.5	29.1	29.8	23.1	27.3	26.1	27.3	23.7	30.7	27.4	25.1	19.4	38.5	42.2	29.7	30.7	26.4
1900	28.2	28.7	29.6	22.7	27.4	25.8	30.2	25.8	30.8	28.1	25.6	19.8	38.6	35.7	29.7	29.9	27.0
1901	28.0	28.5	29.5	22.7	27.7	25.7	28.3	25.4	30.4	28.4	26.3	21.1	37.5	40.9	29.7	29.6	27.0
1902	28.0	28.5	29.2	23.0	27.1	25.1	27.7	24.8	30.3	23.9	25.9	21.7	38.5	39.3	29.2	29.0	26.5
1903	27.9	28.4	29.2	23.1	25.3	24.5	24.6	23.4	30.3	28.6	26.6	21.1	40.0	39.9	28.7	28.8	25.7
1904	27.5	27.9	28.7	23.6	26.7	24.6	27.1	24.9	30.3	29.6	26.9	22.8	38.5	36.1	28.9	28.1	25.8
1905	26.9	27.2	28.1	23.4	26.7	24.8	25.9	23.8	30.3	29.3	27.2	23.5	38.7	38.8	28.4	27.4	25.7
1906	26.8	27.1	27.9	23.6	27.0	25.1	26.3	23.7	30.0	29.5	27.1	23.3	35.7	38.1	28.5	26.7	25.7
1907	26.0	26.3	27.0	23.2	27.1	25.2	26.9	23.9	29.2	29.6	27.3	—	32.8	35.0	28.3	26.3	25.5
1908	26.3	26.5	27.2	23.3	26.8	24.6	26.7	24.7	28.9	30.8	27.4	—	40.1	37.6	28.3	26.2	25.7
DEATHS PER																	
1881	18.7	18.9	19.3	17.5	15.1	14.2	15.0	14.5	13.6	14.8	11.1	11.8	27.2	26.0	18.3	17.0	17.7
1882	19.3	19.6	19.4	17.3	16.1	15.3	18.0	15.4	14.1	16.0	11.2	11.3	19.7	20.4	19.2	18.5	17.4
1883	19.6	19.6	20.2	19.2	14.6	14.3	18.8	15.1	17.9	17.4	11.4	10.9	19.3	23.0	18.4	17.2	17.3
1884	19.4	19.7	19.6	17.5	16.1	14.5	23.0	15.8	21.9	15.9	10.4	11.2	22.3	22.7	18.3	16.6	17.5
1885	19.1	19.2	19.3	18.4	16.5	15.0	19.6	12.9	17.6	15.9	10.6	11.4	29.1	22.6	17.8	16.6	17.8
1886	19.2	19.5	18.9	17.8	15.1	15.2	16.8	14.0	21.6	15.1	10.5	11.0	23.7	23.3	18.1	16.2	16.6
1887	19.0	19.1	19.0	18.2	13.4	15.7	14.6	12.9	17.1	16.1	10.3	11.5	24.0	24.2	18.2	16.2	16.1
1888	18.1	18.1	18.0	17.9	13.9	15.4	14.7	12.3	15.9	14.8	9.4	11.0	26.4	22.3	19.5	17.2	16.0
1889	18.1	18.2	18.4	17.4	13.9	17.8	15.4	11.4	14.2	15.0	9.4	10.7	28.5	22.2	18.5	17.6	16.0
1890	19.4	19.5	19.7	18.2	12.9	16.1	13.6	12.6	12.0	14.7	9.7	11.1	23.0	25.1	19.0	17.9	17.1
1891	20.0	20.2	20.7	18.4	14.3	16.2	12.8	13.3	17.0	15.0	10.3	11.3	28.7	22.7	20.0	17.5	16.8
1892	19.0	19.0	18.5	19.4	12.2	13.6	12.7	11.5	16.7	13.6	10.1	10.7	27.5	20.9	19.5	17.8	17.9
1893	19.0	19.2	19.3	18.0	13.3	14.1	13.3	13.5	15.3	13.7	10.2	10.5	29.6	22.1	19.0	16.3	16.8
1894	16.8	16.6	17.1	18.2	12.4	13.1	12.1	11.8	14.4	12.7	10.2	10.3	27.9	21.0	17.6	16.8	16.4
1895	18.7	18.7	19.4	18.5	11.9	13.2	11.4	11.4	17.8	11.7	9.9	10.1	27.6	22.7	16.9	15.5	15.2
1896	16.9	17.1	16.6	16.7	12.5	13.3	12.1	11.7	16.5	12.0	9.1	11.0	25.3	22.1	15.7	15.1	15.6
1897	17.6	17.4	18.4	18.5	11.1	12.8	11.3	11.5	17.0	12.0	9.1	12.2	23.7	23.0	16.6	15.3	15.4
1898	17.7	17.5	18.0	18.2	12.7	15.8	12.7	13.5	16.1	14.2	9.8	11.5	26.6	21.0	15.5	15.2	15.1
1899	18.2	18.2	18.1	17.7	11.9	14.0	12.1	12.5	13.8	12.9	10.2	12.4	30.6	22.8	17.3	16.7	17.7
1900	18.4	18.2	18.5	19.6	11.2	12.7	11.7	10.7	12.7	11.0	9.4	12.6	28.7	21.6	16.8	15.8	16.8
1901	17.1	16.9	17.9	17.8	11.7	13.2	11.9	11.1	13.4	10.4	9.8	13.6	37.6	21.9	15.8	14.9	16.1
1902	16.5	16.2	17.2	17.5	11.9	13.3	12.1	11.8	13.7	10.8	10.5	12.6	27.5	19.8	14.6	13.8	15.4
1903	15.8	15.4	16.6	17.5	11.6	12.9	12.4	10.7	12.6	11.9	10.4	13.4	25.9	24.6	14.7	14.8	15.1
1904	16.5	16.2	16.9	18.1	10.6	11.9	10.1	10.2	11.9	11.0	9.5	14.1	24.9	24.7	14.1	14.3	15.3
1905	15.5	15.2	15.9	17.1	10.1	12.1	10.5	10.1	10.8	10.1	9.3	14.2	27.7	21.9	15.0	14.8	15.6
1906	15.6	15.4	16.0	17.0	9.9	12.4	9.6	10.3	11.8	11.2	9.3	14.8	34.3	26.2	13.5	13.6	14.4
1907	15.4	15.0	16.2	17.7	10.6	11.7	10.4	9.7	11.1	11.2	10.9	—	30.1	28.3	14.2	14.2	14.6
1908	15.1	14.7	16.1	17.6	10.1	12.5	10.2	9.7	10.7	11.7	9.5	—	29.4	22.4	14.5	14.3	14.9

KINGDOM and in certain COLONIES and FOREIGN COUNTRIES, 1881-1908.
the authorities of the various States.)

RUSSIA (EUROPEAN).	FINLAND.	GERMAN EMPIRE.	PRUSSIA.	AUSTRIA.	HUNGARY.	ROUMANIA.	BULGARIA.	SERVIA.	THE NETHERLANDS.	BELGIUM.	FRANCE.	SWITZERLAND.	SPAIN.	ITALY.	JAPAN.	CHILI.	YEAR.
1000 LIVING.																	
47.8	35.0	37.0	37.0	37.5	42.9	41.5	33.5	45.7	35.0	31.8	24.9	29.8	37.1	38.0	25.6	46.2	1881
50.4	36.3	37.2	37.6	38.9	43.8	40.4	36.5	44.4	35.3	31.6	24.8	28.9	36.2	37.1	24.9	41.9	1882
49.8	35.9	36.6	37.1	38.1	44.8	42.8	38.3	47.0	34.3	30.8	24.8	28.5	35.6	37.2	26.8	42.7	1883
49.0	36.1	37.2	37.6	38.6	45.6	41.4	38.2	47.6	34.9	30.9	24.7	28.3	36.7	39.0	25.8	40.3	1884
48.4	34.2	37.0	37.7	37.7	44.8	43.1	37.3	46.6	34.4	30.3	24.3	27.7	36.3	38.6	26.9	25.8	1885
46.5	35.3	37.0	37.7	38.1	45.6	42.2	32.3	42.0	34.6	29.9	23.9	27.8	36.7	37.0	27.3	32.0	1886
47.5	36.2	36.9	37.7	38.3	44.2	41.0	38.2	46.3	33.7	29.7	23.5	27.9	36.1	38.9	27.1	33.0	1887
49.9	34.9	36.6	37.4	38.1	43.8	42.4	37.5	45.7	33.7	29.4	23.1	27.7	36.4	37.5	29.6	35.4	1888
48.8	33.4	36.4	37.1	38.1	43.7	40.6	36.5	44.1	33.2	29.4	23.0	27.6	36.4	38.3	30.2	38.0	1889
48.2	32.7	35.7	36.6	36.5	40.3	38.5	34.9	40.2	32.9	29.0	21.8	26.6	34.4	35.8	28.3	37.6	1890
48.8	34.3	37.0	37.7	38.3	42.3	42.3	38.9	45.0	33.7	30.0	22.6	28.2	35.3	37.2	26.7	34.3	1891
47.2	31.5	35.7	36.3	36.1	40.4	39.0	35.8	42.4	32.0	28.9	22.3	27.7	35.8	36.2	29.4	38.3	1892
47.0	29.9	36.8	37.5	38.0	42.6	40.5	34.9	42.5	32.9	29.5	22.8	27.9	35.6	36.5	28.5	37.7	1893
48.7	30.8	35.9	36.6	36.8	41.5	40.9	37.6	42.4	32.7	29.0	22.3	27.3	34.8	35.5	28.9	39.5	1894
49.4	32.6	36.1	36.9	38.1	41.8	42.3	40.2	44.0	32.8	28.5	21.7	27.3	35.0	34.9	29.5	36.2	1895
49.7	32.1	36.3	36.9	38.0	40.5	40.7	41.0	41.2	32.7	29.0	22.5	28.1	35.9	34.8	30.0	34.6	1896
49.5	31.9	36.0	36.5	37.5	40.3	42.9	42.2	42.6	32.5	29.0	22.2	28.3	34.1	34.7	30.9	34.8	1897
48.7	34.0	36.1	36.7	36.3	37.7	36.7	39.1	35.1	31.9	28.6	21.8	28.5	33.3	33.5	31.3	33.1	1898
49.0	33.2	35.8	36.3	37.3	39.3	42.0	40.5	39.3	32.0	28.8	21.9	29.0	34.2	33.9	31.4	33.5	1899
49.4	32.0	35.6	36.1	37.3	39.3	38.8	42.2	42.0	31.5	28.9	21.4	28.6	33.8	33.0	31.7	34.6	1900
47.9	32.5	35.7	36.2	36.6	37.8	39.3	37.5	38.0	32.3	29.4	22.0	29.1	34.8	32.6	32.7	35.9	1901
49.1	31.5	35.1	35.5	37.0	38.8	39.0	38.8	38.0	31.8	28.4	21.7	28.7	35.4	33.4	32.9	35.7	1902
48.1	30.4	33.9	34.4	35.2	36.7	40.1	40.9	40.9	31.6	27.5	21.1	27.7	36.1	31.7	32.0	34.0	1903
—	31.8	34.1	34.7	35.5	37.0	40.1	42.4	39.8	31.4	27.1	20.9	27.7	33.9	32.8	30.6	35.4	1904
—	30.6	33.0	33.5	33.7	35.7	38.6	43.5	37.3	30.8	26.1	20.6	27.4	35.7	32.5	30.6	35.1	1905
—	31.4	33.1	33.7	34.9	36.0	40.5	44.0	41.3	30.4	25.7	20.6	27.4	33.4	31.9	28.9	36.6	1906
—	31.3	32.3	33.0	33.8	36.0	41.7	43.6	40.0	30.0	25.3	19.7	26.8	32.9	31.5	33.0	38.6	1907
—	—	—	32.8	—	36.3	40.8	—	36.8	29.7	—	20.2	—	33.2	33.4	—	39.3	1908
1000 LIVING.																	
33.2	25.0	25.5	24.9	30.5	34.4	26.7	16.3	24.7	21.5	21.2	22.0	22.4	30.2	27.6	18.7	28.6	1881
39.5	22.3	25.7	25.4	30.6	35.3	28.2	19.0	23.0	20.7	20.5	22.2	21.9	31.4	27.6	18.1	29.2	1882
36.9	20.8	25.9	25.6	30.1	32.2	26.0	19.6	22.8	21.8	21.1	22.2	20.4	32.6	27.6	18.1	27.0	1883
32.7	20.9	26.0	25.7	29.4	31.0	25.5	17.1	25.0	22.2	21.2	22.6	20.2	30.5	26.9	18.6	23.8	1884
34.7	22.0	25.7	25.4	30.2	31.8	25.0	16.6	26.9	21.0	20.4	22.0	21.3	38.0	27.0	23.2	30.6	1885
31.2	22.2	26.2	26.1	29.5	31.7	26.7	19.1	29.6	21.8	21.3	22.5	20.7	29.3	28.7	24.4	32.4	1886
32.2	19.0	24.2	23.8	29.0	33.8	30.5	18.1	24.9	19.7	19.3	22.0	20.2	32.7	28.0	19.3	37.1	1887
32.3	19.8	23.7	22.8	29.4	32.0	30.6	18.1	24.4	20.4	20.3	21.9	19.9	30.1	27.5	19.0	37.3	1888
34.5	19.6	23.7	23.2	27.5	29.9	27.2	18.4	25.5	20.1	19.8	20.7	20.3	30.4	25.6	20.2	32.5	1889
35.7	19.5	24.4	24.0	29.3	32.4	28.4	21.0	25.3	20.5	20.8	22.8	20.9	32.1	26.3	20.4	36.2	1890
34.6	21.2	23.4	22.9	28.1	33.1	30.1	26.6	26.5	20.7	21.2	22.9	20.6	31.3	26.1	21.0	34.0	1891
42.1	23.7	24.1	23.4	28.7	35.1	34.7	31.4	33.5	21.0	21.8	22.8	19.0	30.6	26.2	21.6	36.5	1892
33.1	20.9	24.6	24.2	27.2	31.2	30.8	27.5	29.7	19.2	20.3	22.5	20.1	29.7	25.2	22.7	33.1	1893
34.0	19.2	22.3	21.8	27.9	30.5	31.7	27.2	28.0	18.5	18.6	21.2	20.1	30.3	25.0	20.1	32.7	1894
35.0	17.7	22.1	21.8	27.6	29.7	27.6	26.2	26.9	18.6	19.5	22.2	19.2	29.0	25.0	20.2	27.3	1895
32.8	18.5	20.8	20.7	26.3	28.9	29.1	24.1	27.0	17.2	17.5	20.0	17.8	29.6	24.1	21.4	29.2	1896
31.4	17.5	21.3	20.9	25.6	28.5	29.6	25.4	26.5	16.9	17.2	19.4	17.7	28.4	21.9	20.3	28.1	1897
33.2	17.4	20.5	20.0	24.9	28.0	26.5	23.0	22.9	17.0	17.6	20.9	18.3	28.2	22.9	20.4	26.4	1898
31.0	19.9	21.5	21.4	25.6	27.2	27.5	24.7	24.3	17.1	18.8	21.1	17.7	28.8	21.9	21.1	26.9	1899
31.1	21.5	22.1	21.8	25.3	26.9	24.2	22.5	23.3	17.8	19.3	21.9	19.3	28.9	23.8	20.4	33.3	1900
32.1	20.6	20.7	20.5	24.0	25.4	26.2	23.1	21.0	17.2	17.2	20.1	18.0	27.7	22.0	20.4	34.3	1901
31.5	18.5	19.5	19.2	24.7	27.0	27.7	23.8	22.3	16.3	17.3	19.5	17.2	26.0	22.2	20.9	27.1	1902
30.0	17.9	20.0	19.7	23.8	26.1	24.8	22.7	23.5	15.6	17.0	19.2	17.6	24.8	22.4	20.0	26.9	1903
—	17.7	19.6	19.2	23.7	24.8	24.4	21.2	21.1	15.9	16.9	19.4	17.8	25.4	21.1	21.2	28.8	1904
—	18.4	19.8	19.6	25.0	27.8	25.0	21.8	24.4	15.3	16.5	19.6	17.9	25.4	21.9	22.0	32.3	1905
—	17.5	18.2	17.9	22.4	24.8	24.3	22.3	24.0	14.8	16.4	19.9	17.0	25.6	20.8	19.8	32.9	1906
—	17.9	18.0	17.8	22.6	25.2	26.7	22.3	22.8	14.6	15.7	20.2	16.8	24.0	20.7	20.9	29.6	1907
—	—	—	17.9	—	24.8	27.7	—	23.7	15.3	—	19.0	—	23.3	22.6	—	31.6	1908

TABLE 56.—UNITED KINGDOM. **Population, Marriages, Births, and Deaths, 1881-1908.**

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	31,934,476	490,240	1,135,660	654,295	14·0	32·5	18·7	124
1882	35,206,617	506,060	1,137,820	678,143	14·4	32·3	19·3	133
1883	35,449,721	509,242	1,133,343	696,116	14·4	32·0	19·6	131
1884	35,724,231	505,984	1,154,782	693,150	14·1	32·2	19·4	138
1885	36,015,601	488,452	1,136,321	688,069	13·6	31·6	19·1	131
1886	36,313,582	482,360	1,145,577	698,208	13·3	31·5	19·2	140
1887	36,599,143	492,678	1,123,149	693,889	13·5	30·7	19·0	137
1888	36,881,271	498,372	1,112,694	668,037	13·5	30·1	18·1	130
1889	37,178,929	523,460	1,116,568	674,499	14·1	30·0	18·1	136
1890	37,484,764	542,974	1,096,717	727,102	14·5	29·2	19·4	143
1891*	37,802,440	551,940	1,148,259	757,497	14·6	30·4	20·0	141
1892	38,134,110	554,670	1,127,234	725,273	14·5	29·5	19·0	140
1893	38,490,333	535,096	1,147,764	732,449	13·9	29·8	19·0	151
1894	38,859,067	551,310	1,120,010	653,468	14·2	28·8	16·8	131
1895	39,221,109	559,492	1,154,898	735,244	14·3	29·4	18·7	152
1896	39,599,072	592,178	1,152,144	673,104	15·0	29·0	16·9	139
1897	39,987,294	606,172	1,157,224	704,470	15·2	28·9	17·6	150
1898	40,380,792	620,142	1,159,483	712,942	15·4	28·7	17·7	153
1899	40,774,296	635,246	1,163,279	741,091	15·6	28·5	18·2	154
1900	41,154,646	622,508	1,159,922	757,732	15·1	28·2	18·4	147
1901*	41,550,773	626,702	1,162,975	710,811	15·1	28·0	17·1	144
1902	41,961,199	633,224	1,174,639	691,155	15·1	28·0	16·5	128
1903	42,371,219	632,892	1,183,627	667,988	14·9	27·9	15·8	127
1904	42,793,272	626,176	1,181,803	707,278	14·6	27·5	16·5	139
1905	43,221,145	630,180	1,163,535	669,638	14·6	26·9	15·5	124
1906	43,661,092	651,634	1,170,622	681,343	14·9	26·8	15·6	127
1907	44,098,727	664,456	1,148,624	678,851	15·1	26·0	15·4	114
1908†	44,546,822	638,514	1,173,759	675,186	14·3	26·3	15·1	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.*.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,189	8,714	17,192	4,292	13,808	7,346	18,037	—	65,307	17,365
1882	1,449	15,518	16,545	5,338	18,199	8,084	21,272	—	66,985	17,995
1883	984	11,759	15,750	5,204	15,480	7,929	19,620	—	69,229	18,646
1884	2,249	13,323	13,506	6,204	15,821	8,123	31,114	—	67,823	19,255
1885	2,870	17,244	8,446	5,455	16,699	6,370	16,683	—	66,806	19,658
1886	301	12,978	7,894	5,017	16,037	6,588	28,667	—	66,525	20,585
1887	537	19,670	10,011	5,629	15,849	6,730	24,490	—	62,682	21,553
1888	1,032	13,125	7,959	6,134	15,268	6,254	15,659	—	61,104	21,959
1889	31	17,254	7,856	6,694	15,974	6,774	22,142	—	61,787	23,431
1890	16	15,849	8,032	6,514	18,288	6,778	20,644	—	66,202	24,006
1891	56	14,688	6,003	6,147	17,329	6,533	17,115	—	63,914	24,983
1892	442	17,016	6,908	7,645	16,352	5,395	17,988	—	60,136	25,289
1893	1,526	15,831	8,271	10,869	13,371	8,652	34,723	—	60,422	26,231
1894	1,021	13,763	6,465	10,328	16,148	6,266	13,210	—	58,375	26,725
1895	416	13,855	5,904	8,944	12,589	6,816	31,506	—	59,946	28,234
1896	547	19,649	6,897	9,987	16,276	6,503	20,538	—	56,195	28,971
1897	38	15,837	5,815	8,562	16,159	6,504	31,133	—	58,590	30,290
1898	255	15,826	4,782	8,695	14,239	7,806	34,534	—	58,103	31,306
1899	176	13,129	4,758	10,371	13,011	7,997	35,935	—	59,163	32,551
1900	139	15,175	4,743	10,478	13,968	7,004	26,929	—	60,362	32,941
1901	636	11,133	5,139	10,013	14,079	6,617	34,117	—	57,549	34,042
1902	2,545	15,394	5,585	8,885	12,572	5,314	16,352	—	56,643	34,444
1903	841	10,969	4,775	7,092	12,530	4,379	20,905	—	56,321	35,935
1904	708	14,340	4,251	6,743	15,865	4,029	32,471	—	58,422	36,657
1905	125	13,547	4,215	6,418	11,533	3,927	23,078	—	54,540	37,644
1906	22	11,277	3,854	7,258	10,605	3,963	33,655	—	55,170	39,658
1907	12	14,362	3,552	6,689	13,549	3,073	12,523	—	55,082	39,634
1908	—	—	—	—	—	—	—	—	—	—

* Census year. † The figures for the year 1908 are provisional.
‡ See note † to England and Wales on next page.

TABLE 57.—ENGLAND AND WALES. **Population, Marriages, Births, and Deaths, 1881-1908.**

YEAR	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	26,046,142	394,580	883,642	491,935	15'1	33'9	18'9	130
1882	26,334,942	408,810	889,014	516,654	15'5	33'8	19'6	141
1883	26,626,949	412,768	890,722	522,997	15'5	33'5	19'6	137
1884	26,922,192	408,602	906,750	530,828	15'1	33'6	19'7	147
1885	27,220,706	395,490	894,270	522,750	14'5	32'9	19'2	138
1886	27,522,532	392,142	903,760	537,276	14'2	32'8	19'5	149
1887	27,827,706	401,036	886,331	530,758	14'4	31'9	19'1	145
1888	28,136,258	407,642	879,868	510,971	14'4	31'2	18'1	136
1889	28,448,239	427,730	885,944	518,353	15'0	31'1	18'2	144
1890	28,763,673	446,056	869,937	562,248	15'5	30'2	19'5	151
1891*	29,085,819	453,052	914,157	587,925	15'6	31'4	20'2	149
1892	29,421,392	454,270	897,957	559,684	15'4	30'4	19'0	148
1893	29,760,842	437,378	914,572	569,958	14'7	30'7	19'2	159
1894	30,104,201	452,898	890,289	498,827	15'0	29'6	16'6	137
1895	30,451,528	456,408	922,291	568,997	15'0	30'3	18'7	161
1896	30,802,858	485,528	915,331	526,727	15'7	29'6	17'1	148
1897	31,158,245	498,290	921,683	541,487	16'0	29'6	17'4	156
1898	31,517,725	510,758	923,165	552,141	16'2	29'3	17'5	160
1899	31,881,365	524,668	928,646	581,799	16'5	29'1	18'2	163
1900	32,249,187	514,960	927,062	587,830	16'0	28'7	18'2	154
1901*	32,621,263	518,800	929,807	551,585	15'9	28'5	16'9	151
1902	32,997,626	523,500	940,509	535,538	15'9	28'5	16'2	133
1903	33,378,338	522,206	948,271	514,628	15'6	28'4	15'4	132
1904	33,763,434	515,712	945,389	549,784	15'2	27'9	16'2	145
1905	34,152,977	521,484	929,293	520,031	15'3	27'2	15'2	128
1906	34,547,016	540,076	935,081	531,281	15'6	27'1	15'4	132
1907	34,945,600	552,842	918,042	524,221	15'8	26'3	15'0	118
1908	35,348,780	529,880	940,383	520,456	14'9	26'5	14'7	120

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.†	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,098	7,300	14,275	3,153	10,830	5,529	14,855	—	47,541	13,542
1882	1,317	12,711	13,732	3,992	15,259	6,036	17,544	—	48,715	14,057
1883	957	9,329	12,649	4,218	10,471	6,078	16,328	—	50,053	14,614
1884	2,234	11,324	10,863	5,020	11,476	6,380	27,225	—	49,325	15,198
1885	2,827	14,495	6,355	4,471	13,106	4,765	13,709	—	48,175	15,560
1886	275	12,013	5,986	4,098	12,936	5,061	25,286	—	47,872	16,243
1887	506	16,765	7,859	4,443	11,251	5,155	20,709	—	44,935	17,113
1888	1,026	9,784	6,378	4,815	12,287	4,848	13,068	—	44,248	17,506
1889	23	14,732	6,698	5,368	12,225	5,011	18,769	—	44,738	18,654
1890	16	12,614	6,974	5,150	13,756	5,146	17,840	—	48,366	19,433
1891	49	12,673	4,959	5,036	13,612	4,875	13,972	—	46,515	20,117
1892	431	13,553	5,618	6,552	13,406	4,037	15,342	—	43,323	20,353
1893	1,457	11,110	6,982	9,466	10,176	6,801	29,753	—	43,632	21,135
1894	820	11,757	5,032	8,774	12,354	4,781	10,789	—	41,641	21,422
1895	223	11,491	4,532	7,895	9,594	5,326	27,418	—	42,490	22,945
1896	541	17,618	5,476	8,993	13,266	5,125	17,412	—	40,251	23,521
1897	25	12,711	4,577	7,654	11,431	4,851	27,089	—	41,642	24,443
1898	253	13,220	3,548	7,661	10,175	5,708	30,153	—	41,335	25,196
1899	174	9,998	3,722	9,295	10,129	6,304	31,040	—	42,408	26,325
1900	85	12,710	3,844	9,345	11,467	5,591	23,531	—	42,987	26,721
1901	356	9,019	4,339	8,898	10,205	5,071	30,186	—	41,224	27,487
1902	2,464	12,930	4,875	7,802	9,805	4,149	14,147	—	40,671	27,872
1903	760	9,150	4,158	6,077	9,522	3,347	18,498	—	40,132	29,089
1904	507	12,306	3,770	5,763	11,909	3,153	29,759	—	41,851	29,682
1905	116	11,076	3,834	5,456	8,709	3,052	20,534	—	38,950	30,221
1906	21	9,444	3,475	6,108	8,313	3,169	30,563	—	39,746	31,668
1907	10	12,625	3,220	5,732	10,255	2,344	10,658	—	39,839	31,745
1908	12	8,011	2,827	5,569	9,851	2,651	18,442	—	39,499	32,717

* Census year.

† The deaths from Asiatic cholera were not separately tabulated for the years 1881-1900.

TABLE 58.—SCOTLAND. **Population, Marriages, Births, and Deaths, 1881-1908.**
(Furnished by the Registrar-General, Scotland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	3,742,564	52,008	126,171	72,325	13·9	33·7	19·3	112
1882	3,770,657	53,192	126,158	72,989	14·1	33·5	19·4	118
1883	3,798,961	53,738	124,458	76,891	14·1	32·8	20·2	119
1884	3,827,478	52,212	129,157	75,168	13·6	33·7	19·6	118
1885	3,856,307	50,608	126,100	74,607	13·1	32·7	19·3	120
1886	3,885,155	49,030	127,890	73,640	12·6	32·9	18·9	116
1887	3,914,318	49,752	124,418	74,546	12·7	31·7	19·0	122
1888	3,943,701	50,610	123,269	71,174	12·8	31·3	18·0	113
1889	3,973,305	52,688	122,783	73,238	13·3	30·9	18·4	121
1890	4,003,132	54,938	121,526	79,004	13·7	30·4	19·7	131
1891*	4,036,245	55,938	125,986	83,573	13·9	31·2	20·7	128
1892	4,078,910	57,340	125,043	75,545	14·1	30·7	18·5	117
1893	4,122,029	54,290	127,110	79,670	13·2	30·8	19·3	136
1894	4,165,606	55,208	124,367	71,113	13·3	29·9	17·1	117
1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128
1901*	4,483,880	62,774	132,192	80,107	14·0	29·5	17·9	129
1902	4,531,299	63,826	132,267	77,941	14·1	29·2	17·2	113
1903	4,579,223	64,702	133,525	76,002	14·1	29·2	16·6	118
1904	4,627,656	64,542	132,603	77,981	13·9	28·7	16·9	123
1905	4,676,603	62,540	131,410	74,536	13·4	28·1	15·9	116
1906	4,726,070	66,284	132,005	75,635	14·0	27·9	16·0	115
1907	4,776,063	66,596	128,840	77,296	13·9	27·0	16·2	110
1908†	4,826,587	63,166	131,337	77,839	13·1	27·2	16·1	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	19	1,012	1,573	816	1,620	1,004	1,617	—	7,739	1,914
1882	3	1,289	1,583	961	2,108	1,204	2,123	—	8,012	2,056
1883	11	1,629	1,336	747	2,968	998	1,728	—	8,401	2,037
1884	14	1,440	1,266	830	2,511	1,050	2,277	—	7,915	2,110
1885	39	1,426	944	688	2,157	889	1,688	—	7,922	2,173
1886	24	681	1,058	583	1,882	755	1,900	—	7,959	2,313
1887	17	1,598	1,179	805	3,212	835	1,926	—	7,418	2,373
1888	3	1,406	732	872	1,722	665	1,338	—	7,044	2,450
1889	8	1,948	701	968	2,268	795	1,891	—	7,098	2,643
1890	—	2,509	739	1,018	3,039	777	1,642	—	7,660	2,428
1891	—	1,775	736	830	2,437	799	1,770	—	7,361	2,703
1892	11	2,280	871	807	1,792	644	1,367	—	6,765	2,715
1893	68	3,639	832	992	2,026	932	2,763	—	6,921	2,816
1894	129	791	834	1,173	2,552	702	1,263	—	7,108	2,928
1895	47	2,063	782	744	1,948	730	2,379	—	7,688	2,993
1896	2	1,515	669	671	1,970	662	1,563	—	6,893	3,013
1897	10	2,056	716	569	2,877	655	2,203	—	7,200	3,212
1898	2	2,290	909	661	2,476	814	2,363	—	7,090	3,453
1899	1	1,599	831	697	1,894	803	2,592	—	7,275	3,572
1900	53	1,825	654	771	1,812	644	1,626	—	7,299	3,503
1901	278	1,655	595	739	2,751	717	2,239	—	6,776	3,662
1902	80	1,388	524	662	1,765	552	1,075	—	6,572	3,711
1903	41	1,133	407	640	1,946	552	1,312	—	6,630	3,798
1904	185	1,512	277	663	2,405	410	1,394	—	6,738	3,920
1905	4	1,662	211	657	2,243	373	1,226	—	6,374	4,132
1906	1	1,445	230	801	1,363	400	1,417	—	6,491	4,509
1907	1	1,163	233	674	2,485	367	798	—	6,415	4,551
1908	—	—	—	—	—	—	—	—	—	—

* Census year. † The figures for the year 1908 are provisional.

TABLE 59.—IRELAND. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Registrar-General, Ireland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	5,145,770	43,652	125,847	90,035	8·5	24·5	17·5	91
1882	5,101,018	44,058	122,648	88,500	8·6	24·0	17·3	95
1883	5,023,811	42,736	118,163	96,228	8·5	23·5	19·2	93
1884	4,974,561	45,170	118,875	87,154	9·1	23·9	17·5	92
1885	4,938,588	42,354	115,951	90,712	8·6	23·5	18·4	95
1886	4,905,895	41,188	113,927	87,292	8·4	23·2	17·8	94
1887	4,857,119	41,890	112,400	88,585	8·6	23·1	18·2	95
1888	4,801,312	40,120	109,557	85,892	8·4	22·8	17·9	97
1889	4,757,385	43,042	107,841	82,908	9·0	22·7	17·4	94
1890	4,717,959	41,980	105,254	85,850	8·9	22·3	18·2	95
1891*	4,680,376	42,950	108,116	85,999	9·2	23·1	18·4	95
1892	4,633,808	43,060	104,234	90,044	9·3	22·5	19·4	105
1893	4,607,462	43,428	106,082	82,821	9·4	23·0	18·0	102
1894	4,589,260	43,204	105,354	83,528	9·4	23·0	18·2	102
1895	4,559,936	46,240	106,113	84,395	10·1	23·3	18·5	104
1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95
1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109
1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110
1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108
1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109
1901*	4,445,630	45,128	100,976	79,119	10·2	22·7	17·8	101
1902	4,432,274	45,898	101,863	77,676	10·4	23·0	17·5	100
1903	4,413,658	45,984	101,831	77,358	10·4	23·1	17·5	96
1904	4,402,182	45,922	103,811	79,513	10·4	23·6	18·1	100
1905	4,391,565	46,156	102,832	75,071	10·5	23·4	17·1	95
1906	4,388,006	45,324	103,536	74,427	10·3	23·6	17·0	93
1907	4,377,064	45,018	101,742	77,334	10·3	23·2	17·7	92
1908	4,371,455	45,438	102,039	76,891	10·4	23·3	17·6	97

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	72	402	1,344	323	1,358	813	1,565	—	10,027	1,909
1882	129	1,518	1,230	385	832	844	1,605	—	10,258	1,882
1883	16	801	1,765	239	2,041	853	1,564	—	10,775	1,995
1884	1	559	1,377	354	1,834	693	1,612	—	10,583	1,947
1885	4	1,323	1,147	296	1,436	716	1,286	—	10,709	1,925
1886	2	284	850	336	1,219	772	1,481	—	10,694	2,029
1887	14	1,307	973	381	1,386	740	1,855	—	10,329	2,067
1888	3	1,935	849	447	1,259	741	1,253	—	9,812	2,003
1889	—	574	457	358	1,481	968	1,482	—	9,951	2,134
1890	—	726	319	346	1,493	855	1,162	—	10,176	2,145
1891	7	240	308	281	1,280	859	1,373	—	10,038	2,163
1892	—	1,183	419	286	1,154	714	1,279	—	10,048	2,221
1893	1	1,082	457	411	1,169	919	2,207	—	9,869	2,280
1894	72	1,215	599	381	1,242	783	1,158	—	9,626	2,375
1895	146	301	590	305	1,047	760	1,709	—	9,768	2,296
1896	4	516	752	323	1,040	716	1,563	—	9,051	2,437
1897	3	1,070	522	339	1,851	998	1,841	—	9,748	2,635
1898	—	316	325	373	1,588	1,284	2,018	—	9,678	2,657
1899	1	1,532	205	379	938	890	2,303	—	9,480	2,654
1900	1	640	245	362	689	769	1,772	—	10,076	2,717
1901	2	459	205	376	1,123	829	1,692	—	9,549	2,893
1902	1	1,076	186	421	1,002	613	1,130	—	9,400	2,861
1903	40	686	210	375	1,062	480	1,095	—	9,559	3,048
1904	16	522	204	317	1,551	466	1,318	—	9,833	3,055
1905	5	809	170	305	581	502	1,318	—	9,216	3,291
1906	—	388	149	349	929	394	1,675	—	8,933	3,481
1907	1	584	99	283	809	362	1,067	—	8,828	3,338
1908	—	858	72	372	945	338	1,199	—	8,511	3,314

* Census year.

TABLE 60.—NEW SOUTH WALES. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Government Statistician, New South Wales.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	765,015	12,568	28,993	11,536	16·4	37·9	15·1	115
1882	798,540	13,896	29,702	12,816	17·4	37·2	16·1	131
1883	838,155	14,810	31,281	12,249	17·7	37·3	14·6	115
1884	833,145	14,964	33,946	14,220	16·9	38·4	16·1	126
1885	927,275	15,236	35,043	15,282	16·4	37·8	16·5	131
1886	969,455	15,622	36,284	14,587	16·1	37·4	15·1	128
1887	1,004,835	15,180	37,236	13,448	15·1	37·1	13·4	106
1888	1,035,705	15,688	38,525	14,408	15·1	37·2	13·9	111
1889	1,066,450	15,060	37,295	14,796	14·1	35·0	13·9	125
1890	1,101,840	15,752	38,960	14,218	14·3	35·4	12·9	105
1891*	1,142,025	16,914	39,458	16,236	14·8	34·5	14·3	119
1892	1,176,990	16,044	40,041	14,410	13·6	34·0	12·2	106
1893	1,203,170	15,498	40,342	16,022	12·9	33·5	13·3	115
1894	1,226,900	15,332	38,951	15,170	12·5	31·7	12·4	109
1895	1,250,760	16,060	38,774	14,914	12·8	31·0	11·9	106
1896	1,270,620	16,990	36,506	15,839	13·4	28·7	12·5	122
1897	1,290,375	17,626	37,247	14,264	13·7	28·9	11·1	102
1898	1,312,455	17,776	36,222	16,661	13·5	27·6	12·7	122
1899	1,333,605	18,550	36,461	15,901	13·9	27·3	11·9	119
1900	1,354,335	19,992	37,146	15,118	14·8	27·4	11·2	103
1901*	1,367,851	21,076	37,875	16,021	15·4	27·7	11·7	104
1902	1,395,299	20,972	37,835	16,646	15·0	27·1	11·9	110
1903	1,419,734	19,518	35,966	16,497	13·7	25·3	11·6	110
1904	1,446,535	20,844	38,667	15,360	14·4	26·7	10·6	82
1905	1,478,703	21,940	39,501	14,978	14·8	26·7	10·1	81
1906	1,514,390	23,102	40,948	14,975	15·3	27·0	9·9	75
1907	1,551,783	24,378	42,195	16,410	15·7	27·1	10·6	89
1908	1,588,550	25,284	42,525	16,090	15·9	26·8	10·1	76

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	17	88	35	132	156	266	1,202	—	866	216
1882	23	10	39	175	109	450	1,432	—	917	215
1883	—	47	46	235	52	397	1,240	—	941	215
1884	3	45	22†	165	201	516	1,584	—	1,003	233
1885	2	10	127	298	114	503	1,661	—	1,078	267
1886	—	6	88	140	244	591	1,310	—	1,051	333
1887	13	52	74	217	205	427	1,205	—	977	354
1888	2	218	111	240	35	434	1,331	—	1,045	404
1889	—	13	64	288	241	549	1,615	—	1,025	393
1890	—	7	67	440	254	306	1,092	—	1,029	392
1891	—	10	40	433	261	269	1,258	—	1,053	516
1892	1	2	69	334	225	328	1,266	—	1,018	510
1893	—	730	181	422	180	221	1,519	—	1,069	489
1894	1	143	111	355	225	329	1,385	—	1,042	516
1895	—	2	59	209	266	286	1,391	—	1,016	556
1896	—	4	48	168	100	509	1,939	—	1,038	627
1897	—	3	79	143	13	327	1,517	—	974	693
1898	1	510	83	169	241	387	1,803	—	1,104	714
1899	—	209	25	60	487	347	1,538	—	1,078	761
1900	—	10	9	63	106	398	1,622	—	1,056	765
1901	3	37	16	131	259	291	1,517	—	1,134	847
1902	1	107	61	74	261	276	1,926	—	1,123	869
1903	—	16	87	134	186	475	2,174	—	1,235	930
1904	—	21	50	156	147	249	1,329	—	1,156	954
1905	—	29	21	102	5	239	1,298	—	1,037	965
1906	—	17	42	100	10	271	1,542	—	1,007	1,027
1907	—	90	26	133	594	189	1,460	—	961	1,085
1908	—	32	40	123	58	307	1,469	—	1,008	1,068

* Census year,

† Including enteritis and cholera infantum,

TABLE 61.—VICTORIA. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Government Statist, Victoria.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED	BIRTHS.	DEATHS.	
1881*	868,942	11,792	27,145	12,302	13·6	31·2	14·2	115
1882	889,720	12,618	26,747	13,634	14·2	30·1	15·3	139
1883	910,130	13,542	27,541	13,006	14·9	30·3	14·3	114
1884	932,630	14,436	28,850	13,505	15·5	30·9	14·5	114
1885	956,880	14,790	29,975	14,364	15·5	31·3	15·0	126
1886	984,860	15,474	30,824	14,952	15·7	31·3	15·2	127
1887	1,016,750	15,536	33,043	16,005	15·3	32·5	15·7	130
1888	1,054,980	17,892	34,503	16,287	17·0	32·7	15·4	127
1889	1,090,350	18,388	36,359	19,392	16·9	33·3	17·8	153
1890	1,118,500	18,374	37,578	18,012	16·4	33·6	16·1	117
1891*	1,146,930	17,560	38,505	18,631	15·3	33·6	16·2	126
1892	1,163,360	15,446	37,831	15,851	13·3	32·5	13·6	107
1893	1,172,380	14,008	36,552	16,503	11·9	31·2	14·1	117
1894	1,179,230	14,058	34,253	15,430	11·9	29·1	13·1	104
1895	1,184,120	14,362	33,706	15,636	12·1	28·5	13·2	102
1896	1,183,115	15,250	32,178	15,714	12·9	27·2	13·3	110
1897	1,181,495	15,136	31,310	15,126	12·8	26·5	12·8	103
1898	1,182,885	15,240	30,172	18,695	12·9	25·5	15·8	134
1899	1,186,265	16,280	31,008	16,578	13·7	26·1	14·0	111
1900	1,193,338	16,616	30,779	15,215	13·9	25·8	12·7	95
1901*	1,204,045	16,812	31,008	15,904	13·9	25·7	13·2	103
1902	1,211,170	16,954	30,461	16,177	14·0	25·1	13·3	109
1903	1,208,880	15,210	29,569	15,595	12·6	24·5	12·9	106
1904	1,207,537	16,420	29,763	14,393	13·6	24·6	11·9	78
1905	1,212,517	17,548	30,107	14,676	14·5	24·8	12·1	83
1906	1,227,072	17,860	30,844	15,237	14·6	25·1	12·4	93
1907	1,246,860	19,150	31,369	14,542	15·4	25·2	11·7	73
1908	1,265,223	18,688	31,101	15,767	14·8	24·6	12·5	86

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	62	86	114	167	351	786	—	1,199	351
1882	2	15	89	122	109	472	1,150	—	1,274	373
1883	—	7	59	131	48	661	1,024	—	1,212	450
1884	2	233	34	162	209	456	721	—	1,359	446
1885	2	69	14	152	168	424	942	—	1,384	445
1886	—	20	14	121	209	523	1,021	—	1,375	496
1887	1	78	4	199	129	630	1,071	—	1,557	527
1888	—	30	21	301	21	539	926	—	1,528	521
1889	—	19	41	652	234	906	1,183	—	1,571	629
1890	—	1	68	864	98	610	717	—	1,631	626
1891	—	4	26	402	168	352	738	—	1,483	699
1892	—	1	26	287	179	300	644	—	1,581	684
1893	—	659	21	141	117	258	598	—	1,572	734
1894	—	32	67	184	262	380	487	—	1,548	744
1895	—	—	32	145	125	281	451	—	1,567	760
1896	—	3	44	137	77	315	503	—	1,428	789
1897	—	7	87	263	11	269	452	—	1,375	774
1898	—	671	42	212	61	555	699	—	1,520	864
1899	1	34	15	141	297	344	462	—	1,339	842
1900	—	112	6	155	52	237	388	—	1,387	817
1901	1	50	2	147	186	185	398	—	1,416	832
1902	—	50	15	104	187	197	398	—	1,412	852
1903	—	21	46	100	110	254	421	—	1,341	920
1904	—	—	23	190	46	190	210	—	1,342	893
1905	—	79	10	80	20	121	193	—	1,235	953
1906	—	7	4	50	247	162	212	—	1,213	926
1907	—	41	2	86	128	89	165	—	1,195	992
1908	—	20	21	93	67	173	258	—	1,209	1,005

* Census year.

TABLE 62.—QUEENSLAND. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Government Statistician, Queensland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	221,011	3,406	8,220	3,320	15·4	37·2	15·0	112
1882	237,611	4,068	8,518	4,274	17·1	35·9	18·0	140
1883	267,865	4,784	9,890	5,041	17·9	36·9	18·8	133
1884	298,694	5,322	10,679	6,861	17·8	35·8	23·0	147
1885	318,415	5,684	11,672	6,235	17·9	36·7	19·6	149
1886*	332,510	5,570	12,582	5,575	16·8	37·8	16·8	126
1887	354,777	5,828	13,513	5,166	16·4	38·1	14·6	113
1888	377,201	6,508	14,247	5,529	17·3	37·8	14·7	121
1889	397,061	6,246	14,401	6,132	15·7	36·3	15·4	136
1890	414,716	6,390	15,407	5,638	15·4	37·2	13·6	101
1891*	404,772	5,810	14,715	5,170	14·3	36·4	12·8	101
1892	415,813	5,548	14,903	5,266	13·3	35·8	12·7	107
1893	426,798	5,048	14,394	5,695	11·8	33·7	13·3	118
1894	438,727	5,004	13,977	5,298	11·4	31·9	12·1	98
1895	452,852	5,642	14,874	5,152	12·5	32·9	11·4	91
1896	466,364	5,646	14,017	5,645	12·1	30·1	12·1	105
1897	478,440	5,788	14,313	5,423	12·1	29·9	11·3	95
1898	492,602	5,944	13,933	6,243	12·1	28·3	12·7	111
1899	508,864	6,898	13,899	6,144	13·6	27·3	12·1	109
1900	490,325	6,742	14,801	5,747	13·8	30·2	11·7	98
1901*	505,695	6,682	14,303	6,007	13·2	28·3	11·9	102
1902	513,612	6,486	14,216	6,204	12·6	27·7	12·1	100
1903	512,690	5,866	12,621	6,346	11·4	24·6	12·4	120
1904	519,178	6,156	14,082	5,250	11·9	27·1	10·1	76
1905	525,728	6,346	13,626	5,503	12·1	25·9	10·5	76
1906	532,783	7,176	14,019	5,095	13·5	26·3	9·6	75
1907	541,204	8,210	14,542	5,599	15·2	26·9	10·4	77
1908	555,171	8,018	14,828	5,680	14·4	26·7	10·2	70

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	3	1	28	10	73	439	—	292	65
1882	—	32	2	29	54	150	585	—	404	54
1883	—	59	5	39	71	238	697	—	471	70
1884	—	6	8	41	21	542	1,377	—	572	94
1885	—	2	3	87	28	289	673	—	593	53
1886	—	1	7	98	62	304	551	16	494	92
1887	—	—	1	94	60	137	480	—	441	81
1888	—	3	3	86	73	163	553	—	492	88
1889	—	—	1	90	83	282	653	—	470	130
1890	—	—	61	162	28	103	468	—	515	117
1891	—	—	26	157	17	106	457	2	501	134
1892	1	1	2	107	73	124	422	—	423	130
1893	—	186	2	106	128	109	478	—	476	121
1894	—	113	—	114	35	102	323	—	446	157
1895	—	2	1	67	128	72	338	—	420	189
1896	—	—	1	31	65	130	375	—	444	183
1897	—	—	—	42	42	183	355	—	418	187
1898	—	138	87	70	146	149	324	—	421	229
1899	—	116	59	82	128	149	295	—	407	243
1900	—	7	11	48	73	136	318	—	427	229
1901	—	1	3	41	84	148	356	—	427	278
1902	—	4	4	28	21	133	308	—	458	285
1903	—	44	13	58	30	189	348	—	402	252
1904	—	5	11	42	85	91	133	—	410	297
1905	—	1	1	40	10	95	118	—	397	351
1906	—	5	1	39	8	88	134	—	361	292
1907	—	20	—	54	121	84	448†	—	347	353
1908	—	39	—	26	37	108	547†	—	349	337

* Census year.

† Including enteritis.

TABLE 63.—SOUTH AUSTRALIA (excluding the NORTHERN TERRITORY). **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Registrar-General, South Australia.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION (exclusive of Aborigines).	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	277,670	4,616	10,708	4,012	17·3	38·6	14·5	—
1882	285,115	5,060	10,844	4,393	17·7	38·0	15·4	—
1883	293,937	5,078	11,173	4,435	17·3	38·0	15·1	—
1884	303,426	5,110	11,847	4,789	16·8	39·0	15·8	—
1885	308,648	4,894	12,046	3,937	15·9	39·0	12·9	113
1886	303,561	3,952	11,177	4,234	13·0	36·8	14·0	126
1887	305,247	3,954	10,831	3,944	13·0	35·5	12·9	111
1888	305,510	4,163	10,510	3,759	13·6	34·4	12·3	96
1889	308,078	4,124	10,318	3,501	13·4	33·5	11·4	94
1890	311,500	4,470	10,364	3,923	14·3	33·3	12·6	97
1891*	316,560	4,630	10,737	4,211	14·6	33·9	13·3	91
1892	323,746	4,238	10,544	3,711	13·1	32·6	11·5	97
1893	333,852	4,220	10,683	4,520	12·6	32·0	13·5	117
1894	339,907	4,188	10,476	4,001	12·3	30·8	11·8	94
1895	343,381	4,096	10,537	3,921	11·9	30·7	11·4	95
1896	344,810	4,366	10,012	4,038	12·7	29·0	11·7	101
1897	344,313	3,898	9,535	3,973	11·3	27·7	11·5	109
1898	346,854	4,428	8,945	4,675	12·8	25·8	13·5	140
1899	351,653	4,530	9,397	4,406	12·9	26·7	12·5	112
1900	354,268	4,610	9,143	3,774	13·0	25·8	10·7	100
1901*	357,556	4,608	9,079	3,974	12·9	25·4	11·1	100
1902	359,968	4,752	8,927	4,236	13·2	24·8	11·8	94
1903	361,724	4,520	8,475	3,873	12·5	23·4	10·7	97
1904	365,586	5,052	9,100	3,719	13·8	24·9	10·2	70
1905	370,791	5,188	8,832	3,761	14·0	23·8	10·1	73
1906	376,335	5,358	8,921	3,872	14·2	23·7	10·3	76
1907	384,255	6,140	9,209	3,736	15·9	23·9	9·7	66
1908	394,536	6,224	9,756	3,834	15·8	24·7	9·7	70

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	72	50	123	27	85	344	—	274	91
1882	—	11	34	166	43	146	457	—	341	89
1883	—	12	24	157	128	135	456	—	313	86
1884	—	139	29	196	53	134	422	—	323	109
1885	—	6	14	188	90	132	315	—	307	100
1886	—	3	13	117	93	93	307	—	339	104
1887	—	2	7	87	30	143	335	—	353	110
1888	—	1	3	179	9	108	202	—	365	116
1889	—	1	1	148	2	128	284	—	289	133
1890	—	1	3	231	129	94	164	—	294	129
1891	—	—	4	223	42	73	182	—	329	156
1892	—	—	2	139	12	83	209	—	307	148
1893	—	261	5	130	121	62	249	—	340	171
1894	—	28	35	113	60	80	201	—	356	162
1895	—	2	10	53	44	71	192	—	335	166
1896	—	—	4	25	17	93	244	—	308	186
1897	—	—	7	34	—	106	233	—	308	185
1898	1	54	15	52	112	145	294	—	317	184
1899	—	27	16	49	106	111	192	—	312	203
1900	—	2	5	38	29	57	205	—	299	210
1901	1	5	1	22	51	72	196	—	302	216
1902	—	235	—	35	36	89	150	—	292	267
1903	—	5	19	25	60	57	160	—	296	261
1904	—	—	10	22	25	32	100	—	289	226
1905	—	—	8	14	6	41	107	—	279	249
1906	—	1	12	16	16	48	102	—	307	279
1907	—	5	5	14	73	39	227†	—	293	270
1908	—	14	—	11	18	38	302†	—	352	270

* Census year.

† Including enteritis.

TABLE 64.—WESTERN AUSTRALIA. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Government Statistician, Western Australia.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF MEAN POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	29,516	394	1,001	402	13·3	33·9	13·6	—
1882	30,390	430	1,089	430	14·1	35·8	14·1	—
1883	31,233	434	1,058	560	13·9	33·9	17·9	—
1884	32,329	460	1,094	707	14·2	33·8	21·9	—
1885	34,072	512	1,200	600	15·0	35·2	17·6	—
1886	37,385	594	1,466	806	15·9	39·2	21·6	155
1887	41,036	632	1,556	702	15·4	37·9	17·1	157
1888	42,312	608	1,518	673	14·4	35·9	15·9	124
1889	42,918	600	1,594	611	14·0	37·1	14·2	88
1890	44,994	556	1,561	540	12·4	34·7	12·0	90
1891*	51,009	826	1,786	869	16·2	35·0	17·0	120
1892	55,847	824	1,848	931	14·7	33·1	16·7	141
1893	61,690	784	2,112	945	12·7	34·2	15·3	118
1894	75,055	964	2,123	1,081	12·8	28·3	14·4	126
1895	90,148	1,266	2,373	1,604	14·0	26·3	17·8	143
1896	122,696	2,154	2,782	2,020	17·6	22·7	16·5	184
1897	155,563	3,318	4,021	2,643	21·3	25·8	17·0	183
1898	168,999	3,348	4,968	2,716	19·8	29·4	16·1	166
1899	168,528	3,342	5,174	2,324	19·8	30·7	13·8	140
1900	176,905	3,562	5,454	2,240	20·1	30·8	12·7	126
1901*	188,313	3,642	5,718	2,519	19·3	30·4	13·4	129
1902	205,755	4,048	6,232	2,823	19·7	30·3	13·7	142
1903	221,278	4,128	6,699	2,788	18·7	30·3	12·6	141
1904	236,516	4,176	7,176	2,817	17·7	30·3	11·9	113
1905	250,207	4,246	7,582	2,709	17·0	30·3	10·8	104
1906	259,811	4,522	7,800	3,084	17·4	30·0	11·8	110
1907	263,749	4,228	7,711	2,924	16·0	29·2	11·1	98
1908	268,347	4,024	7,754	2,882	15·0	28·9	10·7	85

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	15	12	17	—	26	6
1882	—	—	—	1	—	8	25	—	21	9
1883	—	30	—	21	—	10	20	—	25	10
1884	—	95	—	5	1	10	28	—	36	10
1885	—	4	—	1	3	22	14	—	29	17
1886	—	—	—	5	61	14	53	—	27	15
1887	—	—	—	4	4	21	58	—	46	17
1888	—	—	—	3	—	8	63	—	42	18
1889	—	—	—	4	—	13	45	—	39	20
1890	—	—	—	3	—	3	25	—	43	15
1891	—	—	—	3	19	19	35	—	49	20
1892	—	—	—	7	13	55	67	—	47	16
1893	7	21	—	8	—	28	48	—	44	19
1894	2	6	—	8	4	73	62	—	53	22
1895	—	—	1	12	21	325	101	—	57	25
1896	—	—	—	9	9	400	129	—	83	30
1897	—	1	2	26	3	407	150	—	87	51
1898	—	34	—	34	8	296	227	—	113	55
1899	—	5	1	7	29	148	145	—	114	60
1900	—	1	1	3	31	128	111	—	137	52
1901	—	45	1	10	13	120	101	—	151	83
1902	—	19	2	8	23	181	142	—	146	85
1903	—	3	2	18	42	132	96	—	144	92
1904	—	1	2	35	17	87	95	—	198	105
1905	—	1	3	35	1	107	74	—	162	127
1906	—	5	2	59	11	128	93	—	213	154
1907	—	6	—	61	103	123	341†	—	206	131
1908	—	27	2	106	20	75	304†	—	193	140

* Census year.

† Diarrhoea and enteritis.

TABLE 65.—TASMANIA. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Government Statistician, Tasmania.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	117,314	1,712	3,918	1,733	14·6	33·4	14·8	103
1882	119,474	1,938	4,043	1,909	16·2	33·8	16·0	104
1883	122,242	2,240	4,259	2,122	18·3	34·8	17·4	124
1884	125,352	2,006	4,578	1,990	16·0	36·5	15·9	100
1885	128,160	2,108	4,637	2,036	16·4	36·2	15·9	113
1886	130,442	1,970	4,627	1,976	15·1	35·5	15·1	105
1887	133,802	1,878	4,736	2,161	14·0	35·4	16·1	101
1888	137,167	1,902	4,777	2,036	13·9	34·8	14·8	96
1889	140,262	1,934	4,757	2,098	13·8	33·9	15·0	106
1890	143,734	1,908	4,813	2,118	13·3	33·5	14·7	106
1891*	148,955	1,976	4,971	2,234	13·3	33·4	15·0	95
1892	151,727	1,990	4,965	2,069	13·1	32·7	13·6	99
1893	151,241	1,696	5,216	2,071	11·2	34·5	13·7	105
1894	152,286	1,694	4,852	1,938	11·1	31·9	12·7	90
1895	154,426	1,692	4,790	1,811	11·0	31·0	11·7	82
1896	157,702	1,928	4,603	1,890	12·2	29·2	12·0	89
1897	162,108	2,104	4,684	1,940	13·0	28·9	12·0	88
1898	166,559	2,194	4,580	2,356	13·2	27·5	14·2	116
1899	170,659	2,294	4,674	2,202	13·4	27·4	12·9	116
1900	172,775	2,664	4,864	1,902	15·4	28·1	11·0	80
1901*	173,679	2,676	4,930	1,805	15·4	28·4	10·4	89
1902	175,922	2,626	5,085	1,904	14·9	28·9	10·8	79
1903	177,547	2,688	5,080	2,105	15·1	28·6	11·9	111
1904	178,826	2,700	5,292	1,969	15·1	29·6	11·0	91
1905	179,259	2,730	5,257	1,815	15·2	29·3	10·1	80
1906	180,634	2,796	5,333	2,018	15·5	29·5	11·2	91
1907	178,296	2,822	5,291	2,001	15·8	29·6	11·2	82
1908	181,742	2,862	5,614	2,129	15·7	30·8	11·7	75

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	1	12	22	11	50	61	—	145	65
1885	—	20	—	23	16	30	115	—	145	60
1886	—	1	—	12	27	47	108	—	145	57
1887	11	—	2	35	13	112	157	—	154	67
1888	—	—	5	43	—	80	100	—	116	68
1889	—	—	1	43	8	113	123	—	121	70
1890	—	—	1	49	41	49	117	—	138	79
1891	—	—	3	21	7	82	61	1	134	68
1892	—	—	3	69	2	46	92	—	129	69
1893	—	35	1	50	43	23	74	—	137	79
1894	—	14	1	44	5	33	69	—	142	80
1895	—	—	—	24	22	46	57	—	116	75
1896	—	1	2	14	10	45	48	—	113	95
1897	—	—	5	12	—	47	52	—	135	81
1898	—	45	7	10	4	83	108	—	125	99
1899	—	13	15	19	54	46	59	—	101	91
1900	—	—	9	10	20	30	42	—	107	93
1901	—	—	1	16	4	23	73	—	100	95
1902	—	1	22	3	23	25	25	—	102	109
1903	19	—	26	9	65	38	66	—	112	100
1904	—	1	4	4	26	22	57	—	113	93
1905	—	3	1	10	—	23	23	—	134	97
1906	—	4	—	4	1	37	68	—	119	94
1907	—	1	—	8	47	37	28	—	113	112
1908	—	4	—	11	23	37	45	—	139	123

* Census year.

TABLE 66.—NEW ZEALAND. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Registrar-General, New Zealand.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	493,482	6,554	18,732	5,491	13·3	37·9	11·1	92
1882	509,309	7,200	19,009	5,701	14·1	37·3	11·2	88
1883	529,292	7,224	19,202	6,061	13·6	36·3	11·4	104
1884	552,590	7,600	19,846	5,740	13·7	35·9	10·4	79
1885	573,362	7,626	19,693	6,081	13·3	34·3	10·6	89
1886*	582,117	6,976	19,299	6,135	12·0	33·1	10·5	98
1887	596,374	7,126	19,135	6,137	11·9	32·1	10·3	94
1888	605,371	7,234	18,902	5,708	11·9	31·2	9·4	72
1889	611,716	7,264	18,457	5,772	11·9	30·2	9·4	79
1890	620,780	7,594	18,278	5,994	12·2	29·4	9·7	79
1891*	629,783	7,610	18,273	6,518	12·1	29·0	10·3	91
1892	642,245	8,004	17,876	6,459	12·5	27·8	10·1	89
1893	661,349	8,230	18,187	6,767	12·4	27·5	10·2	88
1894	679,196	8,356	18,528	6,918	12·3	27·3	10·2	81
1895	692,417	8,220	18,546	6,863	11·9	26·8	9·9	88
1896*	706,846	9,686	18,612	6,432	13·7	26·3	9·1	77
1897	721,609	9,856	18,737	6,595	13·7	26·0	9·1	72
1898	736,260	10,182	18,955	7,244	13·8	25·7	9·8	80
1899	749,984	10,922	18,835	7,680	14·6	25·1	10·2	96
1900	763,594	11,720	19,546	7,200	15·3	25·6	9·4	75
1901*	777,968	12,190	20,491	7,634	15·7	26·3	9·8	71
1902	797,793	12,788	20,655	8,375	16·0	25·9	10·5	83
1903	820,217	13,496	21,829	8,528	16·5	26·0	10·4	81
1904	845,022	13,966	22,766	8,087	16·5	26·9	9·5	71
1905	870,000	14,400	23,682	8,061	16·6	27·2	9·3	68
1906*	895,594	15,184	24,252	8,339	17·0	27·1	9·3	62
1907	919,105	16,384	25,094	10,066	18·0	27·3	10·9	89
1908	945,063	16,678	25,940	9,043	18·0	27·4	9·5	68

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	113	104	83	20	124	436	—	468	134
1882	—	86	153	142	68	110	327	—	438	147
1883	—	15	26	84	246	157	509	—	500	158
1884	—	31	17	112	167	104	208	—	498	191
1885	—	1	12	104	91	118	399	—	514	177
1886	—	54	7	78	132	123	455	—	500	214
1887	—	30	18	92	138	158	475	—	534	238
1888	—	6	21	143	72	130	214	—	476	263
1889	—	3	19	113	19	118	355	—	499	260
1890	—	1	31	116	82	145	290	—	520	295
1891	—	1	24	86	242	119	319	—	495	295
1892	—	—	4	195	115	134	329	—	524	307
1893	—	525	1	128	55	97	193	—	545	332
1894	—	14	5	92	190	115	207	—	576	408
1895	—	—	6	76	150	94	232	—	553	383
1896	—	1	4	74	24	124	334	—	523	389
1897	—	1	2	49	2	106	257	—	596	395
1898	—	57	2	45	6	120	275	—	597	471
1899	—	137	—	58	123	93	298	—	593	468
1900	—	9	10	63	90	68	199	—	577	430
1901	—	7	17	44	9	95	139	—	596	515
1902	—	134	39	54	83	53	275	—	617	536
1903	1	143	131	23	204	61	184	—	570	582
1904	—	10	13	27	35	73	193	—	598	571
1905	—	8	10	35	3	45	128	—	496	566
1906	—	12	18	35	26	48	97	—	556	623
1907	—	101	25	55	307	53	314	—	612	674
1908	—	19	60	35	42	90	198	—	607	657

* Census year.

TABLE 67.—DOMINION OF CANADA—PROVINCE OF ONTARIO. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Deputy Registrar-General of Ontario.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	1,923,610†	26,212	40,714	22,821	13·4	21·1	11·8	—
1882		26,898	42,429	21,800	14·0	22·1	11·3	—
1883		28,554	42,981	21,049	14·8	22·3	10·9	—
1884		27,292	44,504	21,702	14·2	23·1	11·2	—
1885		27,350	45,228	22,105	14·2	23·5	11·4	—
1886	2,115,971	27,690	46,458	23,184	13·0	22·0	11·0	—
1887	2,115,971	28,920	45,904	23,414	13·6	21·7	11·5	—
1888	2,148,971	29,102	46,953	23,734	13·6	21·8	11·0	—
1889	2,148,971	29,760	48,538	23,329	13·8	22·6	10·7	—
1890	2,161,971	28,926	47,433	24,013	13·4	22·0	11·1	—
1891*	2,122,716	28,378	47,472	24,013	13·4	21·1	11·3	—
1892	2,146,020	28,964	41,947	23,120	13·4	19·7	10·7	—
1893	2,167,460	28,950	42,686	22,903	14·0	19·8	10·5	—
1894	2,189,116	28,682	41,899	22,538	13·0	19·2	10·3	—
1895	2,211,101	27,974	41,474	22,461	12·6	18·8	10·1	—
1896	2,263,492	29,808	46,680	24,857	13·2	20·7	11·0	—
1897	2,257,378	30,586	46,888	26,508	13·6	20·9	12·2	130
1898	2,279,929	30,750	46,067	25,409	13·4	20·4	11·5	128
1899	2,302,705	33,028	44,286	27,747	14·2	19·4	12·4	141
1900	2,325,712	34,214	45,549	28,543	14·6	19·8	12·6	155
1901*	2,184,144	36,070	45,281	28,500	16·4	21·1	13·6	141
1902	2,205,965	36,144	46,973	26,713	16·4	21·7	12·6	125
1903	2,198,692	39,660	47,709	28,399	18·0	21·1	13·4	137
1904	2,203,968	39,578	49,158	29,600	17·8	22·8	14·1	137
1905	2,208,364	40,852	50,808	29,748	18·4	23·5	14·2	148
1906	2,214,116	39,692	50,621	31,244	18·0	23·3	14·8	162
1907	—	—	—	—	—	—	—	—
1908	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	5	148	470	1,704	270	616	1,984	—	2,397	313
1882	15	75	543	1,708	183	555	649	—	2,464	397
1883	4	177	405	1,076	123	469	593	—	2,500	403
1884	63	81	382	929	154	492	653	—	2,347	422
1885	30	78	314	1,282	192	462	529	—	2,313	463
1886	19	149	260	1,833	205	386	716	—	2,419	440
1887	—	169	116	1,716	124	569	834	—	2,556	614
1888	—	128	132	1,450	187	529	934	—	2,521	635
1889	—	141	159	1,101	225	565	1,192	—	2,417	714
1890	—	186	151	893	190	545	978	—	2,503	685
1891	—	79	216	952	102	744	911	—	2,379	402
1892	—	117	240	890	145	445	917	—	2,592	410
1893	?	?	?	942	?	?	?	—	2,552	?
1894	?	?	454	1,075	?	?	?	—	2,379	?
1895	?	?	?	942	?	588	?	—	2,472	?
1896	—	136	99	932	187	552	?	—	2,758	?
1897	—	80	169	163	169	355	1,511	—	3,154	927
1898	—	115	222	634	126	405	1,773	—	3,291	975
1899	7	40	246	599	134	452	1,561	—	3,405	1,041
1900	11	143	170	738	185	682	2,299	—	3,484	1,055
1901	7	181	268	772	166	500	1,267	—	3,243	1,094
1902	7	143	346	676	204	392	1,050	—	2,694	1,048
1903	21	55	580	687	204	391	1,337	—	2,723	1,156
1904	3	30	163	608	109	482	1,127	—	2,877	1,253
1905	3	63	72	503	181	446	1,835	—	2,667	1,224
1906	4	128	64	423	240	891	2,075	—	2,911	1,411
1907	—	—	—	—	—	—	—	—	—	—
1908	—	—	—	—	—	—	—	—	—	—

* Census year.

† Census population.

NOTE.—A ? denotes that the figures are not available for the whole Province

TABLE 68.—CEYLON. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Registrar-General, Ceylon.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.†	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.†	BIRTHS.	DEATHS.	
1881*	2,755,558	24,174	74,794	75,012	9.4	27.1	27.2	170
1882	2,773,389	26,428	74,042	54,672	10.3	26.7	19.7	138
1883	2,781,711	31,780	82,240	53,680	12.3	29.6	19.3	136
1884	2,793,689	27,540	87,407	62,398	10.6	31.3	22.3	157
1885	2,815,166	21,446	79,234	81,908	8.2	28.1	29.1	189
1886	2,830,359	40,428	76,836	67,041	15.4	27.1	23.7	152
1887	2,855,216	34,342	93,223	68,496	13.0	32.7	24.0	152
1888	2,901,262	29,276	92,289	76,724	10.9	31.8	26.4	167
1889	2,938,977	25,582	81,465	83,845	9.4	27.7	28.5	174
1890	2,980,245	30,216	95,106	68,600	10.9	31.9	23.0	145
1891*	3,021,579	29,474	96,493	86,643	10.5	31.9	23.7	170
1892	3,088,405	33,366	93,233	84,937	11.7	30.2	27.5	162
1893	3,121,093	34,654	97,800	92,422	11.9	31.3	29.6	177
1894	3,144,561	45,566	104,301	87,784	15.4	33.2	27.9	165
1895	3,193,821	61,382	101,480	88,301	20.4	31.8	27.6	169
1896	3,240,501	39,358	103,854	81,893	12.8	32.0	25.3	158
1897	3,315,768	43,638	125,019	78,538	14.0	37.7	23.7	140
1898	3,395,519	48,508	131,620	90,256	15.3	38.8	26.6	169
1899	3,429,745	64,988	132,190	104,983	20.1	38.5	30.6	197
1900	3,520,574	56,384	136,051	100,873	17.2	38.6	28.7	178
1901*	3,582,697	47,472	134,252	98,813	14.2	37.5	27.6	170
1902	3,629,986	55,632	141,893	99,680	16.4	38.5	27.5	173
1903	3,703,615	47,068	148,027	96,084	13.7	40.0	25.9	164
1904	3,767,826	43,894	145,253	93,940	12.5	38.5	24.9	174
1905	3,901,471	42,376	150,785	103,160	11.7	38.7	27.7	176
1906	3,968,541	36,010	141,847	136,271	9.7	35.7	34.3	198
1907	3,971,340	37,966	130,403	119,377	10.3	32.8	30.1	186
1908	4,008,742	42,104	160,713	117,982	11.3	40.1	29.4	183

The Total Deaths‡ include:—

YEAR	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	237	610	—	227	88	—	11,636	991	1,717	69
1882	320	78	—	208	52	—	8,624	857	1,756	84
1883	335	5	—	201	88	—	8,125	800	1,817	97
1884	347	41	—	118	69	—	8,495	812	2,010	99
1885	726	50	—	239	64	—	11,819	1,294	1,949	83
1886	462	166	—	159	103	—	10,792	893	1,936	85
1887	89	170	—	145	67	—	9,808	933	1,885	92
1888	145	184	—	147	239	2,768	12,747	1,331	2,010	117
1889	97	235	—	130	102	2,990	11,826	2,563	1,977	141
1890	88	287	—	178	38	2,854	8,495	1,872	2,104	171
1891	452	574	—	152	51	3,398	11,529	3,398	2,233	139
1892	69	390	—	105	69	3,140	18,108	2,833	2,373	187
1893	37	254	—	153	65	3,628	22,396	645	2,575	235
1894	3	188	—	13	107	3,644	22,408	530	2,512	196
1895	5	372	—	7	50	4,042	22,291	589	2,445	207
1896	21	384	—	11	53	3,943	20,019	428	2,873	123
1897	25	563	—	6	61	3,603	18,886	104	2,782	177
1898	13	292	—	15	43	4,638	19,975	302	2,889	175
1899	96	188	—	14	65	5,262	21,201	—	3,167	191
1900	41	123	—	15	111	5,437	22,058	217	3,217	233
1901	80	207	—	8	53	4,902	23,954	52	3,390	213
1902	35	194	—	11	40	5,477	21,551	139	3,297	219
1903	6	158	—	18	63	5,243	19,880	6	3,383	212
1904	2	64	—	16	34	4,739	17,804	4	3,488	190
1905	112	211	—	8	167	6,025	22,867	1	3,733	207
1906	72	296	—	10	66	9,440	33,448	204	4,153	182
1907	27	89	—	8	34	7,729	27,606	77	4,096	148
1908	303	102	—	17	108	8,240	20,681	33	4,039	169

* Census year.

† Registration of marriages is not compulsory in Ceylon, except among the Kandyan Sinhalese. The figures in these columns relate to persons whose marriages were registered.

‡ The Registrar-General, Ceylon, states that "too much reliance should not be placed on the figures given under Causes of Death, as, in the large majority of cases, the cause of death is not medically certified, and registration is made in the vernacular languages, and by registrars who possess no medical qualifications."

TABLE 69.--JAMAICA. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Registrar-General, Jamaica.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	580,804	4,356	21,340	15,125	7·4	36·7	26·0	173
1882	588,718	4,736	20,749	11,874	8·0	35·7	20·4	141
1883	594,023	5,738	24,132	13,397	9·6	41·5	23·0	153
1884	591,819	5,906	21,402	13,484	9·9	36·1	22·7	165
1885	596,383	5,990	22,558	13,500	10·0	37·8	22·6	159
1886	603,354	4,780	21,831	14,060	7·9	36·1	23·3	154
1887	603,500	5,326	20,964	14,641	8·8	34·7	24·2	170
1888	613,376	6,706	24,025	13,696	10·9	39·1	22·3	162
1889	624,105	6,446	22,044	13,874	10·3	35·3	22·2	175
1890	634,930	7,120	24,507	16,040	11·2	38·4	25·1	188
1891*	645,829	6,810	24,744	14,711	10·5	38·3	22·7	175
1892	655,595	6,698	24,475	13,717	10·2	37·3	20·9	165
1893	667,554	7,468	27,365	14,885	11·1	40·6	22·1	168
1894	678,786	7,258	25,298	14,321	10·6	37·2	21·0	168
1895	690,667	6,484	26,842	15,716	9·3	38·8	22·7	178
1896	701,181	6,052	27,064	15,535	8·6	38·5	22·1	176
1897	713,384	5,322	28,447	16,474	7·4	39·8	23·0	177
1898	725,033	6,724	27,648	15,290	9·2	38·1	21·0	176
1899	740,171	7,534	31,259	16,880	10·1	42·2	22·8	170
1900	751,588	6,442	26,869	16,243	8·5	35·7	21·6	174
1901	763,545	6,404	31,268	16,756	8·3	40·9	21·9	163
1902	778,120	7,202	30,605	15,413	9·2	39·3	19·8	162
1903	794,053	7,152	31,687	19,593	9·0	39·9	24·6	187
1904	802,609	5,760	29,025	19,863	7·1	36·1	24·7	193
1905	814,800	6,232	31,618	17,871	7·6	38·8	21·9	165
1906	827,744	11,014	31,547	21,723	13·2	38·1	26·2	197
1907	834,012	12,502	29,210	23,672	14·8	35·0	28·3	223
1908	843,648	7,052	31,785	18,928	8·3	37·6	22·4	175

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	1	15	7	17	341	47	1,653	—	1,071	57
1882	—	4	1	23	4	30	686	—	1,005	43
1883	1	114	—	21	—	29	868	—	1,083	65
1884	—	109	1	35	—	22	800	—	1,097	66
1885	—	6	—	20	1	31	816	—	979	64
1886	187	1	—	12	1	38	833	—	1,043	65
1887	672	2	—	21	1	41	885	—	958	61
1888	25	5	—	9	1	54	727	—	935	73
1889	—	67	—	9	65	49	825	—	1,032	70
1890	—	175	1	3	1,924	48	726	—	1,064	80
1891	—	22	—	9	7	53	976	—	1,085	91
1892	—	2	1	6	—	42	846	—	1,050	88
1893	—	1	—	13	13	49	912	—	1,040	96
1894	—	—	1	10	202	57	763	—	1,102	102
1895	—	9	—	16	326	75	914	—	1,182	115
1896	—	121	—	14	495	89	868	—	1,191	113
1897	—	19	—	12	311	117	808	—	1,168	97
1898	—	4	—	9	138	65	623	—	1,156	108
1899	—	23	—	14	25	90	661	—	1,187	129
1900	—	128	—	12	—	55	703	—	1,204	124
1901	—	33	—	7	2	71	766	—	1,148	118
1902	—	3	—	2	—	96	599	—	1,149	109
1903	—	—	1	3	292	89	1,482	—	1,232	125
1904	—	3	1	4	1,546	131	934	—	1,308	128
1905	—	—	—	12	40	69	733	—	1,240	153
1906	—	97	—	6	5	86	793	—	1,328	141
1907	—	150	1	4	2	223	1,327	—	1,451	126
1908	—	2	—	4	—	243	781	—	1,317	136

NOTE.—The figures in the table for the years 1881-1889 relate to the 12 months ended 30th September in each of those years; those for 1890 and subsequent years to the 12 months ended 31st March of the following year

* Census year.

TABLE 70.—DENMARK (the Kingdom properly so-called). **Population, Marriages, Births, and Deaths, 1881-1908.**
(Furnished by the Director of the Statistical Bureau, Denmark.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,995,000	31,058	64,145	36,471	15·6	32·2	18·3	121
1882	2,013,000	30,992	65,070	38,738	15·4	32·3	19·2	151
1883	2,029,000	31,284	64,474	37,403	15·4	31·8	18·4	138
1884	2,051,000	31,940	68,340	37,597	15·6	33·3	18·3	137
1885	2,076,000	31,290	67,464	36,999	15·0	32·5	17·8	122
1886	2,102,000	29,668	68,062	38,076	14·2	32·4	18·1	136
1887	2,124,000	29,452	67,417	38,645	13·9	31·7	18·2	134
1888	2,143,000	30,182	67,427	41,868	14·0	31·5	19·5	143
1889	2,161,000	30,466	67,385	40,004	14·1	31·2	18·5	141
1890*	2,179,000	29,950	66,376	41,377	13·8	30·5	19·0	133
1891	2,195,000	29,882	67,937	43,954	13·6	31·0	20·0	134
1892	2,210,000	30,078	65,468	43,079	13·5	29·6	19·5	140
1893	2,226,000	31,478	68,530	42,295	14·2	30·8	19·0	150
1894	2,248,000	31,374	68,300	39,508	14·0	30·4	17·6	134
1895	2,276,000	32,294	68,871	38,573	14·2	30·3	16·9	137
1896	2,306,000	33,646	70,271	36,090	14·6	30·5	15·7	126
1897	2,338,000	34,928	69,576	38,744	15·0	29·8	16·6	129
1898	2,371,000	35,794	71,670	36,671	15·1	30·2	15·5	123
1899	2,403,000	35,874	71,355	41,477	15·0	29·7	17·3	154
1900	2,432,000	36,996	72,129	40,891	15·2	29·7	16·8	128
1901*	2,462,000	35,198	73,211	38,786	14·3	29·7	15·8	134
1902	2,491,000	35,298	72,795	36,408	14·2	29·2	14·6	114
1903	2,519,000	35,852	72,348	36,945	14·2	28·7	14·7	116
1904	2,546,000	36,450	73,691	35,903	14·3	28·9	14·1	112
1905	2,574,000	36,958	73,082	38,598	14·3	28·4	15·0	121
1906*	2,600,000	38,716	74,216	35,231	14·9	28·5	13·5	109
1907	2,630,000	40,206	74,327	37,275	15·3	28·3	14·2	106
1908	2,692,000	39,912	76,232	39,072	14·8	28·3	14·5	—

The Total Deaths in Copenhagen and other large Cities include:—

YEAR.	Popula- tion of Cities.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whoop- ing Cough.	Enteric Fever.	Diarrhoea and Dys- entery.	Asiatic Cholera.	Pulmon- ary Tuberc- ulosis.	Cancer (including Carcinoma and Sarcoma).
1880*	553,497	—	—	—	—	—	—	—	—	—	—
1881	—	5	30	184	194	236	167	437	—	1,435	593
1882	—	12	502	154	125	280	216	972	—	1,530	606
1883	—	4	17	61	125	318	165	685	—	1,502	641
1884	—	—	353	41	151	290	248	924	—	1,569	686
1885	—	23	188	129	199	174	146	548	—	1,540	726
1886	—	—	46	78	302	191	175	1,003	—	1,497	722
1887	—	—	798	148	570	378	142	748	—	1,596	775
1888	—	—	385	241	671	238	149	733	—	1,798	782
1889	—	3	32	106	779	272	256	1,220	—	1,637	866
1890*	726,355	1	269	195	960	368	102	766	—	1,645	832
1891	—	10	216	78	810	257	136	826	—	1,619	927
1892	—	—	255	68	676	301	109	674	—	1,557	837
1893	—	—	80	132	683	370	101	1,300	—	1,516	936
1894	—	1	220	316	574	144	100	794	—	1,492	875
1895	—	—	215	127	272	383	122	889	—	1,521	933
1896	—	1	186	55	178	251	94	994	—	1,393	1,022
1897	—	—	166	31	198	151	87	996	—	1,466	1,054
1898	—	—	63	76	147	444	93	756	—	1,412	1,073
1899	—	—	142	173	176	358	102	1,583	—	1,405	1,063
1900	—	—	56	140	163	120	83	887	—	1,566	1,123
1901*	958,905	6	260	102	124	324	131	1,339	—	1,409	1,201
1902	—	—	151	85	100	389	50	567	—	1,303	1,276
1903	—	—	81	65	76	279	59	899	—	1,376	1,229
1904	—	1	102	50	49	342	44	1,029	—	1,446	1,313
1905	—	—	184	56	96	247	49	1,117	—	1,481	1,338
1906*	1,023,334	—	131	20	70	227	35	1,153	—	1,348	1,344
1907	—	1	151	15	90	437	38	561	—	1,336	1,438
1908	—	—	—	—	—	—	—	—	—	—	—

* Census year.

TABLE 71.—NORWAY. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director of the Central Statistical Bureau, Norway.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,909,700	24,632	58,342	32,427	12·9	30·6	17·0	96
1882	1,906,300	25,748	59,375	35,325	13·5	31·1	18·5	110
1883	1,905,600	25,420	59,498	32,834	13·3	31·2	17·2	96
1884	1,915,100	26,494	60,025	31,730	13·8	31·3	16·6	98
1885	1,929,800	26,048	61,052	32,111	13·5	31·6	16·6	93
1886	1,943,900	25,638	60,716	31,566	13·2	31·2	16·2	90
1887	1,955,200	24,982	60,908	31,675	12·8	31·2	16·2	89
1888	1,961,800	24,308	61,277	33,645	12·4	31·2	17·2	95
1889	1,969,200	24,832	59,188	34,704	12·6	30·1	17·6	109
1890*	1,981,600	25,844	60,108	35,492	13·0	30·3	17·9	98
1891	1,996,900	26,358	61,721	34,856	13·2	30·9	17·5	97
1892	2,010,000	25,484	59,430	35,769	12·7	29·6	17·8	105
1893	2,021,400	25,948	61,918	32,915	12·8	30·6	16·3	89
1894	2,039,800	25,932	60,450	34,355	12·7	29·6	16·8	104
1895	2,065,900	26,678	62,932	32,189	12·9	30·5	15·5	96
1896	2,094,100	27,924	63,308	31,574	13·3	30·2	15·1	96
1897	2,123,700	28,440	63,417	32,389	13·4	29·9	15·3	97
1898	2,155,400	30,078	64,821	32,693	14·0	30·1	15·2	91
1899	2,185,300	31,060	67,013	36,563	14·2	30·7	16·7	105
1900*	2,211,300	30,444	66,149	34,932	13·8	29·9	15·8	90
1901	2,234,700	29,520	66,207	33,295	13·2	29·6	14·9	93
1902	2,253,600	28,770	65,262	31,163	12·8	29·0	13·8	75
1903	2,264,900	27,132	65,155	33,567	12·0	28·8	14·8	79
1904	2,274,100	26,962	63,955	32,467	11·9	28·1	14·3	76
1905	2,285,700	26,538	62,698	33,793	11·6	27·4	14·8	81
1906	2,296,300	27,180	61,316	31,214	11·8	26·7	13·6	69
1907	2,305,700	27,906	60,722	32,789	12·1	26·3	14·2	67
1908†	2,321,600	28,300	60,800	33,200	12·2	26·2	14·3	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	14	314	1,028	549	421	208	512	—	2,595	874
1882	52	679	1,231	1,380	311	249	782	—	2,649	892
1883	—	10	818	1,641	247	228	563	—	2,664	959
1884	3	1	505	1,782	343	197	635	—	2,619	1,006
1885	6	1	571	1,638	239	171	520	—	2,862	1,047
1886	—	3	898	1,548	235	165	714	—	2,701	1,008
1887	1	212	623	1,801	260	172	778	—	2,694	1,116
1888	5	487	461	1,632	448	139	675	—	2,827	1,112
1889	3	372	327	2,057	480	222	1,044	—	2,877	1,144
1890	1	123	454	2,528	216	184	739	—	3,055	1,148
1891	14	187	305	1,754	183	210	670	—	3,085	1,237
1892	3	334	215	1,368	453	87	822	2	3,358	1,278
1893	1	125	195	1,615	170	137	1,086	—	3,559	1,405
1894	1	470	275	1,620	436	140	1,115	—	3,663	1,449
1895	3	146	242	620	462	141	977	—	3,837	1,464
1896	—	185	224	356	470	185	1,076	—	3,892	1,691
1897	3	240	162	349	296	145	1,052	—	4,123	1,802
1898	6	243	113	379	369	164	600	—	4,391	1,802
1899	—	214	127	283	450	172	1,505	—	4,773	1,931
1900	—	216	177	181	365	133	880	—	4,888	2,008
1901	—	103	118	156	338	174	1,829	—	4,337	2,126
1902	—	287	106	242	461	102	508	—	4,249	1,964
1903	—	300	120	334	440	144	700	—	4,488	2,112
1904	—	234	72	318	140	99	720	—	4,489	2,182
1905	6	87	130	444	468	86	571	—	4,652	2,248
1906	—	42	80	477	428	126	627	—	4,539	2,239
1907	—	132	59	511	255	78	382	—	4,656	2,310
1908	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths from the several diseases for the earlier years are incomplete ; only about 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901.

* Census year.

† The figures for the year 1908 are provisional.

TABLE 72.—SWEDEN. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director of the Central Statistical Bureau, Sweden.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,568,956	56,602	132,804	80,800	12.4	29.1	17.7	113
1882	4,575,680	57,934	134,300	79,406	12.7	29.4	17.4	125
1883	4,591,355	58,898	132,875	79,487	12.9	28.9	17.3	116
1884	4,624,022	60,400	138,745	81,077	13.1	30.0	17.5	113
1885	4,663,609	61,822	137,308	82,781	13.3	29.4	17.8	114
1886	4,699,979	60,266	139,882	78,045	12.8	29.8	16.6	111
1887	4,726,045	59,034	140,169	76,227	12.5	29.7	16.1	103
1888	4,741,579	56,150	136,451	75,831	11.8	28.8	16.0	100
1889	4,761,333	56,956	132,069	76,124	12.0	27.7	16.0	107
1890*	4,779,695	57,222	133,597	81,824	12.0	28.0	17.1	103
1891	4,793,866	55,880	135,516	80,603	11.7	28.3	16.8	108
1892	4,804,808	54,676	129,622	85,894	11.4	27.0	17.9	109
1893	4,815,508	54,438	131,729	81,027	11.3	27.4	16.8	101
1894	4,848,667	55,702	131,409	79,444	11.5	27.1	16.4	101
1895	4,896,221	57,456	134,599	74,368	11.7	27.5	15.2	95
1896	4,940,914	58,752	134,308	77,259	11.9	27.2	15.6	103
1897	4,986,100	60,442	132,999	76,558	12.1	26.7	15.4	99
1898	5,036,275	61,800	136,523	75,949	12.3	27.1	15.1	91
1899	5,080,160	63,420	133,882	89,678	12.5	26.4	17.7	112
1900*	5,116,922	62,956	138,139	86,146	12.3	27.0	16.8	99
1901	5,155,835	62,556	139,370	82,772	12.1	27.0	16.1	103
1902	5,186,990	61,792	137,364	79,722	11.9	26.5	15.4	86
1903	5,210,022	60,176	133,896	78,610	11.6	25.7	15.1	93
1904	5,241,051	61,366	134,952	80,152	11.7	25.8	15.3	84
1905	5,277,848	61,776	135,409	82,413	11.7	25.7	15.6	88
1906	5,315,970	65,166	136,620	76,866	12.3	25.7	14.4	81
1907	5,357,384	66,502	136,793	78,149	12.4	25.5	14.6	77
1908†	5,403,657	66,000	139,000	80,600	12.2	25.7	14.9	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.†	Diarrhoea and Dysentery.	Asiatic Cholera.	Fulmonary Tuberculosis.‡	Cancer (including Carcinoma and Sarcoma).§
1881	299	1,097	1,905	4,708	815	1,143	1,545	—	—	—
1882	159	1,721	1,364	4,423	1,044	1,325	3,206	—	—	—
1883	125	1,253	2,721	4,287	481	1,320	1,765	—	—	—
1884	58	321	3,305	3,490	726	1,398	1,962	—	—	—
1885	4	538	3,811	2,576	1,257	1,078	1,428	—	—	—
1886	2	445	3,326	2,333	1,116	1,220	2,091	—	—	—
1887	5	1,280	2,160	2,945	579	1,055	1,620	—	—	—
1888	9	1,383	1,259	2,102	700	879	1,378	—	—	—
1889	2	417	1,345	2,174	725	1,193	1,970	—	—	—
1890	2	733	2,382	2,796	1,003	1,068	1,374	—	—	—
1891	2	1,770	1,658	2,382	922	1,109	1,615	—	—	—
1892	4	422	1,587	2,704	956	1,022	1,338	—	—	—
1893	25	159	1,657	3,804	841	950	1,486	1	—	—
1894	21	302	1,115	3,582	874	905	1,386	5	—	—
1895	—	463	788	2,220	577	761	1,462	—	—	—
1896	2	665	654	1,871	1,109	809	1,675	—	—	—
1897	1	620	415	1,701	1,038	752	1,508	—	—	—
1898	1	324	271	1,881	1,047	710	1,288	—	—	—
1899	1	786	414	2,974	1,092	803	1,785	—	—	—
1900	2	459	426	2,610	626	704	1,598	—	—	—
1901	—	378	485	2,617	884	647	2,005	—	—	—
1902	1	638	436	1,754	1,084	539	985	—	—	—
1903	2	807	352	1,382	953	275	863	—	—	—
1904	1	173	437	1,346	835	266	878	—	—	—
1905	3	142	624	1,710	765	517	1,085	—	—	—
1906	—	198	387	1,143	881	334	932	—	—	—
1907	—	440	221	834	630	339	746	—	—	—
1908	—	—	—	—	—	—	—	—	—	—

* Census year. † The figures for the year 1908 are provisional. ‡ Including Brain Fever, § The deaths from these diseases are not tabulated for the whole of Sweden,

TABLE 73.—RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Central Statistical Committee, Ministry of the Interior.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	—	1,462,542	3,679,694	2,560,483	18·8	47·8	33·2	252
1882	—	1,437,864	3,926,661	3,076,262	18·4	50·4	39·5	301
1883	—	1,470,126	3,884,964	2,881,430	18·8	49·8	36·9	284
1884	—	1,386,608	4,007,858	2,674,065	17·0	49·0	32·7	248
1885	81,725,185†	1,366,588	3,957,528	2,833,108	16·8	48·4	34·7	270
1886	85,395,209†	1,364,076	3,972,797	2,661,898	16·0	46·5	31·2	248
1887	—	1,467,098	4,062,606	2,757,722	17·2	47·5	32·2	256
1888	—	1,616,520	4,268,601	2,760,971	18·8	49·9	32·3	250
1889	—	1,485,364	4,232,577	2,991,608	17·2	48·8	34·5	275
1890	—	1,436,550	4,227,915	3,130,996	16·4	48·2	35·7	289
1891	—	1,494,302	4,372,419	3,095,552	16·6	48·8	34·6	274
1892	—	1,567,778	4,033,402	3,596,585	18·4	47·2	42·1	307
1893	—	1,575,054	4,298,323	3,028,300	17·2	47·0	33·1	252
1894	—	1,696,766	4,391,658	3,062,022	18·8	48·7	34·0	265
1895	—	1,685,262	4,539,176	3,213,841	18·4	49·4	35·0	280
1896	—	1,619,694	4,634,809	3,063,047	17·4	49·7	32·8	274
1897*	94,494,853	1,714,742	4,692,621	2,976,453	18·2	49·5	31·4	260
1898	—	1,651,204	4,625,558	3,156,303	17·4	48·7	33·2	279
1899	97,143,469	1,796,404	4,764,678	3,013,114	18·4	49·0	31·0	240
1900	98,379,841	1,746,036	4,853,804	3,055,030	17·6	49·4	31·1	252
1901	100,172,597	1,724,816	4,801,190	3,218,501	17·2	47·9	32·1	272
1902	101,634,686	1,755,818	4,993,248	3,204,333	17·2	49·1	31·5	260
1903	103,423,601	1,838,164	4,978,305	3,103,213	17·8	48·1	30·0	256
1904	—	—	—	—	—	—	—	—
1905	—	—	—	—	—	—	—	—
1906	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—
1908	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										
1908										

NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.

* Census year.

† Estimated to the 1st January.

TABLE 74.—FINLAND. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Central Statistical Bureau, Finland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,071,712	28,566	72,436	51,744	13·8	35·0	25·0	186
1882	2,097,972	31,856	76,053	46,821	15·2	36·3	22·3	164
1883	2,129,848	33,092	76,378	44,291	15·5	35·9	20·8	149
1884	2,163,471	33,170	78,147	45,204	15·3	36·1	20·9	148
1885	2,194,532	31,956	75,129	48,261	14·6	34·2	22·0	162
1886	2,223,545	32,496	78,576	49,514	14·6	35·3	22·2	157
1887	2,258,356	34,358	81,724	42,875	15·2	36·2	19·0	132
1888	2,296,159	33,496	80,172	45,417	14·6	34·9	19·8	146
1889	2,330,940	32,198	77,881	45,679	13·8	33·4	19·6	142
1890*	2,380,469	33,770	77,860	46,479	14·2	32·7	19·5	142
1891	2,396,814	33,144	82,128	50,715	13·8	34·3	21·2	145
1892	2,423,580	29,650	76,433	57,486	12·2	31·5	23·7	170
1893	2,445,668	28,190	73,030	51,002	11·5	29·9	20·9	143
1894	2,472,341	32,226	76,206	47,467	13·0	30·8	19·2	140
1895	2,506,452	36,512	81,783	44,482	14·6	32·6	17·7	129
1896	2,543,583	38,378	81,656	47,061	15·1	32·1	18·5	143
1897	2,580,820	39,826	82,330	45,233	15·4	31·9	17·5	133
1898	2,622,679	41,222	89,106	45,751	15·7	34·0	17·4	128
1899	2,663,871	39,078	88,358	53,042	14·7	33·2	19·9	137
1900*	2,697,490	36,590	86,339	57,915	13·6	32·0	21·5	153
1901	2,728,757	37,070	88,637	56,223	13·6	32·5	20·6	145
1902	2,762,985	35,016	87,082	50,999	12·7	31·5	18·5	129
1903	2,798,658	35,308	85,120	49,992	12·6	30·4	17·9	127
1904	2,836,668	37,292	90,253	50,227	13·1	31·8	17·7	120
1905	2,874,563	37,264	87,841	52,773	13·0	30·6	18·4	135
1906	2,912,972	39,874	91,401	50,857	13·6	31·4	17·5	119
1907	2,954,330	40,532	92,457	53,028	13·7	31·3	17·9	112
1908	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping Cough.‡	Enteric Fever.†	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).§
1881	8,057	2,336	—	—	—	5,049	1,759	—	5,725	—
1882	4,137	1,412	—	—	—	4,911	1,727	—	5,082	—
1883	784	3,642	—	—	—	4,507	1,484	—	5,351	—
1884	321	4,179	—	—	—	4,570	1,480	—	5,568	—
1885	279	5,256	—	—	—	4,402	1,522	—	5,467	—
1886	266	5,696	—	—	—	4,516	1,725	—	5,602	—
1887	180	1,767	—	—	—	4,444	1,192	—	5,561	—
1888	99	1,048	—	—	—	4,885	1,808	2	6,120	—
1889	130	1,425	—	—	—	4,800	2,825	—	5,801	—
1890	90	2,933	—	—	—	4,985	1,642	2	6,279	—
1891	105	5,702	—	—	—	4,780	1,738	—	6,137	—
1892	790	7,576	—	—	—	5,540	1,489	3	6,777	—
1893	876	3,890	—	—	—	5,333	1,588	13	6,336	—
1894	255	3,287	—	—	—	4,703	1,403	29	6,383	—
1895	72	1,479	—	—	—	4,505	1,413	4	6,335	—
1896	56	1,692	—	—	—	4,836	1,766	—	6,765	—
1897	52	1,797	—	—	—	4,063	1,779	—	6,620	—
1898	77	2,414	—	—	—	4,016	1,707	—	6,687	—
1899	83	5,126	—	—	—	4,360	1,766	—	7,530	—
1900	49	6,282	—	—	—	4,939	2,176	—	8,011	—
1901	103	4,900	—	—	—	4,723	4,441	—	7,720	—
1902	72	3,233	—	—	—	4,479	1,557	—	8,090	—
1903	35	2,632	—	—	—	3,857	2,330	—	8,044	—
1904	36	1,398	—	—	—	4,202	1,573	—	8,490	—
1905	18	1,222	—	—	—	4,348	2,366	—	8,445	—
1906	29	2,258	—	—	—	4,579	1,816	—	7,858	—
1907	23	3,251	—	—	—	4,612	1,436	5	8,295	—
1908	—	—	—	—	—	—	—	—	—	—

* Census year.
† The deaths from diphtheria and croup are included under enteric fever.
‡ The deaths from whooping cough are included under pulmonary tuberculosis.
§ The deaths from the several forms of malignant disease are not available.

TABLE 75.- GERMAN EMPIRE. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Presidents of the Statistical Department, German Empire, and of the Imperial Health Office, Berlin.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	45,425,887	677,818	1,682,149	1,156,391	14.9	37.0	25.5	—
1882	45,716,815	700,914	1,702,348	1,176,853	15.3	37.2	25.7	—
1883	46,013,927	705,998	1,683,699	1,190,002	15.3	36.6	25.9	—
1884	46,334,474	725,192	1,725,583	1,203,500	15.7	37.2	26.0	—
1885*	46,704,503	737,238	1,729,927	1,199,742	15.8	37.0	25.7	—
1886	47,131,981	744,652	1,746,133	1,233,737	15.8	37.0	26.2	—
1887	47,627,738	741,318	1,757,079	1,151,924	15.6	36.9	24.2	—
1888	48,165,671	753,308	1,761,407	1,142,826	15.6	36.6	23.7	—
1889	48,715,494	778,678	1,772,570	1,153,087	16.0	36.4	23.7	—
1890*	49,239,445	790,712	1,759,253	1,199,006	16.1	35.7	24.4	—
1891	49,762,266	798,796	1,840,172	1,164,421	16.1	37.0	23.4	—
1892	50,266,216	797,550	1,795,971	1,211,402	15.9	35.7	24.1	—
1893	50,756,521	802,468	1,865,715	1,248,201	15.8	36.8	24.6	—
1894	51,339,492	816,132	1,841,205	1,144,331	15.9	35.9	22.3	—
1895*	52,001,060	828,436	1,877,278	1,151,488	15.9	36.1	22.1	—
1896	52,753,455	864,214	1,914,749	1,098,966	16.4	36.3	20.8	—
1897	53,569,271	895,540	1,926,690	1,142,056	16.7	36.0	21.3	—
1898	54,406,277	917,754	1,964,731	1,117,860	16.9	36.1	20.5	—
1899	55,248,225	943,038	1,980,304	1,185,197	17.1	35.8	21.5	—
1900*	56,045,886	952,982	1,996,139	1,236,382	17.0	35.6	22.1	—
1901	56,861,612	936,658	2,032,313	1,174,489	16.5	35.7	20.7	207
1902	57,709,213	914,416	2,024,735	1,122,492	15.9	35.1	19.5	183
1903	58,575,463	926,300	1,983,078	1,170,905	15.8	33.9	20.0	204
1904	59,430,283	955,644	2,025,847	1,163,183	16.1	34.1	19.6	196
1905*	60,285,103	971,812	1,987,153	1,194,314	16.1	33.0	19.8	205
1906	61,139,923	997,980	2,022,477	1,112,202	16.3	33.1	18.2	185
1907	61,994,743	1,007,928	1,999,933	1,117,309	16.3	32.3	18.0	176
1908	—	—	—	—	—	—	—	—

The Total Deaths† include :—

YEAR.	Estimated Population in the middle of each Year.	Small-pox.	Measles.‡	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).§
1881	—	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—	—
1892	47,125,446	105	14,614	10,437	55,746	18,766	8,230	151,309	8,937	113,720	28,745
1893	47,625,932	151	13,555	13,575	75,322	19,713	7,392	149,927	360	115,641	30,013
1894	48,259,077	84	16,130	8,884	63,162	21,428	6,314	138,996	479	113,971	31,137
1895	48,818,672	27	9,536	8,538	37,527	17,063	6,129	171,016	1	112,087	32,071
1896	49,356,136	10	13,462	8,142	31,503	19,495	5,587	132,025	—	107,103	33,620
1897	49,893,600	5	10,793	6,720	25,788	21,056	5,771	162,269	—	107,089	34,584
1898	50,431,064	16	12,728	9,031	23,642	18,004	5,081	158,997	—	100,544	35,504
1899	51,843,158	25	12,794	13,369	23,816	19,015	5,756	161,771	—	104,698	38,209
1900	52,624,706	49	12,317	13,169	20,477	18,445	5,894	182,830	—	108,827	37,946
1901	53,406,252	52	16,334	13,351	21,142	19,766	5,691	163,435	—	103,154	39,917
1902	54,187,799	12	14,085	12,949	17,457	18,754	3,769	123,037	—	101,730	40,613
1903	54,969,346	18	14,979	14,851	18,707	16,797	4,028	138,876	—	102,972	42,535
1904	58,433,571	25	12,389	12,651	18,982	17,753	4,115	154,823	—	106,709	46,723
1905	59,413,982	27	9,421	9,351	16,967	18,856	3,750	147,605	77	106,552	48,078
1906¶	61,139,923	47	13,340	9,974	14,692	17,948	3,478	132,417	—	98,152	49,127
1907¶	61,994,743	70	11,330	11,151	14,089	12,830	3,012	113,219	—	97,555	50,930
1908	—	—	—	—	—	—	—	—	—	—	—

* Census year.

† The causes of deaths are not tabulated for the whole of the German Empire. The deaths in this table for the years 1892-1903 relate to ten of the federated states, representing 94 per cent. of the total population of the German Empire; the deaths for 1904 and 1905 relate to 23 states. The population of these states is also shown for the purpose of calculating rates of mortality from the several diseases.

‡ Including R \ddot{o} theln.

§ Including deaths from new growths.

¶ The deaths from measles, whooping cough, and cancer for the years 1906 and 1907 are provisional.

TABLE 76.—PRUSSIA. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the President of the Statistical Department, Prussia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	27,382,662	419,172	1,013,246	682,414	15.3	37.0	24.9	199
1882	27,560,419	434,478	1,036,489	700,388	15.8	37.6	25.4	208
1883	27,746,488	441,496	1,029,156	711,437	15.9	37.1	25.6	211
1884	27,955,360	451,878	1,051,474	718,283	16.2	37.6	25.7	213
1885*	28,207,721	461,414	1,064,971	717,085	16.4	37.7	25.4	204
1886	28,484,191	463,176	1,074,783	742,950	16.3	37.7	26.1	225
1887	28,790,042	459,998	1,085,453	686,358	16.0	37.7	23.8	199
1888	29,137,429	466,842	1,091,557	665,601	16.0	37.4	22.8	193
1889	29,493,056	481,992	1,094,839	682,933	16.3	37.1	23.2	207
1890*	29,825,633	489,314	1,092,504	717,325	16.4	36.6	24.0	210
1891	30,165,866	491,812	1,138,511	689,598	16.3	37.7	22.9	201
1892	30,501,468	490,894	1,106,776	714,811	16.1	36.3	23.4	211
1893	30,830,253	496,696	1,156,581	746,663	16.1	37.5	24.2	206
1894	31,222,040	501,920	1,143,297	679,926	16.1	36.6	21.8	196
1895*	31,666,802	507,458	1,168,205	689,789	16.0	36.9	21.8	212
1896	32,160,484	529,644	1,185,489	666,792	16.5	36.9	20.7	191
1897	32,683,961	549,386	1,194,069	683,032	16.8	36.5	20.9	205
1898	33,207,438	560,788	1,219,573	665,139	16.9	36.7	20.0	193
1899	33,730,915	574,816	1,225,684	720,694	17.0	36.3	21.4	204
1900*	34,254,392	586,128	1,235,917	745,538	17.1	36.1	21.8	213
1901	34,801,607	577,134	1,260,558	713,787	16.6	36.2	20.5	200
1902	35,365,770	563,064	1,255,904	677,422	16.0	35.5	19.2	172
1903	35,929,933	570,768	1,235,363	708,030	15.9	34.4	19.7	194
1904	36,494,096	539,464	1,264,720	702,252	16.2	34.7	19.2	185
1905*	37,058,259	599,976	1,241,839	726,852	16.2	33.5	19.6	198
1906	37,622,422	619,844	1,269,717	673,735	16.4	33.7	17.9	177
1907	38,186,585	626,078	1,259,636	680,949	16.4	33.0	17.8	168
1908	38,750,748	622,262	1,269,399	693,724	16.1	32.8	17.9	173

The Total Deaths include:—

YEAR.	Small-pox.	Measles.†	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Fever.	Diarrhoea and Dysentery.‡	Asiatic Cholera.	Tuberculosis.§	Cancer (including Carcinoma and Sarcoma).¶
1881	990	8,433	17,180	39,850	13,855	15,487	23,599	—	84,363	8,525
1882	1,007	9,887	16,484	49,855	15,655	13,914	25,574	—	85,359	8,778
1883	547	10,371	13,187	45,890	14,714	12,804	27,809	—	88,837	9,383
1884	413	13,435	16,573	49,702	14,622	12,657	31,745	—	87,756	9,865
1885	395	16,042	17,750	53,842	13,620	9,782	25,621	—	88,056	10,108
1886	143	19,326	12,301	55,033	15,152	8,972	35,078	—	88,283	10,919
1887	148	11,470	8,311	50,597	14,555	7,670	27,213	—	84,124	10,981
1888	84	8,248	6,691	38,519	14,470	6,795	26,770	—	84,109	11,906
1889	159	9,380	7,749	40,814	13,416	7,106	38,119	—	82,529	12,819
1890	36	12,150	8,670	43,497	17,299	6,121	32,607	—	84,086	12,904
1891	36	6,110	4,918	36,160	13,438	6,019	35,799	—	80,151	13,487
1892	91	10,606	6,267	40,201	13,929	6,243	43,563	866	76,161	15,122
1893	136	8,751	9,956	55,401	15,272	5,303	43,743	289	76,977	15,740
1894	77	9,706	6,779	46,026	14,755	4,772	36,411	478	74,656	16,480
1895	24	6,184	7,067	28,717	12,329	4,697	54,784	—	73,752	16,350
1896	7	10,116	6,892	24,251	14,846	4,328	37,931	—	70,373	17,643
1897	5	6,814	5,471	20,077	15,142	4,308	41,280	—	70,380	18,315
1898	12	9,040	7,708	18,147	12,748	3,729	49,082	—	65,560	18,695
1899	25	9,752	12,136	18,593	13,351	4,416	57,610	—	68,408	20,011
1900	46	6,803	12,039	16,138	13,313	4,631	64,017	—	70,602	20,430
1901	47	10,744	11,831	16,809	13,990	4,420	62,962	—	67,445	21,488
1902	13	10,080	11,134	14,175	13,284	2,846	36,756	—	66,726	21,876
1903	14	9,702	12,427	14,914	11,663	2,874	56,859	—	70,049	23,420
1904	17	7,367	10,202	14,162	12,051	2,867	68,128	—	69,326	25,050
1905	10	6,292	7,446	12,005	13,327	2,730	80,286	77	70,323	25,704
1906	41	9,107	7,770	10,025	11,749	2,419	70,322	—	64,459	26,498
1907	31	6,925	8,481	9,367	8,827	2,168	58,898	—	65,054	28,034
1908	62	7,379	8,482	9,797	10,672	2,065	65,860	1	63,320	28,531

NOTE.—Including Heligoland since 1891.
* Census year. † Including R6theln.
‡ The deaths from diarrhoea for the years 1881-1902 relate to children under 15 years of age.
§ Deaths from pulmonary tuberculosis are not separately tabulated.
¶ Including new growths.

TABLE 77.--AUSTRIA. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the President of the Statistical Central Commission, Austria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	22,209,173	353,966	833,476	676,515	15.9	37.5	30.5	—
1882	22,458,476	366,756	873,522	686,951	16.3	38.9	30.6	—
1883	22,522,423	352,032	858,832	677,337	15.6	38.1	30.1	—
1884	22,696,370	358,342	878,321	666,523	15.8	38.6	29.4	—
1885	22,865,317	351,084	861,391	691,229	15.4	37.7	30.2	—
1886	23,027,423	361,046	876,851	679,994	15.7	38.1	29.5	—
1887	23,212,423	364,354	890,186	673,878	15.7	38.3	29.0	—
1888	23,399,791	372,546	890,663	688,122	15.9	38.1	29.4	—
1889	23,604,923	356,260	899,163	648,224	15.1	38.1	27.5	—
1890*	23,795,266	358,446	869,703	697,935	15.1	36.5	29.3	—
1891	23,996,119	373,516	920,306	674,683	15.6	38.3	28.1	—
1892	24,163,944	375,970	872,098	694,746	15.6	36.1	28.7	—
1893	24,340,142	387,116	924,298	661,533	15.9	38.0	27.2	—
1894	24,537,939	388,952	902,159	683,944	15.9	36.8	27.9	—
1895	24,731,121	399,522	941,184	682,899	16.2	38.1	27.6	238
1896	24,961,694	396,922	948,419	657,011	15.9	38.0	26.3	235
1897	25,212,994	407,686	944,764	646,019	16.2	37.5	25.6	220
1898	25,462,769	399,322	923,241	635,115	15.7	36.3	24.9	228
1899	25,714,019	427,502	960,205	658,269	16.6	37.3	25.6	219
1900*	25,975,976	428,428	967,939	658,680	16.5	37.3	25.3	226
1901	26,291,190	427,514	961,501	631,377	16.3	36.6	24.0	210
1902	26,572,015	413,154	984,240	656,400	15.5	37.0	24.7	218
1903	26,841,221	418,270	943,953	638,092	15.6	35.2	23.8	211
1904	27,106,432	420,292	961,430	642,333	15.5	35.5	23.7	219
1905	27,337,991	425,854	921,764	684,537	15.6	33.7	25.0	216
1906	27,581,146	434,634	961,253	619,063	15.8	34.9	22.4	—
1907†	27,862,424	419,026	941,953	630,930	15.0	33.8	22.6	—
1908	—	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery‡	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	13,019	10,812	14,608	36,648	23,698	18,712	33,326	—	84,533	9,364
1882	21,154	9,573	16,906	38,769	24,242	17,561	40,937	—	84,329	9,545
1883	13,310	9,903	13,340	31,066	23,957	15,342	37,616	—	90,249	9,991
1884	11,521	11,953	12,503	28,588	27,695	14,774	36,766	—	88,608	10,364
1885	13,212	11,479	12,410	29,490	24,785	16,384	40,713	—	92,164	10,877
1886	8,794	14,209	12,147	31,666	20,977	15,890	42,581	—	91,555	11,122
1887	9,591	14,073	15,737	35,512	21,792	14,807	41,855	—	85,616	11,086
1888	14,138	12,627	14,571	32,532	20,561	14,049	42,807	—	89,599	11,537
1889	12,358	8,990	10,453	28,845	23,156	11,531	43,208	—	84,583	12,175
1890	5,935	15,182	12,158	28,414	27,274	11,099	46,317	—	93,364	12,525
1891	6,838	11,816	13,749	28,888	20,654	10,543	43,362	—	86,657	13,027
1892	6,087	8,941	13,790	28,412	17,178	13,637	59,774	—	88,043	13,774
1893	5,821	7,503	12,695	28,531	15,429	11,123	45,398	—	83,885	14,352
1894	2,512	14,228	12,287	32,578	14,621	9,207	50,114	—	88,539	14,912
1895	1,164	8,577	13,547	29,874	19,016	8,901	7,942	459	91,683	15,757
1896	897	7,928	16,341	27,401	18,208	7,851	4,066	19	88,278	16,410
1897	1,450	9,229	14,316	23,347	12,956	7,382	4,834	—	86,278	17,109
1898	2,521	13,765	15,009	19,740	10,622	7,127	3,557	—	83,682	17,667
1899	1,899	11,556	14,614	18,198	12,307	6,290	2,583	—	83,251	17,961
1900	369	5,731	10,422	13,723	13,452	6,229	3,291	—	92,196	18,423
1901	96	8,166	12,551	13,152	12,123	5,878	1,712	—	87,897	19,154
1902	30	17,169	14,930	11,251	15,984	4,813	1,600	—	89,618	19,685
1903	17	5,546	15,573	11,227	11,911	5,301	2,991	—	90,230	19,728
1904	17	8,260	9,767	11,961	9,704	5,237	1,365	—	89,830	20,231
1905	20	6,789	8,099	10,740	9,737	4,864	2,848	—	98,312	20,744
1906	39	9,107	10,554	9,228	13,255	4,127	1,364	—	86,754	21,391
1907	—	—	—	—	—	—	—	—	—	—
1908	—	—	—	—	—	—	—	—	—	—

NOTE.—The figures in these tables refer exclusively to the civil population.

* Census year.

† The figures for the year 1907 are provisional.

‡ The deaths in this column for 1895 and subsequent years refer to dysentery only.

TABLE 78.—HUNGARY. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)

YEAR	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	15,797,000	315,466	676,891	542,880	19'9	42'9	34'4	—
1882	15,919,000	327,678	696,682	561,579	20'6	43'8	35'3	—
1883	16,064,000	335,312	718,908	516,468	20'9	44'8	32'2	—
1884	16,265,000	335,056	741,206	504,473	20'6	45'6	31'0	—
1885	16,472,000	330,598	737,358	524,619	20'1	44'8	31'8	—
1886	16,676,000	321,586	759,865	527,961	19'3	45'6	31'7	—
1887	16,861,000	303,248	744,737	569,380	18'0	44'2	33'8	—
1888	17,031,000	317,762	745,867	545,169	18'7	43'8	32'0	—
1889	17,233,000	281,226	753,312	513,467	16'3	43'7	29'9	—
1890*	17,404,000	285,366	701,504	563,609	16'4	40'3	32'4	—
1891	17,536,168	301,650	742,416	581,263	17'2	42'3	33'1	255
1892	17,647,293	325,414	712,608	618,765	18'4	40'4	35'1	274
1893	17,779,476	333,022	758,222	554,941	18'8	42'6	31'2	239
1894	17,963,599	332,150	744,995	547,194	18'6	41'5	30'5	244
1895	18,155,843	307,862	758,302	538,768	17'0	41'8	29'7	240
1896	18,355,347	294,954	742,936	530,368	16'2	40'5	28'9	226
1897	18,554,494	302,338	748,064	528,967	16'4	40'3	28'5	222
1898	18,738,579	312,416	706,833	524,390	16'8	37'7	28'0	222
1899	18,927,595	341,652	743,272	514,334	18'2	39'3	27'2	206
1900*	19,144,142	339,374	752,718	515,234	17'8	39'3	26'9	219
1901	19,366,180	340,632	731,721	491,804	17'6	37'8	25'4	205
1902	19,585,304	338,058	759,739	528,058	17'2	38'8	27'0	216
1903	19,789,127	320,442	725,239	515,926	16'2	36'7	26'1	212
1904	19,999,589	364,340	740,799	495,836	18'2	37'0	24'8	195
1905	20,185,201	341,120	720,532	560,921	16'8	35'7	27'8	230
1906	20,362,913	353,652	733,953	504,790	17'4	36'0	24'8	205
1907	20,571,946	402,862	740,867	518,614	19'6	36'0	25'2	208
1908	20,786,278	377,296	755,888	516,128	18'2	36'3	24'8	199

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Infective Enteritis, Infantile Diarrhoea and Dysentery.†	Asiatic Cholera.	Tuberculosis.‡	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	1,506	5,182	8,645	14,007	15,069	7,255	9,486	—	59,860	4,975
1898	1,656	9,111	11,666	14,005	12,433	8,224	11,876	—	68,511	5,458
1899	1,363	10,950	12,258	12,552	8,968	6,782	8,675	—	73,323	5,267
1900	815	7,327	9,658	9,941	7,616	6,193	8,573	—	72,467	7,021
1901	841	7,983	11,486	9,227	7,028	5,538	6,019	—	70,731	6,941
1902	322	10,103	14,135	9,038	12,817	5,338	6,834	—	75,145	7,461
1903	249	6,965	16,318	10,740	9,500	5,554	6,542	—	76,637	7,742
1904	445	5,969	14,467	9,013	5,360	5,089	5,461	—	77,923	8,112
1905	457	8,816	9,100	8,132	6,650	6,499	7,337	—	89,120	8,110
1906	232	9,894	8,829	7,150	8,103	5,509	6,073	—	78,225	8,229
1907	146	8,569	11,758	7,166	8,807	5,440	5,615	—	79,018	8,635
1908	121	9,299	13,598	9,288	6,369	5,058	4,571	—	76,940	9,022

* Census year.

† Infective enteritis relates to deaths certified by physician-coroners.

‡ The deaths from pulmonary tuberculosis being incomparable, those from tuberculosis have been substituted.

TABLE 79.—ROUMANIA. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Director of the Statistical Department, Roumania.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,622,674	84,134	192,004	123,390	18·2	41·5	26·7	177
1882	4,687,722	88,484	189,220	132,411	18·8	40·4	28·2	199
1883	4,776,193	94,412	204,301	124,069	19·8	42·8	26·0	175
1884	4,862,037	81,096	201,413	123,808	16·6	41·4	25·5	178
1885	4,960,043	79,172	213,581	123,814	16·0	43·1	25·0	180
1886	5,046,363	77,976	212,820	134,739	15·4	42·2	26·7	183
1887	5,108,406	77,922	209,573	155,769	15·2	41·0	30·5	193
1888	5,177,629	76,672	219,658	158,674	14·8	42·4	30·6	199
1889	5,256,221	82,244	213,222	142,869	15·6	40·6	27·2	191
1890	5,318,341	77,288	204,667	150,786	14·6	38·5	28·4	211
1891	5,392,576	88,534	228,283	162,287	16·6	42·3	30·1	210
1892	5,424,517	83,514	211,679	187,977	15·4	39·0	34·7	243
1893	5,485,739	81,054	222,115	169,132	14·8	40·5	30·8	217
1894	5,544,706	99,072	226,605	175,877	17·8	40·9	31·7	227
1895	5,635,434	82,964	238,191	155,702	14·8	42·3	27·6	201
1896	5,709,959	94,648	232,428	166,142	16·6	40·7	29·1	230
1897	5,795,235	83,216	248,845	171,808	14·4	42·9	29·6	216
1898	5,863,037	87,522	215,029	155,358	15·0	36·7	26·5	222
1899*	5,956,690	100,280	250,450	163,881	16·8	42·0	27·5	198
1900	6,045,389	80,814	234,843	146,144	13·4	38·8	24·2	—
1901	6,125,742	87,500	240,704	160,351	14·2	39·3	26·2	—
1902	6,195,798	110,908	241,884	171,828	18·0	39·0	27·7	—
1903	6,292,032	109,576	252,242	156,008	17·4	40·1	21·8	—
1904	6,392,273	103,624	256,177	155,936	16·2	40·1	24·4	—
1905	6,480,300	102,382	247,959	159,932	15·8	38·6	25·0	—
1906	6,585,572	133,726	262,438	157,204	20·6	40·5	24·3	—
1907	6,684,265	140,526	274,487	175,794	21·3	41·7	26·7	—
1908	6,771,722	122,998	272,850	185,393	18·4	40·8	27·7	—

The Total Deaths include:—										
YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).†
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	1,046	323	550	1,366	183	—	101	—	—	—
1887	1,471	1,291	1,088	1,096	332	—	611	—	—	—
1888	2,662	268	1,574	656	190	—	378	—	—	—
1889	885	352	446	604	189	—	109	—	—	—
1890	236	1,055	295	1,236	199	—	185	—	—	—
1891	241	360	713	1,128	776	1,363	283	—	—	—
1892	308	402	829	1,077	808	1,056	384	—	—	—
1893	289	875	1,620	907	613	734	200	872	—	—
1894	26	2,568	3,638	1,187	495	629	1,527	—	—	—
1895	638	729	2,080	1,092	488	573	284	—	—	—
1896	2,813	361	1,773	1,339	623	407	349	—	—	—
1897	1,512	452	889	2,297	1,178	972	97	—	—	—
1898	99	2,026	728	1,928	1,482	712	260	—	—	—
1899	63	1,954	2,101	1,814	706	819	685	—	—	—
1900	2	307	2,263	1,251	925	496	275	—	—	—
1901	1	1,176	3,036	1,293	600	671	716	—	—	—
1902	14	2,854	4,189	981	1,425	628	728	—	—	—
1903	2	2,028	3,760	829	1,358	914	1,085	—	—	—
1904	18	1,671	2,099	631	618	813	972	—	—	—
1905	—	319	1,152	477	1,013	932	1,369	—	—	—
1906	2	224	1,309	441	1,290	1,027	632	—	—	—
1907	—	1,433	2,362	376	1,102	1,160	591	—	—	—
1908	—	1,662	5,260	303	2,360	1,400	494	—	—	—

* Census year.

† Deaths from pulmonary tuberculosis and cancer are not separately tabulated for the whole of the Kingdom of Roumania.

TABLE 80.—BULGARIA. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director of the Statistical Bureau, Bulgaria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	2,020,633	40,534	67,591	32,287	20·0	33·5	16·3	69
1882	2,046,303	39,590	74,612	38,854	19·4	36·5	19·0	106
1883	2,072,299	40,690	79,278	40,673	19·6	38·3	19·6	75
1884	2,098,627	36,542	80,257	35,787	17·4	38·2	17·1	78
1885	2,125,289	27,880	79,344	35,183	13·2	37·3	16·6	75
1886	2,152,289	39,192	69,714	41,044	18·2	32·3	19·1	105
1887	2,179,632	40,178	83,179	39,396	18·4	38·2	18·1	78
1888*	3,169,671	52,444	118,826	57,278	16·6	37·5	18·1	92
1889	3,200,485	50,806	116,918	58,893	15·8	36·5	18·4	92
1890	3,231,599	58,846	112,772	67,854	18·2	34·9	21·0	108
1891	3,263,016	59,316	126,924	86,817	18·2	38·9	26·6	121
1892	3,294,737	55,106	117,883	103,550	16·8	35·8	31·4	144
1893*	3,336,276	43,934	116,319	91,829	13·2	34·9	27·5	147
1894	3,387,995	53,280	127,516	92,037	15·8	37·6	27·2	142
1895	3,440,517	62,460	138,338	90,210	18·2	40·2	26·2	144
1896	3,493,852	58,398	143,255	84,076	16·8	41·0	24·1	134
1897	3,548,014	58,454	149,631	90,134	16·4	42·2	25·4	147
1898	3,603,017	56,464	141,046	82,725	15·6	39·1	23·0	143
1899	3,658,872	64,154	148,172	90,324	17·6	40·5	24·7	158
1900	3,715,593	61,322	156,962	83,667	16·6	42·2	22·5	131
1901*	3,772,444	65,638	141,373	87,239	17·9	37·5	23·1	143
1902	3,829,402	72,082	148,719	91,093	18·8	38·8	23·8	143
1903	3,887,219	73,368	159,164	88,314	18·8	40·9	22·7	154
1904	3,945,911	89,236	167,263	83,731	22·6	42·4	21·2	142
1905	4,005,488	86,482	174,189	87,304	21·6	43·5	21·8	159
1906*	4,035,965	77,540	178,989	90,870	19·1	44·0	22·3	154
1907	4,127,361	81,676	180,043	92,224	19·8	43·6	22·3	—
1908	4,189,684	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										
1908										

NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.

NOTE.—The figures for the years 1881-1887 relate to North Bulgaria only, those for 1888 and subsequent years include Eastern Roumelia.

* Census year.

TABLE 81.—SERVIA. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director of the State Statistical Bureau, Servia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED	BIRTHS.	DEATHS.	
1881	1,764,844	41,864	80,678	43,645	23.7	45.7	24.7	149
1882	1,806,967	44,016	80,274	41,648	34.3	44.4	23.0	150
1883	1,855,352	44,194	87,151	42,263	23.8	47.0	22.8	145
1884	1,901,736	40,740	90,441	47,552	21.4	47.6	25.0	166
1885*	1,946,354	34,214	90,627	52,313	17.6	46.6	26.9	174
1886	1,977,224	46,652	83,091	58,525	23.6	42.0	29.6	192
1887	2,028,958	45,110	93,911	50,481	22.3	46.3	24.9	156
1888	2,077,427	45,474	94,865	50,700	21.9	45.7	24.4	140
1889	2,123,362	43,506	93,724	54,093	20.5	44.1	25.5	155
1890*	2,161,961	43,110	87,020	54,723	19.9	40.2	25.3	145
1891	2,191,908	46,392	98,538	58,149	20.2	45.0	26.5	167
1892	2,211,606	42,036	93,833	74,135	19.0	42.4	33.5	196
1893	2,240,270	47,358	95,232	66,568	21.1	42.5	29.7	175
1894	2,272,992	49,926	96,488	63,766	22.0	42.4	28.0	163
1895*	2,312,484	41,198	101,676	62,184	17.8	44.0	26.9	158
1896	2,345,837	41,682	96,752	63,399	17.8	41.2	27.0	167
1897	2,384,205	42,314	101,605	63,237	17.7	42.6	26.5	167
1898	2,413,694	45,042	84,789	55,300	18.7	35.1	22.9	161
1899	2,450,392	48,912	96,243	59,548	20.0	39.3	24.3	152
1900*	2,492,882	62,406	104,772	58,034	25.0	42.0	23.3	150
1901	2,535,956	42,060	96,348	53,274	16.6	38.0	21.0	145
1902	2,576,517	53,036	98,000	57,439	20.6	38.0	22.3	151
1903	2,621,576	49,002	105,553	60,494	19.0	40.9	23.5	151
1904	2,671,505	61,098	106,259	56,330	22.9	39.8	21.1	135
1905*	2,688,747	53,216	100,242	65,276	19.8	37.3	24.4	165
1906	2,735,147	55,956	112,973	65,851	20.4	41.3	24.0	144
1907	2,784,036	59,130	111,340	62,451	21.2	40.0	22.8	147
1908	2,821,015	51,780	103,903	66,924	18.4	36.8	23.7	153

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	1,773	—	—	—	—	—	2,483	—	—	—
1889	1,986	—	—	—	—	4,307	1,439	—	—	—
1890	1,916	—	—	—	—	5,486	1,726	—	—	—
1891	?	—	—	—	—	3,169	2,345	—	—	—
1892	2,184	2,341	6,511	7,691	4,367	5,437	—	5,626	121	—
1893	3,516	2,411	7,221	4,344	3,708	3,285	—	6,505	140	—
1894	4,233	1,304	9,934	4,227	3,232	1,576	—	5,482	156	—
1895	2,865	612	11,653	5,643	2,678	1,505	—	5,955	128	—
1896	5,567	386	11,572	5,174	2,471	1,654	—	5,109	154	—
1897	1,548	306	7,663	5,741	3,412	2,833	—	5,413	167	—
1898	2,693	420	3,401	5,745	2,726	1,358	—	5,228	178	—
1899	4,203	1,953	4,241	5,019	2,638	1,454	—	5,811	233	—
1900	1,343	2,074	3,194	5,703	2,351	1,922	—	6,396	235	—
1901	799	1,799	1,937	3,913	2,432	1,677	—	6,166	230	—
1902	1,654	2,635	1,875	5,214	2,179	1,460	—	6,843	248	—
1903	3,148	2,593	1,992	7,544	1,834	1,685	—	7,276	238	—
1904	1,067	2,498	1,366	4,642	1,964	1,798	—	7,400	275	—
1905	2,607	3,418	1,433	4,408	435	2,066	—	8,940	279	—
1906	4,778	4,696	1,415	4,166	451	2,263	—	7,861	290	—
1907	996	3,974	1,142	4,986	367	1,739	—	8,143	371	—
1908	1,722	3,987	915	5,856	371	2,177	—	8,799	355	—

* Census year.

TABLE 82.—THE NETHERLANDS. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director of the Netherlands Central Statistical Bureau.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED. †	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED. †	BIRTHS.	DEATHS.	
1881	4,087,334	59,698	142,969	87,726	14.6	35.0	21.5	182
1882	4,143,524	59,142	146,454	85,950	14.2	35.3	20.7	175
1883	4,199,018	59,630	144,102	91,656	14.2	34.3	21.8	187
1884	4,251,669	61,056	148,480	94,413	14.4	34.9	22.2	194
1885	4,307,142	59,788	148,028	90,304	13.8	34.4	21.0	169
1886	4,363,434	60,596	150,851	95,239	13.8	34.6	21.8	192
1887	4,420,864	61,848	149,157	87,093	14.0	33.7	19.7	162
1888	4,478,401	61,724	151,094	91,241	13.8	33.7	20.4	173
1889*	4,527,264	62,988	150,529	91,135	14.0	33.2	20.1	177
1890	4,537,990	64,608	149,329	93,246	14.0	32.9	20.5	171
1891	4,593,155	65,414	154,687	94,844	14.2	33.7	20.7	169
1892	4,645,660	66,660	148,714	97,530	14.4	32.0	21.0	174
1893	4,701,243	68,622	159,005	90,372	14.6	32.9	19.2	164
1894	4,764,279	68,940	154,722	87,970	14.4	32.7	18.5	152
1895	4,827,549	71,196	158,130	90,007	14.8	32.8	18.6	167
1896	4,894,055	72,980	160,247	84,291	15.0	32.7	17.2	148
1897	4,966,431	73,592	161,441	83,856	14.8	32.5	16.9	148
1898	5,039,418	73,626	160,765	85,813	14.6	31.9	17.0	156
1899*	5,107,098	75,980	163,289	87,319	14.8	32.0	17.1	149
1900	5,159,347	78,838	162,611	92,043	15.2	31.5	17.8	155
1901	5,221,180	80,522	168,380	89,967	15.4	32.3	17.2	149
1902	5,305,207	79,889	168,728	86,248	15.2	31.8	16.3	130
1903	5,389,082	79,415	170,108	83,933	14.9	31.6	15.6	135
1904	5,470,301	80,530	171,495	87,128	14.7	31.4	15.9	137
1905	5,550,690	80,766	170,767	85,016	14.6	30.8	15.3	131
1906	5,631,824	83,739	170,952	83,259	14.9	30.4	14.8	127
1907	5,709,755	85,912	171,510	83,356	15.0	30.0	14.6	112
1908	5,786,231	83,066	171,861	86,936	14.4	29.7	15.3	125

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.†	Diarrhoea and Dysentery.§	Asiatic Cholera.	Pulmonary Tuberculosis.¶	Cancer (including Carcinoma and Sarcoma).
1881	75	874	400	240	1,626	877	1,756	—	7,991	2,353
1882	153	784	275	314	1,633	813	1,674	—	8,163	2,421
1883	673	1,012	259	554	1,196	765	1,883	—	8,547	2,436
1884	62	2,193	1,017	703	994	764	2,119	—	8,645	2,621
1885	31	657	1,286	718	1,955	571	1,312	—	8,583	2,841
1886	72	2,035	844	814	1,326	670	2,733	—	8,594	2,925
1887	18	1,541	428	689	973	568	1,677	—	7,845	2,887
1888	1	1,655	188	535	1,864	556	1,778	—	8,335	3,111
1889	10	1,620	98	658	1,273	622	2,075	—	8,804	3,411
1890	1	1,526	77	671	1,276	579	1,633	—	8,865	3,332
1891	10	1,331	74	684	1,649	631	1,689	—	8,979	3,648
1892	49	1,200	246	665	1,488	711	1,240	193	8,906	3,712
1893	190	795	233	934	1,521	566	1,743	113	8,647	3,798
1894	625	737	128	903	1,269	496	1,232	53	9,010	3,859
1895	79	538	166	603	1,535	518	1,821	—	8,897	4,122
1896	34	1,171	202	617	1,477	481	1,368	—	8,429	4,329
1897	1	538	162	543	1,094	447	711	—	8,631	4,487
1898	7	838	106	474	1,357	507	554	—	8,027	4,685
1899	—	405	206	439	1,488	583	588	—	7,937	4,900
1900	6	1,326	152	428	1,180	544	423	—	8,451	4,733
1901	7	2,741	101	631	1,211	474	9,227	—	7,171	4,894
1902	5	2,430	128	540	1,053	454	5,980	—	7,028	5,040
1903	22	1,223	132	484	860	457	7,874	—	7,117	5,331
1904	11	2,399	175	485	1,409	485	8,444	1	7,081	5,356
1905	13	1,182	191	445	1,226	461	7,682	—	7,533	5,618
1906	6	1,400	155	357	1,002	453	7,833	—	7,531	5,673
1907	6	1,477	269	352	1,035	372	5,149	—	7,403	5,813
1908	1	1,576	302	365	1,325	363	7,443	—	6,917	5,947

* Census year.

† The figures for 1902 and subsequent years are exclusive of foreigners.

‡ Including Typhus.

§ The deaths in this column for 1901 and subsequent years include those of children under two years of age from gastro-enteritis.

¶ The deaths in this column for 1881-1886 include those from diabetes.

TABLE 83.—BELGIUM. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director-General of the Statistical Department, Belgium.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	5,585,846	78,974	175,411	117,007	14.3	31.8	21.2	155
1882	5,655,197	78,428	176,345	114,298	14.0	31.6	20.5	151
1883	5,720,807	77,332	174,484	119,196	13.7	30.8	21.1	154
1884	5,784,958	78,410	176,721	121,070	13.6	30.9	21.2	168
1885	5,853,278	79,820	175,043	117,775	13.8	30.3	20.4	150
1886	5,909,975	79,284	175,091	124,904	13.5	29.9	21.3	178
1887	5,974,743	84,982	175,466	115,296	14.4	29.7	19.3	145
1888	6,030,043	84,854	175,586	121,097	14.2	29.4	20.3	165
1889	6,093,798	87,518	177,542	119,726	14.5	29.4	19.8	160
1890*	6,069,321	89,192	176,595	126,545	14.6	29.0	20.8	166
1891	6,136,444	90,898	181,917	128,786	15.0	30.0	21.2	162
1892	6,195,355	94,418	177,485	133,693	15.4	28.9	21.8	169
1893	6,262,272	94,130	183,062	125,530	15.2	29.5	20.3	165
1894	6,341,958	95,470	181,466	118,213	15.0	29.0	18.6	152
1895	6,410,783	99,424	183,015	125,148	15.5	28.5	19.5	172
1896	6,495,886	105,170	188,533	113,748	16.2	29.0	17.5	142
1897	6,586,593	108,396	190,987	113,586	16.5	29.0	17.2	149
1898	6,669,732	110,888	190,921	117,457	16.6	28.6	17.6	160
1899	6,744,532	111,530	194,268	126,963	16.5	28.8	18.8	167
1900*	6,693,548	115,422	193,789	129,046	17.2	28.9	19.3	172
1901	6,799,999	114,262	200,077	116,077	17.4	29.4	17.2	142
1902	6,896,079	112,314	195,871	119,330	16.2	28.4	17.3	144
1903	6,985,219	109,892	192,301	118,675	15.7	27.5	17.0	155
1904	7,074,910	113,480	191,721	119,506	16.0	27.1	16.9	152
1905	7,160,547	113,358	187,437	118,343	15.8	26.1	16.5	146
1906	7,238,622	116,776	186,271	118,884	16.1	25.7	16.4	153
1907	7,317,561	117,320	185,138	115,347	16.0	25.3	15.7	132
1908	7,386,444	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).‡
1881	2,721	2,936	1,895	4,016	4,081	3,818	7,836	76	17,305	—
1882	1,570	3,048	1,712	4,184	3,953	3,120	7,925	85	16,844	—
1883	1,796	2,944	1,381	4,244	3,823	3,523	8,322	56	17,523	—
1884	1,355	2,622	1,476	4,898	4,267	3,164	10,139	97	17,334	—
1885	1,636	3,253	1,383	5,092	3,195	2,509	7,807	46	17,098	—
1886	1,213	2,653	1,211	5,425	4,318	2,784	10,502	58	17,085	—
1887	610	3,233	1,082	3,998	3,453	2,177	7,624	29	16,128	—
1888	865	2,936	964	3,586	3,366	2,287	7,833	30	11,324	—
1889	1,212	4,336	859	3,279	3,661	2,195	7,457	27	10,829	—
1890	636	4,187	1,064	3,433	4,166	2,491	7,756	30	10,859	—
1891	1,300	4,196	954	3,297	3,848	2,521	7,437	36	11,408	—
1892	2,528	4,319	871	3,130	3,205	2,508	8,305	981	10,491	—
1893	2,103	4,137	847	3,331	3,487	2,150	7,503	452	9,982	—
1894	537	2,766	816	3,237	3,071	1,775	6,678	1,228	7,478	—
1895	298	3,535	1,159	2,383	3,782	1,843	9,964	41	9,698	—
1896	130	3,134	1,003	1,982	3,290	1,584	6,852	27	9,524	—
1897	140	2,083	1,019	1,734	2,809	1,598	8,333	56	9,359	—
1898	158	2,364	1,726	1,682	2,734	1,491	9,696	84	9,311	—
1899	257	3,188	2,095	1,769	3,633	1,682	9,077	32	9,818	—
1900	193	2,610	1,360	1,828	3,459	1,702	9,738	37	9,117	—
1901	260	2,036	1,409	1,750	2,365	1,508	8,471	26	9,186	—
1902	652	3,305	992	1,817	2,651	1,223	7,405	17	9,077	—
1903	1,630	2,309	698	1,393	2,734	1,088	8,023	9	7,586	4,084
1904	656	2,758	726	1,289	2,918	1,051	8,839	6	7,716	3,969
1905	244	2,446	760	1,253	2,689	984	7,240	5	7,701	4,203
1906	41	2,459	785	1,198	2,544	890	9,369	39	7,647	4,232
1907	55	2,011	927	1,141	2,354	874	7,195	2	7,377	4,396
1908	—	—	—	—	—	—	—	—	—	—

* Census year.

† The deaths in this column for the years 1881-1887 include those from other chronic diseases of the lungs.

‡ The deaths from cancer were not separately tabulated prior to 1903.

TABLE 84.—FRANCE. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Director of the Statistical Bureau, France.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	37,590,000	564,158	937,057	828,828	15.0	24.9	22.0	165
1882	37,730,000	562,120	935,566	838,539	14.9	24.8	22.2	165
1883	37,860,000	569,038	937,944	841,141	15.0	24.8	22.2	165
1884	38,010,000	579,110	937,758	858,784	15.2	24.7	22.6	177
1885	38,110,000	566,340	924,558	836,897	14.9	24.3	22.0	162
1886*	38,230,000	566,416	912,838	860,222	14.8	23.9	22.5	173
1887	38,260,000	554,120	899,338	842,797	14.5	23.5	22.0	161
1888	38,290,000	553,696	882,639	837,867	14.4	23.1	21.9	165
1889	38,370,000	545,806	880,453	794,933	14.2	23.0	20.7	155
1890	38,380,000	538,664	838,059	876,505	14.0	21.8	22.8	176
1891*	38,350,000	570,916	866,377	876,882	14.9	22.6	22.9	161
1892	38,360,000	530,638	855,847	875,888	15.1	22.3	22.8	181
1893	38,380,000	574,588	874,672	867,526	14.9	22.8	22.5	173
1894	38,420,000	573,324	855,388	815,620	14.9	22.3	21.2	158
1895	38,460,000	575,830	834,173	851,986	14.7	21.7	22.2	180
1896*	38,520,000	580,302	865,586	771,886	15.1	22.5	20.0	148
1897	38,680,000	532,924	859,107	751,019	15.1	22.2	19.4	152
1898	38,800,000	574,358	843,933	810,073	14.8	21.8	20.9	169
1899	38,900,000	591,504	847,627	816,233	15.3	21.9	21.1	163
1900	38,900,000	598,168	827,297	853,285	15.5	21.4	21.9	161
1901*	38,980,000	606,938	857,274	784,876	15.6	22.0	20.1	142
1902	39,055,000	589,572	845,378	761,434	15.1	21.7	19.5	135
1903	39,124,000	591,992	826,712	753,606	15.1	21.1	19.2	137
1904	39,190,000	597,442	818,229	761,203	15.2	20.9	19.4	144
1905	39,222,000	605,246	807,291	770,171	15.4	20.6	19.6	136
1906*	39,270,000	612,974	806,847	780,196	15.6	20.6	19.9	143
1907	39,222,000	629,512	773,645	793,537	16.0	19.7	20.2	—
1908	39,267,000	631,856	791,712	745,271	16.1	20.2	19.0	—

The Total Deaths in Towns† with populations exceeding 5,000 persons include:—

YEAR.	Popu-lation of Towns.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whoop-ing Cough.	Enteric Fever.	Diarrhoea and Dys-entery.†	Asiatic Cholera.	Pulmon-ary Tuberc-ulosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—	—
1889	11,521,260	2,136	3,894	695	6,988	2,054	5,362	20,786	—	29,516	?
1890	—	1,537	7,196	731	6,850	2,317	5,133	23,023	1	33,192	?
1891*	12,223,548	1,897	3,813	713	6,373	1,933	4,546	21,844	—	32,074	?
1892	—	1,699	2,705	647	6,018	1,573	5,130	26,562	—	31,080	10,761
1893	—	1,336	4,662	801	6,231	1,741	4,512	23,523	—	31,025	11,442
1894	—	1,155	3,056	647	4,774	1,633	3,870	19,618	—	31,418	11,607
1895	—	1,082	2,095	675	2,263	1,660	3,367	24,420	—	33,076	11,955
1896*	12,869,412	1,076	3,290	744	2,207	1,432	2,969	19,240	—	32,751	12,212
1897	—	190	2,831	412	1,550	1,259	3,183	21,996	—	31,316	12,631
1898	—	105	2,828	541	1,588	1,581	3,400	25,798	—	31,980	12,789
1899	—	670	3,046	796	1,775	1,775	4,501	23,409	—	33,282	13,161
1900	—	1,783	2,521	574	1,800	1,105	4,210	23,173	—	34,357	13,392
1901*	13,771,440	1,017	1,937	550	2,269	1,504	2,868	16,757	—	37,160	12,385
1902	—	2,553	2,317	511	2,191	1,837	2,727	15,779	—	37,483	12,463
1903	—	2,350	2,163	496	1,578	1,254	2,773	15,706	—	37,512	12,912
1904	—	735	2,055	410	1,264	1,247	2,650	18,368	2	37,613	13,312
1905	—	292	1,783	308	1,161	1,053	2,168	14,916	—	37,642	13,793
1906*	14,277,759	562	2,030	373	1,175	1,302	2,704	17,953	—	38,773	14,339
1907	—	2,453	1,924	917	1,261	1,246	2,724	13,876	—	40,304	14,334
1908	—	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled.

* Census year.

† The figures relate to 567 towns for the years 1889-1895, to 584 towns for the years 1896-1900, to 616 towns for the years 1901-5, and to 643 towns for the years 1906 and 1907.

‡ For the year 1901 and subsequent years, the deaths in this column relate to children under 2 years of age.

TABLE 85.—SWITZERLAND. **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Federal Statistical Bureau, Switzerland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,852,463	38,850	85,142	63,979	13·6	29·3	22·4	187
1882	2,883,367	38,828	82,689	62,849	13·6	28·9	21·9	172
1883	2,874,271	39,392	81,974	58,733	13·7	28·5	20·4	164
1884	2,885,175	39,796	81,571	58,301	13·8	28·3	20·2	161
1885	2,896,079	40,210	80,349	61,548	13·9	27·7	21·3	173
1886	2,906,983	40,160	80,763	60,061	13·8	27·8	20·7	164
1887	2,917,887	41,292	81,287	58,939	14·2	27·9	20·2	162
1888*	2,928,791	41,412	81,098	58,229	14·1	27·7	19·9	153
1889	2,939,695	41,332	81,176	59,715	14·1	27·6	20·3	159
1890	2,950,599	41,672	78,548	61,805	14·1	26·6	20·9	157
1891	2,965,053	42,528	83,596	61,183	14·3	28·2	20·6	163
1892	3,002,263	43,768	83,125	57,178	14·6	27·7	19·0	150
1893	3,039,472	43,768	84,897	61,059	14·4	27·9	20·1	152
1894	3,076,682	44,376	84,142	61,885	14·4	27·3	20·1	153
1895	3,113,891	45,364	84,973	59,747	14·6	27·3	19·2	159
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132
1897	3,188,310	49,908	90,078	56,399	15·7	28·3	17·7	141
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150
1901	3,323,842	50,756	97,028	60,018	15·2	29·1	18·0	137
1902	3,357,907	50,256	96,481	57,702	14·9	28·7	17·2	132
1903	3,391,645	50,566	93,824	59,626	14·9	27·7	17·6	133
1904	3,427,627	51,006	94,867	60,859	14·9	27·7	17·8	140
1905	3,454,754	52,538	94,653	61,800	15·2	27·4	17·9	129
1906	3,491,163	54,596	95,535	59,204	15·6	27·4	17·0	127
1907	3,524,529	55,320	94,508	59,252	15·6	26·8	16·8	121
1908	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	167	537	278	2,246	861	1,067	4,012	—	5,665	2,866
1882	22	250	316	2,313	918	866	3,151	—	5,982	2,874
1883	24	220	243	1,504	441	665	3,155	—	6,089	2,941
1884	64	157	247	1,705	607	1,008	3,600	1	5,904	3,042
1885	426	390	150	1,468	643	599	3,348	—	6,413	3,134
1886	182	341	99	1,100	987	531	3,108	—	6,420	3,294
1887	14	451	163	975	366	445	3,527	—	5,836	3,276
1888	17	249	270	818	499	450	2,791	—	6,204	3,389
1889	3	470	429	1,070	734	481	3,073	—	6,165	3,354
1890	32	481	400	990	586	441	3,000	—	6,639	3,405
1891	26	594	533	1,337	724	349	3,498	—	6,141	3,528
1892	35	316	211	1,135	562	345	3,616	—	5,785	3,706
1893	15	870	138	1,599	377	380	3,832	—	5,756	3,653
1894	51	473	58	1,930	694	302	3,184	—	6,222	3,802
1895	1	185	62	999	581	305	4,094	—	6,377	3,923
1896	8	423	89	848	511	288	2,776	—	6,051	3,916
1897	1	272	47	760	476	261	3,921	—	6,106	4,088
1898	2	354	34	994	445	308	5,011	—	5,984	4,125
1899	3	284	38	1,106	601	269	3,780	—	5,823	4,130
1900	30	809	34	981	695	220	4,150	—	6,692	4,285
1901	37	829	71	1,052	846	240	3,767	—	6,241	4,271
1902	2	456	73	726	512	207	3,936	—	6,280	4,258
1903	4	545	162	540	561	169	3,812	—	6,381	4,447
1904	4	821	279	607	836	265	4,252	—	6,452	4,464
1905	36	657	312	668	654	174	3,350	—	6,630	4,555
1906	14	569	153	516	649	167	3,930	—	6,407	4,593
1907	8	613	140	528	433	176	2,995	—	6,063	4,414
1908	—	—	—	—	—	—	—	—	—	—

* Census year.

† The deaths in this column relate to diarrhoea in young children.

TABLE 86.—SPAIN (including the Balearic, Canary Islands and Ceuta). **Population, Marriages, Births, and Deaths, 1881-1908.**

(Furnished by the Director-General Instituto Geográfico y Estadístico.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	16,051,100	215,708	629,582	511,810	12·7	37·1	30·2	189
1882	17,043,500	205,796	616,901	534,793	12·1	36·2	31·4	192
1883	17,136,300	212,322	610,559	559,500	12·4	35·6	32·6	204
1884	17,229,600	227,934	631,694	526,434	13·2	36·7	30·5	186
1885	17,323,500	220,470	628,932	657,664	12·7	36·3	38·0	192
1886	17,417,800	221,220	633,518	509,480	12·7	36·7	29·3	175
1887*	17,512,700	191,820	632,174	573,490	11·0	36·1	32·7	199
1888	17,593,500	197,436	640,592	529,021	11·2	36·4	30·1	184
1889	17,678,100	275,090	643,433	538,044	15·6	36·4	30·4	—
1890	17,757,100	281,142	610,417	570,181	15·8	34·4	32·1	—
1891	17,836,400	312,380	629,854	557,995	17·5	35·3	31·3	—
1892	17,916,000	302,534	641,731	547,604	16·9	35·8	30·6	—
1893	17,996,000	281,736	640,324	534,721	15·7	35·6	29·7	—
1894	18,076,400	282,338	628,382	540,579	15·6	34·8	30·3	—
1895	18,157,100	279,912	636,130	527,192	15·4	35·0	29·0	—
1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—
1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—
1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—
1899	18,483,700	312,226	632,588	533,109	16·9	34·2	28·8	—
1900*	18,566,200	322,402	627,848	536,716	17·4	33·8	28·9	204
1901	18,668,000	315,624	650,649	517,578	16·9	34·8	27·7	186
1902	18,812,000	327,834	666,687	488,289	17·4	35·4	26·0	181
1903	18,997,000	308,978	685,265	470,387	16·3	36·1	24·8	162
1904	19,173,000	290,916	649,878	486,889	15·2	33·9	25·4	173
1905	19,332,000	273,794	670,651	491,368	14·2	35·7	25·4	161
1906	19,485,000	276,716	650,375	499,014	14·1	33·4	25·6	173
1907	19,639,000	272,710	645,986	470,954	13·9	32·9	24·0	—
1908†	19,794,000	282,092	657,699	460,942	14·3	33·2	23·3	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	6,497	12,010	1,237	8,489	4,750	11,426‡	75,080	17	23,026	7,294
1901	5,250	18,463	1,140	6,299	3,889	9,594	70,757	17	28,649	7,912
1902	5,590	10,746	1,184	5,247	4,236	8,587	69,836	—	27,983	8,117
1903	4,699	9,989	1,011	4,751	4,551	8,164	70,655	2	27,096	8,315
1904	2,859	9,770	978	3,833	4,559	8,396	77,862	16	28,522	8,851
1905	2,740	13,766	1,041	3,523	4,390	7,159	71,978	4	26,789	8,887
1906	4,357	8,666	1,380	3,374	4,633	8,049	80,719§	—	27,528	9,158
1907	3,256	6,837	2,351	3,630	3,406	6,832	62,775§	—	27,017	9,211
1908†	2,802	7,188	2,201	3,932	4,837	6,319	69,456§	1	26,651	9,947

* Census year. † The figures for the year 1908 are provisional. ‡ Including Typhus.
§ Excluding Dysentery.

TABLE 87.—ITALY. Population, Marriages, Births, and Deaths, 1881-1908.

(Furnished by the Director of the Statistical Department, Italy.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in each Year. (See Note).	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	28,459,628	460,286	1,081,125	784,181	16·2	38·0	27·6	—
1882	28,563,773	448,082	1,061,094	787,326	15·7	37·1	27·6	—
1883	28,773,790	463,890	1,071,452	794,196	16·1	37·2	27·6	—
1884	28,984,382	479,026	1,130,741	780,361	16·5	39·0	26·9	—
1885	29,194,398	467,862	1,125,970	787,217	16·0	38·6	27·0	—
1886	29,404,414	466,620	1,086,960	814,603	15·9	37·0	28·7	—
1887	29,614,430	471,258	1,152,906	828,992	15·9	38·9	28·0	—
1888	29,825,022	473,766	1,119,563	820,431	15·9	37·5	27·5	—
1889	30,035,038	460,902	1,149,197	768,068	15·3	38·3	25·6	—
1890	30,245,054	443,944	1,083,103	795,911	14·7	35·8	26·3	192
1891	30,455,070	455,312	1,132,139	795,327	15·0	37·2	26·1	188
1892	30,665,662	457,144	1,110,573	802,779	14·9	36·2	26·2	184
1893	30,875,678	456,206	1,126,296	776,713	14·8	36·5	25·2	180
1894	31,085,694	463,162	1,102,935	776,372	14·9	35·5	25·0	184
1895	31,295,710	456,304	1,092,102	783,813	14·6	34·9	25·0	187
1896	31,506,302	445,206	1,095,505	753,129	14·1	34·8	24·1	177
1897	31,716,318	453,082	1,101,848	695,602	14·4	34·7	21·9	165
1898	31,926,334	439,194	1,070,074	732,265	13·8	33·5	22·9	169
1899	32,136,350	471,330	1,088,558	703,393	14·7	33·9	21·9	156
1900	32,346,366	465,262	1,067,376	768,917	14·4	33·0	23·8	172
1901*	32,475,253	469,638	1,057,763	715,036	14·5	32·6	22·0	165
1902	32,744,743	475,026	1,093,074	727,181	14·5	33·4	22·2	175
1903	32,921,317	474,422	1,042,090	736,311	14·4	31·7	22·4	168
1904	33,139,697	495,616	1,085,431	698,604	15·0	32·8	21·1	164
1905	33,362,167	511,746	1,084,518	730,340	15·3	32·5	21·9	166
1906	33,541,094	521,560	1,070,978	696,875	15·5	31·9	20·8	160
1907	33,776,087	520,208	1,062,333	700,333	15·4	31·5	20·7	155
1908	34,129,258	565,864	1,138,702	770,035†	16·6	33·4	22·6‡	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis,†	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	16,249	23,768	14,631	23,206	11,140	27,800	99,475	8,150	39,123	12,631
1888	18,110	20,961	9,050	25,683	7,633	23,869	98,799	—	41,423	12,625
1889	13,416	13,800	6,444	19,915	12,275	23,071	98,223	—	42,756	12,923
1890	7,017	14,396	7,344	15,059	13,090	20,118	99,438	—	41,183	12,917
1891	2,910	19,551	7,294	16,747	8,983	19,207	106,788	—	39,514	13,094
1892	1,453	12,399	7,890	16,634	7,594	15,619	103,898	—	39,715	13,069
1893	2,638	12,953	6,596	17,783	6,847	15,065	103,640	3,040	38,380	13,234
1894	2,606	9,001	4,511	15,585	8,261	13,639	101,314	20	40,169	13,341
1895	2,998	11,322	3,814	11,466	8,678	15,590	114,362	—	41,624	15,089
1896	2,033	11,499	3,234	9,286	6,660	16,397	108,719	—	41,069	15,482
1897	1,003	6,156	3,907	8,881	7,938	15,557	99,852	—	38,670	15,967
1898	420	5,429	4,492	7,808	7,420	17,412	112,259	—	38,335	16,330
1899	214	7,433	4,487	6,893	7,886	14,963	95,101	—	39,807	16,680
1900	316	8,827	1,483	5,790	6,565	15,060	115,190	—	41,733	16,873
1901	3,396	5,562	1,185	5,444	6,916	11,748	98,617	—	38,512	17,141
1902	2,413	9,961	1,338	4,514	7,202	11,358	111,570	—	35,722	17,634
1903	6,049	7,283	1,991	4,064	6,521	11,671	108,712	—	36,924	17,774
1904	3,093	5,332	1,611	4,519	5,958	12,239	104,592	—	39,152	18,860
1905	482	6,738	1,689	4,255	5,767	10,896	115,564	—	40,349	19,348
1906	169	9,726	2,724	4,253	6,165	9,424	108,868	—	40,899	20,653
1907	451	8,184	2,940	5,634	6,142	8,614	97,195	—	41,963	20,668
1908	561	11,639	3,464	5,923	5,546	9,287	94,834	—	41,586	21,828

NOTE.—The population figures given for census years show the numbers enumerated on 31st December in 1881 and on 10th February, 1901; for the years 1881-1901 the population is estimated on the assumption that the annual rate of increase had been uniform throughout that period; for 1902 and following years the population is obtained by applying the natural increase and balance of migration.

* Census year.

† Including 77,283 deaths in the earthquake at Messina and Reggio (28th December, 1908); excluding these deaths, the death-rate was 20·3.

‡ The deaths in this column also include those from general tuberculosis.

TABLE 89.—CHILI. **Population, Marriages, Births, and Deaths, 1881-1908.**
(Furnished by Oficina Central de Estadística, Santiago.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.*	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,199,180	31,978	101,635	62,866	15·4	46·2	28·6	—
1882	2,237,949	33,756	93,902	65,425	15·0	41·9	29·2	—
1883	2,266,426	34,518	96,688	61,283	15·2	42·7	27·0	—
1884	2,482,185	35,746	99,994	58,909	14·4	40·3	23·8	—
1885	2,527,320	11,262	66,247	77,388	4·4	25·8	30·6	308
1886	2,545,803	14,138	82,569	82,491	5·6	32·0	32·4	240
1887	2,564,285	16,326	85,267	95,336	6·4	33·0	37·1	219
1888	2,582,768	19,334	91,337	96,488	7·4	35·4	37·3	268
1889	2,601,250	23,602	100,698	84,741	9·0	38·0	32·5	288
1890	2,619,733	21,908	98,538	95,547	8·4	37·6	36·2	306
1891	2,638,215	13,706	79,235	89,422	5·0	34·3	34·0	412
1892	2,656,698	25,790	103,065	97,004	9·4	38·3	36·5	334
1893	2,675,180	27,568	103,082	88,775	10·2	37·7	33·1	331
1894	2,693,663	29,452	108,724	88,157	10·8	39·5	32·7	313
1895	2,983,359	29,562	110,158	81,682	9·8	36·2	27·3	292
1896	3,008,569	33,944	106,638	88,095	11·2	34·6	29·2	304
1897	3,049,352	26,908	109,057	85,956	8·8	34·8	28·1	344
1898	3,082,178	27,842	104,536	81,419	9·0	33·1	28·4	329
1899	3,110,085	27,006	106,787	83,778	8·6	33·5	26·9	337
1900	3,128,095	26,662	110,697	104,312	8·4	34·6	33·3	349
1901	3,146,577	34,940	115,745	108,199	11·0	35·9	34·3	366
1902	3,173,783	33,502	115,813	86,107	10·6	35·7	27·1	366
1903	3,206,043	31,824	115,524	86,378	9·8	34·0	26·9	263
1904	3,238,764	32,590	116,950	93,254	10·1	35·4	28·8	—
1905	3,400,924	34,416	119,441	110,258	10·1	35·1	32·3	—
1906	3,187,741	37,506	117,032	104,890	11·4	36·6	32·9	328
1907	3,254,451	42,572	126,104	96,449	13·0	38·6	29·6	297
1908	3,302,204	42,974	129,733	104,226	13·0	39·3	31·6	320

The Total Deaths† include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.††	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	2,286	2,370	9	445	1,153	244	4,375	—	5,636	329
1886	4,841	2,485	6	757	653	236	2,532	—	5,622	239
1887	1,374	461	16	413	329	224	4,047	13,568	6,513	367
1888	1,119	1,791	—	460	1,483	255	3,160	8,622	5,530	437
1889	929	3,781	119	439	1,024	819	3,248	60	6,680	468
1890	6,754	3,217	72	428	1,603	846	3,471	—	5,996	475
1891	6,012	2,556	137	692	1,381	922	2,742	—	6,863	464
1892	4,662	1,151	260	777	666	861	2,011	—	7,077	457
1893	3,803	872	72	1,122	1,979	1,164	2,139	—	7,698	455
1894	2,337	1,138	60	2,667	2,847	687	1,559	—	7,714	546
1895	2,048	852	40	2,425	2,689	859	1,159	—	6,677	426
1896	946	1,535	78	3,124	2,604	882	1,338	—	6,521	554
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	—	—	—	—	—	—	—	—	—	—
1901	—	—	—	—	—	—	—	—	—	—
1902	—	—	—	—	—	—	—	—	—	—
1903	445	131	2	830	1,534	1,437	3,346	—	7,859	894
1904	1,739	—	4	463	1,514	1,207	2,455	—	9,035	1,253
1905	8,906	2,602	208	481	2,038	2,961	2,401	—	6,859	972
1906	3,335	2,388	64	428	3,012	5,690	2,173	—	8,651	1,190
1907	853	174	54	275	2,479	4,360	2,417	—	7,636	1,233
1908	421	1,472	42	226	2,207	3,777	3,385	—	8,561	1,483

* The births and deaths for the years 1881-1884, 1886, 1888, 1890 and 1891 are inclusive of stillborn.
† Complete statistics of causes of death are not available for the years 1897-1902.
†† The deaths in this column for 1906 and subsequent years relate to diarrhoea and enteritis.

BIRTHS, DEATHS, AND MARRIAGES.

Registered in the Year

1908.

BIRTHS, DEATHS, AND MARRIAGES, 1908.

REGISTRATION DIVISIONS AND COUNTIES.*		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
	ENGLAND AND WALES	940383	459385	443467	19025	18506	520456	268714	251742	264940
No.	I.—LONDON.†	121743	59572	57315	2478	2378	67123	34841	32282	38210
1	LONDON†	121743	59572	57315	2478	2378	67123	34841	32282	38210
	II.—SOUTH EASTERN.	84091	41215	39329	1778	1769	46268	23777	22491	24930
2	SURREY	20296	10040	9536	382	338	10572	5453	5119	5548
3	KENT	23228	11222	11043	455	508	12629	6541	6088	6635
4	SUSSEX	13080	6341	6026	376	337	8169	4105	4064	4177
5	HAMPSHIRE ..	20667	10343	9534	383	407	11101	5745	5356	6479
6	BERKSHIRE ..	6820	3269	3190	182	179	3797	1933	1864	2091
	III.—SOUTH MIDLAND.†	61648	30249	29143	1151	1105	30630	15542	15088	16824
7	MIDDLESEX† ..	28128	13947	13404	403	371	11822	5983	5839	6711
8	HERTFORDSHIRE†	6146	2963	2966	105	112	3405	1709	1696	1788
9	BUCKINGHAMSH.†	4346	2215	1970	87	74	2272	1189	1083	1209
10	OXFORDSHIRE ..	4479	2089	2135	132	123	2600	1313	1287	1405
11	NORTHAMPTONS.	8190	3998	3838	167	187	4546	2330	2216	2587
12	HUNTINGDONSH.	1079	520	502	33	24	631	297	334	322
13	BEDFORDSHIRE† ..	4461	2222	2046	101	92	2423	1223	1200	1386
14	CAMBRIDGESH. ..	4819	2295	2282	120	122	2931	1498	1433	1416
	IV.—EASTERN.	54231	26480	25555	1098	1098	27728	14154	13574	14259
15	ESSEX	33815	16653	16188	504	470	15381	7868	7513	8327
16	SUFFOLK	8947	4292	4141	268	246	5436	2773	2663	2504
17	NORFOLK	11469	5535	5226	326	382	6911	3513	3398	3423
	V.—SOUTH WESTERN.	43906	21388	20693	952	873	27669	13798	13871	14323
18	WILTSHIRE	8618	3169	3182	144	123	3542	1766	1776	1950
19	DORSETSHIRE ..	4526	2182	2152	109	83	2695	1366	1329	1353
20	DEVONSHIRE ..	15111	7423	7067	320	301	10194	5122	5072	5340
21	CORNWALL	7134	3480	3316	166	172	4718	2361	2357	2385
22	SOMERSETSHIRE	10517	5134	4976	213	194	6520	3183	3337	3300
	VI.—WEST MIDLAND.	107933	52475	51390	2084	1984	58468	30145	28323	29221
23	GLOUCESTERSH. ...	15536	7624	7344	290	278	9340	4666	4674	5038
24	HEREFORDSHIRE	2459	1165	1137	79	78	1623	868	755	732
25	SHROPSHIRE ..	6357	2999	2986	192	180	3873	1991	1882	1698

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 2 of the Census County Volumes.

† On 1st April, 1908, the boundary between London and Middlesex was altered: see page 499. The births and deaths are shown as if the change had taken place at the beginning of the year.

‡ On 1st February, 1908, the boundaries of Hertfordshire, Buckinghamshire, and Bedfordshire were altered: see page 499. The parts transferred were mainly portions of roadway and contained no population.

BIRTHS, DEATHS, AND MARRIAGES, 1908.—*continued.*

REGISTRATION DIVISIONS AND COUNTIES.		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
o.	VI.—WEST MIDLAND— <i>continued.</i>									
6	STAFFORDSHIRE	41245	19971	19699	783	792	20947	10878	10069	10023
7	WORCESTERSH. ..	13884	6805	6543	295	241	7440	3789	3651	3793
8	WARWICKSHIRE	28452	13911	13681	445	415	15245	7953	7292	7937
	VII.—NORTH MIDLAND.	63010	30408	29800	1428	1374	32013	16644	15369	17481
9	LEICESTERSHIRE	12041	5812	5782	221	226	6468	3271	3197	3611
0	RUTLANDSHIRE ..	418	193	202	14	9	292	154	138	147
1	LINCOLNSHIRE ..	14160	6826	6588	387	359	7624	3978	3646	4070
2	NOTTINGHAMSH.	20718	9912	9808	516	482	10082	5268	4814	5558
3	DERBYSHIRE ..	15673	7665	7420	290	298	7547	3973	3574	4095
	VIII.—NORTH WESTERN.	154566	75550	73231	2930	2855	93983	48187	45796	43970
4	CHESHIRE	21871	10646	10399	428	398	12421	6184	6237	6118
5	LANCASHIRE ..	132695	64904	62832	2502	2457	81562	42003	39559	37852
	IX.—YORKSHIRE.	104840	51136	48976	2382	2346	61049	31998	29051	30152
6	WEST RIDING ..	79136	38690	37061	1704	1681	46704	24371	22333	23172
7	EAST RIDING (with York).	13687	6603	6339	361	384	7655	4124	3531	3840
8	NORTH RIDING ..	12017	5843	5576	317	281	6690	3503	3187	3140
	X.—NORTHERN.	75492	36797	35612	1544	1539	38664	20410	18254	17973
9	DURHAM	46199	22585	21908	855	851	22414	11937	10477	10361
0	NORTHUMBERLD.	20884	10180	9853	427	424	11178	5881	5297	5198
1	CUMBERLAND ..	7159	3419	3297	221	222	4239	2159	2080	1946
2	WESTMORLAND ..	1250	613	554	41	42	833	433	400	468
	XI.—WELSH.	68923	34115	32423	1200	1185	36861	19218	17613	17592
3	MONMOUTHSH. ..	12911	6518	6061	175	157	6142	3257	2885	3066
4	SOUTH WALES ..	44056	21806	20905	663	682	22929	12050	10879	11359
	Glamorganshire ..	34722	17232	16565	457	468	16731	8981	7750	8667
	Carmarthenshire	3924	1973	1827	59	65	2293	1182	1111	1069
	Pembrokeshire ..	1998	967	916	52	63	1289	642	647	603
	Cardiganshire ..	1558	718	730	62	48	1442	645	797	487
	Brecknockshire ..	1452	712	695	20	25	925	469	456	420
	Radnorshire.. ..	402	204	172	13	13	249	131	118	113
5	NORTH WALES ..	11956	5791	5457	362	346	7790	3911	3879	3167
	Montgomeryshire	1382	694	593	51	44	913	461	452	413
	Flintshire	1863	909	882	35	37	1040	516	524	389
	Denbighshire ..	3579	1753	1648	93	85	2137	1092	1045	905
	Merionethshire ..	1316	619	592	52	53	966	499	467	347
	Carnarvonshire ..	3035	1456	1387	97	95	2180	1082	1098	891
	Anglesey	781	360	355	34	32	554	261	293	222

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.*	AREA in Acres. †	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS (exclusive of Still-born).			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON.									
1a.—Paddington.	1356	143976	3093	2945	148	2045	1053	992	1393
1 Paddington North <i>H</i> ..	539	63603	1609	1570	39	585	296	289	—
2 Paddington Central <i>W,3H</i> ..	429	50053	1205	1106	99	1258	661	597	—
3 Paddington South	388	30320	279	269	10	202	96	106	—
1b.—Kensington.	2291	176628	3308	3146	162	2721	1292	1429	1560
1 Kensington Town <i>2W,w,2H</i> ..	1596	128037	2800	2650	150	2317	1103	1214	—
2 Brompton <i>2H</i>	695	48591	508	496	12	404	189	215	—
2.—Fulham.‡	3990	249528	7604	7240	364	3713	1878	1835	2341
1 North Hammersmith <i>3W,w,H</i> ..	1535	49192	1582	1497	85	868	435	433	—
2 South Hammersmith <i>w,2H</i> ..	751	63047	1460	1415	45	863	424	439	—
3 North West Fulham <i>W</i> ..	485	45180	2029	1901	128	900	480	420	—
4 North East Fulham <i>F</i> ..	514	46405	1195	1143	52	630	315	315	—
5 South Fulham <i>W</i>	705	45704	1338	1234	54	452	224	228	—
3.—Chelsea.	660	73842	1448	1351	97	1626	887	739	596
1 Chelsea North <i>W,w,3H</i> ..	353	42514	757	676	81	1109	595	514	—
2 Chelsea South <i>W,2H</i> ..	307	31328	691	675	16	517	292	225	—
4.—St. George Hanover Square.	1887	128256	2039	1938	101	1647	913	734	1417
1 Mayfair and Knightsbridge ..	915	28743	227	221	6	154	84	70	—
2 Belgrave <i>W,2H</i>	539	55815	939	861	78	800	447	353	—
3 St. Margt. and St. John <i>6H</i> ..	433	43698	873	856	17	693	382	311	—
5.—Westminster.	216	33081	399	387	12	222	107	115	408
1 St. James and St. Anne <i>W,6H</i> ..	216	33081	399	387	12	222	107	115	—
6.—St. Marylebone.	1473	133301	4091	3325	766	1682	833	849	1259
1 All Souls <i>8H</i>	243	35391	410	403	7	755	392	363	—
2 St. Mary <i>W,4H</i>	224	37948	2379	1649	730	411	192	219	—
3 Christchurch	601	39536	933	911	22	319	162	157	—
4 St. John <i>2H</i>	405	20426	369	362	7	197	87	110	—
7.—Hampstead.	2265	81942	1320	1288	32	974	486	488	622
1 Hampstead <i>W,F,6H</i> ..	2265	81942	1320	1288	32	974	486	488	—
8.—St. Pancras.	2694	235317	5436	5218	218	3607	1901	1706	1971
1 West St. Pancras <i>2H</i> ..	613	60562	1433	1413	20	640	345	295	—
2 South St. Pancras <i>w,10H</i> ..	297	55707	997	939	58	1089	623	466	—
3 East St. Pancras <i>W,H</i> ..	632	60320	1692	1577	115	1028	520	508	—
4 North St. Pancras <i>2W</i> ..	1152	58728	1314	1289	25	850	413	437	—

* The Registration Districts, 633 in number at the end of the year 1908, are generally co-extensive with the Poor Law Unions of the same names. They are divided into Sub-districts (2026 in number), each having a Registrar of Births and Deaths. The letter *W* denotes a Workhouse, or a Workhouse Infirmary belonging to the District or Union in which it stands; *w* indicates a similar Institution belonging wholly or partly to other Districts or Unions; *F* a Hospital for Infectious Diseases; *H* another Hospital; *L* a Lunatic Asylum. When a Sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The deaths in these Institutions are shown on pages 229–280.

† These areas are derived from those published in the Census Report for 1901. They do not include space occupied by foreshore or tidal water of rivers and creeks.

‡ 2.—The district of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.									
9.—Islington.	3092	334991	8303	8074	229	4448	2229	2219	2779
1 Tufnell W	411	31995	799	771	28	1041	528	513	—
2 Upper Holloway 2W,w,H..	299	33978	997	902	95	973	542	431	—
3 Tollington W,w,H	315	33922	712	690	22	260	123	137	—
4 Lower Holloway	413	41424	1020	1005	15	352	192	160	—
5 Barnsbury	310	54478	1550	1537	13	558	268	290	—
6 Islington South East F ..	545	75397	1863	1834	29	703	340	363	—
7 Highbury 2H	799	63797	1362	1335	27	561	236	325	—
10.—Hackney.	4151	270357	6695	6280	415	3680	1848	1832	1999
1 Stoke Newington H	863	51247	1024	1009	15	481	219	262	—
2 North Hackney*	1081	50398	1022	1006	16	451	211	240	—
3 Central Hackney 2w,F ..	857	50536	1294	1284	10	626	320	306	—
4 South West Hackney 3H..	586	59921	1741	1454	287	859	449	410	—
5 South East Hackney 2W,w,H	764	58255	1614	1527	87	1263	649	614	—
11.—St. Giles.	232	31436	943	876	67	284	158	126	370
1 St. Giles and Bloomsbury 2W,2H	232	31436	943	876	67	284	158	126	—
12.—Strand.	399	21674	176	162	14	531	342	189	268
1 Strand W,4H	399	21674	176	162	14	531	342	189	—
13.—Holborn.	762	129432	4072	4015	57	1691	869	822	1071
1 Holborn W,5H	202	29612	597	578	19	779	436	343	—
2 Clerkenwell† H	317	63704	1780	1758	22	557	263	294	—
3 Finsbury 3H,L	243	36116	1695	1679	16	355	170	185	—
14.—London City.	672	26923	280	264	16	963	593	370	459
1 St. Botolph H	239	10299	127	127	—	83	42	41	—
2 St. Sepulchre and Allhallows W,2H	433	16624	153	137	16	880	551	329	—
15.—Shoreditch.	658	118637	3571	3427	144	1886	994	892	972
1 Shoreditch South 2H ..	256	46362	1247	1228	19	391	212	179	—
2 Shoreditch North West W,w,H	176	36127	1249	1133	116	1193	623	570	—
3 Shoreditch North East ..	226	36148	1075	1066	9	302	159	143	—
16.—Bethnal Green.	759	129680	4154	4079	75	2208	1193	1015	927
1 Bethnal Green North East 2W,2H,L	470	65138	2032	1970	62	1644	904	740	—
2 Bethnal Green South West H	289	64542	2122	2109	13	564	289	275	—
17.—Whitechapel.	378	78768	2491	2406	85	2298	1349	949	532
1 Spitalfields	87	27969	675	674	1	165	85	80	—
2 Mile End New Town W,H	114	28718	1316	1236	80	1997	1186	811	—
3 Goodman's Fields	177	22081	500	496	4	136	78	58	—
18.—St. George in the East.	244	49068	1848	1824	24	670	337	333	273
1 St. George and St. John 2W	244	49068	1848	1824	24	670	337	333	—

* 10:2.—On 1st April, 1908, the boundaries of North Hackney, West Tottenham (129:3) and East Tottenham (129:4) were altered; see p. 499. The figures are shown as if the change had taken place at the beginning of the year.

† 13:2.—On 1st April, 1908, South Clerkenwell (2) and North Clerkenwell (3) sub-districts were united and called Clerkenwell. The figures are shown as if the change had taken place at the beginning of the year.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1908—continued.

No	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
	1.—LONDON—continued.									
	19.—Stepney.	466	57937	1711	1686	25	1082	570	512	373
1	Shadwell and Ratchliff W,H	221	25568	667	657	10	717	394	323	—
2	Limehouse W.. ..	245	32369	1044	1029	15	365	176	189	—
	20.—Mile End Old Town.	678	112827	4171	4110	61	1427	708	719	1185
1	Mile End Old Town South Western H.	319	63698	2728	2713	15	556	272	284	—
2	Mile End Old Town North Eastern W,w.	359	49129	1443	1397	46	871	436	435	—
	21.—Poplar.	2328	168822	5239	5091	148	2778	1488	1290	1306
1	Bow	556	41989	1277	1263	14	405	201	204	—
2	Bromley 3w,H	606	68319	2118	2078	40	1,704	963	741	—
3	Poplar W,w	1166	58514	1844	1750	94	669	324	345	—
	22.—Southwark.	1132	206180	5919	5761	158	2913	1508	1405	1945
1	Christchurch and St. Saviour Southwark W,2H.	210	23319	559	551	8	909	535	374	—
2	Kent Road	105	21904	685	676	9	207	104	103	—
3	St. George the Martyr West W,2H,L.	183	39094	1052	1039	13	569	285	284	—
4	Newington North	227	49022	1446	1425	21	444	219	225	—
5	Newington South W	407	72841	2177	2070	107	784	365	419	—
	23.—St. Olave (Bermondsey).	1500	130760	4116	4034	82	1917	1047	870	1084
1	St. Olave 2W	122	9817	308	268	40	138	82	56	—
2	Bermondsey W	626	82483	2709	2682	27	894	442	452	—
3	Rotherhithe W,F	752	38460	1099	1084	15	885	523	362	—
	24.—Lambeth.	4080	301895	8760	8234	526	4605	2375	2230	2410
1	Waterloo 2H	172	27440	1594	1519	75	354	178	176	—
2	Lambeth Church H	182	27440	771	754	17	976	600	376	—
3	Kennington 2W	398	52518	1520	1392	128	1284	658	626	—
4	Stockwell FH	583	63826	2057	1819	238	660	326	334	—
5	Brixton H	1027	73673	1651	1609	42	808	383	425	—
6	Norwood 2W,H	1718	56998	1167	1141	26	523	230	293	—
	25.—Wandsworth.	11268	400829	11623	11278	345	5390	2696	2694	3449
1	East Battersea H	947	72203	2000	1963	37	617	311	306	—
2	North West Battersea	363	49656	1540	1497	43	486	254	232	—
3	South West Battersea 2W,H	850	47048	885	860	25	1115	603	512	—
4	Clapham 2H	1075	51361	1322	1291	31	576	273	303	—
5	Streatham W,2w,2F,2L ..	3370	88019	2879	2820	59	1518	742	776	—
6	Springfield 2W,L	888	27959	1051	939	112	360	182	193	—
7	Southfields H	1557	40444	1414	1391	23	450	212	238	—
8	Putney	2218	24139	532	517	15	248	119	129	—
	26.—Camberwell.	4480	259339	6638	6454	184	3861	2002	1859	1996
1	Dulwich	1266	13359	215	212	3	109	63	46	—
2	Camberwell South W,w ..	846	40206	1039	975	64	1229	687	542	—
3	Camberwell North W,2L ..	716	65584	1630	1598	32	1251	645	606	—
4	St. George	328	47331	1338	1305	33	402	191	211	—
5	Peckham North	427	48913	1359	1329	30	480	218	262	—
6	Peckham South 2W,w	897	43946	1057	1035	22	390	198	192	—
	27.—Greenwich.	3424	185034	5161	5030	131	2689	1417	1272	1293
1	Deptford North	436	37613	1167	1147	20	384	193	191	—
2	Deptford Central F	508	45481	1376	1343	33	611	303	308	—
3	Deptford South	730	34625	719	713	6	329	154	175	—
4	Greenwich West H	298	23456	604	592	12	273	140	133	—
5	Greenwich East 2,WH	1452	43859	1295	1235	60	1092	627	465	—

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.												
28.—Lewisham.				10774	134721	3840	3739	101	1942	945	997	1045
No.	1	Eltham	w,H	3760	7226	264	262	2	110	65	45	—
	2	Lee	w,H	1616	25490	460	452	8	239	110	129	—
	3	Lewisham	W,w,F	3680	58352	2033	1968	65	1178	588	590	—
	4	Sydenham	H	1718	43653	1083	1057	26	415	182	233	—
29.—Woolwich.				6507	131086	3294	3225	69	1623	823	800	907
	1	Charlton	F,2H	1991	21134	422	413	9	355	188	167	—
	2	Woolwich	5H	1130	41625	1159	1136	23	383	198	190	—
	3	Plumstead West*	W,H	1282	39376	1713	1676	37	880	437	443	—
	4	Plumstead East*	2W	2104	28951							

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

2.—SURREY.										
No.	30.—Epsom.	43882	62021	1645	1599	46	1471	751	720	407
1	Carshalton <i>w,2F,3H,L</i> ..	12228	32997	866	846	20	674	307	367	—
2	Epsom <i>W,w,2F,H,4L</i> ..	13074	17429	505	480	25	686	396	290	—
3	Leatherhead <i>H</i>	18580	11595	274	273	1	111	48	63	—
31.—Chertsey.										
	43638	40597	1014	987	27	466	262	204	292	
1	Walton <i>3H</i>	8230	15658	364	358	6	153	87	66	—
2	Chertsey <i>W,F</i>	16296	15486	400	385	15	222	128	94	—
3	Chobham	19112	9453	250	244	6	91	47	44	—
32.—Guildford.										
	65648	62122	1589	1531	58	882	467	415	492	
1	Woking <i>F,2H,L</i>	19292	19783	605	588	17	334	165	169	—
2	Ripley	9179	3022	71	70	1	28	12	16	—
3	Albury <i>H</i>	17793	5029	95	91	4	44	25	19	—
4	Guildford <i>W,F,H</i>	6616	22460	564	530	34	360	213	147	—
5	Godalming <i>H</i>	12768	11828	254	252	2	116	52	64	—
33.—Farnham.										
	41215	62458	1945	1897	48	774	428	346	488	
1	Frimley <i>F,H</i>	13998	11879	412	406	6	143	73	70	—
2	Aldershot <i>2F,H</i>	4178	30974	1016	1004	12	320	171	149	—
3	Farnham <i>W,3H</i>	10003	11979	321	297	24	223	137	86	—
4	Frensham <i>F,H</i>	13036	7626	196	190	6	88	47	41	—
34.—Hambleton.										
	63196	21660	503	485	18	250	137	113	156	
1	Witley <i>W,H,L</i>	30355	10584	252	243	9	157	89	68	—
2	Cranley <i>H</i>	32841	11076	251	242	9	93	48	45	—
35.—Dorking.										
	40864	17449	355	345	10	224	124	100	117	
1	Capel <i>2H</i>	24820	4750	94	94	—	42	28	14	—
2	Dorking <i>W,F,H</i>	16044	12699	261	251	10	182	96	86	—
36.—Reigate.										
	50645	42740	1063	1022	41	513	269	244	277	
1	Betchworth	18006	7014	200	197	3	61	28	33	—
2	Reigate <i>W,3H,L</i>	5994	25993	597	571	26	347	187	160	—
3	Horley <i>2F,H</i>	26645	9733	266	254	12	105	54	51	—
37.—Godstone.										
	52345	27864	707	683	24	544	279	265	222	
1	Godstone <i>W,F,6H,2L</i> ..	52345	27864	707	683	24	544	279	265	—

* 29: 3, 4.—On 1st March, 1908, the boundary between these sub-districts was altered: see page 499. The births and deaths for the new sub-districts cannot be shown separately.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
2.—SURREY—continued.											
38.—Croydon.			32562	194541	6296	6061	235	2956	1528	1428	1600
No.											
1	Coulsdon	L	11069	8166	268	264	4	208	118	90	—
2	South Croydon	w,H	4200	49309	1090	1063	27	495	248	247	—
3	West Croydon	3W,F,H	2168	42888	1628	1526	102	1051	552	499	—
4	North Croydon	H	2644	41698	1287	1236	51	489	242	247	—
5	Penge	w	770	22465	440	422	18	175	89	86	—
6	Mitcham	2w	11711	30015	1583	1550	33	538	279	259	—
39.—Kingston.			24551	137716	3886	3717	169	1806	886	920	1072
1	Wimbledon	F,3H	3221	41652	1143	1106	37	454	214	240	—
2	Kingston	3W,H	6224	42068	1263	1178	85	735	366	369	—
3	Surbiton	F,H	3046	15017	385	374	11	177	93	84	—
4	Esher	2H	7496	15523	407	395	12	169	94	75	—
5	Hampton	F,H,L	4564	23456	688	664	24	271	119	152	—
40.—Richmond.			5009	49493	1293	1249	44	686	322	364	425
1	Richmond	W,H	2491	31672	617	588	29	465	208	257	—
2	Mortlake	F	2518	17821	676	661	15	221	114	107	—
3.—KENT.											
41.—Bromley.			40978	85739	2222	2146	76	982	490	492	593
1	Bromley	F,3H	4703	27354	710	691	19	288	139	149	—
2	Beckenham	H	7825	28497	722	706	16	293	146	144	—
3	Orpington	W,F	21117	13442	384	354	30	261	137	124	—
4	Chislehurst	2H	7333	16446	406	395	11	143	68	75	—
42.—Dartford.			52316	96051	2766	2679	87	1334	694	640	572
1	Bexley	w,F,H	8678	21151	640	625	15	231	114	117	—
2	Erith	F,H	3854	25296	742	728	14	246	128	118	—
3	Dartford	W,4F,H,3L	13334	36175	1055	1018	37	702	365	337	—
4	Farningham	3H	26450	13429	329	308	21	155	87	68	—
43.—Gravesend.			1259	27196	631	604	27	389	213	176	170
1	Gravesend	2W,2H	1259	27196	631	604	27	389	213	176	—
44.—Strood.			36937	40336	1146	1102	44	523	268	255	281
1	Northfleet	5F	20049	17299	506	490	16	247	125	122	—
2	Strood	W	16888	23037	640	612	28	276	143	133	—
45.—Hoo.			20021	4262	116	114	2	32	15	17	21
1	Hoo	W,F	20021	4262	116	114	2	32	15	17	—
46.—Medway.			11820	97400	2845	2764	81	1403	745	660	807
1	Rochester and Chatham	W,3F,2H	6797	55744	1470	1413	57	884	446	438	—
2	Gillingham	2F,2H	5023	41656	1375	1351	24	521	299	222	—
47.—Malling.			47352	28295	702	670	32	327	179	148	158
1	Aylesford	W,2F	21428	18526	458	435	23	227	121	106	—
2	Wrotham	25924	9769	244	235	9	100	58	42	—
48.—Sevenoaks.			66596	30790	695	660	35	359	190	169	199
1	Shoreham	F	19575	7214	173	158	15	88	43	45	—
2	Sevenoaks	W,F,2H	21198	15674	329	312	17	186	95	91	—
3	Penshurst	F	25823	7902	193	190	3	85	52	33	—
49.—Tonbridge.			47680	66803	1443	1363	80	915	459	456	464
1	Tunbridge Wells	F,3H	12916	41362	794	753	41	537	252	285	—
2	Tonbridge	W,F,H	15648	17410	447	417	30	274	147	127	—
3	Brenchley	2F	19116	8031	202	193	9	104	60	44	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
3.—KENT—continued.										
No.	50.—Maidstone.	39004	49086	1249	1179	70	909	443	466	373
1	Yalding	21309	7164	188	176	12	108	59	49	—
2	Loose 2W,F	13687	8406	218	203	15	192	105	87	—
3	Maidstone F,2H,L	4008	33516	843	800	43	609	279	330	—
51.—Hollingbourn.										
1	Hollingbourn W,F	22259	4284	96	87	9	37	17	20	—
2	Lenham	16260	3102	89	88	1	36	18	18	—
3	Headcorn	19151	5160	120	114	6	66	29	37	—
52.—Cranbrook.										
1	Cranbrook W,F,2H	20574	6129	132	122	10	94	55	39	—
2	Hawkhurst H	20741	6815	144	136	8	63	35	28	—
53.—Tenterden.										
1	Tenterden W.. ..	47323	8766	203	196	7	103	59	44	64
54.—West Ashford.										
1	Calehill W,2F	22775	4987	109	98	11	69	39	30	—
2	Ashford F,H	19565	15572	373	358	15	183	100	83	—
55.—East Ashford.										
1	Brabourne W,F	27209	7595	210	200	10	86	47	39	—
2	Wye F	27591	5517	134	131	3	51	22	29	—
56.—Bridge.										
1	Chartham L	18519	7014	160	150	10	176	91	85	—
2	Barham W,F.. ..	23484	5370	121	117	4	72	31	41	—
57.—Canterbury.										
1	Canterbury W,2F,2H,L ..	3517	19804	456	435	21	374	191	183	167
58.—Blean.										
1	Sturry	8903	6689	158	151	7	77	31	46	—
2	Herne W,2F,4H	13857	9958	216	207	9	151	79	72	—
3	Whitstable	6075	7901	191	183	8	109	55	54	—
59.—Faversham.										
1	Boughton	21331	5686	116	114	2	54	24	30	—
2	Faversham W,F,H	8266	15667	353	332	21	197	99	98	—
3	Teynham 2F	15085	5069	113	110	3	48	25	23	—
60.—Milton.										
1	Milton W,F,H	31827	28190	715	676	39	345	177	168	195
61.—Sheppey.										
1	Minster W,2F,2H	8227	21029	543	526	17	284	151	133	—
2	Eastchurch	14174	1246	36	34	2	16	9	7	—
62.—Thanet.										
1	Minster W	15331	5829	117	111	6	159	84	75	—
2	Margate 3w,7H	4370	27141	504	481	23	367	177	190	—
3	Broadstairs w,F,4H	2930	7193	162	153	9	95	46	49	—
4	Ramsgate W,4H,L	3556	28298	610	585	25	367	187	180	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
					Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
3.—KENT—continued.											
No.	63.—Eastry.		46464	31533	714	678	36	407	222	185	222
1	Sandwich	W,F,H	21765	8987	211	197	14	123	67	56	—
2	Wingham	8336	3061	63	61	2	51	25	26	—
3	Eythorne	8206	1906	43	41	2	25	15	10	—
4	Deal	F,H	8157	17579	397	379	18	208	115	93	—
64.—Dover.			29067	48942	1159	1120	39	623	348	275	435
1	St. Margaret*	12462	3611	84	82	2	50	33	17	—
2	Dover*	W,F,4H	1945	42672	1015	980	35	546	302	244	—
3	Hougham*	14660	2659	60	58	2	27	13	14	—
65.—Elham.			43725	52134	1217	1157	60	678	361	317	426
1	Folkestone	W,2F,13H	6306	40228	938	901	37	474	244	230	—
2	Elham	W,F	21259	3662	88	70	18	97	65	32	—
3	Hythe	2F,H	16160	8244	191	186	5	107	52	55	—
66.—Romney Marsh.			43771	6566	142	134	8	67	36	31	44
1	New Romney	W,F,H	27021	3707	81	74	7	51	29	22	—
2	Lydd	16750	2859	61	60	1	16	7	9	—
4.—SUSSEX.											
67.—Rye.			38242	11057	238	227	11	138	63	75	71
1	Rye	W	15895	6097	146	137	9	88	43	45	—
2	Beckley	F	22347	4960	92	90	2	50	20	30	—
68.—Hastings.			13603	65556	1052	995	57	815	362	453	337
1	Ore	W,F,H	10571	8136	211	183	28	156	71	85	—
2	All Saints	1018	30548	495	477	18	314	133	181	—
3	St. Mary Magdalen	9H	2014	26872	346	335	11	345	158	187	—
69.—Battle.			53924	23937	562	527	35	313	161	152	155
1	Bexhill	H	28264	17598	419	394	25	207	102	105	—
2	Battle	W	25660	6339	143	133	10	106	59	47	—
70.—Eastbourne.			41305	51132	1120	1062	58	614	315	299	394
1	Westham	2F	18418	3392	88	84	4	46	20	26	—
2	Eastbourne	W,F,6H	8977	43756	950	898	52	513	263	250	—
3	Seaford	H	13910	3984	82	80	2	55	32	23	—
71.—Hailsham.			58063	15728	379	362	17	295	162	133	122
1	Hurstmonceux	29144	7257	182	176	6	88	46	42	—
2	Hellingly	W,F,L	28919	8471	197	186	11	207	116	91	—
72.—Ticehurst.			52136	16297	314	301	13	177	92	85	100
1	Ticehurst	W,F	27780	7843	159	149	10	86	45	41	—
2	Wadhurst	F	24356	8454	155	152	3	91	47	44	—
73.—Uckfield.			75785	23606	551	525	26	273	159	114	146
1	Rotherfield	25322	8991	229	222	7	99	56	43	—
2	Framfield	15334	4122	61	59	2	45	27	18	—
3	Isfield	W,H	6038	3591	90	79	11	56	42	14	—
4	Maresfield	29091	6902	171	165	6	73	34	39	—
74.—East Grinstead.			52313	18001	418	395	23	187	94	93	108
1	Withyham	18514	3648	93	89	4	27	9	18	—
2	East Grinstead	W,F,H	15128	8610	189	174	15	107	60	47	—
3	Worth	18671	5743	136	132	4	53	25	28	—

* 64: 1, 2, 3.—On 1st April 1908, the boundary between St. Mary (2) and Hougham (3) sub-districts was altered, and on the 1st October the boundary between St. James (re-named St. Margaret) (1) and St. Mary (re-named Dover) (2) sub-districts was altered; see page 499. Correction for the first change cannot be made; as regards the second change the figures are shown as if the change had taken place at the beginning of the year.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate	Total.	Males.	Females.	
4.—SUSSEX—continued.										
75.—Cuckfield.		57379	26075	548	533	15	271	143	128	154
No. 1	Cuckfield <i>W,H</i>	34985	14477	319	309	10	168	92	76	—
2	Hurstpierpoint <i>F,H</i>	22394	11598	229	224	5	103	51	52	—
76a.—Lewes.		50972	23457	488	461	27	338	190	148	153
1	Chailley <i>W,2F,2H,L</i>	32119	9046	195	184	11	162	98	64	—
2	Lewes <i>W,F,H</i>	18853	14411	293	277	16	176	92	84	—
76b.—Newhaven.		27061	12132	260	242	18	128	66	62	71
1	Newhaven <i>W,2w,F,H</i>	27061	12132	260	242	18	128	66	62	—
77.—Brighton.		1629	102320	2173	2006	167	1617	806	811	826
1	East Brighton <i>W,3H</i>	890	49283	1141	1027	114	985	504	481	—
2	West Brighton <i>5H</i>	739	53037	1032	979	53	632	302	330	—
78.—Steyning.		46143	80797	1845	1745	100	1134	513	621	550
1	Preston <i>F</i>	5332	22268	613	592	21	307	141	166	—
2	Hove <i>5H</i>	2795	36847	628	587	41	468	191	277	—
3	Shoreham <i>W,F</i>	14565	15674	494	460	34	288	146	140	—
4	Steyning	23451	6008	110	106	4	73	35	38	—
79.—Horsham.		76613	28162	631	605	26	350	195	155	208
1	South Horsham	24774	4743	99	98	1	40	25	15	—
2	North Horsham <i>W,2H</i>	32003	19164	445	422	23	258	141	117	—
3	West Horsham <i>H</i>	19836	4255	87	85	2	52	29	23	—
80.—Petworth.		45754	8529	213	197	16	102	54	48	50
1	Petworth Northern <i>W</i>	25298	3843	90	85	5	54	25	29	—
2	Petworth Southern <i>W,F,H</i>	20456	4686	123	112	11	48	29	19	—
81.—Thakeham.		40632	7302	182	173	9	82	43	39	53
1	Pulborough	18149	3696	100	96	4	42	25	17	—
2	Washington <i>W</i>	22483	3606	82	77	5	40	18	22	—
82.—East Preston.		34980	38918	892	850	42	594	310	284	284
1	Worthing <i>F,5H</i>	10015	24191	575	556	19	413	203	210	—
2	Littlehampton <i>W,3H</i>	8964	9790	224	203	21	145	84	61	—
3	Arundel <i>H</i>	16001	4937	93	91	2	36	23	13	—
83.—Westhampnett.		71757	20108	449	434	15	228	111	117	147
1	Yapton	17002	4096	108	104	4	56	31	25	—
2	Bognor <i>3H</i>	2753	6562	135	131	4	73	34	39	—
3	Oving	24731	5560	125	121	4	59	26	33	—
4	Boxgrove	27271	3890	81	78	3	40	20	20	—
84.—Chichester.		1538	12244	252	227	25	263	147	116	79
1	Chichester <i>W,F,H,L</i>	1538	12244	252	227	25	263	147	116	—
85.—Midhurst.		66775	13612	339	329	10	159	77	82	116
1	Midhurst <i>W,H</i>	23808	6570	152	146	6	80	41	39	—
2	Fernhurst	13847	2417	65	62	3	20	9	11	—
3	Harting	29120	4625	122	121	1	59	27	32	—
86.—Westbourne.		32026	6815	174	171	3	91	42	49	53
1	Westbourne <i>W,F</i>	32026	6815	174	171	3	91	42	49	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
5.—HAMPSHIRE.										
No.	87.—Havant.	14216	11188	251	241	10	162	77	85	95
1	Havant W,F,H	14216	11188	251	241	10	162	77	85	—
88.—Portsmouth.										
		6031	188923	5997	5778	219	2976	1492	1484	1930
1	North End and Buckland ..	2931	44960	1852	1819	33	627	304	323	—
2	Kingston and East Southsea W,F,8H,L.	1614	43144	1555	1471	84	1057	558	499	—
3	Portsea and Landport 3H	699	53022	1542	1469	73	761	385	376	—
4	Portsmouth and Mid South- sea 7H.	787	47797	1048	1019	29	531	245	286	—
89.—Alverstokey.										
1	Alverstokey W,F,2H	3872	28884	897	879	18	381	219	162	234
		3872	28884	897	879	18	381	219	162	—
90.—Fareham.										
		36650	20386	517	490	27	346	189	157	169
1	Fareham W,F,2H,L	17243	12116	295	278	17	259	137	122	—
2	Titchfield	19407	8270	222	212	10	87	52	35	—
91.—Isle of Wight.										
		94068	82418	1690	1608	82	1153	578	575	580
1	Cowes F,2H,L	13960	15313	400	391	9	188	83	105	—
2	Newport W,H,L	16149	16498	388	355	33	265	141	124	—
3	Ryde F,H	7331	18167	338	323	15	260	121	139	—
4	Brading F,2H	13337	13240	212	205	7	169	81	88	—
5	Godshill F,3H	19980	11108	189	178	11	161	93	68	—
6	Calbourne	23311	8092	163	156	7	110	59	51	—
92.—Lymington.										
		40128	13551	318	309	9	182	94	88	112
1	Lymington W,F	25783	8939	189	183	6	120	62	58	—
2	Milford H	14345	4612	129	126	3	62	32	30	—
93.—Christchurch.										
		31033	69340	1514	1440	74	1104	548	556	597
1	Christchurch 2W,F,H	26988	15618	477	432	45	271	127	144	—
2	Bournemouth F,11H	4045	53722	1037	1008	29	833	421	412	—
94.—Ringwood.										
		36447	6220	181	171	10	87	47	40	43
1	Ringwood W,H	36447	6220	181	171	10	87	47	40	—
95.—Fordingbridge.										
		36186	6137	141	131	10	92	46	46	40
1	Fordingbridge W,H	36186	6137	141	131	10	92	46	46	—
96.—New Forest.										
		68563	14600	357	338	19	188	109	79	114
1	Lyndhurst	23684	3820	82	80	2	51	25	26	—
2	Fawley	23158	3891	95	90	5	52	26	26	—
3	Eling W	21721	6889	180	168	12	85	58	27	—
97.—Southampton.										
		1409	61319	1584	1545	39	901	469	432	579
1	Southampton W,3H	1409	61319	1584	1545	39	901	469	432	—
98.—South Stoneham.										
		26095	80611	2500	2396	104	1203	648	555	661
1	St. Mary Extra H,L	6196	18855	639	627	12	233	140	93	—
2	South Stoneham W,F	11186	33065	993	940	53	448	230	218	—
3	Millbrook w,2F,H	8713	28691	868	829	39	522	278	244	—
99.—Romsey.										
		32029	10623	248	237	11	112	60	52	70
1	Romsey W,H	13070	6757	149	144	5	69	35	34	—
2	Michelmersh	18959	3866	99	93	6	43	25	18	—
100.—Stockbridge.										
		44314	6130	150	142	8	89	50	39	26
1	Broughton	22599	2916	65	61	4	40	24	16	—
2	Stockbridge W	21715	3214	85	81	4	49	26	23	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
5.—HAMPSHIRE— <i>continued.</i>										
No.	101.—Winchester.*	79822	35196	831	802	29	453	236	217	266
1	Micheldever <i>F</i>	36254	4607	102	101	1	38	20	18	—
2	Winchester <i>W,F,H</i>	9233	21635	507	485	22	316	162	154	—
3	Twyford	17578	5274	141	136	5	57	33	24	—
4	Hursley <i>W</i>	16757	3680	81	80	1	42	21	21	—
102.—Droxford.		48646	11778	284	269	15	143	70	73	101
1	Bishops Waltham	12698	3970	97	93	4	47	24	23	—
2	West Meon	13819	2088	38	35	3	16	9	7	—
3	Hambleton <i>W,H</i>	22129	5720	149	141	8	80	37	43	—
103.—Catherington.		13144	3068	54	53	1	34	15	19	26
1	Horndean <i>W,F</i>	13144	3068	54	53	1	34	15	19	—
104.—Petersfield.		45896	12561	325	315	10	142	68	74	92
1	Petersfield <i>W,F,H</i>	19998	9116	248	240	8	109	48	61	—
2	East Meon	25898	3445	77	75	2	33	20	13	—
105.—Alresford.		42316	6983	174	167	7	76	40	36	43
1	Ropley	23903	3568	97	93	4	38	22	16	—
2	Alresford <i>W</i>	18413	3415	77	74	3	38	18	20	—
106.—Alton.		61759	16345	567	551	16	248	138	110	130
1	Alton <i>W,2F,H</i>	33824	9861	274	263	11	148	86	62	—
2	Binsted	27935	6484	293	288	5	100	52	48	—
107.—Hartley Wintney.		57489	30513	732	705	27	340	188	152	197
1	Odiham <i>W,H</i>	24678	9509	228	219	9	108	55	53	—
2	Farnborough <i>2H</i>	12473	15552	396	389	7	150	81	69	—
3	Hartley Wintney <i>W,H</i> ..	20338	5452	108	97	11	82	52	30	—
108.—Basingstoke.		76957	21711	541	526	15	269	143	126	158
1	Basingstoke <i>W,F,H</i>	19714	13504	355	340	15	184	97	87	—
2	Bramley	23218	4562	89	89	—	51	27	24	—
3	Dummer	34025	3645	97	97	—	34	19	15	—
109.—Whitchurch.		31358	5823	147	143	4	72	42	30	39
1	Whitchurch <i>W,F</i>	31358	5823	147	143	4	72	42	30	—
110.—Andover.		74218	15800	477	460	17	248	127	121	120
1	Longparish	27183	3943	84	80	4	41	19	22	—
2	Amport	18876	2731	164	162	2	46	26	20	—
3	Andover <i>W,F,H</i>	14021	7564	200	190	10	141	70	71	—
4	Hurstbourne Tarrant ..	14138	1562	29	28	1	20	12	8	—
111.—Kingsclere.		45986	8500	190	181	9	100	52	48	57
1	Highclere	20514	3463	63	63	—	36	20	16	—
2	Kingsclere <i>W,F</i>	25472	5037	127	118	9	64	32	32	—
6.—BERKSHIRE.										
112.—Newbury.		44216	21057	435	410	25	273	139	134	157
1	Newbury <i>W,F,H</i>	1828	11061	235	215	20	161	85	76	—
2	Speen	27624	5382	104	102	2	60	33	27	—
3	Thatcham <i>2H</i>	14764	4614	96	93	3	52	21	31	—

* 101.—The District of WINCHESTER comprises the two Poor Law Unions of Winchester (Micheldever, Winchester, and Twyford sub-districts) and Hursley (Hursley sub-district).

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
	6.—BERKSHIRE— <i>continued.</i>									
	113.—Hungerford.	96430	15562	387	364	23	232	117	115	102
1	Kintbury.. ..	24211	3682	75	72	3	40	20	20	—
2	Hungerford W	38650	7606	202	188	14	131	67	64	—
3	Lambourn	33569	4274	110	104	6	61	30	31	—
	114.—Faringdon.	64984	12312	337	304	33	183	103	80	91
1	Shrivenham	22081	3283	92	85	7	48	29	19	—
2	Faringdon W,H	42903	9029	245	219	26	135	74	61	—
	115.—Abingdon.	55710	17325	418	387	31	220	99	121	121
1	Fyfield	20155	3422	71	71	—	33	11	22	—
2	Abingdon W,F,H	13228	8592	220	197	23	126	61	65	—
3	Nuneham Courtenay F ..	10294	2091	40	36	4	20	9	11	—
4	Sutton Courtenay	12033	3220	87	83	4	41	18	23	—
	116.—Wantage.	76978	15608	371	344	27	156	77	79	115
1	Wantage W,H	35280	9725	247	225	22	112	52	60	—
2	Ilsey	41698	5883	124	119	5	44	25	19	—
	117.—Wallingford.	42696	13786	324	304	20	223	109	114	102
1	Cholsey W,L	21276	6096	142	140	2	115	51	64	—
2	Wallingford W,F,H	21420	7690	182	164	18	108	58	50	—
	118.—Bradfield.	64369	18117	399	381	18	220	109	111	117
1	Bucklebury W	36256	7580	163	151	12	76	46	30	—
2	Tilehurst F,H.. ..	28113	10537	236	230	6	144	63	81	—
	119.—Reading.	5876	72217	1848	1765	83	980	505	475	559
1	St. Mary W,H	2197	29246	854	803	51	427	211	216	—
2	St. Giles F,H	3679	42971	994	962	32	553	294	259	—
	120.—Wokingham.	44401	17937	450	432	18	269	144	125	150
1	Wokingham W,H	23346	10097	284	273	11	166	93	73	—
2	Wargrave	21055	7840	166	159	7	103	51	52	—
	121.—Maidenhead.	29926	23554	620	593	27	311	155	156	203
1	Maidenhead W,F,H ..	29926	23554	620	593	27	311	155	156	—
	122.—Easthampstead.	27033	15757	342	322	20	199	105	94	101
1	Bracknell W,H	22497	10186	232	218	14	122	57	65	—
2	Sandhurst L	4536	5571	110	104	6	77	48	29	—
	123.—Windsor.	21070	40299	889	853	36	531	271	260	273
1	Egham 2H,L	14101	18302	416	400	16	222	122	100	—
2	Windsor W,F,H	6969	21997	473	453	20	309	149	160	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
7.—MIDDLESEX.											
124.—Staines.			24331	33861	1018	974	44	511	264	247	229
No.											
1	Sunbury <i>w</i>		11054	18683	540	520	20	254	121	133	—
2	Staines <i>W,H</i>		13277	15178	478	454	24	257	143	114	—
125.—Uxbridge.			26858	39003	1508	1445	63	810	410	400	336
1	Hillingdon <i>W,F,H</i>		6035	13661	448	421	27	238	125	113	—
2	Uxbridge <i>H</i>		12757	8984	252	242	10	102	54	48	—
3	Hayes <i>w,2F,H,L</i>		8063	16358	808	782	26	470	231	239	—
126.—Brentford.			20980	178866	6659	6418	241	2890	1438	1452	1669
1	Isleworth <i>3W,3F,H</i>		6859	30863	1224	1144	80	799	416	383	—
2	Twickenham <i>F,2H</i>		2421	20991	751	721	30	289	146	143	—
3	Brentford <i>3F,2H</i>		4319	48289	1710	1668	42	673	328	345	—
4	Chiswick <i>H</i>		1249	29309	896	875	21	351	167	184	—
5	Acton <i>w,F,3H</i>		6132	48914	2078	2010	68	778	381	397	—
127.—Hendon.*			33569	167305	5971	5852	119	2185	1149	1036	1374
1	Harrow <i>F,H</i>		13809	25523	1040	1025	15	301	170	131	—
2	Edgware <i>2F,2H</i>		6994	4521	116	116	—	46	19	27	—
3	Willesden <i>W,F,2H</i>		4384	114811	4029	3952	77	1453	741	712	—
4	Hendon <i>W,w,F</i>		8382	22450	786	759	27	385	219	166	—
128.—Barnet.			25767	58970	1894	1851	43	883	431	452	437
1	South Mimms <i>2F,H</i>		17755	7308	184	180	4	68	32	36	—
2	Barnet <i>W,2H</i>		3324	17970	475	461	14	250	124	126	—
3	Finchley <i>F,3H,L</i>		4688	33692	1235	1210	25	565	275	290	—
129.—Edmonton.			47102	332463	11078	10811	267	4543	2291	2252	2666
1	Hornsey <i>F,H</i>		2875	72056	1488	1468	20	660	311	349	—
2	Wood Green <i>w,H</i>		1625	34233	1214	1194	20	383	179	204	—
3	West Tottenham† <i>F</i>		995	48741	1845	1792	53	719	361	358	—
4	East Tottenham† <i>2H</i>		2019	53962	1959	1933	26	841	453	388	—
5	Edmonton <i>W,2w,3F</i>		7491	61892	2659	2557	102	1112	559	553	—
6	Enfield <i>2W,F,H</i>		12601	42738	1420	1385	35	622	320	302	—
7	Waltham Abbey <i>F</i>		11017	6549	161	160	1	70	39	31	—
8	Cheshunt <i>F,H</i>		8479	12292	332	322	10	136	69	67	—
8.—HERTFORD-SHIRE.											
130.—Ware.			36158	21175	466	452	14	253	129	124	136
1	Hoddesdon		7987	8783	169	167	2	82	40	42	—
2	Stanstead		7985	2959	59	57	2	35	14	21	—
3	Ware <i>W</i>		6909	6511	176	167	9	99	53	46	—
4	Standon		13277	2922	62	61	1	37	22	15	—
131.—Bishop Stortford.			54471	21498	507	487	20	277	130	147	134
1	Stortford <i>W,2F,H</i>		15804	11616	282	263	14	170	83	87	—
2	Stansted		18610	5799	126	124	2	66	28	38	—
3	Braughing <i>H</i>		20057	4083	99	95	4	41	19	22	—
132.—Royston.*			91067	21046	452	425	27	298	157	141	153
1	Buntingford <i>W,F</i>		28470	5020	99	93	6	81	48	33	—
2	Royston <i>H</i>		34140	7732	172	164	8	92	45	47	—
3	Melbourn <i>W,F</i>		28457	8294	181	168	13	125	64	61	—
133.—Hitchin.†			66840	28749	885	842	43	416	196	220	239
1	Baldock		32157	10816	425	412	13	165	80	85	—
2	Hitchin† <i>W,3H</i>		34683	17933	460	430	30	251	116	135	—

* 127; 132.—The District of HENDON (127) comprises the Poor Law Union of Hendon (Harrow, Edgware, and Hendon sub-districts) and the Poor Law Parish of Willesden (Wilkesden sub-district). The District of ROYSTON (132) comprises the two Poor Law Unions of Buntingford (Buntingford sub-district) and Royston (Royston and Melbourn sub-districts).

† 129: 3, 4.—See Note * on page 151.

† 133: 2.—On 1st February, 1908, the boundary of this sub-district was altered: the part transferred contained no population.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
8.—HERTFORD-SHIRE—continued.									
134.—Hertford.	35435	17036	396	382	14	248	136	112	102
1 Watton <i>F</i>	16615	3658	83	80	3	38	22	16	—
2 Hertford <i>W,F,H</i>	18820	13378	313	302	11	210	114	96	—
135.—Hatfield.*	30068	9816	261	251	10	104	50	54	78
1 Hatfield <i>W,H</i>	23486	7551	209	201	8	72	31	41	—
2 Welwyn <i>W,F,H</i>	6582	2265	52	50	2	32	19	13	—
136.—St. Albans.†	41402	33008	887	864	23	582	293	289	249
1 Harpenden†	20616	11654	308	301	7	142	67	75	—
2 St. Albans <i>W,F,H,2L</i>	20786	21354	579	563	16	440	226	214	—
137.—Watford.†	36953	53936	1504	1466	38	768	380	388	447
1 Bushey <i>H</i>	9333	9173	244	239	5	88	48	40	—
2 Watford <i>W,2F,H</i>	5798	28331	874	847	27	370	192	178	—
3 Rickmansworth† <i>w,L</i>	16541	13090	285	281	4	273	124	149	—
4 Abbots Langley	5281	3342	101	99	2	37	16	21	—
138.—Hemel Hempstead.†	27179	17276	469	456	13	240	129	111	138
1 Kings Langley†	8358	2805	72	71	1	26	15	11	—
2 Hemel Hempstead <i>W,F,2H</i>	7184	11264	325	316	9	180	97	83	—
3 Flamstead†	11637	3207	72	69	3	34	17	17	—
139.—Berkhampstead.†	26852	16220	319	304	15	219	109	110	112
1 Berkhampstead† <i>W</i>	11507	8790	188	178	10	120	61	59	—
2 Tring† <i>2F</i>	15345	7430	131	126	5	99	48	51	—
9.—BUCKINGHAM-SHIRE.									
140.—Amersham.†	50396	22357	660	645	15	290	151	139	169
1 Missenden	6322	2291	68	68	—	26	14	12	—
2 Chesham† <i>F,H</i>	13659	9772	277	271	6	108	57	51	—
3 Amersham <i>W</i>	20568	7206	224	216	8	113	56	57	—
4 Chalfont† <i>H</i>	9847	3088	91	90	1	43	24	19	—
141.—Eton.†	42983	34792	877	837	40	422	232	190	240
1 Eton† <i>W,F,2H</i>	20693	25280	664	635	29	323	181	142	—
2 Burnham† <i>F</i>	22290	9512	213	202	11	99	51	48	—
142.—Wycombe.	75498	45377	1189	1139	50	605	326	279	325
1 Wycombe <i>H</i>	18756	24476	698	675	23	303	161	142	—
2 Marlow <i>2F,H</i>	13709	10102	277	261	16	130	67	63	—
3 Princes Risborough	22782	6376	122	119	3	79	37	42	—
4 Stokenchurch <i>2W</i>	20251	4423	92	84	8	93	61	32	—
143.—Aylesbury.†	75411	24865	598	572	26	431	210	221	161
1 Haddenham <i>L</i>	27541	5657	114	108	6	142	69	73	—
2 Aylesbury† <i>W,F,H</i>	19395	13668	348	334	14	211	108	103	—
3 Waddesdon	28475	5540	136	130	6	78	33	45	—
144.—Winslow.	34525	7034	144	139	5	88	42	46	46
1 Winslow <i>W</i>	34525	7034	144	139	5	88	42	46	—
145.—Newport Pagnell.	74206	28000	644	628	16	313	163	150	201
1 Fenny Stratford	33144	14814	386	380	6	162	86	76	—
2 Newport Pagnell <i>W</i>	3432	4028	86	82	4	54	24	30	—
3 Olney	37630	9158	172	166	6	97	53	44	—

* 135.—The District of HATFIELD comprises the two Poor Law Unions of Hatfield (Hatfield sub-district) and Welwyn (Welwyn sub-district).

† 136 : 1, 137 : 3, 138 : 1, 3, 139 : 1, 2, 140 : 2, 4, 141 : 1, 2, 143 : 2.—On 1st February, 1908, the boundaries of these sub-districts were altered; the parts transferred contained no population.

‡ 141 : 1, 2.—On 1st January, 1908, Iver (1) sub-district was abolished and its constituent parts added to Eton (2) and Burnham (3) sub-districts, see page 500.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	9.—BUCKINGHAMSHIRE—continued.									
	146.—Buckingham.	54022	10636	234	225	9	123	65	58	67
1	Buckingham <i>W,F,H</i> ..	26769	6205	116	111	5	64	41	23	—
2	Tingewick	27253	4431	118	114	4	59	24	35	—
	10.—OXFORDSHIRE.									
	147.—Henley.	59540	23826	645	608	37	287	132	155	162
1	Henley <i>W,F,H</i>	25971	10893	266	251	15	146	69	77	—
2	Caversham	14550	9211	311	294	17	102	45	57	—
3	Watlington <i>H</i>	19019	3722	68	63	5	39	18	21	—
	148.—Thame.	61413	13174	264	255	9	172	104	68	73
1	Lewknor	27835	4530	80	78	2	45	30	15	—
2	Thame <i>W,3F,H</i>	33578	8644	184	177	7	127	74	53	—
	149.—Headington.	29093	38605	964	921	43	708	361	347	269
1	Wheatley <i>2F</i>	12619	3206	71	68	3	47	24	23	—
2	St. Clement <i>W,2w,4H,2L</i> ..	16474	35399	893	853	40	661	337	324	—
	150.—Oxford.	1720	22896	552	527	25	263	132	131	209
1	Oxford <i>F</i>	1720	22896	552	527	25	263	132	131	—
	151.—Bicester.	63008	12284	319	291	28	173	98	75	105
1	Bletchington <i>F</i>	32188	5761	150	142	8	67	37	30	—
2	Bicester <i>W,F</i>	30820	6523	169	149	20	106	61	45	—
	152.—Woodstock.	47854	12071	275	258	17	158	71	87	5
1	Deddington	21412	4404	89	83	6	42	19	23	—
2	Woodstock <i>W</i>	26442	7667	186	175	11	116	52	64	—
	153.—Witney.	77795	19283	467	441	26	229	109	120	151
1	Eynsham	18077	4361	97	87	10	50	23	27	—
2	Bampton	23691	4053	104	101	3	57	26	31	—
3	Witney <i>W</i>	15043	7229	198	186	12	86	39	47	—
4	Burford <i>H</i>	20984	3640	68	67	1	36	21	15	—
	154.—Chipping Norton.	72511	16004	351	327	24	215	113	102	116
1	Charlbury	39293	8017	174	162	12	97	55	42	—
2	Chipping Norton <i>W</i> ..	33218	7987	177	165	12	118	58	60	—
	155.—Banbury.	78487	28555	642	596	46	395	193	202	235
1	Bloxham	19702	5612	126	117	9	59	29	30	—
2	Swalcliffe	22744	4495	99	95	4	57	28	29	—
3	Cropredy	19596	3044	57	55	2	38	14	24	—
4	Banbury <i>W,2F,H</i>	16445	15404	360	329	31	241	122	119	—
	11.—NORTHAMPTONSHIRE.									
	156.—Brackley.	55825	10718	197	190	7	139	62	77	64
1	Brackley <i>W,H</i>	55825	10718	197	190	7	139	62	77	—
	157.—Towcester.	42457	10720	227	217	10	150	82	68	59
1	Abthorpe	22694	3945	97	96	1	58	30	28	—
2	Towcester <i>W</i>	19763	6775	130	121	9	92	52	40	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
11.—NORTHAMPTON-SHIRE—continued.											
158.—Potterspury.			24373	13759	388	380	8	202	106	96	104
No. 1	Potterspury W	24373	13759	388	380	8	202	106	96	—
159.—Hardingstone.			32924	11932	267	257	10	157	76	81	68
1	Brafield	12388	3118	53	49	4	39	16	23	—
2	Hardingstone W,2F	20536	8814	214	208	6	118	60	58	—
160.—Northampton.			19315	89355	2030	1949	81	1274	654	620	710
1	St. Giles W,2H,L	5668	53817	1113	1066	47	810	428	382	—
2	All Saints	4537	31296	842	811	31	331	166	165	—
3	Bugbrooke L	9110	4242	75	72	3	133	60	73	—
161.—Daventry.			64510	17205	383	366	17	223	106	117	113
1	Weedon	19827	4566	93	89	4	47	29	18	—
2	Daventry 2W,F	24567	7914	185	175	10	108	46	62	—
3	Long Buckby	20116	4725	105	102	3	68	31	37	—
162.—Brixworth.			63647	11829	246	239	7	164	88	76	77
1	West Brixworth	32106	5569	101	99	2	61	31	30	—
2	East Brixworth W,F,H	31541	6260	145	140	5	103	57	46	—
163.—Wellingborough.			55761	56042	1325	1250	75	648	332	316	410
1	Wellingborough W,F,H	26836	28917	642	598	44	366	189	177	—
2	Higham Ferrers	28925	27125	683	652	31	282	143	139	—
164.—Kettering.			58189	48093	1204	1162	42	608	324	284	362
1	Burton Latimer	22596	7129	177	172	5	84	45	39	—
2	Kettering W,2F,H	2814	28653	683	657	26	357	199	158	—
3	Rothwell	32779	12311	344	333	11	167	80	87	—
165.—Thrapston.			51744	14941	382	359	23	189	106	83	126
1	Thrapston W	27802	7490	171	158	13	101	56	45	—
2	Raunds	23942	7451	211	201	10	88	50	38	—
166.—Oundle.			69516	10494	216	207	9	143	66	77	62
1	Oundle W,F	69516	10494	216	207	9	143	66	77	—
167.—Peterborough.			104132	53859	1325	1260	65	649	328	321	426
1	Stilton	30495	5579	113	105	8	71	38	33	—
2	Peterborough W,2F,H	22681	39452	984	939	45	475	240	235	—
3	Crowland	33114	7047	181	170	11	86	41	45	—
4	Thorney	17842	1781	47	46	1	17	9	8	—
12.—HUNTINGDON-SHIRE.											
168.—Huntingdon.			79735	18095	427	412	15	251	122	129	113
1	Ramsey	27066	5907	187	179	8	78	36	42	—
2	Sawtry	16493	1793	31	31	—	20	9	11	—
3	Spaldwick	20362	2140	37	37	—	21	9	12	—
4	Huntingdon W,2F,H	15814	8255	172	165	7	132	68	64	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	12.—HUNTINGDON-SHIRE—continued.									
	169.—St. Ives.	61914	14776	316	297	19	195	96	99	105
1	Warboys	15738	2847	71	66	5	33	18	15	—
2	Somersham	15298	3096	79	75	4	26	10	16	—
3	Swavesey	14445	2468	50	48	2	27	10	17	—
4	St. Ives W	16433	6365	116	108	8	109	58	51	—
	170.—St. Neots.	65920	13879	336	313	23	185	79	106	104
1	St. Neots	30548	7888	197	186	11	93	40	53	—
2	Kimbolton W.. ..	35372	5991	139	127	12	92	39	53	—
	13.—BEDFORDSHIRE.									
	171.—Bedford.	96654	57686	1210	1163	47	695	371	324	420
1	Riseley	16046	2116	30	30	—	20	12	8	—
2	Sharnbrook	12500	2101	38	38	—	30	23	7	—
3	Harrold	11583	2356	34	34	—	31	18	13	—
4	Turvey	9251	1747	30	29	1	19	7	12	—
5	Bedford and Kempston W,F	17412	27735	543	512	31	315	153	162	—
6	Bedford and Cardington 2F,H	29862	21631	535	520	15	280	158	122	—
	172.—Biggleswade.	58275	26718	646	604	42	452	230	222	184
1	Biggleswade W,F ..	31474	14591	383	355	28	208	90	118	—
2	Stotfold L	26801	12127	263	249	14	244	140	104	—
	173.—Amphill.*	69992	21323	494	473	21	315	153	162	178
1	Shillington*	12579	3473	95	90	5	42	25	17	—
2	Amphill W, 2F	20120	7506	192	183	9	132	60	72	—
3	Cranfield	10832	2727	58	54	4	26	14	12	—
4	Woburn 2H	26461	7617	149	146	3	115	54	61	—
	174.—Woburn (dissolved in 1899).									
	175.—Leighton Buzzard.*	42639	18071	423	402	21	223	101	122	111
1	Leighton Buzzard W,3F ..	21537	12329	316	299	17	151	66	85	—
2	Wing	7278	2029	34	34	—	24	11	13	—
3	Ivinghoe	6213	1396	34	32	2	19	10	9	—
4	Edlesborough*	7611	2317	39	37	2	29	14	15	—
	176.—Luton.*	39778	51174	1688	1626	62	738	368	370	493
1	Dunstable* F	13672	9248	229	222	7	127	68	59	—
2	Luton* 2W,F,2H	26106	41926	1459	1404	55	611	300	311	—
	14.—CAMBRIDGE-SHIRE.									
	177.—Caxton.	51403	8397	185	179	6	111	49	62	54
1	Caxton W	51403	8397	185	179	6	111	49	62	—
	178.—Chesterton.	80995	33246	757	732	25	482	247	235	218
1	Willingham	35035	9242	203	198	5	138	70	68	—
2	Fulbourn W, 2F, L	23106	16865	417	403	14	260	131	129	—
3	Shelford	22854	7139	137	131	6	84	46	38	—
	179.—Cambridge.	3233	38379	791	751	40	654	333	321	283
1	St. Andrew the Less W,F ..	1398	28424	672	639	33	429	214	215	—
2	St. Andrew the Great 2H ..	1835	9955	119	112	7	225	119	106	—

* 173 : 1, 175 : 4, 176 : 1, 2.—On 1st February, 1908, the boundaries of these sub-districts were altered: the parts transferred contained no population.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (<i>exclusive of Still-born.</i>)			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
14.—CAMBRIDGE-SHIRE—<i>continued.</i>										
No.	180.—Linton.	50916	11257	221	207	14	158	95	63	81
1	Duxford	15371	4642	84	79	5	54	40	14	—
2	Linton W	16949	3854	86	80	6	65	35	30	—
3	Balsham	18596	2761	51	48	3	39	20	19	—
	181.—Newmarket.	101353	32103	777	748	29	393	197	196	154
1	Cheveley	39714	7966	196	190	6	89	43	46	—
2	Newmarket W,F,H ..	5649	10688	235	223	12	135	68	67	—
3	Burwell	23130	4913	122	117	5	49	26	23	—
4	Soham	32860	8536	224	218	6	120	60	60	—
	182.—Ely.	80747	20096	495	466	29	282	146	136	140
1	Haddenham	16458	3347	68	64	4	48	26	22	—
2	Sutton	19952	3021	77	75	2	37	18	19	—
3	Ely W	15993	7691	180	165	15	135	76	59	—
4	Littleport	28344	6037	170	162	8	62	26	36	—
	183.—North Witchford.	59584	16994	457	433	24	217	126	91	136
1	Chatteris W	23981	6798	201	190	11	101	56	45	—
2	March F	35603	10196	256	243	13	116	70	46	—
	184.—Whittlesey.	26180	7103	210	197	13	98	40	58	45
1	Whittlesey W	26180	7103	210	197	13	98	40	58	—
	185.—Wisbech.	111789	33105	926	864	62	536	265	271	305
1	Leverington	26443	5120	140	135	5	65	34	31	—
2	Wisbech W,F,H	6476	9831	251	221	30	210	100	110	—
3	Walpole St. Peter ..	15056	2581	74	73	1	35	19	16	—
4	Terrington St. Clement	23836	4871	133	127	6	76	41	35	—
5	Walsoken	19860	6008	200	190	10	72	36	36	—
6	Upwell	20118	4694	128	118	10	78	35	43	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

15.—ESSEX.										
No.	186.—West Ham.*	18784	580386	19996	19528	468	8080	4134	3946	4624
1	Stratford H	1091	52974	1619	1588	31	701	382	319	—
2	Forest Gate w	787	52745	1133	1113	20	433	173	260	—
3	Plaistow F,2H	1249	90921	3464	3405	59	1218	596	622	—
4	Canning Town H	1556	70718	2874	2789	85	1003	545	458	—
5	South East Ham* 2F ..	1991	37342	1737	1717	20	596	310	286	—
6	North East Ham* w,H ..	1333	58666	1820	1791	29	535	278	317	—
7	Wanstead F	1679	9179	247	244	3	88	38	50	—
8	South Leyton 2W	631	50467	1456	1316	140	741	391	350	—
9	North Leyton 2W,w,F ..	1963	48445	1784	1753	31	1549	829	720	—
10	Walthamstow 2H,L ..	6504	108929	3862	3812	50	1156	592	564	—
	187.—Epping.	48117	30461	749	722	27	412	204	208	193
1	Chigwell F,3H	11778	16397	426	420	6	227	108	119	—
2	Epping W,F	19298	7853	185	171	14	125	73	52	—
3	Harlow	17041	6211	138	131	7	60	23	37	—
	188.—Ongar.	47236	10044	215	197	18	141	72	69	50
1	Bobbingworth	24327	4753	89	83	6	51	27	24	—
2	Chipping Ongar W,w ..	22909	5291	126	114	12	90	45	45	—
	189.—Romford.*	47651	95465	3680	3590	90	1683	849	834	812
1	Romford W,2F,H	15873	20413	653	621	32	380	225	155	—
2	Ilford* F,2L	8496	41244	1705	1675	30	832	407	425	—
3	Barking Town* F	3805	21547	916	892	24	323	152	171	—
4	Hornchurch w,L	19477	12261	406	402	4	148	65	83	—

* 186 : 5, 6 : 189 : 2, 3.—On 1st April, 1908, the boundaries of these sub-districts were altered : *see* page 500. The births and deaths are included in the figures for the sub-districts in which they were registered.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS <i>exclusive of Still-born</i>).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX—continued.										
190.—Orsett.		41298	33746	1134	1103	31	454	245	209	241
No. 1	Grays 2w,F,H	15998	26570	910	887	23	307	170	137	—
2	Orsett W	25300	7176	224	216	8	147	75	72	—
191.—Billericay.		49854	22436	537	523	14	495	290	205	149
1	Brentwood 4w,2H,L	25584	16821	352	343	9	392	220	172	—
2	Wickford W	24270	5615	185	180	5	103	70	33	—
192.—Chelmsford.		86157	36297	884	853	31	473	247	226	260
1	Ingatestone F	28523	6226	158	153	5	70	30	40	—
2	Chelmsford W,F,H	16393	16317	395	377	18	244	138	106	—
3	Great Waltham	25764	6415	139	136	3	81	40	41	—
4	Great Baddow F	15477	7339	192	187	5	78	39	39	—
193.—Rochford.		63121	51170	1829	1759	70	852	420	432	529
1	Rochford W,2F	39638	11133	339	312	27	213	117	96	—
2	Prittlewell 2F,H	8453	32772	1238	1203	35	585	279	306	—
3	Great Wakering	15030	7265	252	244	8	54	24	30	—
194.—Maldon.		89887	23117	566	543	23	319	173	146	150
1	Southminster	35208	7438	174	167	7	87	44	43	—
2	Maldon W,H	27557	8558	214	203	11	151	91	60	—
3	Tollesbury F	27122	7121	178	173	5	81	38	43	—
195.—Tendring.		84076	45025	1175	1133	42	639	325	314	345
1	Clacton F,3H	13062	8860	206	196	10	129	59	70	—
2	Thorpe W	23196	7503	220	206	14	124	69	55	—
3	Harwich 2F	1541	10070	324	314	10	168	92	76	—
4	Manningtree L	17077	7783	192	189	3	111	54	57	—
5	Ardleigh	29200	10809	233	228	5	107	51	56	—
196.—Colchester.		11333	38373	997	963	34	520	266	254	287
1	Colchester South East* 2H	5931	22006	997	963	34	520	266	254	—
2	Colchester North West* W,F,H,L.	5402	16367							
197.—Lexden.		71049	21146	493	466	27	255	127	128	173
1	Wivenhoe	22665	8196	183	175	8	88	38	50	—
2	Stanway W	24964	6500	167	156	11	104	54	50	—
3	Fordham	23420	6450	143	135	8	63	35	28	—
198.—Halstead.		39359	16249	349	333	16	225	100	125	113
1	Halstead W,F,H	18847	10554	239	225	14	166	72	94	—
2	Hedingham F	20512	5695	110	108	2	59	28	31	—
199.—Braintree.		68285	26893	557	534	23	383	192	191	185
1	Finchingfield	16724	3275	61	58	3	38	22	16	—
2	Bocking W,H	11714	4667	100	94	6	114	49	65	—
3	Coggeshall	14309	5819	109	107	2	70	41	29	—
4	Witham	14835	5360	125	117	8	68	31	37	—
5	Braintree F	10703	7272	162	158	4	93	49	41	—
200.—Dunmow.		73503	15705	342	302	40	224	112	112	109
1	Dunmow W,F,H	40410	8980	182	170	12	134	69	65	—
2	Thaxted H	33093	6725	160	132	28	90	43	47	—

* 196: 1, 2.—On 1st July, 1908, Colchester First Ward (1), Colchester Second Ward (2), and Colchester Third Ward (3) sub-districts were dissolved and two new sub-districts, Colchester South East (1) and Colchester North West (2) were formed: *see* page 500. The births and deaths for the new sub-districts cannot be shown separately.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX—continued.										
No.	201.—Saffron Walden.	64676	16132	312	292	20	226	112	114	102
1	Newport	19000	3970	69	68	1	53	24	29	—
2	Saffron Walden W,F,H ..	24280	9026	168	156	12	140	70	70	—
3	Radwinter	21396	3136	75	68	7	33	18	15	—
16.—SUFFOLK.										
	202.—Risbridge.	53926	16049	352	336	16	235	127	108	91
1	Haverhill W,F	18586	8701	195	188	7	142	76	66	—
2	Wickhambrook	18813	3258	85	83	2	34	23	11	—
3	Clare	16527	4090	72	65	7	59	28	31	—
	203.—Sudbury.	80521	27040	497	463	34	410	209	201	156
1	Bulmer	14633	2691	53	49	4	36	24	12	—
2	Bures H	18129	4157	71	65	6	66	31	35	—
3	Sudbury W,F,H	8681	8952	153	140	13	174	84	90	—
4	Melford	16974	5266	117	112	5	79	42	37	—
5	Hartest	22104	5974	103	97	6	55	28	27	—
	204.—Cosford.	52890	14863	340	317	23	195	95	100	99
1	Lavenham	27116	6881	185	172	13	85	44	41	—
2	Hadleigh W	25774	7982	155	145	10	110	51	59	—
	205.—Bury St. Edmunds.*	86945	30783	693	653	40	465	252	213	192
1	Rougham	25954	4677	100	97	3	50	30	20	—
2	Bury St. Edmunds W,F,H	2947	16255	360	333	27	298	164	134	—
3	Ixworth	24228	4801	118	114	4	72	38	34	—
4	Fornham	33816	5050	115	109	6	45	20	25	—
	207.—Mildenhall.	64870	8290	203	192	11	130	62	68	48
1	Mildenhall W,H	64870	8290	203	192	11	130	62	68	—
	208.—Stow.	56810	19167	469	441	28	278	154	124	136
1	Walsham le Willows ..	19179	4858	118	111	7	72	45	27	—
2	Rattlesden W	20840	5422	137	128	9	87	44	43	—
3	Stowmarket F	16791	8887	214	202	12	119	65	54	—
	209.—Hartismere.	107352	23735	527	500	27	336	170	166	170
1	Mendlesham W	32047	7844	172	160	12	120	51	69	—
2	Botesdale	22463	5670	125	120	5	67	30	37	—
3	Stradbroke	25606	5200	110	104	6	77	43	34	—
4	Dennington	27236	5021	120	116	4	72	46	26	—
210.—Hoxne (dissolved 1st July, 1907).										
	211.—Bosmere.	58883	14097	299	274	25	212	112	100	107
1	Coddensham W	31068	6896	143	129	14	142	81	61	—
2	Needham Market	27815	7201	156	145	11	70	31	39	—
	212.—Samford.	45351	12253	281	268	13	194	102	92	75
1	Capel St. Mary H	22614	5827	129	121	8	74	39	35	—
2	Holbrook W,H	22737	6426	152	147	5	120	63	57	—

* 205.—On 1st April, 1908, THINGOE (205) and BURY ST. EDMUNDS (206) Registration Districts were united and called BURY ST. EDMUNDS (205). The figures are shown as if the change had taken place at the beginning of the year.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	16.—SUFFOLK—cont.									
	213.—Ipswich.	8112	66630	1815	1715	100	1097	545	552	498
1	Ipswich Western	4383	30649	783	748	35	414	207	207	—
2	Ipswich Eastern 2w,F,H,L	3729	35981	1032	967	65	683	338	345	—
	214.—Woodbridge.	78472	25582	613	582	31	420	196	224	167
1	Carlford	25989	5901	119	112	7	53	23	30	—
2	Colneis H	26572	10051	276	262	14	159	84	75	—
3	Woodbridge and Wilford F,L	25911	9630	218	208	10	208	89	119	—
	215.—Plomesgate.	75373	19611	437	397	40	293	156	137	103
1	Framlingham	19405	5407	125	117	8	82	49	33	—
2	Orford W,H	34087	6736	138	119	19	96	49	47	—
3	Aldeburgh	21881	7468	174	161	13	115	58	57	—
	216.—Blything.	94316	25577	591	555	36	351	178	173	181
1	Westleton W	38222	10120	230	207	23	150	74	76	—
2	Halesworth H	26587	6384	136	129	7	94	45	49	—
3	Wenhaston H	29507	9073	225	219	6	107	59	48	—
	217.—Wangford.	35570	14885	341	311	30	194	93	101	71
1	Bungay	17103	5401	103	91	12	64	33	31	—
2	Beccles W,F,H	18467	9484	238	220	18	130	60	70	—
	218.—Mutford.	31741	43338	1489	1429	60	626	322	304	410
1	Oulton Broad* W,F.. ..	15851	9764	370	349	21	167	82	85	—
2	Lowestoft* F,2H	2178	29850	1026	989	37	420	217	203	—
3	Belton	13712	3724	93	91	2	39	23	16	—
	17.—NORFOLK.									
	219.—Yarmouth.	3524	50704	1406	1317	89	819	426	393	404
1	Yarmouth Southern 2H,L..	479	15526	397	367	30	212	124	88	—
2	Yarmouth Northern W,F,H	896	19845	527	492	35	393	188	205	—
3	Gorleston F,H	2149	15333	482	458	24	214	114	100	—
	220.—Flegg.	29049	9803	294	282	12	136	60	76	94
1	East Flegg	13261	5030	145	141	4	77	32	45	—
2	West Flegg W	15788	4773	149	141	8	59	28	31	—
	221.—Smallburgh.	66988	17329	381	352	29	223	110	113	123
1	Ludham	16469	3003	70	67	3	31	17	14	—
2	Smallburgh W	17203	3962	89	78	11	58	27	31	—
3	Stalham	17459	3981	83	79	4	45	23	22	—
4	North Walsham	15857	6383	139	128	11	89	43	46	—
	222.—Erpingham.	64227	22263	555	527	28	324	160	164	130
1	Repps H	15931	4165	105	99	6	64	31	33	—
2	Cromer W,F,2H	23389	11375	260	251	9	153	79	74	—
3	Holt H	24907	6723	190	177	13	107	50	57	—
	223.—Aylsham.	69341	17053	401	374	27	241	108	133	138
1	Eynsford	41002	7842	191	180	11	123	51	72	—
2	Buxton W	28339	9211	210	194	16	118	57	61	—
	224.—St. Faith's.†	48933	10378	236	222	14	194	99	95	70
1	St. Faith's† W,F,L	48933	10378	236	222	14	194	99	95	—

* 218 1, 2.—On 1st July, 1908, the boundary between Kessingland (1) and Lowestoft (2) sub-districts was altered, and Kessingland was re-named Oulton Broad: see page 501. The figures are shown as if the change had taken place at the beginning of the year.

† 224: 1.—On 1st May, 1908, the boundary between this sub-district and East Wymer sub-district of NORWICH (225: 1) was altered: see page 501. The births and deaths are included in the figures for the sub-district in which they were registered.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
17.—NORFOLK—cont.											
No.	225.—Norwich.*		7879	113922	3081	2917	164	1750	884	866	948
1	East Wymer*		3112	56844	1635	1564	71	679	333	346	—
2	West Wymer W,2F,3H,L		4767	57078	1446	1353	93	1071	551	520	—
226.—Forehoe.			38528	11329	299	274	25	173	97	76	66
1	Costessey		15702	3485	95	90	5	42	25	17	—
2	Wymondham W		22826	7844	204	184	20	131	72	59	—
227.—Henstead.			42398	10358	201	189	12	123	65	58	69
1	Humbleyard W		22468	5302	109	101	8	72	38	34	—
2	Henstead		19930	5056	92	88	4	51	27	24	—
228.—Blofield.			45967	11845	257	244	13	243	113	130	61
1	Blofield W,L		19961	6935	131	128	3	172	80	92	—
2	South Walsham		26006	4910	126	116	10	71	33	38	—
229.—Loddon.			60321	12393	298	278	20	157	79	78	71
1	Aldeby H		28874	6346	155	149	6	75	42	33	—
2	Loddon W		31447	6047	143	129	14	82	37	45	—
230.—Depwade.			83959	23860	514	479	35	300	159	141	147
1	Harleston W		31591	8772	185	166	19	131	69	62	—
2	Diss H		19940	7464	150	140	10	79	46	33	—
3	Stratton		32428	7624	179	173	6	90	44	46	—
231.—Gultercross (dis- solved in 1902).											
232.—Wayland.			68775	13793	304	280	24	192	102	90	90
1	Attleborough W		33214	8223	200	183	17	134	74	60	—
2	Watton H		35561	5570	104	97	7	58	28	30	—
233.—Mitford.			106911	23982	520	482	38	333	162	171	166
1	Shipdham		11579	2282	49	42	7	28	16	12	—
2	Mattishall		17003	3439	58	55	3	42	18	24	—
3	Bawdeswell		13556	2504	57	55	2	25	9	16	—
4	East Dereham W		18922	7992	169	151	18	139	61	78	—
5	Litcham		26969	3990	99	98	1	43	29	14	—
6	North Elmham		18882	3775	88	81	7	56	29	27	—
234.—Walsingham.			83142	19621	424	403	21	242	123	119	115
1	Fakenham		29061	7440	165	158	7	80	36	44	—
2	Walsingham W		32011	6592	150	144	6	95	51	44	—
3	Wells		22070	5589	109	101	8	67	36	31	—
235.—Docking.			87948	17634	391	365	26	244	120	124	128
1	Burnham		40358	6570	143	136	7	84	44	40	—
2	Snettisham W,H		47590	11064	248	229	19	160	76	84	—
236.—Freebridge Lynn.			74774	11847	254	244	10	176	95	81	78
1	Hillington		26542	4124	88	82	6	67	31	36	—
2	Gayton W		33062	5328	104	100	4	74	47	27	—
3	Castle Rising		15170	2395	62	62	—	35	17	18	—

* 225 : 1.—See note † on preceding page.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS		MARRIAGES.	
				Total.	Legitimate.	Illegitimate.	Total.	Males		Females.
17.—NORFOLK— <i>cont.</i>										
237.—King's Lynn.		4696	20950	537	495	42	317	167	150	174
No. 1	North King's Lynn	629	12057	304	278	26	152	74	78	—
2	South King's Lynn W,F,H	4067	8893	233	217	16	165	93	72	—
238.—Downham.		82933	17309	419	386	33	258	136	122	136
1	Wiggenshall	32114	5863	151	144	7	82	49	33	—
2	Downham W	28145	7705	190	172	18	122	56	66	—
3	Fincham	22674	3741	78	70	8	54	31	23	—
239.—Swaffham.		82148	11015	227	210	17	158	88	70	81
1	Swaffham W,F,H	82148	11015	227	210	17	158	88	70	—
240.—Thetford.		138729	20366	470	441	29	308	160	148	139
1	Methwold	68470	8018	194	181	13	130	72	58	—
2	Thetford W,H	70259	12348	276	260	16	178	88	90	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

18.—WILTSHIRE.									
241.—Swindon.	53986	59285	1898	1827	71	742	374	368	477
1 Highworth W,F	24251	8919	292	266	26	131	65	66	—
2 Swindon F,2H	29735	50366	1606	1561	45	611	309	302	—
242.—Cricklade.	46734	11357	296	282	14	147	75	72	65
1 Wootton Bassett F	22427	5541	139	135	4	55	26	29	—
2 Cricklade W	24307	5816	157	147	10	92	49	43	—
243.—Malmesbury.	58535	12676	254	242	12	157	81	76	91
1 Malmesbury Eastern H ..	32583	5290	124	121	3	51	31	20	—
2 Malmesbury Western W,H	25952	7386	130	121	9	106	50	56	—
244.—Chippenham.	58967	22959	537	522	15	285	136	149	169
1 Castle Combe*	20537	4054	85	81	4	62	37	25	—
2 Corsham*	14985	7886	186	178	8	79	37	42	—
3 Chippenham* W,F,H ..	11150	8447	209	206	3	112	51	61	—
4 Christian Malford	12295	2572	57	57	—	32	11	21	—
245.—Calne.	29324	8071	184	177	7	131	58	73	64
1 Calne W,F	29324	8071	184	177	7	131	58	73	—
246.—Marlborough.	44393	8458	178	165	13	114	61	53	44
1 Marlborough W,2F,H.. ..	44393	8458	178	165	13	114	61	53	—
247.—Devizes.	62762	19602	433	415	18	350	153	197	147
1 Devizes W,F,H,L	30133	13243	302	287	15	275	124	151	—
2 Lavington	32629	6359	131	128	3	75	29	46	—
248.—Melksham.	16379	18416	431	415	16	271	131	140	150
1 Melksham W,H	12744	6022	138	132	6	102	56	46	—
2 Trowbridge F,H	3635	12394	293	283	10	169	75	94	—

* 244: 1, 2, 3.—On 1st July, 1908, the boundaries of these sub-districts were altered: *see* page 501. The figures are shown as if the change had taken place at the beginning of the year.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
18.—WILTSHIRE— continued.										
No.	249.—Bradford on Avon.	18688	9585	212	205	7	116	53	63	62
1	Bradford on Avon W,H ..	18688	9585	212	205	7	116	53	63	—
250.—Westbury.		31534	9704	215	206	9	110	66	44	81
1	Bradley	12810	3280	69	66	3	29	17	12	—
2	Westbury W,H	18724	6424	146	140	6	81	49	32	—
251.—Warminster.		58458	11781	239	223	16	161	84	77	72
1	Warminster W,F,H	19124	7532	166	153	13	111	62	49	—
2	Longbridge Deverill	11295	1493	24	24	—	16	7	9	—
3	Heytesbury	28039	2756	49	46	3	34	15	19	—
252.—Pewsey.		75219	11211	335	318	17	164	102	62	100
1	Netheravon W	39964	6121	157	147	10	89	49	40	—
2	Collingbourne H	35255	5090	178	171	7	75	53	22	—
253.—Amesbury.		63453	8268	289	280	9	112	52	60	47
1	Orcheston	18651	1875	50	48	2	30	16	14	—
2	Amesbury W,H	28176	4470	191	184	7	54	25	29	—
3	Winterbourne F	16626	1923	48	48	—	28	11	17	—
254.—Salisbury.		58712	29977	620	597	23	367	172	195	242
1	Alderbury	27279	4023	83	80	3	43	18	25	—
2	Downton	29713	5769	134	132	2	60	25	35	—
3	Salisbury W,H,L	1720	20185	403	385	18	264	129	135	—
255.—Wilton.		56205	9670	218	208	10	131	68	63	72
1	Wilton W	24089	5951	143	138	5	88	44	44	—
2	Bishopstone	32116	3719	75	70	5	43	24	19	—
256.—Tisbury.		43562	7714	170	162	8	113	68	45	44
1	Donhead	20017	3053	58	53	5	34	22	12	—
2	Tisbury W	11594	2947	69	67	2	62	34	28	—
3	Hindon	11951	1714	43	42	1	17	12	5	—
257.—Mere.		32309	5210	109	107	2	71	32	39	23
1	Mere W	32309	5210	109	107	2	71	32	39	—
19.—DORSETSHIRE.										
258.—Shaftesbury.		43089	12955	249	231	18	174	81	93	72
1	Shaftesbury W,H	8273	4282	78	70	8	60	28	32	—
2	Fontmell	15215	2275	37	35	2	31	12	19	—
3	Gillingham	19601	6398	134	126	8	83	41	42	—
259.—Sturminster.		39342	8804	172	167	5	114	49	65	76
1	Sturminster W	39342	8804	172	167	5	114	49	65	—
260.—Blandford.		61959	12457	260	251	9	147	81	66	62
1	Milton Abbas H	29081	4295	93	87	6	54	26	28	—
2	Blandford W,F,H	32878	8162	167	164	3	93	55	38	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
19.—DORSETSHIRE— <i>continued.</i>												
261.—Wimborne.				81534	17110	373	344	29	214	107	107	110
No.	1	Cranborne	42802	5838	139	130	9	72	32	40	—
	2	Wimborne W,H	38732	11272	234	214	20	142	75	67	—
262.—Poole.				25284	32337	1013	971	42	528	277	251	313
1		Canford F,H	13213	11371	416	404	12	194	99	95	—
2		Poole W,F,2H	4256	18379	533	504	29	304	160	144	—
3		Lytchett	7815	2587	64	63	1	30	18	12	—
263.—Wareham.				92519	16001	332	315	17	207	107	100	104
1		Swanage H	12758	4936	110	107	3	60	35	25	—
2		Corfe Castle	11854	1967	35	33	2	28	12	16	—
3		Wareham W,F	37197	5516	105	94	11	80	44	36	—
4		Bere Regis	30710	3582	82	81	1	39	16	23	—
264.—Weymouth.				33201	42926	952	921	31	523	266	257	280
1		Upway 2F	18095	4558	79	76	3	66	28	38	—
2		Weymouth W,F,3H	2454	21753	587	563	24	334	163	171	—
3		Portland H	2897	15199	256	253	3	109	69	40	—
4		Abbotsbury	9755	1416	30	29	1	14	6	8	—
265.—Dorchester.*				117472	24001	505	481	24	334	175	159	143
1		Dorchester W,F,H	9045	10148	222	209	13	145	79	66	—
2		Puddletown	24168	3375	66	62	4	31	20	11	—
3		Maiden Newton L	37518	5414	111	108	3	100	54	46	—
4		Cerne W	46741	5064	106	102	4	58	22	36	—
266.—Sherborne.				38411	11485	239	236	3	146	80	66	68
1		Yetminster	21052	3402	78	75	1	48	27	21	—
2		Sherborne W,H	17359	8083	163	161	2	98	53	45	—
267.—Beaminster.				58693	9184	208	199	9	135	63	72	54
1		Evershot	17458	2079	43	42	1	25	10	15	—
2		Netherbury W	29139	4499	92	88	4	74	38	36	—
3		Beaminster	12096	2606	73	69	4	36	15	21	—
268.—Bridport.				32837	12708	223	218	5	173	80	93	71
1		Burton Bradstock	16122	3443	67	66	1	41	21	20	—
2		Bridport W,H	673	5962	98	96	2	93	42	51	—
3		Whitchurch Canonorum F	16042	3303	58	56	2	39	17	22	—
20.—DEVONSHIRE.												
269.—Axminster.				54548	15623	327	314	13	222	105	117	91
1		Lyme H	4821	2920	57	56	1	45	21	24	—
2		Axminster W,H	13551	3993	85	80	5	70	33	37	—
3		Chardstock F	17429	2752	75	72	3	25	13	12	—
4		Colyton	18747	5958	110	106	4	82	38	44	—
270.—Honiton.				87759	20285	456	442	14	283	143	140	131
1		Honiton W,H	55181	9146	208	200	8	118	67	51	—
2		Ottery St. Mary 2H	32578	11139	248	242	6	165	76	89	—

*265.—The District of DORCHESTER comprises the two Poor Law Unions of Dorchester (Dorchester, Puddletown, and Maiden Newton sub-districts) and Cerne (Cerne sub-district).

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE— continued.											
No.	271.—St. Thomas.		125452	55372	1280	1242	38	945	478	467	360
1	East Budleigh H		12101	3890	64	64	—	69	36	33	—
2	Exmouth 2H		5584	11497	209	206	3	141	79	62	—
3	Woodbury		13943	2769	57	56	1	41	19	22	—
4	Topsham		4916	3606	83	81	2	61	25	36	—
5	Heavitree 2F,2L		31602	13575	369	360	9	253	131	122	—
6	St. Thomas W		39882	14496	416	395	21	212	108	104	—
7	Kenton 2L		20424	5539	82	80	2	168	80	88	—
272.—Exeter.			1890	37718	834	775	59	681	350	331	371
1	Exeter W,3H		1890	37718	834	775	59	681	350	331	—
273.—Newton Abbot.			117200	80312	1476	1407	69	1320	648	672	658
1	Teignmouth F,2H		11406	14393	260	253	7	212	101	111	—
2	Chudleigh		19056	5643	120	117	3	55	25	30	—
3	Moreton Hampstead H		22899	2654	61	58	3	33	19	14	—
4	Ashburton H		32322	5088	113	104	9	72	37	35	—
5	Newton Abbot W,F,H		21071	16951	376	346	30	339	172	167	—
6	Torquay 2F,9H		10446	35583	546	529	17	609	294	315	—
274.—Totnes.			96475	41445	927	886	41	599	311	288	299
1	Paignton F,H		10090	9473	222	214	8	148	79	69	—
2	Brixham 2F,H		8145	8624	215	211	4	88	34	54	—
3	Dartmouth H		4977	7969	185	175	10	99	55	44	—
4	Totnes W,H		12219	5530	127	111	16	114	63	51	—
5	Buckfastleigh		20323	3972	65	63	2	45	25	20	—
6	Ugborough H,L		25043	3662	67	67	—	75	42	33	—
7	Harberton		15678	2215	46	45	1	30	13	17	—
275.—Kingsbridge.			73023	16133	336	318	18	228	117	111	95
1	Blackawton		13058	2063	34	31	3	24	14	10	—
2	Stokenham		16060	2924	70	68	2	32	15	17	—
3	West Alvington W		15065	4247	84	80	4	68	34	34	—
4	Kingsbridge H		12658	4137	86	80	6	59	34	25 ³	—
5	Modbury		16182	2762	62	59	3	45	20	25	—
276.—Plympton St. Mary.			74081	21368	478	451	27	292	154	138	159
1	Yealmpton		27831	9400	213	207	6	145	81	64	—
2	Plympton W,2H		46250	11968	265	244	21	147	73	74	—
277.—Plymouth.			2370	107636	2723	2618	105	1868	943	925	1037
1	Plymouth North W,4H ..		960	28101	707	654	53	695	345	350	—
2	Plymouth South East F ..		838	29962	824	806	18	439	233	206	—
3	Plymouth South West 2F,H		572	49573	1192	1158	34	734	365	369	—
278.—East Stonehouse.			192	15111	385	371	14	295	170	125	125
1	East Stonehouse W,H ..		192	15111	385	371	14	295	170	125	—
279.—Devonport.			3044	70437	2074	2038	36	1089	566	523	696
1	St. Aubyn 2H		376	22928	609	599	10	358	193	165	—
2	Stoke W,2F		2243	24407	919	898	21	472	239	233	—
3	Tamar H		425	23102	546	541	5	259	134	125	—
280.—Tavistock.			159039	26907	519	496	23	358	191	167	164
1	Calstock		12023	7829	178	170	8	115	54	61	—
2	Tavistock* W,H		93908	14069	245	236	9	172	98	74	—
3	Lifton*		53108	5009	96	90	6	71	39	32	—

* 280: 2, 3.—On 1st January, 1908, Milton Abbot sub-district was abolished and its constituent parts transferred to Tavistock and Lifton sub-districts: see page 501.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
AND SUB-DISTRICTS.					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE— <i>continued.</i>											
281.—Okehampton.			133320	15756	321	295	26	224	104	120	134
No.											
1	Bratton Clovelly	H	22629	1598	27	25	2	25	9	16	—
2	Hatherleigh	26698	2874	54	50	4	39	21	18	—
3	Okehampton	W	28153	4461	116	101	15	62	29	33	—
4	Chagford	H	20136	2432	47	46	1	39	18	21	—
5	Tawton	35704	4391	77	73	4	59	27	32	—
282.—Crediton.			94455	15553	287	276	11	182	90	92	99
1	Morchard Bishop	28994	3385	62	61	1	37	17	20	—
2	Bow	20522	2369	41	40	1	29	15	14	—
3	Crediton	W	17106	5902	117	112	5	75	37	38	—
4	Cheriton Fitzpaine	27833	3897	67	63	4	41	21	20	—
283.—Tiverton.			110847	27378	592	566	26	331	170	161	197
1	Silvertown	19606	4227	92	88	4	53	23	30	—
2	Cullompton	32830	7991	181	177	4	82	41	41	—
3	Tiverton	W,F,H	17680	10382	194	179	15	153	86	67	—
4	Bampton	40731	4778	125	122	3	43	20	23	—
284.—South Molton.			123343	13812	268	257	11	178	82	96	86
1	Witheridge	73194	5737	117	112	5	69	28	41	—
2	South Molton	W,H	50149	8075	151	145	6	109	54	55	—
285.—Barnstaple.			144845	42060	873	831	42	530	251	279	312
1	Barnstaple	W,F,H	1577	11999	300	271	29	189	84	105	—
2	Lynton	H	35073	3142	59	55	4	35	15	20	—
3	Combe Martin	27957	3862	81	79	2	51	29	22	—
4	Ilfracombe	2F,H	44795	16847	298	294	4	182	90	92	—
5	Bishops Tawton	35443	6210	135	132	3	73	33	40	—
286.—Torrington.			83388	12501	278	266	12	176	78	98	106
1	High Bickington	18115	1988	32	32	—	16	9	7	—
2	Winkleigh	32998	3765	81	79	2	54	21	33	—
3	Shebbear	18084	2252	53	51	2	23	12	11	—
4	Great Torrington	W,H	14191	4496	112	104	8	83	36	47	—
287.—Bideford.			62474	20603	462	439	23	279	121	158	162
1	Bideford	W,F,H	5476	9189	203	190	13	133	67	66	—
2	Northam	4514	5731	146	144	2	77	28	49	—
3	Parkham	16956	2116	32	30	2	21	4	17	—
4	Hartland	29659	3147	67	62	5	45	21	24	—
5	Putford	5869	420	14	13	1	3	1	2	—
288.—Holsworthy.			85524	8687	215	202	13	114	50	64	58
1	Milton Damerel	23736	2138	52	48	4	22	9	13	—
2	Holsworthy	W	20534	2947	81	73	8	46	24	22	—
3	Black Torrington	16022	1495	44	43	1	21	6	15	—
4	Ashwater	8710	758	13	13	—	9	6	3	—
5	Clawton	16522	1349	25	25	—	16	5	11	—
21.—CORNWALL.											
289.—Stratton.			55220	7316	162	140	22	97	45	52	55
1	Kilkhampton	16345	1465	31	31	—	20	9	11	—
2	Stratton	W,H	13484	3745	87	67	20	58	26	32	—
3	Week St. Mary	25391	2106	44	42	2	19	10	9	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
21.—CORNWALL—cont.												
290.—Camelford.				52545	7188	149	139	10	103	53	45	54
1	Boscastle	17660	2176	41	36	5	32	19	13	—
2	Camelford W	34885	5012	108	103	5	71	39	32	—
291.—Launceston.				104663	14310	268	251	17	180	94	86	96
1	Altarnun	22631	1756	24	24	—	20	12	8	—
2	North Petherwin	49530	4258	71	69	2	43	24	19	—
3	Launceston W,H	2189	4053	79	67	12	57	30	27	—
4	North Hill	30313	4243	94	91	3	60	28	32	—
292.—St. Germans.				43032	21147	475	467	8	291	147	144	108
1	Antony W	7701	10613	235	231	4	139	66	73	—
2	St. Germans	12582	2606	45	45	—	25	12	13	—
3	Saltash H	22749	7928	195	191	4	127	69	58	—
293.—Liskeard.				107851	23946	504	480	24	327	160	167	176
1	Callington	22883	5681	123	118	5	76	33	43	—
2	Liskeard W,H	45169	9353	204	190	14	151	78	73	—
3	Looe	19933	5448	98	96	2	66	31	35	—
4	Lerrin F	19866	3464	79	76	3	34	18	16	—
294.—Bodmin.				89179	19263	381	365	16	346	167	179	125
1	Lanlivery	18564	3963	82	81	1	37	15	22	—
2	St. Mabyn	28941	2629	51	47	4	34	16	18	—
3	Bodmin W,H,L	16517	7078	145	137	8	188	95	93	—
4	Egloshayle	25157	5593	103	100	3	87	41	46	—
295.—St. Columb.				78068	15428	328	310	18	195	100	95	114
1	Padstow	26541	4322	94	91	3	54	30	24	—
2	St. Columb W,F	31312	8130	169	147	13	108	54	54	—
3	Newlyn	20215	2976	74	72	2	33	16	17	—
296.—St. Austell.				58481	32937	857	821	36	451	231	220	252
1	Fowey H	8592	7692	148	140	8	103	56	47	—
2	St. Austell W	21924	15254	452	431	21	225	111	114	—
3	Mevagissey	13156	3964	73	73	—	41	21	20	—
4	Grampound	14809	6027	184	177	7	82	43	39	—
297.—Truro.				89363	33624	658	618	40	522	258	264	235
1	Probus	22029	3410	81	77	4	43	21	22	—
2	St. Just	16412	3605	60	58	2	37	13	24	—
3	St. Agnes F,H	19338	6986	144	138	6	99	47	52	—
4	St. Clement W,F	11658	7486	155	137	18	128	66	62	—
5	Kenwyn H	10208	8621	165	156	9	161	87	74	—
6	Kea	9723	3516	53	52	1	54	24	30	—
298.—Falmouth.				25296	23171	487	469	18	346	166	180	184
1	Penryn	8213	7246	127	123	4	90	39	51	—
2	Falmouth W,F,3H	4377	13077	300	286	14	212	109	103	—
3	Constantine	12706	2848	60	60	—	44	18	26	—
299.—Helston.				73334	20773	437	414	23	314	154	160	149
1	Wendron	19085	6906	143	139	4	109	49	60	—
2	Helston W	10053	4261	90	78	12	68	30	38	—
3	St. Keverne	28095	4541	94	91	3	58	34	24	—
4	Breage	8605	2822	58	56	2	43	19	24	—
5	Crowan	7496	2243	52	50	2	36	22	14	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
21.—CORNWALL—cont.										
300.—Redruth.		40426	48109	1202	1139	63	798	415	383	462
No. 1	Gwennap	10991	7375	168	162	6	120	68	52	—
2	Redruth 2H	4006	10451	270	262	8	157	86	71	—
3	Illogan W,F	8493	8885	264	236	28	200	98	102	—
4	Camborne F	6931	14726	351	333	18	238	122	116	—
5	Phillack	10005	6672	149	146	3	83	41	42	—
301.—Penzance.		64880	49287	1183	1142	41	729	357	372	365
1	Uny Lelant	12107	5389	115	112	3	85	32	53	—
2	St. Ives	9092	7359	198	191	7	113	58	55	—
3	Marazion.. .. .	4766	2945	65	65	—	40	22	18	—
4	Penzance W,F,H	13723	24430	554	532	22	362	173	189	—
5	St. Just in Penwith	13512	6546	197	190	7	102	58	44	—
6	St. Buryan	11680	2618	54	52	2	27	14	13	—
302.—Isles of Scilly.		4041	2092	43	41	2	19	9	10	10
1	Isles of Scilly W	4041	2092	43	41	2	19	9	10	—
22.—SOMERSET SHIRE.										
303.—Williton.		100679	16973	342	327	15	239	115	124	105
1	Minehead F	24381	4442	88	85	3	64	27	37	—
2	Dunster H	26269	3227	71	71	—	34	19	15	—
3	Williton W	16206	5352	106	95	11	94	47	47	—
4	Stogursey	15040	1770	25	24	1	19	10	9	—
5	Stogumber	18783	2182	52	52	—	28	12	16	—
304.—Dulverton.		78980	4609	102	96	6	57	30	27	23
1	Dulverton W	78980	4609	102	96	6	57	30	27	—
305.—Wellington.		61093	18314	409	393	16	245	113	132	131
1	Wiveliscombe	10807	2794	58	57	1	25	10	15	—
2	Milverton H	15361	3056	52	51	1	27	14	13	—
3	Wellington W,H	13953	9127	210	201	9	150	69	81	—
4	Culmstock	20972	3337	89	84	5	43	20	23	—
306.—Taunton.		73109	38653	815	777	38	661	299	362	268
1	Pitminster	23593	4057	69	68	1	52	22	30	—
2	North Curry	22280	6562	120	116	4	85	34	51	—
3	Taunton W,F,H	6928	23101	527	499	28	415	190	225	—
4	Bishop's Lydeard L.. .. .	20308	4933	99	94	5	109	53	56	—
307.—Bridgwater.		88382	33655	828	787	41	475	247	228	285
1	North Petherton	28948	6625	143	140	3	70	34	36	—
2	Bridgwater W,F,H	16610	18706	519	486	33	29	15	14	—
3	Huntspill	33554	6357	132	128	4	296	156	140	—
4	Middlezoy	9270	1967	34	33	1	80	42	38	—
308.—Langport.		59410	13459	290	275	15	157	85	72	83
1	Somerton W	34352	6568	155	143	12	90	53	37	—
2	Langport	25058	6891	135	132	3	67	32	35	—
309.—Chard.		57451	24250	545	522	23	333	161	172	181
1	Ilminster.. .. .	19086	6568	142	134	8	98	53	45	—
2	Combe St. Nicholas	11782	1851	46	44	2	22	11	11	—
3	Chard W	10760	7364	180	172	8	100	48	52	—
4	Crewkerne H	15823	8467	177	172	5	113	49	64	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
22.—SOMERSET-SHIRE—continued.												
310.—Yeovil.				55752	27381	645	615	30	339	187	152	213
No. 1	Coker	17400	4818	94	88	6	57	32	25	—		
2	South Petherton	4923	2723	63	60	3	29	18	11	—		
3	Martock	12915	5513	111	109	2	73	41	32	—		
4	Yeovil W,F,H.. .. .	20514	14327	377	358	19	180	96	84	—		
311.—Wincanton.				64540	16399	316	300	16	201	105	96	100
1	Castle Cary	20256	5318	110	108	2	59	32	27	—		
2	Milborne Port H	19990	5331	94	87	7	58	31	27	—		
3	Wincanton W,H	24294	5750	112	105	7	84	42	42	—		
312.—Frome.				52752	22172	454	443	11	250	136	114	176
1	Nunney	16552	2429	46	43	3	27	18	9	—		
2	Frome W,F,H	8581	12164	241	235	6	149	78	71	—		
3	Road	11576	2609	47	45	2	32	14	18	—		
4	Kilmersdon	16043	4970	120	120	—	42	26	16	—		
313.—Shepton Mallet.				50109	15076	310	302	8	203	101	107	111
1	Shepton Mallet W,H	28009	11073	218	213	5	165	83	82	—		
2	Evercreech	22100	4003	92	89	3	43	18	25	—		
314.—Wells.				66646	23650	502	491	11	372	173	199	147
1	Wells W,H,L	35367	11826	259	253	6	222	115	107	—		
2	Glastonbury F,H	31279	11824	243	238	5	150	58	92	—		
315.—Axbridge.				97529	47922	1005	963	42	705	316	389	341
1	Axbridge W,2H	24358	6766	154	139	15	124	59	65	—		
2	Burnham	23755	9058	207	200	7	135	53	82	—		
3	Weston super Mare F,3H	21125	24857	508	493	15	353	165	188	—		
4	Blagdon	28291	7241	136	131	5	93	39	54	—		
316.—Clutton.				47897	25763	780	767	13	329	179	150	156
1	Harptree W,H	18183	3893	105	101	4	59	40	19	—		
2	Chew Magna	13183	3601	86	86	—	40	18	22	—		
3	High Littleton H	6145	5785	181	176	5	65	33	32	—		
4	Midsomer Norton F	10381	12484	408	404	4	165	88	77	—		
317.—Bath.				30727	77604	1689	1610	79	1153	544	609	584
1	Twerton	14450	14985	469	459	10	157	74	83	—		
2	Bathwick F	3458	6983	94	92	2	81	31	50	—		
3	Lyncombe 2W	1849	14372	388	350	38	297	142	155	—		
4	Walcot 6H	939	31183	544	518	26	499	254	245	—		
5	Batheaston	10031	10081	194	191	3	119	43	76	—		
318.—Keynsham.				33028	36175	958	935	23	477	236	241	225
1	Bitton	7533	7139	173	169	4	77	35	42	—		
2	Kingswood.. .. .	4089	20767	575	567	8	258	131	127	—		
3	Keynsham W,F	21406	8269	210	199	11	142	70	72	—		
319.—Long Ashton.				51994	24138	527	507	20	319	156	163	171
1	Long Ashton W	21939	6744	148	145	3	96	51	45	—		
2	Yatton F,2H	17769	10474	197	184	13	141	63	78	—		
3	St. George	12286	6920	182	178	4	82	42	40	—		

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
23.—GLOUCESTER-SHIRE.									
320.—Bristol.	17341	339042	8621	8362	259	5151	2566	2585	2807
1 Bedminster 2F,H	1924	60112	1740	1717	23	781	390	391	—
2 Clifton 2H	1504	44428	625	608	17	487	218	269	—
3 Bristol Central F,6H	810	45836	928	884	44	1026	565	461	—
4 St. Philip and St. Jacob	736	49402	1395	1370	25	652	323	329	—
5 Knowle	1184	12671	500	491	9	180	82	98	—
6 St. George	1846	55426	1813	1594	19	623	282	341	—
7 Stapleton 2W,2H,L	2573	21236	674	580	94	864	460	404	—
8 Ashley 2H	1750	40480	825	801	24	434	196	238	—
9 Westbury on Trym W,H	5014	9451	321	317	4	104	50	54	—
321.—Barton Regis (dissolved 1st January, 1905).									
322.—Chipping Sodbury.	69736	22104	438	424	14	265	133	132	128
1 Winterbourne H	6452	4483	93	90	3	49	25	24	—
2 Chipping Sodbury F	14657	5600	98	97	1	60	31	29	—
3 Marshfield	16478	3296	62	61	1	42	16	26	—
4 Hawkesbury	20870	3392	69	65	4	43	22	21	—
5 Iron Acton W.. ..	11279	5333	116	111	5	71	39	32	—
323.—Thornbury.	64118	18487	436	424	12	253	116	137	127
1 Almondsbury H	26915	7023	152	149	3	80	40	40	—
2 Thornbury W.. ..	17623	5187	115	109	6	79	37	42	—
3 Berkeley F,H.. ..	19580	6277	169	166	3	94	39	55	—
324.—Dursley.	26736	11636	257	249	8	152	67	85	85
1 Wotton under Edge	10598	4609	103	98	5	67	29	38	—
2 Dursley W,F	16188	7027	154	151	3	85	38	47	—
325.—Westbury on Severn.	41526	22864	616	580	36	310	162	148	162
1 Newnham W.. ..	26201	6644	106	99	7	98	51	47	—
2 East Dean F	15325	16220	510	481	29	212	111	101	—
326.—Newent.	40846	8249	180	169	11	84	43	41	45
1 Newent W	18342	4026	92	86	6	51	26	25	—
2 Redmarley	22504	4223	88	83	5	33	17	16	—
327.—Gloucester.	32984	58734	1507	1445	62	929	439	440	462
1 Barnwood 2F,H,2L	21460	7932	166	164	2	220	126	94	—
2 Gloucester Northern 2W,F,2H.	741	19993	471	442	29	385	199	186	—
3 Gloucester Southern.. ..	10783	30809	870	839	31	324	164	160	—
328.—Wheatenhurst.	24383	6105	122	118	4	76	35	41	34
1 Haresfield	14571	2643	59	59	—	32	16	16	—
2 Frampton W.. ..	9812	3462	63	59	4	44	19	25	—
329.—Stroud.	39987	39974	774	742	32	507	254	253	315
1 Stonehouse F	2935	5788	122	120	2	66	31	35	—
2 Painswick H	8325	3138	56	53	3	35	22	13	—
3 Bisley F	12022	5422	93	90	3	64	23	41	—
4 Stroud W,H	2601	11774	218	204	14	196	96	100	—
5 Rodborough	4242	6043	133	130	3	58	31	27	—
6 Minchinhampton	4637	3737	65	62	3	38	20	18	—
7 Horsley	5225	4072	87	83	4	50	31	19	—
330.—Tetbury.	29686	6145	137	133	4	66	30	36	41
1 Didmorton	9383	1086	24	24	—	9	6	3	—
2 Tetbury W,H	20303	5059	113	109	4	57	24	33	—

VI.—WEST MIDLAND DIVISION—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	23.—GLOUCESTER-SHIRE—<i>cont.</i>									
	331.—Cirencester.	86277	19620	411	395	16	260	141	119	151
1	Cotswold	29143	3107	69	68	1	32	19	13	—
2	Cirencester <i>W,2F,H</i> ..	30628	11798	244	229	15	171	92	79	—
3	Fairford <i>H</i>	26506	4715	98	98	—	57	30	27	—
	332.—Northleach.	70018	8100	184	172	12	107	54	53	49
1	Bibury <i>W,2F</i>	31230	3991	101	94	7	59	26	33	—
2	Chedworth	38788	4109	83	78	5	48	28	20	—
	333.—Stow on the Wold.	44537	8151	191	183	8	115	58	57	59
1	Bourton on the Water <i>H</i> ..	23365	3814	84	82	2	45	27	18	—
2	Stow on the Wold <i>W</i> ..	21172	4337	107	101	6	70	31	39	—
	334.—Winchcomb.	57089	8825	217	208	9	134	69	65	55
1	Guiting <i>W,F,H</i>	35605	5079	131	126	5	76	41	35	—
2	Cleeve	21484	3746	86	82	4	58	28	30	—
	335.—Cheltenham.	26526	57882	1153	1081	72	755	357	398	423
1	Charlton Kings	21800	8443	198	195	3	80	45	35	—
2	Cheltenham <i>W,F,3H</i> ..	4726	49439	955	886	69	675	312	363	—
	336.—Tewkesbury.	40917	12709	292	283	9	176	92	84	95
1	Tewkesbury <i>W,2F,H</i> ..	40917	12709	292	283	9	176	92	84	—
	24.—HEREFORD-SHIRE.									
	337.—Ledbury.	50995	13733	295	277	18	186	106	80	76
1	Ledbury <i>W,H</i>	25786	9764	192	177	15	134	74	60	—
2	Yarkhill	25209	3969	103	100	3	52	32	20	—
	338.—Ross.	63229	16117	374	351	23	208	106	102	84
1	Sollershope	20438	2935	69	67	2	35	17	18	—
2	Ross <i>W,H</i>	23349	10407	257	240	17	144	78	66	—
3	St. Weonards	19442	2775	48	44	4	29	11	18	—
	339.—Hereford.*	146266	41978	912	862	50	642	345	297	306
1	Dewchurch	27133	4202	71	68	3	61	34	27	—
2	Fownhope	16885	4990	85	79	6	49	29	20	—
3	Burghill <i>L</i>	21650	4979	111	107	4	86	44	42	—
4	Hereford City <i>W,F,2H</i> ..	5031	21382	485	458	27	343	178	165	—
5	Madley	19966	2381	45	43	2	33	20	13	—
6	Kentchurch <i>W</i>	27158	2965	67	62	5	41	27	14	—
7	Clodock	28443	1979	48	45	3	29	13	16	—
	340.—Weobley.	49728	6951	143	131	12	112	62	50	45
1	Weobley <i>W</i>	29494	4098	71	63	8	67	36	31	—
2	Dilwyn	20234	2853	72	68	4	45	26	19	—
	341.—Bromyard.	61258	9907	217	200	17	127	67	60	71
1	Bromyard <i>H</i>	18645	3574	80	73	7	46	21	25	—
2	Bishops Frome	21945	3461	73	71	2	35	15	20	—
3	Brockhampton <i>W,F</i> ..	20668	2872	61	56	8	46	31	15	—
	342.—Leominster.	66409	13341	306	282	24	211	113	98	81
1	Leominster <i>W,H</i>	13844	6137	152	131	21	115	62	53	—
2	Bodenham	24752	3436	71	69	2	53	26	27	—
3	Kingsland	27813	3768	83	82	1	43	25	18	—

* 339.—The District of HEREFORD comprises the two Poor Law Unions of Hereford (Dewchurch, Fownhope, Burghill, and Hereford City sub-districts) and Dore (Madley, Kentchurch, and Clodock sub-districts).

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	24.—HEREFORD-SHIRE—<i>cont.</i>									
	343.—Kington.	101341	10522	212	199	13	137	69	68	69
1	Brilley	15975	1679	41	38	3	15	7	8	—
2	Radnor	48739	2783	60	57	3	37	16	21	—
3	Kington W,H	36827	6060	111	104	7	85	46	39	—
	25.—SHROPSHIRE.									
	344.—Ludlow.	85696	18373	417	393	24	239	122	117	106
1	Leintwardine	16428	2176	42	41	1	24	14	10	—
2	Ludlow W,F,H	14694	8158	173	162	16	133	63	70	—
3	Cainham	13308	2957	73	72	1	27	17	10	—
4	Munslow	23590	2596	68	65	3	36	22	14	—
5	Diddlebury	17676	2486	56	53	3	19	6	13	—
	345.—Clun.	86553	8491	180	169	11	124	56	68	52
1	Clun H	34468	3467	74	66	8	50	22	28	—
2	Bishops Castle W ..	17118	2364	54	51	3	43	21	22	—
3	Norbury	20934	1122	30	30	—	12	5	7	—
4	Lydbury	14033	1538	22	22	—	19	8	11	—
	346.—Church Stretton.	46085	5295	111	108	3	68	42	26	38
1	Church Stretton W.. ..	46085	5295	111	108	3	68	42	26	—
	347.—Cleobury Mortimer.	57652	8370	246	239	7	141	78	63	57
1	Cleobury Mortimer W ..	31056	5904	142	137	5	105	58	47	—
2	Stottesden	26596	2966	104	102	2	36	20	16	—
	348.—Bridgnorth.	71954	14485	316	300	16	216	111	105	91
1	Chetton	40289	4095	97	92	5	56	32	24	—
2	Bridgnorth W,F,H	3561	6181	126	121	5	107	58	49	—
3	Worfield	28104	4209	93	87	6	53	21	32	—
	349.—Shifnal.	46946	11801	303	292	11	152	76	76	78
1	Albrighton	22864	3794	88	87	1	38	21	17	—
2	Shifnal W,H	24082	8007	215	205	10	114	55	59	—
	350.—Madeley.	28468	23845	619	583	36	357	164	193	143
1	Dawley	3630	7717	231	222	9	122	51	71	—
2	Madeley W	7786	9129	237	218	19	138	70	68	—
3	Broseley F,2H	17052	6999	151	143	8	97	43	54	—
	351.—Atcham.	130653	49440	1168	1104	64	859	450	409	358
1	Condover W	62418	9652	246	230	16	170	96	74	—
2	St. Mary F,H	13825	23060	575	543	32	388	205	183	—
3	St. Chad H,L	5814	8899	183	174	9	187	86	101	—
4	Westbury	48596	7829	164	157	7	114	63	51	—
	352.—Oswestry.	83196	28262	721	674	47	393	199	194	200
1	Knockin	19996	3762	66	59	7	40	27	13	—
2	Llansilin	16170	1345	28	24	4	18	9	9	—
3	Oswestry W,H	28106	15590	386	364	22	231	113	118	—
4	St. Martin's	18924	7565	241	227	14	104	50	54	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	25.—SHROPSHIRE— <i>continued.</i>									
	353.—Ellesmere.	79409	14486	337	304	33	213	105	108	91
1	Overton <i>H</i>	12281	2379	58	57	1	36	22	14	—
2	Hanmer	14807	2251	55	51	4	25	8	17	—
3	Ellesmere <i>W,H</i>	30474	6316	146	124	22	107	52	55	—
4	Baschurch	21847	3540	78	72	6	45	23	22	—
	354.—Wem.	52451	10415	256	247	9	140	67	73	71
1	Wem* <i>W</i>	39862	8301	213	205	8	126	57	63	—
2	Prees*	12589	2114	43	42	1	20	10	10	—
	355.—Whitchurch.	40553	12060	301	282	19	166	81	85	70
1	Whitchurch <i>W,H</i>	23839	8316	193	179	14	123	59	64	—
2	Malpas	16714	3744	108	103	5	43	22	21	—
	356.—Market Drayton.	65046	13849	326	299	27	191	101	90	89
1	Moreton Say	22858	3852	82	76	6	46	25	21	—
2	Market Drayton <i>W,F,H</i> ..	42188	9997	244	223	21	145	76	69	—
	357.—Wellington.	35788	25854	749	706	43	396	221	175	162
1	Ercall Magna <i>H</i>	18903	2753	60	55	5	36	16	20	—
2	Wellington <i>W</i>	14279	15072	400	371	29	227	137	90	—
3	Wombidge	2606	8029	289	280	9	133	68	65	—
	358.—Newport.	48217	13562	307	285	22	218	118	100	92
1	Newport <i>W,2F</i>	23704	9452	214	200	14	159	88	71	—
2	Gnosall	24513	4110	93	85	8	59	30	29	—
	26.—STAFFORD-SHIRE.									
	359.—Stafford.	57897	31302	834	802	32	630	334	296	247
1	Stafford <i>W,2F,2H,2L</i> ..	57897	31302	834	802	32	630	334	296	—
	360.—Stone.	68420	19639	480	451	29	286	146	140	117
1	Stone <i>W,H</i>	35392	14045	363	341	22	208	97	111	—
2	Eccleshall <i>F</i>	33028	5594	117	110	7	78	49	29	—
	361.—Newcastle under Lyme.	29403	40345	1253	1185	68	563	298	265	302
1	Whitmore	6748	1131	23	23	—	17	9	8	—
2	Newcastle under Lyme <i>W,F</i>	11230	24206	737	694	43	379	193	186	—
3	Audley	11425	15008	493	468	25	167	96	71	—
	362.—Wolstanton.	13885	98918	3703	3565	138	1837	953	884	926
1	Wolstanton <i>F</i>	5422	22645	863	831	32	331	187	144	—
2	Tunstall <i>W</i>	5394	35349	1369	1317	52	752	379	373	—
3	Burslem <i>F,H</i>	3069	40924	1471	1417	54	754	387	367	—
	363.—Stoke upon Trent.	10782	155516	5706	5437	269	3108	1634	1474	1251
1	Hanley	1957	62226	2247	2169	78	1078	567	511	—
2	Stoke upon Trent <i>2W,H</i> ..	1882	30458	1125	1057	68	891	488	403	—
3	Fenton	1753	22742	864	830	34	404	211	193	—
4	Longton <i>H</i>	1947	35815	1326	1245	81	648	322	326	—
5	Stoke Rural <i>F</i>	3243	4275	144	136	8	87	46	41	—
	364.—Leek.	77593	42400	1349	1289	60	659	333	326	319
1	Norton <i>2F</i>	11169	13280	570	553	17	207	111	96	—
2	Biddulph <i>F</i>	5671	6247	253	246	7	86	48	38	—
3	Leek <i>W,H</i>	19303	17951	423	402	21	304	152	152	—
4	Leek Frith	13473	1542	39	35	4	16	7	9	—
5	Longnor	27977	3380	64	53	11	46	15	31	—

* 354: 1, 2.—On 1st June, 1908, the boundary between these sub-districts was altered: *see* page 501. The births and deaths are shown as if the change had taken place at the beginning of the year.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
26.—STAFFORD-SHIRE—<i>cont.</i>									
365.—Cheadle.	54169	24657	712	698	14	395	196	199	204
1 Alton	10249	3482	88	85	3	39	13	26	—
2 Ipstones L	19523	6024	180	158	2	150	77	73	—
3 Dilhorne	12694	7576	234	229	5	86	40	46	—
4 Cheadle W,F	11703	7575	230	226	4	120	66	54	—
366.—Uttoxeter.	66148	15808	391	374	17	207	97	110	130
1 Uttoxeter W	28632	10083	258	243	15	146	66	80	—
2 Abbots Bromley	15567	2173	48	47	1	19	12	7	—
3 Sudbury	21949	3552	85	84	1	42	19	23	—
367.—Burton upon Trent.	88215	92814	2397	2280	117	1348	725	623	731
1 Tutbury	26839	7185	199	190	9	89	50	39	—
2 Repton F,L	26239	7533	147	143	4	190	91	99	—
3 Gresley	15899	22297	730	700	30	277	135	142	—
4 Burton upon Trent W,F,2H	19238	55799	1321	1247	74	792	449	343	—
368.—Tamworth.	44519	24667	862	829	33	377	186	191	242
1 Tamworth W,F,H	44519	24667	862	829	33	377	186	191	—
369.—Lichfield.	76890	42542	1190	1141	49	698	346	352	293
1 Lichfield W,2H,L	36548	27805	817	785	32	501	250	251	—
2 Rugeley F,3H	40342	14737	373	356	17	197	96	101	—
370.—Cannock.	68830	47636	1753	1697	56	686	382	304	338
1 Brewood	44276	10929	277	267	10	141	80	61	—
2 Cannock W,F,H	24554	36707	1476	1430	46	545	302	243	—
371.—Wolverhampton.*	55972	172743	5348	5145	203	2855	1468	1387	1303
1 Tettenhall	15414	8830	210	207	3	104	53	51	—
2 Kinver	16677	3158	76	74	2	41	21	20	—
3 Wombourn W,F	12734	6164	193	189	4	102	45	57	—
4 Wolverhampton Western 3H	2044	53491	1497	1447	50	641	292	349	—
5 Wolverhampton Eastern F,H	1481	40696	1170	1124	46	727	377	350	—
6 Willenhall 2W,F	5755	36370	1323	1256	67	831	469	362	—
7 Bilston 2F	1867	24034	879	848	31	409	211	198	—
372.—Walsall.	22079	118607	4181	4048	133	2020	1053	967	1017
1 Darlaston F	2361	15752	660	638	22	305	155	150	—
2 Bloxwich F	4097	17481	645	631	14	251	137	114	—
3 Walsall W,F,H	3929	67117	2191	2110	81	1193	637	556	—
4 Aldridge	11692	18257	685	669	16	271	124	147	—
373.—West Bromwich.	19424	172189	5858	5674	184	2847	1449	1398	1391
1 Handsworth 2F,L	7752	55269	1647	1619	28	750	389	361	—
2 Oldbury F	3525	25191	1055	1016	39	447	217	230	—
3 West Bromwich South West H	1544	34532	1282	1241	41	554	291	263	—
4 West Bromwich North East W,w,F	4316	30643	982	926	56	691	359	332	—
5 Wednesbury F	2287	26554	892	872	20	405	193	212	—
374.—Dudley.	17205	152127	5228	5055	173	2431	1278	1153	1212
1 Rowley Regis F	3828	34670	1236	1208	28	478	270	208	—
2 Tipton F	2171	30543	1133	1100	33	468	224	244	—
3 Sedgley W	7591	38170	1297	1228	69	698	393	305	—
4 Dudley F,H	3615	48744	1562	1519	43	787	391	396	—

* 371.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of Seisdon (Tettenhall, Kinver, and Wombourn sub-districts) and Wolverhampton (Wolverhampton Western, Wolverhampton Eastern, Willenhall, and Bilston sub-districts).

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS	AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
27.—WORCESTER-SHIRE.									
375.—Stourbridge.	16855	92482	2969	2855	114	1385	726	659	794
1 Halesowen <i>F</i>	6114	23586	811	784	27	338	164	174	—
2 Stourbridge <i>H</i>	3369	30406	895	864	31	423	221	202	—
3 Kingswinford <i>W,F</i>	7372	38490	1263	1207	56	624	341	283	—
376.—Kidderminster.	37234	40769	897	850	47	602	290	312	300
1 Chaddesley Corbett	10583	2209	50	49	1	29	15	14	—
2 Wolverley	6497	2755	59	56	3	35	10	25	—
3 Kidderminster <i>W,F,H</i>	8385	27745	605	570	35	446	220	226	—
4 Lower Mitton	981	3111	58	56	2	29	13	16	—
5 Bewdley	10788	4949	125	119	6	63	32	31	—
377.—Tenbury.	36624	7005	141	132	9	96	49	47	45
1 Tenbury <i>WH</i>	36624	7005	141	132	9	96	49	47	—
378.—Martley.	55823	11980	278	266	12	155	77	78	76
1 Martley <i>W</i>	30498	6102	146	138	8	86	48	38	—
2 Leigh <i>F,H</i>	25325	5878	132	128	4	69	29	40	—
379.—Worcester.	8231	47793	1182	1110	72	830	417	413	339
1 Worcester <i>2W,F,3H</i>	8231	47793	1182	1110	72	830	417	413	—
380.—Upton on Severn.	54177	29316	507	477	30	422	198	224	165
1 Malvern <i>H,L</i>	14559	19478	273	258	15	275	120	155	—
2 Upton on Severn <i>W,F</i>	27268	6551	153	143	10	115	62	53	—
3 Kempsey	12350	3287	81	76	5	32	16	16	—
381.—Evesham.	47679	17629	513	502	11	259	134	125	136
1 Evesham <i>W,F,H</i>	18853	10509	313	305	8	166	85	81	—
2 Broadway	28826	7120	200	197	3	93	49	44	—
382.—Persnore.	53123	12754	303	283	20	197	109	88	101
1 Eckington	20458	3931	80	77	3	46	20	26	—
2 Persnore <i>W,F,H</i>	32665	8823	223	206	17	151	89	62	—
383.—Droitwich.	54201	18374	396	379	17	260	121	139	119
1 Ombersley <i>F</i>	27168	9403	207	202	5	117	50	67	—
2 Droitwich <i>W,H</i>	27033	8971	189	177	12	143	71	72	—
384.—Bromsgrove.	50399	35630	969	931	38	570	312	258	264
1 Bromsgrove <i>W,F,2H,L</i>	17001	16920	463	441	22	311	175	136	—
2 Belbroughton	15848	5623	119	112	7	66	32	34	—
3 Tardebigg <i>H</i>	17550	13087	387	378	9	193	105	88	—
385.—Kings Norton.	28916	187087	5729	5563	166	2664	1356	1308	1454
1 Kings Norton* <i>2W,w,F,H,L</i>	22453	57122	1949	1863	86	1027	533	494	—
2 Balsall Heath*	454	38827	1047	1026	21	441	220	221	—
3 Edgbaston*	4080	36599	630	613	17	373	163	210	—
4 Smethwick* <i>F</i>	1929	54539	2103	2081	42	823	440	383	—

* 385: 1, 2, 3, 4.—On 1st January, 1908, the boundaries of King's Norton (1), Edgbaston (3), and Harborne, re-named Smethwick (4), sub-districts were altered, and a new sub-district named Balsall Heath was created: see page 501.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	28.—WARWICK-SHIRE.									
	386.—Birmingham.	2996	245216	7429	7138	291	5063	2793	2270	2310
1	Lady Wood <i>H</i>	1051	64955	1999	1955	44	851	428	423	—
2	All Saints <i>2W,F,L</i>	570	45884	1527	1421	106	1629	924	705	—
3	St. George <i>3H</i>	658	68358	2219	2137	82	1557	839	718	—
4	St. Martin <i>6H</i>	717	66019	1684	1625	59	1026	602	424	—
	387.—Aston.	31287	312263	10122	9891	231	4729	2426	2303	2571
1	Deritend	650	56292	1953	1920	33	828	410	418	—
2	Bordesley <i>F</i>	1331	54686	1591	1569	22	645	350	295	—
3	Duddeston	932	65572	2212	2164	48	971	494	477	—
4	Aston Manor	960	77326	2196	2159	37	930	470	460	—
5	Erdington <i>2W,2F,H,L</i> ..	10201	42845	1769	1686	83	1154	601	553	—
6	Sutton Coldfield <i>H</i>	17213	15542	401	393	8	201	101	100	—
	388.—Meriden.	48091	11346	258	246	12	154	84	70	69
1	Coleshill <i>W</i>	21156	5265	114	109	5	60	34	26	—
2	Meriden <i>W</i>	26935	6081	144	137	7	94	50	44	—
	389.—Atherstone.	28939	17729	625	605	20	258	126	132	130
1	Atherstone <i>W,F</i>	28939	17729	625	605	20	258	126	132	—
	390.—Nuneaton.	27722	28120	1293	1263	30	423	225	198	320
1	Nuneaton <i>W,F,H</i>	27722	28120	1293	1263	30	423	225	198	—
	391.—Foleshill.	19069	17002	739	720	19	300	147	153	166
1	Foleshill <i>W,F</i>	19069	17002	739	720	19	300	147	153	—
	392.—Coventry.	6030	70296	2595	2539	56	1211	630	581	777
1	St. John <i>W,F</i>	3068	26109	777	748	29	487	261	226	—
2	Holy Trinity <i>F,H</i>	2962	44187	1818	1791	27	724	369	355	—
	393.—Rugby.	80799	34328	988	948	40	449	220	229	259
1	Rugby <i>W,F,H</i>	18366	22835	710	685	25	320	154	166	—
2	Crick	24417	4343	110	102	8	56	25	31	—
3	Dunchurch	38016	7150	168	161	7	73	41	32	—
	394.—Solihull.	49398	48618	1775	1730	45	794	386	408	413
1	Solihull <i>W,F,3H</i>	21192	41666	1001	1559	42	691	342	349	—
2	Knowle <i>L</i>	11774	3672	78	77	1	53	18	35	—
3	Tanworth	16432	3280	96	94	2	50	26	24	—
	395.—Warwick.	68300	54906	1059	1013	46	927	425	502	413
1	Warwick <i>W,F,H,L</i>	25616	17343	388	368	20	383	196	187	—
2	Leamington <i>2H</i>	13470	29077	481	462	19	439	181	258	—
3	Kenilworth <i>H</i>	29214	8486	190	183	7	105	48	57	—
	396.—Stratford on Avon.	77200	20842	458	435	23	304	166	138	153
1	Wellesbourne	27725	5316	121	117	4	62	34	28	—
2	Stratford on Avon <i>W,2F,2H</i>	29135	11523	255	240	15	185	106	79	—
3	Wootton Wawen	20340	4003	82	78	4	57	26	31	—
	397.—Alcester.	55447	20979	496	483	13	282	157	125	175
1	Feckenham	28588	13840	345	341	4	164	90	74	—
2	Alcester <i>W,F</i>	26859	7139	151	142	9	118	67	51	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
28.—WARWICK-SHIRE—<i>cont.</i>									
398.—Shipston on Stour.	78289	15053	325	304	21	211	108	103	109
1 Blockley	28378	5735	140	132	8	74	34	40	—
2 Shipston on Stour <i>W,2F,2H</i>	17477	4969	106	96	10	82	46	36	—
3 Halford	32434	4349	79	76	3	55	28	27	—
399.—Southam.	52797	9903	290	277	13	140	60	80	72
1 Southam <i>W</i>	52797	9903	290	277	13	140	60	80	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

29.—LEICESTER-SHIRE.									
400.—Lutterworth.	57066	11029	259	248	11	174	74	100	82
1 Lutterworth <i>W,H</i>	57066	11029	259	248	11	174	74	100	—
401.—Market Harborough.	71293	19187	446	420	26	232	133	99	160
1 Market Harborough <i>W</i> ..	71293	19187	446	420	26	232	133	99	—
402.—Billesdon.	52482	6172	184	121	63	403	229	174	58
1 Billesdon <i>W,w</i>	52482	6172	184	121	63	403	229	174	—
403.—Blaby.	33482	24895	588	530	8	340	162	178	184
1 Wigston <i>w,F</i>	11203	14828	329	323	6	162	71	91	—
2 Enderby <i>W,L</i>	22279	10067	259	257	2	178	91	87	—
404.—Hinckley.	22581	23940	661	643	18	333	164	169	222
1 Burbage	9141	5100	138	136	2	63	21	42	—
2 Hinckley <i>W,H</i>	7671	12454	346	335	11	201	102	99	—
3 Earl Shilton <i>F</i>	5769	6386	177	172	5	69	41	28	—
405.—Market Bosworth.	53413	17254	565	545	20	254	134	120	114
1 Market Bosworth <i>W</i> ..	32861	5757	152	148	4	88	48	40	—
2 Ibstock <i>F</i>	20557	11497	413	397	16	166	86	80	—
406.—Ashby de la Zouch.	55446	44241	1519	1476	43	714	354	360	383
1 Measham	10662	4288	137	135	2	63	34	29	—
2 Hartshorn	16883	8597	305	298	7	130	68	62	—
3 Ashby de la Zouch <i>W,2F,H</i>	11097	10262	303	287	16	163	78	85	—
4 Whitwick <i>F</i>	16804	21094	774	756	18	358	174	184	—
407.—Loughborough.	45819	34897	974	943	31	510	236	274	267
1 Loughborough <i>W,F,H</i> ..	19974	29690	849	818	31	445	207	238	—
2 Leake	25845	5207	125	125	—	65	29	36	—
408.—Barrow upon Soar.	50452	25528	648	635	13	333	171	162	175
1 Barrow upon Soar	13299	6675	181	176	5	69	31	38	—
2 Quorndon <i>2H</i>	10350	6227	130	128	2	59	22	37	—
3 Rothley <i>W,F</i>	13294	5940	164	161	3	126	72	54	—
4 Syston <i>F</i>	13509	6686	173	170	3	79	46	33	—
409.—Leicester.	8586	211579	5606	5420	186	2852	1446	1406	1793
1 North West Leicester <i>2H</i> ..	2393	75528	2362	2261	101	1073	545	528	—
2 North East Leicester <i>W,L</i>	2107	58355	1424	1384	40	686	346	340	—
3 South Leicester <i>H,L</i> ..	4086	77696	1820	1775	45	1093	555	538	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
29.—LEICESTER-SHIRE—<i>cont.</i>									
410.—Melton Mowbray.	99545	22210	591	563	28	323	168	155	173
1 Melton Mowbray <i>W,F</i> ..	45484	13816	402	385	17	217	112	105	—
2 Waltham	54061	8394	189	178	11	106	56	50	—
30.—RUTLAND-SHIRE.									
411.—Oakham.	58001	10446	217	207	10	138	83	55	81
1 Oakham <i>W,H</i>	58001	10446	217	207	10	138	83	55	—
412.—Uppingham.	50699	10297	201	188	13	154	71	83	66
1 Uppingham <i>W</i>	19851	5448	95	88	7	76	39	37	—
2 Great Easton	14208	2286	51	48	3	42	16	26	—
3 Barrowden	16640	2563	55	52	3	36	16	20	—
31.—LINCOLNSHIRE.									
413.—Stamford.	55690	16521	445	424	21	249	124	125	120
1 Stamford <i>W,H</i>	23484	12104	335	318	17	195	95	100	—
2 Barnack	32206	4417	110	106	4	54	29	25	—
414.—Bourne.	92266	17573	410	384	26	272	127	145	113
1 Corby	21011	2829	65	63	2	34	15	19	—
2 Aslackby	26241	4019	96	93	3	61	31	30	—
3 Bourne <i>W</i>	34526	7199	175	159	16	128	57	71	—
4 Deeping	10488	3526	74	69	5	49	24	25	—
415.—Spalding.	82003	21782	586	561	25	331	170	161	174
1 Pinchbeck	14460	2830	81	77	4	32	16	16	—
2 Donington	9983	2290	56	53	3	27	13	14	—
3 Gosberton	12417	2770	90	88	2	27	15	12	—
4 Spalding <i>W,F,H</i>	12704	9847	250	238	12	197	105	92	—
5 Moulton	17406	2790	70	67	3	40	16	24	—
6 Deeping St. Nicholas ..	15033	1255	39	38	1	8	5	3	—
416.—Holbeach.	82426	17612	524	495	29	283	135	148	138
1 Gedney Hill	13125	1909	65	61	4	41	20	21	—
2 Long Sutton	35946	8613	242	234	8	114	50	64	—
3 Holbeach <i>W</i>	33355	7090	217	200	17	128	65	63	—
417.—Boston.	106453	38349	1118	1056	62	597	301	296	304
1 Kirton	50610	9581	272	262	10	107	52	55	—
2 Benington	49295	8469	221	209	12	104	52	52	—
3 Boston <i>W,F,H</i>	6548	20299	625	585	40	386	197	189	—
418.—Sleaford.	137809	23727	603	574	29	348	188	160	193
1 Billingham	80790	11133	261	253	8	149	84	65	—
2 Sleaford <i>W,F,L</i>	57019	12594	342	321	21	199	104	95	—
419.—Grantham.	105238	33033	823	779	44	494	242	252	265
1 Grantham South	76233	11091	224	208	16	172	80	92	—
2 Grantham North <i>W,F,H</i> ..	29005	21942	599	571	28	322	162	160	—
420.—Lincoln.	159761	74670	1975	1862	113	1240	629	611	608
1 Lincoln South West	74838	12327	320	300	20	197	91	106	—
2 Lincoln Home <i>W,2F,H,2L</i> ..	26838	55294	1510	1420	90	964	499	465	—
3 Lincoln North East	58085	7049	145	142	3	79	39	40	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
31.—LINCOLNSHIRE —continued.												
421.—Horncastle.				117447	18494	405	370	35	245	137	108	138
1	Wragby	32674	3561	77	75	2	37	18	19	—
2	Horncastle W,F	29801	7342	143	120	23	126	72	54	—
3	Tattershall H	54972	7591	185	175	10	82	47	35	—
422.—Spilsby.				129655	25124	588	540	48	343	182	161	179
1	Stickney	18796	2505	75	72	3	29	15	14	—
2	Wainfleet	24635	4546	113	105	8	60	32	28	—
3	Spilsby W,H	25255	5611	118	101	17	79	46	33	—
4	Burgh F,H	24394	5682	138	128	10	91	48	43	—
5	Alford	36575	6780	144	134	10	84	41	43	—
423.—Louth.				159249	28958	661	619	42	417	226	191	207
1	Withern H	27477	3962	101	95	6	54	31	23	—
2	Louth W,F,H	39757	13021	298	280	18	221	116	105	—
3	Binbrook	28405	3344	85	82	3	37	21	16	—
4	Saltfleet	33632	4366	90	85	5	54	27	27	—
5	Tetney	29978	4265	87	77	10	51	31	20	—
424a.—Grimsby.				47287	81150	3124	2985	139	1364	756	608	811
1	Great Grimsby W,2F,H	47287	81150	3124	2985	139	1364	756	608	—
424b.—Caistor.				121084	15476	354	336	18	233	120	113	97
1	Caistor W	63476	7556	179	170	9	111	66	45	—
2	Market Rasen F,H	57608	7920	175	166	9	122	54	68	—
425.—Glanford Brigg.				151838	44704	1551	1486	65	671	348	323	415
1	Brigg W	52001	12165	322	305	17	173	97	76	—
2	Winterton H	53450	18297	852	819	33	304	161	143	—
3	Barton	46387	14242	377	362	15	194	90	104	—
426.—Gainsborough.				111441	35821	993	943	50	537	293	244	308
1	Scotter	32302	3957	87	85	2	60	31	29	—
2	Misterton	30444	7493	220	204	16	117	63	54	—
3	Gainsborough W,2F	5057	19232	584	555	29	301	164	137	—
4	Marton H	43638	5139	102	99	3	59	35	24	—
32.—NOTTINGHAM-SHIRE.												
427.—East Retford.				92777	25619	664	617	47	342	180	162	212
1	Gringley	19354	3019	71	69	2	39	22	17	—
2	Clarlborough W	24312	6353	169	157	12	94	49	45	—
3	East Retford F,H	23684	11812	318	290	28	141	69	72	—
4	Tuxford	25427	4435	106	101	5	68	40	28	—
428.—Worksop.				79946	39240	1821	1753	68	738	398	340	401
1	Worksop 2W,F,H	20727	16209	637	604	33	270	150	120	—
2	Carlton F	20446	3161	78	72	6	39	19	20	—
3	Anston	17442	6318	431	423	8	171	90	81	—
4	Carburton	21331	13552	675	654	21	258	139	119	—
429.—Mansfield.				57805	81618	4191	4014	177	1639	854	785	911
1	Warsop H	12008	7064	562	547	15	209	109	100	—
2	Pleasley F	16664	13481	729	704	25	240	132	108	—
3	Blackweil F	7296	15740	721	699	22	265	141	124	—
4	Sutton in Ashfield	7723	22818	1058	1001	57	409	197	212	—
5	Mansfield W,F,H	7068	21445	1087	1033	54	503	266	237	—
6	Blidworth	7046	1070	34	30	4	13	9	4	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
32.—NOTTINGHAM-SHIRE—<i>cont.</i>									
430.—Basford.	90315	146747	5557	5382	175	2214	1142	1072	1395
1 Greasley	25945	42642	1647	1602	45	632	325	307	—
2 Ilkeston <i>F,H</i>	8823	39833	1705	1648	57	686	369	317	—
3 Beeston	5865	9908	338	333	5	120	53	67	—
4 Hucknall Torkard <i>F</i> ..	10014	17015	613	595	18	223	120	103	—
5 Arnold	15885	12058	402	383	19	209	104	105	—
6 Carlton	8791	19983	719	691	28	275	140	135	—
7 Wilford	14992	5308	133	130	3	69	31	38	—
431.—Nottingham.	10935	239743	6917	6472	445	4196	2187	2009	2195
1 Nottingham South West <i>3H</i>	2870	39502	1051	999	52	745	384	361	—
2 Nottingham South East ..	867	33693	1067	982	85	466	229	237	—
3 Nottingham North East <i>H,2L</i>	1373	66282	1725	1616	109	1011	517	494	—
4 Nottingham North West <i>W,H</i>	1284	58380	1475	1409	66	756	374	382	—
5 Bulwell <i>W,w,3F,H</i>	4541	41886	1599	1466	133	1218	683	535	—
432.—Southwell.	118468	19114	428	414	14	273	141	132	135
1 Southwell <i>W,F</i>	53208	10819	247	238	9	157	80	77	—
2 Kneesall	65260	8295	181	176	5	116	61	55	—
433.—Newark.	96810	30871	836	786	50	433	230	203	222
1 North Collingham	25260	4322	78	77	1	64	38	26	—
2 Bassingham	17176	2132	45	45	—	27	12	15	—
3 Newark <i>W,H</i>	6225	16085	503	467	36	234	125	109	—
4 Balderton <i>F</i>	15891	3925	128	121	7	55	28	27	—
5 Claypole <i>W</i>	32258	4407	82	76	6	53	27	26	—
434.—Bingham.	69231	13753	304	282	22	247	136	111	87
1 Bingham <i>W,L</i>	69231	13753	304	282	22	247	136	111	—
33.—DERBYSHIRE.									
435.—Shardlow.	71265	55462	1926	1857	69	785	429	356	484
1 Castle Donington	14919	5932	167	161	6	99	53	46	—
2 Melbourne	14224	5321	135	128	7	79	40	39	—
3 Shardlow <i>W</i>	10963	5477	130	120	10	85	58	27	—
4 Stapleford	16043	27959	1140	1104	36	396	212	184	—
5 Spondon <i>F</i>	15116	10773	354	344	10	126	66	60	—
436.—Derby.	5640	115763	3311	3175	136	1761	939	822	987
1 Osmaston	1823	8936	378	371	7	103	52	51	—
2 Derby <i>W,F,5H,L</i>	3817	106827	2933	2804	129	1658	887	771	—
437.—Belper.	66007	66809	2084	2022	62	1007	535	472	582
1 Duffield	19186	6382	135	133	2	79	35	44	—
2 Horsley <i>H</i>	10705	7735	268	261	7	95	52	43	—
3 Belper <i>W</i>	3183	10934	340	331	9	220	126	94	—
4 Ripley <i>F</i>	13333	17925	589	569	20	229	115	114	—
5 Alfreton	4626	17505	617	594	23	271	140	131	—
6 Wirksworth <i>H</i>	14974	6328	135	134	1	113	67	46	—
438.—Ashbourne.	97983	19894	485	467	18	270	146	124	137
1 Ashbourne* <i>W,F,H</i>	37189	10269	233	225	8	145	80	65	—
2 Calton	21041	2797	76	73	3	50	26	24	—
3 Brassington	39753	6828	176	169	7	75	40	35	—

* 438: 1.—On 1st July, 1908, Ashbourne (1) and Mayfield (2) sub-districts were united and called Ashbourne. The figures are shown as if the change had taken place at the beginning of the year.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
33.—DERBYSHIRE— <i>continued.</i>									
439.—Chesterfield.	93009	132856	5341	5133	208	2299	1204	1095	1216
No. 1 Ashover <i>F</i>	24020	24754	910	870	40	350	198	152	—
2 Chesterfield <i>2W,3F,H</i> ..	24435	59649	2270	2165	105	1122	589	533	—
3 Bolsover	11000	8758	609	590	19	177	81	96	—
4 Eckington <i>F</i>	18796	31330	1243	1208	35	524	260	264	—
5 Dronfield <i>F</i>	14758	8365	309	300	9	126	76	50	—
440.—Bakewell.	104618	33661	846	811	35	461	237	224	221
1 Bakewell <i>W,F</i>	55260	11154	272	256	16	164	91	73	—
2 Matlock <i>3H</i>	19793	14654	356	344	12	200	95	105	—
3 Tideswell	29565	7853	213	211	7	97	51	46	—
441.—Chapel en le Frith.	83490	26478	724	699	25	358	196	162	176
1 Buxton <i>F,2H</i>	16119	14880	379	369	10	193	97	96	—
2 Chapel en le Frith <i>W,F,H</i>	67371	11598	345	330	15	165	99	66	—
442a.—Glossop.	20943	25677	564	542	22	405	189	216	219
1 Glossop <i>W,F,H</i>	20943	25677	564	542	22	405	189	216	—
442b.—Hayfield.	17952	14432	392	379	13	201	98	103	73
1 Hayfield <i>W</i>	17952	14432	392	379	13	201	98	103	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

34.—CHESHIRE.									
443.—Stockport.	28466	156303	4326	4165	161	2861	1430	1431	1283
No. 1 Hazel Grove	8502	13529	282	274	8	160	83	77	—
2 Hyde <i>F</i>	1566	23668	604	590	14	371	179	192	—
3 Bredbury	4889	8060	210	198	12	114	70	44	—
4 Stockport First <i>2W,F</i>	2533	45521	1375	1305	70	1019	517	502	—
5 Stockport Second <i>H</i> ..	1161	27679	765	736	29	550	265	285	—
6 Stockport Third <i>F</i> ..	1798	19632	720	698	22	350	176	174	—
7 Heaton Norris <i>H</i>	1619	9392	154	152	2	130	64	66	—
8 Cheadle <i>H,L</i>	6398	8827	216	212	4	167	76	91	—
444.—Macclesfield.	85887	59354	1231	1219	62	955	443	512	451
1 Prestbury	13666	5117	117	115	2	67	30	37	—
2 Bollington	8308	6562	150	146	4	67	30	37	—
3 Rainow	15597	3527	92	90	2	50	27	23	—
4 Macclesfield <i>W,F,H,L</i>	2853	29737	626	585	41	615	288	327	—
5 Sutton <i>F</i>	13314	6642	147	137	10	76	30	46	—
6 Gawsworth	17983	2597	37	36	1	33	16	17	—
7 Alderley <i>H</i>	14166	5172	112	110	2	47	22	25	—
445.—Bucklow.	75413	79595	2088	2001	87	1137	592	545	591
1 Wilmslow <i>w</i>	14253	11238	236	229	7	117	57	60	—
2 Altrincham <i>2F,2H</i> ..	12849	30955	815	786	29	426	212	214	—
3 Sale <i>2F,H</i>	9208	21126	644	613	31	321	163	153	—
4 Lymm <i>F</i>	16532	7469	166	161	5	81	49	32	—
5 Knutsford <i>W,H</i>	22571	8807	227	212	15	192	106	86	—
446.—Runcorn.	50434	39735	1176	1138	38	596	294	302	323
1 Budworth <i>W,2F</i>	24160	10225	328	316	12	172	77	95	—
2 Runcorn <i>F,H</i>	10449	21083	630	609	21	301	156	145	—
3 Frodsham <i>2H</i>	15825	8427	218	213	5	123	61	62	—
447.—Northwich.	62569	54735	1455	1394	61	839	440	399	447
1 Weaverham	18131	10265	252	247	5	134	69	65	—
2 Northwich <i>W,3F,H</i> ..	12148	23570	629	597	32	387	195	192	—
3 Over <i>F,H</i>	18255	13191	367	347	20	200	108	92	—
4 Middlewich	14035	7709	207	203	4	118	68	50	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	34.—CHESHIRE—<i>cont.</i>									
	448.—Congleton.	50570	32534	835	805	30	457	218	239	281
1	Church Hulme	14910	2917	67	65	2	28	10	18	—
2	Congleton <i>W,H</i>	13368	13270	345	332	13	198	96	102	—
3	Sandbach <i>W,F</i>	22292	16347	423	408	15	231	112	119	—
	449.—Nantwich.	101354	72993	1990	1894	96	947	484	463	561
1	Crewe <i>F,2H</i>	33339	53058	1513	1456	57	665	335	330	—
2	Nantwich* <i>W,F</i>	23065	11349	284	252	32	194	105	89	—
3	Bunbury	22113	4122	90	86	4	40	20	20	—
4	Wrenbury*	22837	4464	103	100	3	48	24	24	—
	450.—Chester.†	101782	69897	1734	1654	80	1139	584	555	614
1	Tattenhall	63069	15258	366	345	21	187	96	91	—
2	Chester Castle <i>W</i>	12758	23899	611	592	19	295	151	141	—
3	Chester Cathedral <i>W,2F,H,L</i>	25955	30740	757	717	40	657	334	323	—
	451.—Wirral.	45573	44316	1454	1403	46	662	309	353	293
1	Neston	15380	8698	251	244	7	98	46	52	—
2	Eastham	8354	7580	335	322	13	110	54	56	—
3	Bebington <i>W,2F,H</i>	12760	441	424	424	17	238	111	127	—
4	Woodchurch <i>F,2H</i>	14664	15278	427	418	9	216	98	118	—
	452.—Birkenhead.	9240	165171	5532	5367	165	2828	1390	1438	1274
1	Birkenhead <i>F,3H</i>	1279	61736	2119	2079	40	995	497	498	—
2	Tranmere <i>W</i>	4612	49853	1675	1604	71	959	483	476	—
3	Wallasey <i>3F,3H</i>	3349	53579	1738	1684	54	874	410	464	—
	35.—LANCASHIRE.									
	453.—Liverpool.	1858	147405	5026	4756	270	3895	2248	1647	1743
1	Scotland	519	52966	2053	2028	25	956	480	476	—
2	Exchange <i>3H</i>	534	41999	1150	1129	21	797	458	339	—
3	Abercromby <i>W,7H</i>	805	52440	1823	1599	224	2142	1310	832	—
	454.—Toxteth Park.	2375	136230	3956	3821	135	2379	1227	1152	908
1	Toxteth Park North West <i>F,2H.</i>	238	24733	794	779	15	598	339	259	—
2	Toxteth Park South West <i>w,F.</i>	375	34861	1346	1311	35	539	268	271	—
3	Toxteth Park Central <i>H</i> ..	444	46449	1124	1090	34	523	250	273	—
4	Toxteth Park East <i>W,H</i> ..	1318	30187	692	641	51	719	370	349	—
	455.—West Derby.	37242	529684	18677	18182	495	10270	5423	4847	4115
1	Crosby <i>H</i>	4762	31220	888	870	18	413	195	218	—
2	Litherland	8362	14626	730	718	12	273	131	142	—
3	Fazakerley <i>W,F</i>	9444	5350	170	167	3	239	118	121	—
4	Walton <i>W,w,F</i>	1944	54615	2165	1976	189	1718	929	789	—
5	Bootle <i>F,H</i>	1576	58556	2005	1971	34	1028	526	502	—
6	Kirkdale <i>2w,H</i>	921	69386	2257	2232	25	1183	663	525	—
7	North Everton <i>w,F.</i> ..	303	54075	1989	1970	19	881	466	418	—
8	South Everton <i>W,H</i> ..	390	67394	2237	2178	59	1848	1008	840	—
9	West Derby Western..	675	86694	2757	2699	58	969	488	481	—
10	West Derby Eastern <i>w,F.</i>	2936	43856	1600	1561	39	1044	543	501	—
11	Wavertree <i>W,3w,2H</i> ..	5929	43912	1879	1840	39	666	356	310	—
	456.—Prescot.	53084	153643	5361	5188	173	2735	1439	1296	1210
1	Hale	8053	3000	80	77	3	40	21	19	—
2	Much Woolton <i>H</i>	2181	5822	123	115	8	64	35	29	—
3	Widnes <i>F,H</i>	10656	32718	1170	1141	29	555	285	270	—
4	Prescot <i>W,F</i> } <i>L</i> .. {	16902	23498	626	574	52	609	349	260	—
5	St. Helens <i>F,2H</i> } .. {	9415	85251	3260	3181	79	1423	728	695	—
6	Rainford <i>F</i>	5877	3359	102	100	2	44	21	23	—

* 449: 2, 4.—On 1st January, 1908, the boundary between these sub-districts was altered: see page 502.

† 450.—The District of CHESTER comprises the two Poor Law Unions of Tarvin (Tattenhall sub-district) and Chester (Chester Castle and Chester Cathedral sub-districts).

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— continued.										
457.—Ormskirk.		93070	108594	2419	2313	103	1652	801	851	810
No.										
1	Bickerstaffe	11217	3401	93	90	3	57	27	30	—
2	Ormskirk 2W,F,H	574	6857	190	161	29	189	102	87	—
3	Aughton w,F	8705	6046	133	131	2	78	37	41	—
4	Halsall	18868	4068	100	99	1	59	40	19	—
5	Formby F	14405	21698	435	415	20	270	133	137	—
6	North Meols 2F,6H	10443	49908	952	916	36	712	322	390	—
7	Tarleton	12327	3483	96	94	2	58	39	19	—
8	Lathom F	16531	18133	420	407	13	229	101	128	—
458.—Wigan.		48408	191239	6854	6572	282	3620	1921	1699	1703
1	Standish	10729	10762	380	374	6	184	101	83	—
2	Aspull F	6428	13427	438	423	15	211	110	101	—
3	Wigan W,F,H	2188	60764	2137	2030	107	1365	743	622	—
4	Hindley 3F	6916	51072	1870	1803	67	924	510	414	—
5	Pemberton F	11300	32295	1160	1107	53	549	264	285	—
6	Billinge	4596	4232	142	135	7	79	31	48	—
7	Ashton in Makerfield 2F ..	6251	18687	727	700	27	308	162	146	—
459.—Warrington.		27934	100012	3557	3457	100	1934	973	961	853
1	Newton in Makerfield F,H,L	5516	25274	936	908	28	350	173	177	—
2	Winwick L	4823	2437	63	62	1	241	75	166	—
3	Sankey F	8688	5149	155	154	1	70	36	34	—
4	Warrington W,F,H	3058	64242	2334	2264	70	1245	675	570	—
5	Rixton W	5849	2910	69	69	—	28	14	14	—
460.—Leigh.		24366	86254	2844	2767	77	1556	791	765	750
1	Lowton	5195	10082	363	354	9	177	80	97	—
2	Culcheth F	10885	16280	536	525	11	290	146	144	—
3	Leigh H.. ..	3531	28838	950	926	24	500	249	251	—
4	Atherton W,F	4755	31054	995	962	33	589	316	273	—
461.—Bolton.		46447	257587	7056	6808	248	4358	2207	2151	2160
1	Farnworth W,2F	5016	47556	1367	1298	69	1110	611	499	—
2	South West Bolton 2F,H ..	4693	34043	970	942	28	662	351	311	—
3	Halliwell.. ..	4229	25849	752	733	19	386	177	209	—
4	Horwich F	8817	29461	913	893	20	464	237	227	—
5	Tonge	3978	19718	521	510	11	255	117	138	—
6	Turton H	17335	12355	227	222	5	168	95	73	—
7	Little Bolton	728	45333	1226	1184	42	681	327	354	—
8	Great Bolton and Lever ..	1651	43272	1080	1026	54	632	292	340	—
462.—Bury.		35052	145569	3326	3188	138	2270	1111	1159	1314
1	Ramsbottom H	9563	16631	343	332	11	189	88	101	—
2	Tottington	2543	6118	111	110	1	82	35	47	—
3	Elton 2F	3539	15715	406	390	16	224	99	125	—
4	North Bury W,2H	2480	26222	638	605	33	611	310	301	—
5	Heywood F	6070	26905	601	573	28	446	216	230	—
6	South Bury	1366	18325	375	352	23	253	118	135	—
7	Radcliffe H	3080	24853	604	583	21	313	165	148	—
8	Whitefield	6411	10800	248	243	5	152	80	72	—
463.—Barton upon Irwell.		24539	114773	3304	3211	93	1753	856	897	900
1	Worsley w,F	8025	33918	870	855	15	480	227	253	—
2	Barton W,H	10824	40169	1285	1250	35	682	351	331	—
3	Stretford H	5690	40686	1149	1106	43	591	278	313	—
464.—Chorlton.		11712	342643	10650	10141	509	6169	3143	3026	3252
1	Didsbury W	6006	40170	1146	997	149	1536	817	719	—
2	Ardwick F	4198	151892	5485	5357	128	2429	1229	1200	—
3	Chorlton upon Medlock 3H	647	57894	1327	1185	142	884	434	450	—
4	Hulme	861	92687	2692	2602	90	1320	663	657	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— <i>continued.</i>										
No.	465.—Salford.	6068	229450	7386	7150	236	4559	2343	2216	1799
1	Pendleton <i>W,H</i>	2652	51355	1762	1739	23	1529	813	716	—
2	Broughton <i>H</i>	1481	55342	1499	1447	52	686	328	358	—
3	Greengate <i>H</i>	696	51961	1664	1610	54	1080	551	529	—
4	Regent Road <i>W,F</i>	1239	70792	2461	2354	107	1264	651	613	—
	466.—Manchester.	1646	132316	4153	4030	123	2721	1461	1260	1099
1	Ancoats <i>w,H</i>	400	44040	1468	1438	30	860	463	397	—
2	Central <i>W,H</i>	748	30012	869	827	42	962	552	410	—
3	St. George	498	58264	1816	1765	51	899	446	453	—
	467.—Prestwich.	11808	196832	6561	6346	215	4494	2396	2098	1742
1	Cheetham <i>W,w,2H</i>	1654	49942	1539	1410	129	1664	950	714	—
2	Prestwich* <i>F,L</i>	2448	12766	256	251	5	382	198	184	—
3	Blackley*	2750	24574	781	764	17	346	170	176	—
4	Failssworth	2371	26049	905	891	14	401	196	205	—
5	Newton Heath* <i>F</i>	1341	36478	3080	3030	50	1701	882	819	—
6	Bradford* <i>H</i>	1244	47023							
	468.—Ashton under Lyne.	38267	175063	4687	4480	207	3317	1641	1676	1477
1	Knott Lanes	2422	9962	303	293	10	198	104	94	—
2	Mossley	5485	23167	615	592	23	390	173	217	—
3	Ashton Town <i>W,F,H</i>	1346	43890	1226	1141	85	1107	564	543	—
4	Audenshaw	3579	19730	569	558	11	338	165	173	—
5	Denton	2594	14934	392	385	7	209	101	108	—
6	Newton	1515	9098	234	225	9	137	67	70	—
7	Dukinfield	1405	18929	514	490	24	329	168	161	—
8	Stalybridge	3835	27869	651	622	29	480	243	237	—
9	Mottram	16086	7484	183	174	9	129	56	73	—
	469.—Oldham.	17603	215624	6186	5934	252	4256	2142	2114	2028
1	Oldham East <i>F</i>	2536	46429	1346	1300	46	799	393	406	—
2	Oldham Central <i>W,F</i>	832	45780	1327	1225	102	1280	672	608	—
3	Oldham South <i>H</i>	1368	45037	1320	1285	35	904	449	455	—
4	Chadderton <i>F</i>	3082	24892	795	773	22	433	201	232	—
5	Middleton	4775	25178	627	608	19	375	185	190	—
6	Royton <i>W</i>	2145	14881	436	417	19	262	142	120	—
7	Crompton	2865	13427	335	326	9	203	100	103	—
	470.—Rochdale.	32532	120433	2957	2822	135	2282	1152	1130	1054
1	Milnrow	5198	8241	187	181	6	134	75	59	—
2	Castleton No. 1	886	20507	569	541	28	357	166	191	—
3	Castleton No. 2 <i>F</i>	2942	20192	517	503	14	315	152	163	—
4	Spotland and Norden	6780	19137	442	423	19	316	146	170	—
5	Wardleworth <i>H</i>	767	20272	581	543	38	435	233	202	—
6	Whitworth and Wardle <i>2W</i>	8106	20918	422	398	24	576	309	267	—
7	Littleborough <i>F</i>	7853	11166	239	233	6	149	71	78	—
	471.—Haslingden.	27278	115223	2655	2576	79	1776	870	906	1008
1	Rawtenstall <i>W,F</i>	9535	31053	722	695	27	535	284	251	—
2	Bacup	6120	22505	533	522	14	365	156	209	—
3	Haslingden <i>F</i>	8196	18543	385	373	12	245	117	128	—
4	Accrington <i>F,H</i>	3427	43122	1012	986	26	631	313	318	—
	472.—Burnley.	64899	197429	5606	5345	261	3431	1724	1707	1836
1	East Ward <i>W,2F,H</i>	18113	56054	1714	1600	114	1355	748	607	—
2	West Ward <i>F</i>	5437	47756	1426	1370	56	780	362	418	—
3	Padiham	14123	19430	547	523	24	307	149	158	—
4	Nelson <i>F</i>	4273	40104	1007	975	32	512	222	290	—
5	Colne <i>F,H</i>	16695	32458	872	839	33	457	230	227	—
6	Pendle	6258	1627	40	38	2	20	13	7	—

* 467: 2, 3, 5, 6.—On 1st July, 1908, the boundary between Prestwich and Blackley sub-districts was altered, Newton sub-district was abolished, and two new sub-districts, Newton Heath and Bradford, were created: see page 502. The births and deaths for the new sub-districts cannot be shown separately; those for Prestwich and Blackley are shown as if the change had taken place at the beginning of the year.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— continued.										
473.—Clitheroe.		117951	22489	536	517	19	326	164	162	168
1	Gisburn	28345	2560	57	55	2	43	20	23	—
2	Slaidburn	45488	1395	33	31	2	11	5	6	—
3	Chipping	19804	2653	54	53	1	40	21	19	—
4	Clitheroe W	16881	13747	345	332	13	204	105	99	—
5	Whalley	7433	2134	47	46	1	28	13	15	—
474.—Blackburn.		45853	223520	5722	5500	222	3534	1794	1740	1946
1	Billington w	5965	2327	51	50	1	30	15	15	—
2	Harwood	6912	27199	680	658	22	384	204	180	—
3	Mellor	9132	2743	66	66	—	30	16	14	—
4	Blackburn Northern W ..	3276	62972	1565	1512	53	901	445	456	—
5	Blackburn Western	1492	27487	780	760	20	383	207	176	—
6	Blackburn Southern 2W,F,H	2650	38757	1070	992	78	940	485	455	—
7	Oswaldtwistle	5414	20655	545	518	27	318	160	158	—
8	Darwen F	11012	41380	965	944	21	548	262	286	—
475.—Chorley.		54441	63001	1761	1703	58	990	493	497	538
1	Brindle 2F	10659	6690	145	143	2	90	47	43	—
2	Leyland	10250	11733	287	275	12	166	85	81	—
3	Rivington F	9454	6957	178	175	3	102	49	53	—
4	Chorley W,H	10915	31404	993	958	35	537	257	280	—
5	Croston	13163	6217	158	152	6	95	55	40	—
476.—Preston.		66959	152231	4272	4078	194	2802	1415	1387	1276
1	Longton	13561	7879	254	249	5	119	62	57	—
2	East Preston	1573	38177	1078	1018	60	630	320	310	—
3	North Preston 2F,2H ..	1083	43260	1339	1293	46	806	407	399	—
4	West Preston H	1315	31552	841	805	36	501	234	267	—
5	Walton le Dale 2F	9731	12182	328	323	5	183	95	88	—
6	Alston W	11485	6490	157	149	8	98	58	40	—
7	Broughton W,F,H,L ..	28211	12691	275	241	34	465	239	226	—
477.—Fylde.		56799	93697	2345	2219	126	1680	782	898	855
1	Kirkham 2W,F	26530	10256	251	217	34	223	104	119	—
2	Lytham 2H	8151	14366	295	284	11	235	93	142	—
3	Blackpool F,2H	8758	50190	1104	1046	58	895	429	466	—
4	Fleetwood F,H	13360	18885	695	672	23	327	156	171	—
478.—Garstang.		60612	11860	275	260	15	152	87	65	85
1	Stalmine	13155	3688	87	85	2	54	34	20	—
2	St. Michael	16353	2860	66	59	7	41	25	16	—
3	Garstang W	31104	5312	122	116	6	57	28	29	—
479.—Lancaster.		63150	67385	1638	1563	75	1171	639	532	463
1	Ellel	35397	4061	94	90	4	35	21	14	—
2	Heaton F,H	8878	15862	301	283	18	243	124	119	—
3	Lancaster W,F,H,2L ..	3506	40329	1069	1027	42	793	450	343	—
4	Warton.... .. .	15369	7133	174	163	11	100	44	56	—
480.—Lunesdale.		76267	6948	138	133	5	73	42	31	41
1	Caton	21218	2817	51	51	—	31	20	11	—
2	Wray W,F	28955	1757	36	35	1	20	12	8	—
3	Tunstall	10499	694	15	15	—	5	2	3	—
4	Arkholme	15595	1680	36	32	4	17	8	9	—
481.—Ulverston.		140573	42793	924	861	63	602	305	297	306
1	Cartmel	29875	6270	98	95	3	83	41	42	—
2	Colton	24867	3108	57	55	2	41	25	16	—
3	Ulverston W,F,H	8522	12029	264	239	25	208	103	105	—
4	Dalton	16877	15278	375	346	29	191	98	93	—
5	West Broughton	26864	2884	59	56	3	33	17	16	—
6	Hawkshead	33568	3224	71	70	1	46	21	25	—
482.—Barrow in Furness.		11023	57586	1863	1815	48	805	413	392	413
1	Barrow in Furness 2W,3F,H	11023	57586	1863	1815	48	805	413	392	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
	36.—WEST RIDING.									
	483.—Sedbergh.	52675	3935	68	66	2	54	28	26	20
1	Sedbergh W	20712	2430	43	42	1	27	14	13	—
2	Garsdale	11068	429	8	8	—	8	4	4	—
3	Dent	20895	1076	17	16	1	19	10	9	—
	484.—Settle.	152009	14319	316	300	16	190	107	83	85
1	Bentham	59583	6297	123	113	10	83	45	38	—
2	Settle W	35783	5027	127	124	3	69	44	25	—
3	Long Preston	16304	2000	38	36	2	24	13	11	—
4	Kirkby Malham	22335	719	20	19	1	5	2	3	—
5	Arnccliffe	18004	276	8	8	—	9	3	6	—
	485.—Skipton.	159262	45261	1030	1034	46	659	354	305	374
1	Kettlewell	33147	660	13	13	—	10	5	5	—
2	Gargrave	17757	1996	40	38	2	18	9	9	—
3	Barnoldswick F	16574	11953	392	374	18	166	78	88	—
4	Kildwick	18162	10793	173	166	7	142	74	68	—
5	Skipton W,w,2F,H	25481	15277	362	348	14	257	146	111	—
6	Addingham	20786	3027	69	67	2	44	28	16	—
7	Grassington	27355	1555	31	28	3	22	14	8	—
	486.—Pateley Bridge.	75072	8040	185	174	11	106	65	41	40
1	Ramsgill	31762	860	17	17	—	18	13	5	—
2	Pateley Bridge W,F	11785	3397	70	62	8	44	29	15	—
3	Thornthwaite	14667	1343	45	43	2	15	10	5	—
4	Dacre Banks	16858	2440	53	52	1	29	13	16	—
	487.—Ripon.	68607	15529	354	325	29	203	98	105	102
1	Kirkby Malzeard	25817	2256	55	50	5	27	18	9	—
2	Ripon W,2F,H	25783	11124	246	225	21	160	72	88	—
3	Dishforth	17007	2149	53	50	3	16	8	8	—
	488.—Great Ouseburn.	45970	9574	216	207	9	105	61	44	70
1	Boroughbridge	14150	2645	59	57	2	23	11	12	—
2	Whixley W	19890	2892	65	63	2	40	25	15	—
3	Poppleton 2F	11930	4037	92	87	5	42	25	17	—
	489.—Knaresborough.	41249	40504	915	854	61	630	326	304	351
1	Knaresborough W,F	18838	7761	233	213	20	161	83	78	—
2	Harrogate 4H	22411	32743	682	641	41	469	243	226	—
	490.—Wetherby.	65801	15343	303	289	14	180	90	90	92
1	Wetherby W,F	65801	15343	303	289	14	180	90	90	—
	491.—Wharfedale.	71045	57478	1250	1219	31	919	458	461	379
1	Horsforth 4H	12159	12587	289	285	4	137	72	65	—
2	Fewston W	25360	2893	69	62	7	70	45	25	—
3	Otley F,2L	11550	16037	343	336	7	362	168	194	—
4	Ilkley F,3H	11643	7933	162	157	5	78	41	37	—
5	Yeadon F	10333	18028	387	379	8	272	132	140	—
	492.—Keighley.	36805	77463	1618	1556	62	1134	568	566	585
1	Bingley F,H	12774	17383	349	337	12	236	121	115	—
2	Keighley W,H	15471	49413	1100	1054	46	733	390	393	—
3	Haworth	8560	10667	169	165	4	115	57	58	—
	493.—Todmorden.	40354	42207	832	811	21	606	310	296	358
1	Hebden Bridge	27581	16789	281	275	6	195	91	104	—
2	Todmorden W,2F	12773	25418	551	536	15	411	219	192	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	36.—WEST RIDING <i>—continued.</i>									
	494.—Saddleworth.	13483	17018	379	364	15	249	134	115	127
1	Springhead	1558	4698	138	135	3	70	37	33	—
2	Saddleworth W,F ..	16925	12320	241	229	12	179	97	82	—
	495.—Huddersfield.	71611	166646	3917	3784	133	2732	1412	1320	1476
1	Slaithwaite	11805	9133	224	221	3	125	69	56	—
2	Honley W,2F,H ..	11521	14070	265	261	4	234	119	115	—
3	Holmfirth	10919	8585	183	174	9	107	65	42	—
4	Newmill	6395	5439	141	138	3	70	29	41	—
5	Kirkburton L	8801	11845	288	282	6	234	113	121	—
6	Almondbury F	3980	22957	530	515	15	319	163	156	—
7	Kirkheaton	5588	6027	131	129	2	78	31	47	—
8	Huddersfield 2H ..	4055	44921	1116	1069	47	836	451	385	—
9	Lockwood W	3824	27189	662	624	38	504	259	245	—
10	Golear	4723	16500	377	371	6	225	113	112	—
	496.—Halifax.	52720	195136	3800	3630	170	2738	1349	1389	1542
1	Brighouse F	9856	33537	695	676	19	444	214	230	—
2	Elland* F	5769	19816	367	355	12	202	94	108	—
3	Ripponden	13240	5779	102	100	2	64	28	36	—
4	Sowerby* 2F	7077	22144	385	374	11	240	124	116	—
5	Halifax, South* 2W,F,H ..	2940	70097	1351	1273	81	1218	636	582	—
6	Halifax, North* 3F ..	13838	43763	897	852	45	570	253	317	—
	497a.—Bradford.	10802	228625	4771	4515	256	3803	1890	1913	1999
	Bowling	1563	37220	836	802	34	491	237	254	—
	Bradford East F ..	1834	67599	1574	1499	75	982	477	505	—
	Bradford West 4H ..	5372	71397	1257	1195	62	1166	571	595	—
	Horton 2W	2033	52409	1104	1019	85	1164	605	559	—
	497b.—North Bierley.	30492	129067	2658	2571	87	1934	954	980	828
1	Cleckheaton 2F	3137	13870	287	279	8	197	93	104	—
2	Drighlington	3794	11530	267	261	6	171	82	89	—
3	North Bierley F	4255	22151	432	418	14	318	162	156	—
4	Thornton 2W,F	6248	13583	221	212	9	281	146	135	—
5	Wilsden	2638	3067	58	54	4	37	16	21	—
6	Shipley F,H	2182	25573	524	501	23	382	176	206	—
7	Idle	2913	16128	423	411	12	229	115	114	—
8	Calverley F	2926	8258	163	159	4	138	63	75	—
9	Pudsey	2399	14907	283	276	7	181	101	80	—
	498.—Hunslet.	12120	83002	2527	2442	85	1320	647	673	621
1	Hunslet	2220	69443	2022	1964	58	1033	506	527	—
2	Templenewsam	3407	2459	85	83	2	44	22	22	—
3	Rothwell 2W,3F	6493	11100	420	395	25	243	119	124	—
	499.—Holbeck.	2579	33585	1079	1037	42	602	306	296	256
1	Holbeck W	2579	33585	1079	1037	42	602	306	296	—
	500.—Bramley.	7608	79700	2016	1946	70	1198	608	590	529
1	Bramley	2510	17299	470	458	12	250	116	134	—
2	Gildersome	992	3073	72	69	3	44	19	25	—
3	Wortley W,H	4106	59328	1474	1419	55	904	473	431	—
	501.—Leeds.	13961	254536	6921	6558	363	4577	2425	2152	2376
1	South-East Leeds ..	853	34299	1205	1160	45	688	357	331	—
2	North Leeds W	640	59281	1630	1497	133	1210	680	530	—
3	West Leeds 2H	1244	84340	1950	1834	116	1624	905	719	—
4	Kirkstall	3185	41561	987	954	33	466	221	245	—
5	Chapeltown W,2F ..	8039	35055	1149	1113	36	589	262	327	—
	502.—Dewsbury.	25564	167643	4148	3999	149	2867	1441	1426	1474
1	Morley F	2895	21623	586	577	9	311	156	155	—
2	Batley F,H	2039	30321	859	827	32	536	267	269	—
3	Gomersal F	3258	12311	299	291	8	199	98	101	—
4	Liversedge	2832	23439	545	534	11	385	191	194	—
5	Mirfield F,H	3766	17040	384	376	8	257	116	141	—
6	Dewsbury W,H	1471	28060	592	542	50	594	302	292	—
7	Soothill F	2459	11656	294	285	9	206	109	97	—
8	Ossett F	3238	12903	319	304	15	220	105	115	—
9	Thornhill F	3606	10290	270	263	7	159	97	62	—

* 496 : 2, 4, 5, 6.—On 1st October, 1908, the boundaries of these sub-districts were altered : see page 502. The figures are shown as if the change had taken place at the beginning of the year.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING <i>—continued.</i>									
503.—Wakefield.	41732	112365	3594	3477	117	2053	1141	912	954
1 Bretton	10176	5691	195	193	2	86	46	40	—
2 Sandal F	8962	12832	434	426	8	189	99	90	—
3 Horbury F	2289	6900	188	182	6	99	53	46	—
4 Wakefield W,F,H,L ..	2441	41413	1055	999	56	953	545	408	—
5 Ardsley	6541	12350	461	447	14	176	104	72	—
6 Stanley F	5165	13406	463	453	10	203	105	98	—
7 Normanton F	6158	19773	798	777	21	347	189	158	—
504.—Pontefract.	54103	70258	2968	2866	102	1454	796	658	674
1 Knottingley	18142	11959	459	444	15	218	122	96	—
2 Whitley	17004	2210	57	56	1	29	17	12	—
3 Pontefract W,3F,H ..	12736	26609	1120	1087	33	619	350	269	—
4 Castleford 2F	6221	29480	1332	1279	53	588	307	281	—
505.—Hemsworth.	34750	23379	1186	1132	54	471	253	218	163
1 Hemsworth Eastern ..	19412	9528	478	455	23	170	82	88	—
2 Hemsworth Western W,F	15338	13851	708	677	31	301	171	130	—
506.—Barnsley.	34857	113518	4735	4494	241	2285	1240	1045	1161
1 Darton	11316	15618	763	736	27	305	149	156	—
2 Barnsley W,2F,H ..	9222	56966	2247	2113	134	1209	695	514	—
3 Darfield	8818	30108	1315	1254	61	563	296	267	—
4 Worsborough	5501	10826	410	391	19	203	100	108	—
507.—Wortley.*	91331	53659	1676	1613	63	935	520	415	431
1 Cawthorne	8974	5070	153	146	7	62	33	29	—
2 High Hoyland	4870	3618	92	89	3	44	25	19	—
3 Penistone W,F	21265	8740	253	245	8	131	81	50	—
4 Wortley	8082	3425	105	103	2	48	28	20	—
5 Ecclesfield W,F,L ..	9368	18324	647	619	28	447	243	204	—
6 Bradfield F	38772	14482	426	411	15	203	110	93	—
508.—Ecclesall Bierlow.	23135	179676	5534	5301	233	2712	1409	1303	1336
1 Ecclesall North	654	32189	1197	1154	43	475	249	226	—
2 Ecclesall West Central W,2F,3H.	7588	42828	1166	1128	38	613	301	312	—
3 Dore	5455	2217	38	37	1	21	9	12	—
4 Norton	5185	11959	540	520	20	188	96	92	—
5 Ecclesall South W ..	3613	35165	1193	1110	83	729	401	328	—
6 Tharrow	275	28323	701	675	26	324	170	154	—
7 Broomhall	365	26995	699	677	22	362	183	179	—
509.—Sheffield.	12826	246146	9286	8866	420	4892	2684	2208	2179
1 South Sheffield 2H ..	331	26538	1017	971	46	588	298	290	—
2 North Sheffield F,H ..	282	38784	1233	1150	83	864	478	386	—
3 Sheffield Park W ..	2509	25323	851	822	29	380	211	169	—
4 Hillsborough	986	11763	487	470	17	191	92	99	—
5 West Brightside 3W ..	2090	40214	1455	1350	105	1208	725	483	—
6 East Brightside H ..	1594	37778	1435	1385	50	598	342	256	—
7 Attercliffe	1393	51585	2281	2208	73	851	429	422	—
8 Handsworth	3641	14161	527	510	17	212	109	103	—
510.—Rotherham.	50160	111604	4806	4604	202	2210	1192	1018	1123
1 Aston F	7468	6818	288	279	9	104	65	39	—
2 South East Rotherham W,2F,H	11249	32232	1331	1267	64	790	444	346	—
3 North West Rotherham ..	3931	28016	1183	1126	57	481	235	246	—
4 Rawmarsh F	4963	17718	734	702	32	330	178	152	—
5 Wath F	9002	24051	1036	999	37	411	224	187	—
6 Maltby	13547	2769	234	231	3	94	46	48	—

* 507.—The District of WORTLEY comprises the two Poor Law Unions of Penistone (Cawthorne, High Hoyland and Penistone sub-districts) and Wortley (Wortley, Ecclesfield, and Bradfield sub-districts).

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING —continued.										
511.—Doncaster.		112734	83832	3245	3111	134	1500	804	696	810
No. 1	Tickhill <i>W,F</i>	20953	10185	408	387	21	229	133	96	—
2	Barmbrough <i>2F,H</i>	29633	30762	1702	1645	57	676	347	329	—
3	Doncaster <i>F,H</i>	1931	29081	738	701	37	417	222	195	—
4	Campsall	26827	5616	156	148	8	88	54	34	—
5	Bawtry	33390	8188	241	230	11	90	48	42	—
512.—Thorne.		69566	15722	404	380	24	245	119	126	104
1	Epworth	17844	3694	79	73	6	60	28	32	—
2	Thorne <i>W</i>	38434	7246	201	190	11	121	55	66	—
3	Crowle	13288	4782	124	117	7	64	36	28	—
513.—Goole.		41823	25486	918	868	50	443	231	212	217
1	Swinefleet	18192	3411	91	89	2	46	18	28	—
2	Goole <i>W,2F,H</i>	10079	17943	705	668	37	336	178	158	—
3	Snaith	13552	4132	122	111	11	61	35	26	—
514.—Selby.		56362	16708	466	441	25	259	128	131	102
1	Carlton	13040	2205	56	50	6	24	12	12	—
2	Selby <i>W,F,2H</i>	25217	11403	332	317	15	194	97	97	—
3	Riccall	18105	3100	78	74	4	41	19	22	—
515.—Tadcaster.		72827	29507	965	917	48	439	223	216	232
1	Aberford <i>F</i>	29860	19054	667	641	26	289	147	142	—
2	Tadcaster <i>W</i>	29945	6541	176	158	18	84	43	41	—
3	Sherburn <i>F</i>	13022	3912	122	118	4	66	33	33	—
37.—EAST RIDING (with York).										
516.—York.		80100	92012	2489	2370	119	1367	750	617	733
1	Skelton <i>2F,L</i>	13238	3469	75	74	1	111	64	47	—
2	York East <i>W,2H,2L</i>	2088	51225	1428	1359	69	807	433	374	—
3	York West	1642	26689	730	690	40	306	166	140	—
4	Bishopthorpe	6411	1960	50	49	1	24	15	9	—
5	Escrick <i>L</i>	23128	3807	86	83	3	69	46	23	—
6	Dunnington <i>F</i>	19275	3071	77	74	3	27	14	13	—
7	Flaxton	14318	1791	43	41	2	23	12	11	—
517.—Pocklington.		110638	13709	321	301	20	187	108	79	86
1	East Stamford Bridge ..	35044	3473	73	65	8	46	27	19	—
2	Pocklington <i>W</i>	42497	5920	140	132	8	82	46	36	—
3	Market Weighton	33097	4316	108	104	4	59	35	24	—
518.—Howden.		74856	12274	318	293	25	196	91	105	92
1	Holme	11522	1678	36	30	6	23	10	13	—
2	Bubwith	16626	1522	40	35	5	24	10	14	—
3	Howden <i>W,F</i>	25238	5418	144	133	11	102	48	54	—
4	Wallington	21470	3656	98	95	3	47	23	24	—
519.—Beverley.		79886	24454	622	579	43	459	238	221	154
1	South Cave	20032	3613	80	77	3	58	25	33	—
2	Beverley <i>W,H,L</i>	25614	17097	456	421	35	351	187	164	—
3	Lockington	22666	2521	54	52	2	33	16	17	—
4	Leven	11574	1223	32	29	3	17	10	7	—
520.—Sculcoates.		39113	173307	6373	6101	272	3044	1610	1434	1596
1	Southcoates <i>F</i>	5065	22421	939	898	41	417	228	189	—
2	Cottingham <i>L</i>	9119	4781	118	112	6	140	80	60	—
3	Ferriby	7574	1845	39	37	2	16	6	10	—
4	Hessle <i>W</i>	6692	38259	1679	1617	62	683	355	328	—
5	Hedon	5325	2007	42	41	1	36	18	18	—
6	Drypool <i>F</i>	2708	33897	1326	1284	42	579	309	270	—
7	East Sculcoates <i>W</i>	795	27449	1013	950	63	616	344	272	—
8	West Sculcoates <i>H</i>	1835	42648	1217	1162	55	557	270	287	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total	Males.	Females.	
37.—EAST RIDING —continued.										
521.—Hull.		1114	82245	2258	2121	137	1616	913	703	791
No. 1	Humber <i>H</i>	395	30530	624	579	45	585	344	241	—
2	Myton <i>W,H</i>	719	51715	1634	1542	92	1031	569	462	—
522.—Patrington.		62425	8593	212	201	11	123	64	59	61
1	Patrington <i>W,H</i>	62425	8593	212	201	11	123	64	59	—
523.—Skirlaugh.		66966	9359	227	204	23	104	61	43	53
1	Humbleton	11072	1096	22	20	2	10	7	3	—
2	Skirlaugh <i>W</i>	17513	2031	52	48	4	19	12	7	—
3	Aldbrough	11989	1320	36	31	5	15	11	4	—
4	Hornsea	13578	3637	83	79	4	49	26	23	—
5	Brandesburton	12814	1275	34	26	8	11	5	6	—
524.—Driffield.		111423	17754	443	391	52	255	123	132	128
1	Foston	17575	2170	52	47	5	29	17	12	—
2	Driffield <i>W,H</i>	22776	8705	230	197	33	143	65	73	—
3	Bainton	33417	3474	83	76	7	50	24	26	—
4	Langtoft	37655	3405	78	71	7	33	17	16	—
525.—Bridlington.		66474	20229	424	381	43	304	166	138	146
1	Skipsea	17162	1628	37	34	3	20	13	7	—
2	Bridlington <i>W,F,2H</i>	18672	15141	296	266	30	252	137	115	—
3	Hunmanby	30640	3460	91	81	10	32	16	16	—
38.—NORTH RIDING.										
526.—Scarborough.		88216	51110	1020	952	68	691	317	374	380
1	Filey	14622	4733	122	114	8	59	28	31	—
2	Scarborough <i>W,F,3H</i>	20147	40775	787	734	53	573	258	315	—
3	Hutton Bushell	40159	4195	67	65	2	44	21	23	—
4	Sherburn	13288	1407	44	39	5	15	10	5	—
527.—Malton.		116056	20454	510	462	48	292	147	145	142
1	Rillington	37096	3389	84	79	5	42	20	22	—
2	Westow	24026	2349	68	62	6	26	14	12	—
3	Malton <i>W,H</i>	19393	10197	252	224	28	151	76	75	—
4	Hovingham	13142	1604	39	36	3	26	12	14	—
5	Bulmer	22399	2915	67	61	6	47	25	22	—
528.—Easingwold.		74362	9909	257	232	25	137	71	66	71
1	Stillington	22218	2189	55	48	7	24	12	12	—
2	Easingwold <i>W,H</i>	38051	6226	174	158	16	100	51	49	—
3	Coxwold	14093	1494	28	26	2	13	8	5	—
529.—Thirsk.		71650	12710	291	267	24	184	88	96	96
1	Topcliffe	24568	2798	71	67	4	48	24	24	—
2	Thirsk <i>W,H</i>	26504	8272	185	170	15	118	57	61	—
3	Sutton	20578	1640	35	30	5	18	7	11	—
530.—Helmsley.*		113815	9967	212	197	15	118	59	59	56
1	Helmsley <i>W</i>	51625	3391	66	60	6	46	23	23	—
2	Oswaldkirk	16079	1785	36	34	2	17	8	9	—
3	Kirkby Moorside <i>W</i>	46111	4791	110	103	7	55	28	27	—
531.—Pickering.		95930	10059	251	231	20	150	73	77	63
1	Lastingham	25206	2077	53	50	3	27	16	11	—
2	Pickering <i>W</i>	32952	5466	136	121	15	81	37	44	—
3	Allerston	27627	2093	52	50	2	29	13	16	—
4	Lockton	10145	423	10	10	—	13	7	6	—

* 530.—The District of HELMSLEY comprises the two Poor Law Unions of Helmsley (Helmsley and Oswaldkirk sub-districts) and Kirkby Moorside (Kirkby Moorside sub-district).

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1908—continued.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	38.—NORTH RIDING —continued.									
	532.—Whitby.	80319	21743	546	520	26	343	170	173	175
1	Egton	38517	3840	108	104	4	57	27	30	—
2	Whitby W,F,H	22263	14425	338	321	17	233	116	117	—
3	Lythe	19539	3478	100	95	5	53	27	26	—
	533.—Guisborough.	39879	43420	1655	1572	83	782	385	397	426
1	Loftus F,2H	18277	11199	477	454	23	187	75	112	—
2	Skelton H	7445	9026	355	334	21	157	85	72	—
3	Marske 2F,3H	15380	15212	530	513	17	270	138	132	—
4	Guisborough W,F,H	12825	6286	260	238	22	141	78	63	—
5	Danby	35952	1697	33	33	—	27	9	18	—
	534.—Middlesbrough.	22254	139773	5899	5688	211	3182	1762	1420	1317
1	Middlesbrough 3W,F,H,L..	7480	92668	3757	3616	141	2143	1195	948	—
2	Ormesby F,2H	6786	30326	1498	1451	47	742	400	342	—
3	Thornaby F	7988	16779	644	621	23	297	167	130	—
	535.—Stokesley.	79695	11247	296	276	20	167	87	80	89
1	Stokesley W	60291	8972	242	222	20	127	66	61	—
2	Hutton	19404	2275	54	54	—	40	21	19	—
	536.—Northallerton.	67153	11590	308	294	14	156	82	74	99
1	Appleton Wiske	21998	2192	47	45	2	30	15	15	—
2	Northallerton W,2F,H ..	45155	9398	261	249	12	126	67	59	—
	537.—Bedale.	60783	8436	195	181	14	122	63	59	61
1	Bedale W	27324	5269	123	113	10	79	40	39	—
2	Masham	33459	3167	73	68	4	43	23	20	—
	538.—Leyburn.	80299	6748	155	147	8	100	59	41	42
1	Middleham	41526	2730	81	80	1	58	34	24	—
2	Leyburn W	38773	4018	74	67	7	42	25	17	—
	539.—Aysgarth.	81033	4506	93	87	6	69	39	30	31
1	Askrigg W,H	62977	2390	49	47	2	36	20	16	—
2	Hawes	18056	2116	44	40	4	33	19	14	—
	540.—Reeth.	74538	2520	44	42	2	39	22	17	18
1	Muker	38191	1046	14	14	—	21	14	7	—
2	Reeth W	36347	1474	30	28	2	18	8	10	—
	541.—Richmond.	81122	11726	285	271	14	158	79	79	74
1	Richmond W,F,H	32236	6213	148	141	7	93	43	50	—
2	Catterick H	20731	2711	58	54	4	38	21	17	—
3	Newsham	16164	990	23	22	1	11	6	5	—
4	Aldbrough	11991	1812	56	54	2	16	9	7	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

	39.—DURHAM.									
	542.—Darlington.	65704	56209	1888	1796	92	916	480	436	568
1	Hurworth H	35387	6364	167	159	8	85	43	42	—
2	Darlington W,2F,H ..	7120	46145	1631	1552	79	786	415	371	—
3	Aycliffe	23217	3700	90	85	5	45	22	23	—
	543a.—Stockton.	37474	66297	2253	2166	87	1185	616	569	436
1	Stockton 2W,3F,H	37474	66297	2253	2166	87	1185	616	569	—
	543b.—Sedgefield.	45243	21530	1147	1112	35	637	373	264	194
1	Sedgefield W,F,2L	34147	9865	289	282	7	286	160	126	—
2	Cornforth	11096	11665	858	830	28	351	213	138	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
39.—DURHAM—cont.									
544.—Hartlepool.	22509	88234	2815	2725	90	1333	720	613	583
1 Hartlepool W,F,2H	22509	88234	2815	2725	90	1333	720	613	—
545.—Auckland.	64445	94542	3865	3706	159	1795	995	800	926
1 Bishop Auckland W,5F,H	25637	65753	2832	2718	114	1359	750	609	—
2 Hamsterley	38808	28789	1033	988	45	436	245	191	—
546.—Teesdale.	178139	20354	541	507	34	351	174	177	152
1 Staindrop	27225	6491	227	213	14	102	49	53	—
2 Barnard Castle W,2F ..	60839	7941	184	172	12	137	69	68	—
3 Middleton F	90075	5922	130	122	8	112	56	56	—
547.—Weardale.	98357	15859	409	393	16	224	114	110	103
1 St. John	36094	3186	67	67	—	54	30	24	—
2 Stanhope W,H	37884	5008	122	118	4	63	29	34	—
3 Wolsingham	24379	7665	220	208	12	107	55	52	—
548.—Lanchester.	67467	83386	3708	3557	151	1642	879	763	864
1 Tanfield F	10048	30175	1543	1491	52	671	338	333	—
2 Consett F,H	25568	29775	1086	1048	38	497	279	218	—
3 Lanchester W,F,H	31851	23436	1079	1018	61	474	262	212	—
549.—Durham.	44252	74252	2766	2677	89	1497	807	690	740
1 St. Oswald W,2F,H,L ..	28582	53114	1998	1937	61	1111	602	509	—
2 St. Nicholas F,H	15670	21138	768	740	28	386	205	181	—
550.—Easington.	38119	50725	2562	2498	64	1132	601	531	591
1 Wingate*	19811	19315	1242	1213	29	538	282	256	—
2 Dawdon* W,2F,H	18308	31410	1320	1285	35	594	319	275	—
551.—Houghton le Spring.	16360	40847	1834	1771	63	807	441	366	436
1 Houghton le Spring W,2F	9949	22350	1099	1061	38	501	277	224	—
2 Hetton le Hole F	6411	18497	735	710	25	306	164	142	—
552.—Chester le Street.	34620	60552	2808	2703	105	1312	684	628	555
1 Chester le Street W,F ..	17345	34745	1577	1507	70	738	376	362	—
2 Harraton	17275	25807	1231	1196	35	574	308	266	—
553.—Sunderland.	11193	181506	6790	6546	244	3553	1925	1628	1364
1 Sunderland West W,2H ..	1724	60202	1986	1889	97	1358	749	609	—
2 Sunderland East	897	54143	2004	1936	68	939	518	421	—
3 Sunderland North H	736	31732	1237	1202	35	527	262	265	—
4 Southwick	4098	17326	867	846	21	331	175	156	—
5 Ryhope 2F,L	3738	18103	696	673	23	398	221	177	—
554.—South Shields.	16496	166844	5828	5611	217	2896	1508	1388	1354
1 South Shields W,3F,H ..	10229	107821	3704	3553	151	1999	1028	971	—
2 Jarrow 3F,2H	6267	59023	2124	2058	66	897	480	417	—
555.—Gateshead.	26213	173453	6985	6725	260	3134	1620	1514	1495
1 Heworth 2F	2811	24331	990	963	27	441	242	199	—
2 Gateshead W,2F,H	3005	108024	3913	3759	154	1927	1002	925	—
3 Whickham F	5914	12852	580	562	18	225	113	112	—
4 Winlaton F	14483	28246	1502	1441	61	541	263	278	—

* 550 : 1, 2.—On 1st January, 1908, the boundary between these sub-districts was altered : see page 502.

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
40.—NORTHUMBERLAND.									
556.—Newcastle upon Tyne.	7304	233689	7743	7402	341	4479	2404	2075	2035
1 Benwell	1739	18316	962	928	34	351	170	181	—
2 St. Andrew <i>F,5H</i>	2350	32929	793	760	33	1124	673	451	—
3 Elswick <i>W,H</i>	784	59165	1580	1469	111	1157	612	545	—
4 St. Nicholas	359	35974	1026	969	57	517	264	253	—
5 All Saints <i>2H</i>	283	25838	960	921	39	403	224	179	—
6 Byker	1789	61467	2422	2355	67	927	461	466	—
557.—Tynemouth.	38834	168662	6653	6439	214	3128	1618	1510	1525
1 Wallsend <i>3F</i>	2598	30858	1409	1368	41	498	239	259	—
2 Tynemouth <i>W,2F,H</i>	4372	51366	1896	1815	81	1044	546	498	—
3 Longbenton <i>2F,H</i>	8969	26879	1160	1136	24	525	287	238	—
4 Whitley <i>F,H</i>	9898	21869	829	804	25	404	206	198	—
5 Blyth <i>F,H</i>	3552	23409	913	885	28	419	207	212	—
6 Cramlington <i>F</i>	9445	14281	446	431	15	238	133	105	—
558.—Castle Ward.	91100	32357	1283	1240	43	653	361	292	287
1 Ponteland <i>W</i>	43528	4606	159	155	4	90	53	37	—
2 Gosforth <i>F,L</i>	6263	11875	421	407	14	280	160	120	—
3 Newburn <i>2F</i>	7439	12834	629	607	22	253	132	121	—
4 Stamfordham	33870	3042	74	71	3	30	16	14	—
559.—Hexham.	205847	34711	916	869	47	514	245	269	274
1 Bywell <i>F</i>	50527	13160	426	409	17	204	98	106	—
2 Hexham <i>W,F,H</i>	52956	11386	295	274	21	183	88	95	—
3 Allendale	51833	4778	87	81	6	71	37	34	—
4 Chollerton	50531	5387	108	105	3	56	22	34	—
560.—Haltwhistle.	96323	8502	249	234	15	123	66	57	57
1 Haltwhistle <i>W</i>	96323	8502	249	234	15	123	66	57	—
561.—Bellingham.	246580	6341	111	106	5	66	34	32	31
1 Bellingham <i>W</i>	182809	3907	74	70	4	38	20	18	—
2 Kirkwhelpington	63771	2434	37	36	1	28	14	14	—
562.—Morpeth.	97580	55744	2406	2320	86	1243	673	570	585
1 Morpeth <i>W,F,H,L</i>	46072	9866	268	252	16	270	138	132	—
2 Bedlington <i>F</i>	10138	19083	797	771	26	393	216	177	—
3 Ashington <i>3F</i>	41370	26795	1341	1297	44	580	319	261	—
563.—Alnwick.	99044	23660	644	609	35	362	172	190	179
1 Warkworth	30503	11464	332	315	17	168	82	86	—
2 Alnwick <i>W,F,H</i>	16985	7385	206	192	14	144	70	74	—
3 Embleton	51556	4811	106	102	4	50	20	30	—
564.—Belford.	39619	5198	116	104	12	74	40	34	19
1 Belford <i>W</i>	39619	5198	116	104	12	74	40	34	—
565.—Berwick.	53468	19491	442	410	32	322	164	158	132
1 Berwick upon Tweed <i>2W,F,2H</i>	10089	13938	323	298	25	245	122	123	—
2 Northamshire and Islandshire	43379	5553	119	112	7	77	42	35	—
566.—Glendale.	147942	8770	199	185	14	121	64	57	48
1 Ford	60946	4200	92	90	2	51	31	20	—
2 Wooler <i>W</i>	86996	4570	107	95	12	70	33	37	—
567.—Rothbury.	167874	5994	122	115	7	93	40	53	26
1 Rothbury <i>W,F,H</i>	85627	4753	89	85	4	74	33	41	—
2 Elsdon	82247	1241	33	30	3	19	7	12	—

X.—NORTHERN DIVISION.--BIRTHS, DEATHS, AND MARRIAGES, 1908—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
41.—CUMBERLAND.										
568.—Alston.		36971	3134	55	48	7	51	28	23	16
No. 1	Alston W	36971	3134	55	48	7	51	28	23	—
569.—Penrith.		188291	22205	496	447	49	318	159	159	170
1	Penrith W,F,H	51175	12395	290	262	28	196	91	105	—
2	Greystoke H	71613	4433	87	81	6	54	31	23	—
3	Kirkoswald	65503	5377	119	104	15	68	37	31	—
570.—Brampton.		97697	8785	174	150	24	133	67	66	54
1	Hayton	26180	2143	47	43	4	26	12	14	—
2	Brampton W	22941	4608	87	73	14	80	44	36	—
3	Walton	48576	2034	40	34	6	27	11	16	—
571.—Longtown.		88475	6676	164	147	17	100	47	53	34
1	Longtown W	88475	6676	164	147	17	100	47	53	—
572.—Carlisle.		69250	62861	1576	1480	96	996	497	499	476
1	Wetheral.. ..	13346	3556	70	61	9	41	17	24	—
2	St. Cuthbert 2W,L	10229	23155	627	587	40	432	227	205	—
3	St. Mary F,2H	1426	25933	678	643	35	412	195	217	—
4	Stanwix	15319	5522	105	97	8	71	39	32	—
5	Burgh F	9504	1342	21	20	1	16	5	11	—
6	Dalston	19426	3353	75	72	3	24	14	10	—
573.—Wigton.		138620	22301	540	492	48	323	169	154	176
1	Wigton W	44313	8245	174	152	22	114	58	56	—
2	Abbey Holme F,H	43574	10316	288	267	21	163	83	80	—
3	Caldbeck	50733	3740	78	73	5	46	28	18	—
574.—Cockermouth.		170355	69536	2087	1975	112	1235	626	609	514
1	Keswick F,H	69408	7487	149	138	11	113	59	54	—
2	Cockermouth W,H	61209	10815	249	226	23	231	127	104	—
3	Workington 2F,H	20077	31161	1054	1006	48	590	298	292	—
4	Maryport W,F,H	19661	20073	635	605	30	301	142	159	—
575.—Whitehaven.		91083	55717	1716	1641	75	907	470	437	412
1	Harrington	43727	15154	458	438	20	220	110	110	—
2	Whitehaven W,2F,H	5324	21593	664	632	32	410	217	193	—
3	Egremont	42032	18970	594	571	23	277	143	134	—
576.—Bootle.		92344	15718	351	336	15	176	96	80	84
1	Muncaster	44763	2058	39	37	2	20	11	9	—
2	Bootle W,F,H.. ..	47581	13660	312	299	13	156	85	71	—
42.—WESTMORLAND.										
577.—East Ward.		185030	13218	307	281	26	196	100	96	89
1	Appleby W,F.. ..	80963	5821	155	142	13	95	42	53	—
2	Kirkby Stephen W	63153	4634	96	88	8	66	42	24	—
3	Orton	40914	2763	56	51	5	35	16	19	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
42.—WESTMORLAND—continued.													
578.—West Ward.				121951	7711	165	147	18	104	58	46	53	
No.													
1	Morland W			63059	4004	79	71	8	63	33	30	—	
2	Lowther			58892	3707	86	76	10	41	25	16	—	
579.—Kendal.				198349	43480	778	739	39	533	275	258	326	
1	Ambleside 2F			74262	13596	242	231	11	151	67	84	—	
2	Kendal W,F,H			3887	14796	296	284	12	220	124	96	—	
3	Kirkby Lonsdale W.F ..			67133	5467	86	84	2	48	24	24	—	
4	Milnthorpe W,H			53067	9621	154	140	14	114	60	54	—	

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908.

43.—MONMOUTH-SHIRE.									
580.—Chepstow.	68543	19246	507	489	18	277	139	138	134
1 Chepstow W,F	43914	10597	263	253	10	187	99	88	—
2 Lydney F,H	24634	8649	244	236	8	90	40	50	—
581.—Monmouth.	97016	23240	755	721	34	407	226	181	208
1 West Dean	8590	6052	204	199	5	77	36	41	—
2 Coleford	15827	9204	253	242	11	130	68	62	—
3 Monmouth W,F,H	25783	7495	170	154	16	127	74	53	—
4 Trelleck	46816	5489	128	126	2	73	48	25	—
582.—Abergavenny.	62179	26729	735	704	31	526	276	250	221
1 Llanarth	11115	1422	32	30	2	14	5	9	—
2 Llanvihangel	21215	1539	36	34	2	12	7	5	—
3 Abergavenny W,F,H,L ..	22936	12014	278	259	19	267	144	123	—
4 Blaenavon H	6913	11754	389	381	8	233	120	113	—
583.—Bedwellty.	27224	81820	4459	4361	98	2015	1111	904	885
1 Aberystwith 2F	10980	36806	2046	2018	28	850	454	396	—
2 Tredegar W,F,3H	12950	40831	1972	1914	58	980	552	428	—
3 Rock Bedwellty F	3294	4183	441	429	12	185	105	80	—
584.—Pontypool.	50856	45379	1913	1863	50	763	390	373	433
1 Llanhilleth	2009	5015	300	295	5	111	58	53	—
2 Pontypool F,H	14128	24783	1034	1012	22	394	196	198	—
3 Llangibby W	16236	12015	499	478	21	200	104	96	—
4 Usk	18483	3566	80	78	2	58	32	26	—
585.—Newport.	90026	115450	4542	4441	101	2154	1115	1039	1185
1 Caerleon L	30201	5796	175	175	—	129	64	65	—
2 Newport W,F,H	5521	67545	2508	2441	67	1248	645	603	—
3 Rogerstone 2F,H	26574	17905	668	658	10	258	140	118	—
4 Llantarnam	8877	6180	250	244	6	104	55	49	—
5 Mynyddislwyn F	18853	18024	941	923	18	415	211	204	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
44.—SOUTH WALES.											
GLAMORGANSHIRE.											
586.—Cardiff.			77659	228638	7148	6916	232	3469	1839	1630	2034
No.											
1	Llandaff	W,F,L	29527	17333	629	621	8	292	152	140	—
2	East Cardiff	481	52585	1548	1512	36	638	305	333	—
3	Central Cardiff	F,2H	3832	54316	1521	1490	31	894	507	387	—
4	West Cardiff	2W,F	2060	57432	2004	1875	129	1033	552	481	—
5	Penarth	F	4568	14568	356	349	7	167	82	85	—
6	St. Nicholas	F,2H	37191	32404	1090	1069	21	445	241	204	—
587.—Pontypridd.			75387	204824	9946	9707	239	4261	2290	1971	2306
1	Eglwysilan	2F	18953	30191	1648	1620	28	600	320	280	—
2	Llanwunno	F,H	14531	51494	2455	2390	65	1015	552	463	—
3	Llantrisant	2W,2F	22463	34171	1568	1516	52	715	389	326	—
4	Ystradyfodwg	W,F,2H	19440	88968	4275	4181	94	1931	1029	902	—
588.—Merthyr Tydfil.			75217	135540	5722	5575	147	3073	1683	1390	1296
1	Gelligaer	F	16772	17242	1161	1134	27	473	273	200	—
2	Lower Merthyr Tydfil	F	10181	31307	1275	1250	25	564	304	260	—
3	Upper Merthyr Tydfil	W,H	14130	41341	1578	1526	52	1010	560	450	—
4	Aberdare	W,F,H	34134	45650	1708	1665	43	1026	546	480	—
589.—Bridgend.			110571	67453	2993	2908	85	1459	764	695	652
1	Maesteg	2F	11463	16341	977	947	30	388	183	205	—
2	Ogmore	F	20233	22250	1082	1065	17	380	210	170	—
3	Cowbridge	39871	8014	246	239	7	128	66	62	—
4	Bridgend	2W,2F,2H,L	39004	20848	688	657	31	563	305	253	—
590.—Neath.			107166	71604	3163	3104	59	1461	794	667	728
1	Margam	F,H	24026	22421	958	943	15	461	245	216	—
2	Neath	W,2F	43350	30417	1274	1249	25	600	331	269	—
3	Glyncorwg	13927	6452	378	366	12	151	93	58	—
4	Cadoxton	W	25863	12314	553	546	7	249	125	124	—
591.—Pontardawe.			57168	26713	1246	1201	45	538	278	260	281
1	Pontardawe	W,2F	34969	20933	956	924	32	407	205	202	—
2	Ystradgynlais	22199	5785	290	277	13	131	73	58	—
592.—Swansea.			32260	119746	4151	4041	110	2287	1239	1048	1277
1	Llandilo Talybont	W	17657	15001	607	586	21	287	144	143	—
2	Llangafelach	5986	33351	1117	1097	20	513	267	246	—
3	Swansea	W,F,3H	3368	65252	2235	2171	64	1112	797	615	—
4	Llansamlet	5249	6142	192	187	5	75	31	44	—
593.—Gower.			41109	11727	353	345	8	183	94	89	93
1	Gower Eastern	16560	9174	303	298	5	149	70	79	—
2	Gower Western	W	24549	2553	50	47	3	34	24	10	—
CARMARTHENSHIRE.											
594.—Llanelly.			59599	56897	2035	1987	48	1048	545	503	532
1	Loughor	F	8878	10049	422	413	9	159	90	69	—
2	Llanelly	W,F,H	9587	30216	957	936	21	561	276	285	—
3	Pembrey	18661	9798	375	363	12	168	96	72	—
4	Llannon	22473	6834	281	275	6	160	83	77	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
44.—S. WALES—cont.													
CARMARTHENSHIRE— continued.													
595.—Llandovery.				133430	9587	167	163	4	149	82	67	62	
No.													
1	Llanddausant			15230	490	11	10	1	10	7	3	—	
2	Llangadock			18633	1578	32	32	—	22	16	6	—	
3	Llansadwrn			12009	1234	26	26	—	21	11	10	—	
4	Llandingat W.. ..			20189	2834	59	57	2	56	28	28	—	
5	Llanfairarybryn			22991	997	9	9	—	12	7	5	—	
6	Cilycwm			18191	860	10	10	—	11	5	6	—	
7	Conwil Caio			26187	1594	20	19	1	17	8	9	—	
596.—Llandilofawr.				106556	23693	922	897	25	497	250	247	219	
1	Talley			17448	1324	21	20	1	25	10	15	—	
2	Llanfynydd			11375	859	22	22	—	19	10	9	—	
3	Llangathen			18597	2163	35	33	2	35	14	21	—	
4	Llandilo* W			23321	5074	844	822	22	418	216	202	—	
5	Quarter Bach*			12344	3515								
6	Llandeibie*			23471	10758								
597.—Carmarthen.				165002	33393	800	753	47	599	305	294	256	
1	Llangendeirne			47042	9142	294	280	14	146	83	63	—	
2	St. Clears.. ..			35345	5568	113	101	12	83	35	48	—	
3	Carmarthen W,H,L.. ..			16250	11921	254	244	10	275	134	141	—	
4	Conwil			66365	6762	139	128	11	95	53	42	—	
PEMBROKESHIRE.													
598.—Narberth.				124329	17362	355	329	26	295	132	163	121	
1	Llanboidy			50803	5630	103	98	5	94	40	54	—	
2	Narberth.. ..			39625	6385	140	133	7	109	53	56	—	
3	Begelly W			33901	5347	112	98	14	92	39	53	—	
599.—Pembroke.				62979	31939	668	634	34	459	227	232	227	
1	Tenby 2H			28166	9560	205	199	6	153	79	74	—	
2	Pembroke W,F,2H			26296	16988	358	333	25	238	118	120	—	
3	Roose			8517	5391	105	102	3	68	30	38	—	
600.—Haverfordwest.				169810	33123	975	920	55	535	283	252	255	
1	Milford F			32557	10922	405	389	16	160	89	71	—	
2	Haverfordwest W,H			40346	9946	204	181	23	174	92	82	—	
3	St. David's			45674	5405	126	116	10	85	45	40	—	
4	Fishguard			51233	6850	240	234	6	116	57	59	—	
CARDIGANSHIRE.													
601.—Cardigan.				86852	15162	253	242	11	317	142	175	86	
1	Newport			37853	4189	58	58	—	88	31	57	—	
2	Cardigan W			48999	10973	195	184	11	229	111	118	—	
602.—Newcastle in Emlyn.				114784	18135	361	339	22	308	135	173	98	
1	Penbryn			25181	4071	79	76	3	61	26	35	—	
2	Clydey			20704	2473	52	49	3	40	17	23	—	
3	Cenarth W			27437	5445	107	99	8	92	41	51	—	
4	Llandyssil			41462	6146	123	115	8	115	51	64	—	

* 596: 4, 5, 6.—On 1st May, 1908, the boundaries of Llandilo (4) and Llandebie (6) sub-districts were altered, and a new sub-district named Quarter Bach (5) was created: *see* page 502. The births and deaths for these sub-districts cannot be shown separately.

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
44.—S. WALES—cont.												
CARDIGANSHIRE—cont.												
No.	603.—Lampeter.			75044	9257	171	160	11	151	80	71	70
1	Llanbyther	H	25468	2358	46	45	1	32	20	12	—
2	Pencarreg	21480	2281	38	37	1	42	20	22	—
3	Lampeter	W	14828	3024	50	47	3	48	27	21	—
4	Llanwenog	13268	1594	37	31	6	29	13	16	—
604.—Aberayron.				65710	10735	213	197	16	177	66	111	53
1	Llandysilio	34115	5117	100	92	8	90	33	57	—
2	Llansantffraid	W	31595	5618	113	105	8	87	33	54	—
605.—Aberystwith.				131350	21471	428	394	34	360	165	195	139
1	Llanrhystyd	22375	2525	49	47	2	50	18	32	—
2	Aberystwith	W,H	15366	10899	227	207	20	184	97	87	—
3	Geneurglynn	29198	3387	78	72	6	54	19	35	—
4	Rheidol	64411	4660	74	68	6	72	31	41	—
606.—Tregaron.				121545	7947	132	116	16	129	57	72	41
1	Gwnnws	32175	2264	42	39	3	33	13	20	—
2	Llangeitho	22015	2603	39	36	3	43	21	22	—
3	Tregaron	W	67355	3080	51	41	10	53	23	30	—
BRECKNOCKSHIRE.												
607.—Builth.				138119	8976	198	192	6	124	47	77	62
1	Llanwrtyd	36473	1258	27	26	1	20	10	10	—
2	Treflis	41061	1814	39	37	2	23	9	14	—
3	Colwyn	28003	1765	48	48	—	28	12	16	—
4	Builth	W,H	32582	4139	84	81	3	53	16	37	—
608.—Brecknock.				192397	15633	334	322	12	218	112	106	103
1	Defynnock	H	81564	3876	81	79	2	53	27	26	—
2	Brecknock	W,F,H	55814	8113	174	167	7	117	63	54	—
3	Pencelly	27211	1356	32	30	2	21	12	9	—
4	Llangorse	27808	2288	47	46	1	27	10	17	—
609.—Crickhowell.				53646	19941	726	706	20	396	208	188	215
1	Cwmdŷ	9930	826	23	22	1	9	3	6	—
2	Beaufort	F	6025	5993	259	256	3	129	69	60	—
3	Llanelly	5978	9909	366	354	12	201	101	100	—
4	Crickhowell	W	31713	3213	78	74	4	57	35	22	—
610.—Hay.				88925	9401	194	187	7	187	102	85	40
1	Talgarth	L	38275	3769	89	86	3	93	54	39	—
2	Hay	W	50650	5632	105	101	4	94	48	46	—
RADNORSHIRE.												
611.—Knighton.				126159	10895	251	235	16	143	74	69	55
1	Presteigne	14545	1950	42	40	2	27	16	11	—
2	Knighton	W	55223	5927	122	115	7	79	40	39	—
3	Llanbister	56391	3018	87	80	7	37	18	19	—
612.—Rhayader.				112501	9346	151	141	10	106	57	49	58
1	Rhayader	F,H	79262	5328	59	53	6	43	22	21	—
2	Nantmel	W,H	33239	4018	92	88	4	63	35	28	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
45.—NORTH WALES.												
MONTGOMERYSHIRE.												
613.—Machynlleth.				130892	11041	218	202	16	164	79	85	65
No. 1	Machynlleth W,H			14973	2564	48	46	2	40	16	24	—
2	Towyn			42149	4646	80	72	8	62	30	32	—
3	Darowen			73770	3831	90	84	6	62	33	29	—
614.—Newtown.				176157	21118	451	439	32	275	156	119	148
1	Llanidloes			68221	6313	140	134	6	79	49	30	—
2	Llanwnnog W			46436	3864	90	85	5	59	35	24	—
3	Kerry			26761	2128	49	45	4	24	16	8	—
4	Newtown F,2H			7303	6500	131	124	7	83	40	43	—
5	Tregynon			27436	2313	61	51	10	30	16	14	—
615.—Forden.				89738	14844	331	301	30	228	113	115	99
1	Montgomery			34044	4717	103	95	8	80	35	45	—
2	Chirbury W,F			32954	4188	99	88	11	67	33	34	—
3	Welshpool			22740	5939	129	118	11	81	45	36	—
616.—Llanfyllin.				195186	16991	362	345	17	246	113	133	101
1	Llanfair			72812	4496	87	79	8	60	27	33	—
2	Llansantffraid W			55643	8616	189	180	9	120	55	65	—
3	Llanrhaiadr			66731	3879	86	86	—	66	31	35	—
FLINTSHIRE.												
617a.—Holywell.				73269	38935	1089	1045	44	684	343	341	247
1	Whitford			19314	7544	186	179	7	105	62	43	—
2	Holywell W			15267	9311	212	195	17	202	89	113	—
3	Flint			17715	12071	391	379	12	204	106	98	—
4	Mold H.. ..			20973	10009	300	292	8	173	86	87	—
617b.—Hawarden.				33609	21601	774	746	28	356	173	183	142
1	Hawarden W,F			33609	21601	774	746	28	356	173	183	—
DENBIGHSHIRE.												
618.—Wrexham.				60170	70154	2385	2277	108	1158	587	571	565
1	Holt			21243	5406	129	125	4	58	25	33	—
2	Ruabon H			15504	21721	761	736	25	335	154	181	—
3	Wrexham W,F,H			23423	43027	1495	1416	79	765	408	357	—
619.—Ruthin.				99083	12088	240	226	14	182	102	80	76
1	Llanarmon			19216	2010	35	34	1	35	17	18	—
2	Ruthin W,H			18775	3935	75	67	8	71	40	31	—
3	Llanelidan			23327	2415	60	59	1	27	14	13	—
4	Llanrhaiadr			27610	2307	46	44	2	28	17	11	—
5	Llandyrnog			10155	1421	24	22	2	21	14	7	—
620.—St. Asaph.				99243	31046	690	650	40	578	296	282	186
1	St. Asaph W,4H			29665	16372	352	331	21	296	143	153	—
2	Abergele F,H			29994	5740	112	106	6	81	42	39	—
3	Denbigh H,L			39584	8934	226	213	13	201	111	90	—
621.—Llanrwst.				119813	13170	264	248	16	219	107	112	78
1	Llanrwst W			41687	6756	142	131	11	119	56	63	—
2	Bettws y Coed			36355	3624	76	74	2	53	32	27	—
3	Yspsyty			41771	2790	46	43	3	41	19	22	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1908—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
45.—N. WALES—cont.												
MERIONETHSHIRE.												
622.—Corwen.				127140	16313	379	352	27	250	141	109	96
No.	1	Corwen W	77664	7364	161	145	16	112	62	50	—
	2	Llangollen H	49476	8949	218	207	11	138	79	59	—
623.—Bala.				98722	5732	117	98	19	84	40	44	28
	1	Bala W	98722	5732	117	98	19	84	40	44	—
624.—Dolgelly.				152137	14248	243	227	16	226	101	125	68
	1	Tallylyn	71309	5147	86	79	7	89	40	49	—
	2	Barmouth W	80828	9101	157	148	9	137	61	76	—
625.—Festiniog.				145709	27955	577	534	43	406	217	189	155
	1	Deudraeth W	36329	5669	133	116	17	97	48	49	—
	2	Festiniog H	55624	13805	279	263	16	182	100	82	—
	3	Tremadoc	53756	8481	165	155	10	127	69	58	—
CARNARVONSHIRE.												
626.—Pwllheli.				93017	21897	436	395	41	326	162	164	124
	1	Criccieth	30869	6769	121	112	9	95	40	55	—
	2	Pwllheli W	21010	6980	163	152	11	132	71	61	—
	3	Aberdaron	22053	3551	68	58	10	42	21	21	—
	4	Nevin	19085	4597	84	73	11	57	30	27	—
627.—Carnarvon.				88201	42653	950	898	52	702	344	358	272
	1	Llandwrog	33462	13612	310	296	14	218	111	107	—
	2	Llanrug H	26301	13844	291	272	19	224	104	120	—
	3	Carnarvon W,2F,H	12894	12142	266	252	14	208	108	100	—
	4	Llanidan	15544	3055	83	78	5	52	21	31	—
628.—Bangor.				91276	38655	844	795	49	630	314	316	247
	1	Beaumaris	40669	12743	250	232	18	202	104	98	—
	2	Bangor W,2F,H	6528	13539	314	291	23	225	113	112	—
	3	Llanfairfechan H	11762	3151	70	69	1	35	14	21	—
	4	Llanllechid H	32317	9222	210	203	7	168	83	85	—
629.—Conway.				50248	34031	805	755	50	522	262	260	243
	1	Conway W	29076	10182	240	220	20	177	83	94	—
	2	Llandudno F,H	5269	11477	252	240	12	145	76	69	—
	3	Colwyn Bay 2F,H	15903	12372	313	295	18	200	103	97	—
ANGLESEY.												
630.—Anglesey.				60873	14257	296	267	29	223	102	121	75
	1	Llangefni	22125	5034	117	103	14	90	40	50	—
	2	Amlwch	16970	5306	98	94	4	71	29	42	—
	3	Llanfechell W	21778	3917	81	70	11	62	33	29	—
631.—Holyhead.				59544	20551	485	448	37	331	159	172	147
	1	Bryngwran	25352	4858	119	102	17	88	43	45	—
	2	Llanddeusant W	25558	4272	100	87	13	77	35	42	—
	3	Holyhead H	8634	11421	266	259	7	166	81	85	—

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.†	Enumerated POPULATION, 1901.	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Re- gistrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.
											Roman Catholics.	Before Registrar.	Other Christian Deno- minations. Before Authorized Person.			
ENGLAND AND WALES ...	37327479	32527843	264940	34	7268	154051	1563	170	163086	101854	10940	25200	9803	54048	107	1756
I.—LONDON‡	74,816	4,536,237	38210	20	1084	22895	3	4	24006	14204	1451	1389	412	9690	15	1247
1. LONDON‡	74,816	4,536,267	38210	20	1084	22895	3	4	24006	14204	1451	1389	412	9690	15	1247
II.—SOUTH EASTERN DIV.	3,994,396	3,311,729	24930	6	635	16328	30	24	17023	7907	483	1733	394	5279	8	10
2. SURREY	463,555	718,661	5548	3	162	3605	2	3	3775	1773	142	352	63	1213	3	—
3. KENT	969,890	935,144	6635	1	136	4483	9	8	4637	1998	121	380	199	1297	1	—
4. SUSSEX	938,630	605,785	4177	—	123	2821	5	5	2954	1223	65	318	29	807	1	3
5. HAMPSHIRE	1,048,632	768,608	6479	2	170	3984	13	8	4177	2302	129	563	66	1535	2	7
6. BERKSHIRE	573,689	283,531	2091	—	44	1435	1	—	1480	611	26	120	37	427	1	—
III.—SOUTH MIDLAND DIV.‡	3,246,999	2,181,336	16824	5	396	11281	9	12	11703	5121	193	1361	483	3070	5	9
7. MIDDLESEX‡	178,607	810,468	6711	2	206	4211	—	1	4420	2291	130	398	112	1642	—	9
8. HERTFORDSHIRE§ ..	446,425	239,760	1788	—	29	1301	1	1	1332	456	11	176	29	239	1	—
9. BUCKINGHAMSHIRE§ ..	407,046	173,061	1209	1	32	871	—	1	905	304	11	133	26	134	—	—
10. OXFORDSHIRE	491,421	186,698	1405	1	45	979	—	1	1026	379	19	106	27	223	4	—
11. NORTHAMPTONSHIRE ..	642,393	348,947	2587	—	36	1688	4	6	1734	853	12	214	188	439	—	—
12. HUNTINGDONSHIRE ..	207,569	46,750	322	—	3	245	—	2	250	72	—	39	3	30	—	—
13. BEDFORDSHIRE§ .. .	307,338	174,972	1386	—	22	966	4	—	992	394	3	157	60	174	—	—
14. CAMBRIDGESHIRE ..	566,200	200,680	1416	1	23	1020	—	—	1044	372	7	138	38	189	—	—
IV.—EASTERN DIVISION ..	3,126,688	1,892,299	14259	—	266	9846	10	25	10147	4112	272	1075	336	2422	4	3
15. ESSEX	904,386	1,062,645	8327	—	138	5641	5	3	5787	2540	232	608	189	1506	3	2
16. SUFFOLK	931,132	361,900	2504	—	54	1791	3	12	1860	644	20	212	43	369	—	—
17. NORFOLK	1,291,170	467,754	3428	—	74	2414	2	10	2500	928	20	255	104	547	1	1
V.—SOUTH WESTERN DIV.	5,023,292	1,913,393	14328	2	582	8194	21	27	8826	5502	176	2202	482	2635	4	3
18. WILTSHIRE	809,220	263,944	1950	—	51	1242	—	7	1300	650	14	258	66	312	—	—
19. DORSETSHIRE	624,341	199,968	1353	—	37	933	2	3	975	378	17	161	18	182	—	—
20. DEVONSHIRE	1,633,269	664,697	5340	1	246	2811	6	6	3070	2270	118	649	170	1329	1	3
21. CORNWALL	886,384	318,591	2385	1	142	1057	2	2	1204	1181	10	635	136	400	—	—
22. SOMERSETSHIRE .. .	1,070,078	466,193	3300	—	106	2151	11	9	2277	1023	17	499	92	412	3	—
VI.—WEST MIDLAND DIV.	4,051,707	3,679,594	29221	—	553	19712	59	25	20349	8872	731	2072	793	5201	24	51
23. GLOUCESTERSHIRE ..	712,757	648,627	5038	—	118	3015	4	4	3141	1897	87	525	156	1117	5	7
24. HEREFORDSHIRE ..	539,226	112,549	732	—	35	488	—	4	527	205	8	54	6	135	2	—
25. SHROPSHIRE	958,667	259,088	1698	—	56	1101	6	4	1167	531	21	198	19	293	—	—
26. STAFFORDSHIRE .. .	771,431	1,251,910	10023	—	172	6937	23	4	7136	2887	332	705	341	1498	1	10
27. WORCESTERSHIRE ..	443,262	500,819	3793	—	80	2741	5	1	2827	966	62	177	109	618	—	—
28. WARWICKSHIRE .. .	626,364	906,601	7937	—	92	5430	21	8	5551	2386	221	413	162	1540	16	34

* See note * on page 148.
† These areas are derived from those published in the Census Reports for 1901. They do not include space occupied by foreshore or tidal water of rivers and creeks.
‡ On 1st April, 1903, the boundary between London and Middlesex was altered ; see page 499.

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	
Registered in the Quarter ended the last day of				Contracted between				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which			
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.								
										Men.	Women.			Both signed.	One signed.		
47548	73502	73785	70105	233556	8623	14593	8168	22761	16791	10675	37003	3558	3970	960	5608	ENGLAND AND WALES.	
6471	10247	11472	10020	33449	1448	2146	1167	3313	2615	1114	4316	510	715	216	793	I.—LONDON.	
6471	10247	11472	10020	33449	1448	2146	1167	3313	2615	1114	4316	510	715	216	793	1 LONDON.	
4243	6563	7011	7113	22052	860	1389	629	2018	1489	587	2814	219	176	42	311	II.—SOUTH EASTERN.	
919	1493	1685	1451	4935	164	338	111	449	275	124	533	42	38	9	62	2. SURREY.	
1139	1755	1746	1995	5917	237	313	168	481	405	148	811	69	53	13	101	3. KENT.	
773	1109	1205	1090	3651	137	276	113	389	250	126	438	31	27	6	46	4. SUSSEX.	
1083	1653	1799	1944	5701	260	331	187	518	447	137	825	58	45	13	77	5. HAMPSHIRE.	
329	553	576	633	1848	62	131	50	181	112	52	207	19	8	1	25	6. BERKSHIRE.	
2646	4584	5031	4563	15043	403	937	441	1378	844	581	1970	211	148	43	273	III.—SOUTH MIDLAND.	
1075	1857	2094	1685	5968	183	400	160	560	343	184	723	44	36	10	60	7. MIDDLESEX.	
282	483	559	464	1607	41	90	50	140	91	56	161	35	19	4	46	8. HERTFORDSHIRE.	
200	320	348	341	1084	32	62	31	93	63	42	144	11	9	—	20	9. BUCKINGHAMSH.	
232	391	414	368	1257	34	80	34	114	68	45	162	17	12	3	23	10. OXFORDSHIRE.	
355	752	743	737	2321	61	121	84	205	145	98	310	45	28	12	49	11. NORTHAMPTONSH.	
57	75	84	106	293	3	18	8	26	11	17	47	8	9	2	13	12. HUNTINGDONSH.	
225	388	419	354	1253	19	81	33	114	52	72	181	13	16	4	21	13. BEDFORDSHIRE.	
220	318	370	508	1260	30	85	41	126	71	67	242	38	19	8	41	14. CAMBRIDGESH.	
2384	3612	3808	4455	12622	384	791	462	1253	846	431	1827	218	129	33	281	IV.—EASTERN.	
1332	2211	2429	2355	7357	252	432	286	718	538	238	1057	89	77	18	130	15. ESSEX.	
456	585	582	881	2247	55	143	59	202	114	82	332	50	21	4	63	16. SUFFOLK.	
596	816	797	1219	3018	77	216	117	333	194	111	438	79	31	11	88	17. NORFOLK.	
2657	3957	3640	4074	12543	440	938	407	1345	847	405	1469	196	147	37	269	V.—SOUTH WESTERN.	
297	580	486	587	1719	52	124	55	179	107	51	205	20	15	2	31	18. WILTSHIRE.	
241	363	359	390	1221	40	71	21	92	61	37	149	19	11	2	26	19. DORSETSHIRE.	
1012	1482	1341	1505	4627	193	341	179	520	372	142	530	60	40	13	74	20. DEVONSHIRE.	
504	615	582	684	2053	83	181	68	249	151	87	293	44	46	10	70	21. CORNWALL.	
603	917	872	908	2923	72	221	84	305	156	88	292	53	35	10	68	22. SOMERSETSHIRE.	
5026	8343	7961	7891	25913	891	1524	893	2417	1784	1358	4127	444	461	128	649	VI.—WEST MIDLAND.	
835	1422	1402	1379	4416	152	300	170	470	322	139	465	76	56	12	108	23. GLOUCESTERSH.	
157	201	198	176	639	30	42	21	63	51	10	58	13	10	2	19	24. HEREFORDSHIRE.	
330	527	427	414	1510	47	99	42	141	89	32	138	20	22	6	30	25. SHROPSHIRE.	
1771	2878	2652	2722	8903	317	484	319	803	636	599	1732	160	184	56	232	26. STAFFORDSHIRE.	
654	1070	1044	1025	3374	103	225	91	316	194	171	477	55	47	10	82	27. WORCESTERSHIRE	
279	2245	2238	2175	7071	242	374	250	624	492	407	1257	120	142	42	178	28. WARWICKSHIRE.	

\$ On 1st February, 1908, the boundaries of Hertfordshire, Buckinghamshire, and Bedfordshire were altered; see page 499.

|| Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1901.	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Re- gistrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.
											Roman Catholics.	Other Christian Deno- minations.				
												Before Registrar.	Before Authorized Person.			
VII.—NORTH MIDLAND DIV.	3,495,711	2,042,406	17481	—	410	10989	23	23	11445	6036	272	1649	869	3238	3	5
29. LEICESTERSHIRE ..	550,170	440,932	3611	—	76	2139	5	6	2226	1385	77	386	144	775	1	2
30. RUTLANDSHIRE	108,700	20,743	147	—	7	116	—	—	123	24	—	10	—	14	—	—
31. LINCOLNSHIRE	1,659,647	492,994	4070	—	101	2765	3	6	2875	1195	38	327	280	548	—	2
32. NOTTINGHAMSHIRE ..	616,287	596,705	5558	—	106	3437	2	5	3550	2008	66	433	220	1286	2	1
33. DERBYSHIRE	560,907	491,032	4095	—	120	2532	13	6	2671	1424	91	493	225	615	—	—
VIII.—NORTH WEST'RN DIV.	1,911,104	5,212,156	43970	—	1445	23123	793	4	25365	18605	4286	4990	2808	6277	12	232
34. CHESHIRE	611,288	774,638	6118	—	240	3569	28	3	3840	2278	299	681	420	876	—	2
35. LANCASHIRE	1,299,816	4,437,518	37852	—	1205	19554	765	1	21525	16327	3987	4309	2388	5401	12	230
IX.—YORKSHIRE DIVISION	3,721,094	3,596,325	30152	—	637	18534	198	11	19380	10772	1234	2713	1945	4719	14	147
36. WEST RIDING	1,750,995	2,766,471	23172	—	370	14348	193	3	14914	8258	885	2177	1613	3445	11	127
37. EAST RIDING (with YORK)	692,995	453,936	3840	—	135	2372	2	5	2514	1326	132	243	231	702	—	18
38. NORTH RIDING	1,277,104	375,918	3140	—	132	1814	3	3	1952	1188	217	293	101	572	3	2
X.—NORTHERN DIVISION	3,536,522	2,129,051	17973	—	692	8301	321	10	9324	8649	1332	1658	814	4803	15	27
39. DURHAM	766,591	1,194,590	10361	—	317	4619	255	4	5195	5166	829	855	578	2879	10	15
40. NORTHUMBERLAND ..	1,291,515	603,119	5198	—	175	2327	26	5	2533	2665	363	590	109	1590	1	12
41. CUMBERLAND	973,086	266,933	1946	—	164	1039	39	1	1243	703	136	159	110	296	2	—
42. WESTMORLAND	505,330	64,409	468	—	36	316	1	—	353	115	4	54	17	38	2	—
XI.—WELSH DIVISION	5,145,150	2,033,287	17592	1	568	4848	96	5	5518	12074	510	4358	467	6714	3	22
43. MONMOUTHSHIRE ..	395,849	316,864	3066	—	78	1252	7	—	1337	1729	100	688	57	882	—	2
44. SOUTH WALES	2,705,274	1,229,143	11359	—	369	2756	71	3	3199	8160	360	2467	348	4962	3	20
Glamorganshire	576,537	866,250	8667	—	214	2142	32	1	2389	6278	333	1618	250	4054	3	20
Carmarthenshire	464,587	123,570	1069	—	42	179	9	—	230	839	4	306	52	477	—	—
Pembrokeshire	357,118	82,424	603	—	40	208	11	—	259	344	14	125	35	170	—	—
Cardiganshire	595,285	82,707	487	—	41	76	14	2	133	354	1	156	10	187	—	—
Brecknockshire	473,087	53,951	420	—	22	105	5	—	132	288	8	220	1	59	—	—
Radnorshire	238,660	20,241	113	—	10	46	—	—	56	57	—	42	—	15	—	—
45. NORTH WALES	2,044,027	487,280	3167	1	121	840	18	2	982	2185	50	1203	62	870	—	—
Montgomeryshire	591,973	63,994	413	—	9	138	2	—	149	264	—	152	15	97	—	—
Flintshire	106,878	60,536	389	—	11	169	2	—	182	207	13	145	9	40	—	—
Denbighshire	378,309	126,458	905	1	20	288	—	—	309	506	11	295	12	278	—	—
Merionethshire	523,708	64,248	347	—	9	56	—	—	65	282	—	185	9	88	—	—
Carnarvonshire	322,742	137,236	891	—	53	164	14	2	233	658	8	320	13	317	—	—
Anglesey	120,417	34,808	222	—	19	25	—	—	44	178	18	106	4	50	—	—

CIVIL CONDITION; AGE; SIGNATURE BY MARK IN REGISTER—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.							
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which			
														Both signed.	One signed.		
2961	5192	4577	4751	15544	471	920	546	1466	1017	994	3165	199	211	43	324	VII—NORTH MIDLAND.	
542	1136	1009	924	3232	87	192	100	292	187	218	543	26	33	5	49	29. LEICESTERSHIRE.	
13	41	44	49	130	1	15	1	16	2	3	17	2	—	—	2	30. RUTLANDSHIRE.	
757	1242	980	1091	3596	114	234	126	360	240	169	685	53	34	5	77	31. LINCOLNSHIRE.	
971	1578	1443	1566	4899	162	298	199	497	361	391	1156	71	95	20	126	32. NOTTINGHAMSH.	
678	1195	1101	1121	3687	107	181	120	301	7	213	764	47	49	13	70	33. DERBYSHIRE.	
8628	12385	13065	9892	38468	1423	2509	1570	4079	2993	2031	5682	562	770	153	1020	VIII.—N. WESTERN.	
1092	1697	1833	1496	5398	167	372	181	553	348	228	690	73	81	18	118	34. CHESHIRE.	
7536	10688	11232	8396	33070	1256	2137	1389	3526	2645	1803	4992	489	689	138	902	35. LANCASHIRE.	
5505	8858	7993	7796	26525	1027	1618	982	2600	2009	1495	5248	411	506	120	677	IX.—YORKSHIRE.	
4168	6915	6233	5856	20395	763	1244	770	2014	1533	1201	4057	319	408	98	531	36. WEST RIDING.	
699	1073	971	1097	3343	155	206	136	342	291	151	629	43	46	12	65	37. EAST RIDING (with YORK).	
638	870	789	843	2787	109	168	76	244	185	143	562	49	52	10	81	38. NORTH RIDING.	
3672	5105	4731	4465	15953	618	872	530	1402	1148	917	3580	231	322	56	441	X.—NORTHERN.	
2143	2902	2712	2604	9174	353	500	334	834	687	626	2382	156	197	36	281	39. DURHAM.	
1079	1475	1413	1231	4619	197	242	140	382	337	193	918	56	102	13	132	40. NORTHUMBERLD.	
370	579	495	502	1726	57	115	48	163	105	86	248	19	20	7	25	41. CUMBERLAND.	
80	149	111	128	434	11	15	8	23	19	12	32	—	3	—	3	42. WESTMORLAND.	
3355	4656	4496	5085	15144	658	949	541	1490	1199	762	2805	357	385	86	570	XI.—WELSH.	
567	883	805	811	2727	116	128	95	223	211	182	641	69	72	15	111	43. MONMOUTHSHIRE.	
2177	2881	2963	3338	9933	462	610	354	964	816	510	1922	224	256	62	356	44. SOUTH WALES.	
1693	2229	2325	2420	7556	403	408	300	708	703	423	1633	193	216	53	303	Glamorganshire.	
193	269	250	357	956	20	75	18	93	38	44	129	14	18	4	24	Carmarthensh.	
100	135	135	233	539	13	43	8	51	21	22	72	3	4	1	5	Pembrokeshire.	
75	95	131	186	409	10	53	15	68	25	9	23	4	4	—	8	Cardiganshire.	
91	112	106	111	375	13	23	9	32	22	9	50	10	13	4	15	Brecknockshire.	
25	41	16	31	98	3	8	4	12	7	3	15	—	1	—	1	Radnorshire.	
611	892	728	936	2784	80	211	92	303	172	70	242	64	57	9	103	45. NORTH WALES	
85	131	99	98	378	8	22	5	27	13	13	39	10	4	—	14	Montgomerysh.	
69	117	87	116	350	7	21	11	32	18	9	38	9	9	3	12	Flintshire.	
182	256	216	251	795	26	61	23	84	49	29	72	23	20	5	33	Denbighshire.	
64	104	72	107	301	12	28	6	34	18	2	24	3	3	—	6	Merionethshire.	
170	229	201	291	766	23	64	38	102	61	14	56	11	18	—	29	Carnarvonshire	
41	55	53	73	194	4	15	9	24	13	3	13	8	3	1	9	Anglesey.	

* See note * on page 211.

ENGLAND AND WALES.—AGES and CONDITIONS of

	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men	—	—	3	66	598	2767	7240	1	90448	90594	34721	14721	7780
Bachelors	—	—	3	66	598	2766	7238	1	90272	89227	31925	11213	4258
Widowers	—	—	—	—	—	1	2	—	176	1367	2796	3508	3522
Bachelors who married :—													
Spinsters	—	—	3	66	597	2760	7221	1	89488	87064	29882	9659	3313
Widows	—	—	—	—	1	6	17	—	784	2163	2043	1554	945
Widowers who married :—													
Spinsters	—	—	—	—	—	1	2	—	163	1254	2394	2722	2312
Widows	—	—	—	—	—	—	—	—	13	113	402	786	1210

ENGLAND AND WALES.—AGES and CONDITIONS of

	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women	2	20	128	1025	5280	11836	18706	6	104641	71799	24655	10885	5740
Spinsters	2	20	128	1025	5280	11829	18696	5	104254	69987	21722	7583	3061
Widows	—	—	—	—	—	7	10	1	387	1812	2933	3302	2679
Spinsters who married :—													
Bachelors	2	20	126	1014	5224	11705	18447	5	102125	66760	18887	5314	1505
Widowers	—	—	2	11	56	124	249	—	2129	3227	2835	2269	1556
Widows who married :—													
Bachelors	—	—	—	—	—	7	7	—	359	1520	2176	2017	1171
Widowers	—	—	—	—	—	—	3	1	28	292	757	1285	1508

the 264,940 MEN who MARRIED in the Year 1908.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
5048	3467	2292	1588	895	403	131	34	8	2135	10675	254265	264940	Men.
1816	770	302	129	51	35	14	3	2	1490	10672	231507	242179	Bachelors.
3232	2697	1990	1459	844	368	117	31	6	645	3	22758	22761	Widowers.
1292	503	193	80	30	25	8	1	2	1368	10648	222908	233556	Bachelors who married :— Spinsters.
524	267	109	49	21	10	6	2	—	122	24	8599	8623	Widows.
1842	1380	921	640	355	156	50	12	2	387	3	14590	14593	Widowers who married :— Spinsters.
1390	1317	1069	819	439	212	67	19	4	258	—	8168	8168	Widows.

the 264,940 WOMEN who MARRIED in the Year 1908.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
3741	1960	1124	607	272	77	16	3	1	2416	37003	227937	264940	Women.
1546	642	242	92	36	13	1	1	1	1983	36985	211164	248149	Spinsters.
2195	1318	882	515	236	64	15	2	—	433	18	16773	16791	Widows.
574	160	56	21	11	9	1	1	1	1588	36543	197013	233556	Spinsters who married :— Bachelors.
972	482	186	71	25	4	—	—	—	395	442	14151	14593	Widowers.
690	280	137	63	24	11	2	1	—	158	14	8609	8623	Widows who married :— Bachelors.
1505	1038	745	452	212	53	13	1	—	275	4	8164	8168	Widowers.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.				
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.						
BACHELORS UNDER AGE.	15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15—
	16—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16—
	17—	2	3	14	18	3	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17—
	18—	—	4	64	222	80	99	8	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	18—
	19—	1*	14	143	588	457	593	57	3	—	1	—	—	—	—	—	—	—	—	1	—	—	—	19—
BACHELORS OF FULL AGE.	20—	3	17	149	767	2052	2258	202	20	1	—	—	1	—	—	—	—	—	6	—	—	—	—	20—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
	21—	11*	49	454	2781	11456	54241	12474	1056	118	22	3	1	—	—	—	—	—	45	—	—	—	—	21—
	25—	4	27	151	685	3586	35912	37783	6157	794	103	18	3	1	—	—	—	—	86	—	—	—	—	25—
	30—	—	7	24	125	639	7074	12350	7571	1468	210	41	5	—	1	—	—	—	71	—	—	—	—	30—
	35—	—	2	9	24	69	1470	2919	2810	1757	357	66	12	2	—	—	—	1	38	—	—	—	—	35—
	40—	1	1	3	5	11	334	707	884	724	450	130	12	2	—	—	—	24	—	—	—	—	—	40—
	45—	—	—	—	3	7	87	186	265	311	216	168	27	5	2	—	—	7	—	—	—	—	—	45—
	50—	—	—	—	1	6	26	45	76	84	102	84	57	12	5	—	—	4	—	—	—	—	—	50—
	55—	—	—	—	—	—	3	9	28	37	28	39	23	22	1	—	—	3	—	—	—	—	—	55—
BACHELORS OF FULL AGE.	60—	—	—	—	—	—	4	5	8	12	11	17	9	9	4	1	—	—	—	—	—	—	—	60—
	65—	—	—	—	—	—	—	1	3	5	3	3	3	3	3	6	—	—	—	—	—	—	—	65—
	70—	—	—	—	—	—	1	—	—	2	1	2	5	—	5	3	6	—	—	—	—	—	—	70—
	75 and upwards.	—	—	—	—	—	—	—	1	—	—	3	1	—	—	—	1	5	—	—	—	—	—	75 and upwards.
	Not stated	—	—	—	—	—	16	11	3	1	1	—	1	—	—	—	—	—	1301	—	—	—	—	Not stated
Total Spinsters		22	126	1014	5224	11705	18447	66760	18887	5314	1505	574	160	56	21	11	12	1588	233556	233556	Bachelors.	Spinsters.		

For the method of reading this table, see explanatory note on page 216.
* Includes one wife aged 14 years.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Widowers.	Widowers. Spinsters.				
15—	16—	17—	18—	19—	20—	Not stated.	21-24	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up- wds.	Not stated.							
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	
	19—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	20—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	
	Not stated																								
	WIDOWERS UNDER AGE.																								
WIDOWERS OF FULL AGE.	21—	—	5	7	13	20	78	33	6	—	—	—	—	—	—	—	—	—	1	163					
	25—	—	1	2	15	72	518	442	140	21	5	2	—	—	—	—	—	—	2	1,254					
	30—	—	1	2	16	62	669	825	576	172	28	7	—	—	—	—	—	—	1	2,394					
	35—	—	—	—	8	50	436	847	692	491	136	32	5	—	—	1	—	—	6	2,722					
	40—	—	—	1	7	19	229	522	624	493	314	75	13	1	—	—	—	—	8	2,312					
	45—	—	—	2	9	11	105	284	331	440	337	215	48	3	1	1	—	—	5	1,842					
	50—	—	—	—	—	4	50	126	229	299	324	220	102	19	2	2	—	—	4	1,380					
	55—	—	—	1	1	6	21	68	96	174	187	185	102	57	12	12	2	—	5	921					
	60—	—	—	—	1	2	13	41	53	103	129	122	98	54	18	18	3	1	2	640					
	65—	—	—	—	—	—	3	17	20	53	65	70	70	31	15	15	9	1	—	355					
	70—	—	—	—	—	1	1	7	10	17	21	27	34	13	15	15	6	1	2	156					
	75—	—	—	—	—	—	—	—	4	4	1	4	11	9	6	5	3	1	2	50					
	80—	—	—	—	—	—	—	—	—	—	2	3	1	1	2	2	1	—	—	12					
	85 and upwards. Not stated	—	—	—	—	—	—	6	10	4	—	2	1	—	—	—	—	—	—	2					
	Not stated																							387	
Total Spinsters																							14,593	Widowers.	

For the method of reading this table, see explanatory note on page 216.

MARRIAGES IN LONDON.

1908

LONDON.—AGES and CONDITIONS of the 38,210

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men	—	—	1	6	55	266	786	—	11891	12948	5480	2511	1421
Bachelors	—	—	1	6	55	266	786	—	11868	12783	5113	2967	851
Widowers	—	—	—	—	—	—	—	—	23	165	367	444	570
Bachelors who married :—													
Spinsters	—	—	1	6	55	266	735	—	11768	12467	4786	1793	680
Widows	—	—	—	—	—	—	1	—	100	316	327	274	171
Widowers who married :—													
Spinsters	—	—	—	—	—	—	—	—	19	145	311	352	368
Widows	—	—	—	—	—	—	—	—	4	20	56	92	202

LONDON.—AGES and CONDITIONS of the 38,210

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women	—	1	22	104	536	1330	2320	3	15183	10502	3788	1754	904
Spinsters	—	1	22	104	536	1330	2319	3	15135	10212	3322	1216	492
Widows	—	—	—	—	—	—	1	—	48	290	466	538	412
Spinsters who married :—													
Bachelors	—	1	22	103	527	1317	2279	3	14832	9723	2910	916	270
Widowers	—	—	—	1	9	13	40	—	303	489	412	300	222
Widows who married :—													
Bachelors	—	—	—	—	—	—	—	—	43	251	351	342	186
Widowers	—	—	—	—	—	—	1	—	5	39	115	196	226

MEN who MARRIED in the Year 1908.

AGE										TOTALS.			—
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
911	624	372	249	138	60	35	6	3	447	1114	37096	38210	Men.
440	180	70	40	15	6	7	1	1	341	1114	33783	34897	Bachelors.
471	444	302	209	123	54	28	5	2	106	—	3313	3313	Widowers.
323	119	46	29	10	5	4	1	1	304	1113	32336	33449	Bachelors who married :— Spinsters.
117	61	24	11	5	1	3	—	—	37	1	1447	1448	Widows.
281	238	155	94	69	27	12	2	1	72	—	2146	2146	Widowers who married :— Spinsters.
190	206	147	115	54	27	16	3	1	34	—	1167	1167	Widows.

WOMEN who MARRIED in the Year 1908.

AGE.										TOTALS.			—
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
638	290	176	77	33	15	3	2	—	529	4316	33894	38210	Women.
263	104	58	19	6	4	—	1	—	448	4315	31280	35595	Spinsters.
375	186	118	58	27	11	3	1	—	81	1	2614	2615	Widows.
118	29	16	5	2	2	—	1	—	373	4252	29197	33449	Spinsters who married :— Bachelors.
145	75	42	14	4	2	—	—	—	75	63	2083	2146	Widowers.
137	56	20	10	8	1	—	—	—	43	—	1448	1448	Widows who married :— Bachelors.
238	130	98	48	19	10	3	1	—	38	1	1166	1167	Widowers.

LONDON.—AGES of the 38,210 MEN and of the 38,210 WOMEN who intermarried in 1908.

WIVES UNDER AGE.										WIVES OF FULL AGE.										Total Husbands.	Husbands.	Wives.
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and up-wds.	Not stated.			
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15—		
16—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16—		
17—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17—		
18—	—	—	5	24	10	4	9	1	—	—	—	—	—	—	—	—	—	—	1	18—		
19—	—	—	14	63	86	44	54	2	—	—	—	—	—	—	—	—	—	—	1	19—		
20—	1	2	11	67	194	257	233	15	2	1	—	—	—	—	—	—	—	—	3	20—		
Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated.		
21—	—	8	37	263	738	1388	7623	1625	161	28	9	—	—	—	—	—	—	—	11	21—		
25—	—	3	26	84	216	489	5390	5546	957	196	26	9	1	1	—	1	—	—	23	25—		
30—	—	4	7	21	55	108	1300	2132	1374	355	72	25	5	1	1	—	—	—	20	30—		
35—	—	1	—	11	16	36	346	742	654	482	150	48	6	2	2	—	—	—	15	35—		
40—	—	1	—	1	7	7	151	255	332	307	238	94	15	2	—	—	—	—	10	40—		
45—	—	—	—	—	4	3	49	101	161	192	175	166	39	12	—	1	—	—	8	45—		
50—	—	—	—	—	—	1	19	40	82	100	116	132	95	25	9	—	—	—	5	50—		
55—	—	—	—	—	1	—	1	21	34	43	65	93	49	50	7	5	1	—	2	55—		
60—	—	—	—	—	—	—	5	14	21	24	25	41	44	39	27	6	2	1	—	60—		
65—	—	—	—	—	1	—	1	5	4	17	19	21	20	31	8	9	1	1	—	65—		
70—	—	—	—	—	—	—	—	—	2	7	4	3	13	6	14	3	7	—	1	70—		
75—	—	—	—	—	—	—	—	1	—	—	2	3	2	6	7	8	4	2	—	75—		
80—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	1	—	80—		
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	85 and upwards.		
Not stated.	—	—	—	—	—	—	2	—	2	2	1	2	—	—	—	—	—	—	429	Not stated.		
Total Wives ..	1	22	104	536	1330	2320	15183	10502	3788	1754	904	638	290	176	77	33	15	5	529	Husbands.		
																				Wives.		

For the method of reading this table, see explanatory note on page 216.

LONDON.—AGES of 33,449 of the BACHELORS and of 33,449 of the SPINSTERS who intermarried in 1908.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.			
BACHELORS UNDER AGE.	15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	17—	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—
	18—	—	5	24	10	4	9	1	1	—	—	—	—	—	—	—	—	1	—	55	—
	19—	—	14	63	86	44	54	2	—	—	—	—	—	—	—	—	—	1	—	266	—
BACHELORS OF FULL AGE.	20—	1	2	67	194	257	233	14	2	1	—	—	—	—	—	—	—	3	—	785	—
	Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21—	8	37	263	737	1385	7600	1569	136	23	1	—	—	—	—	—	—	9	—	11768	—
	25—	3	25	81	213	459	5313	5368	842	122	17	3	1	1	—	—	—	19	—	12467	—
	30—	4	7	18	54	91	1193	1955	1175	228	30	11	2	—	—	—	—	18	—	4786	—
BACHELORS OF FULL AGE.	35—	1	—	9	13	29	290	595	473	291	68	9	1	—	—	—	—	14	—	1793	—
	40—	1	—	—	5	4	98	141	177	141	77	26	—	—	—	—	—	9	—	680	—
	45—	—	—	—	3	2	28	60	68	69	50	36	3	—	—	—	—	4	—	323	—
	50—	—	—	—	—	1	9	10	20	23	19	18	13	3	2	—	—	1	—	119	—
	55—	—	—	—	—	—	—	3	8	11	5	7	4	7	—	—	—	1	—	46	—
	60—	—	—	—	—	—	3	3	7	3	2	4	3	4	—	—	—	—	—	29	—
	65—	—	—	—	—	—	—	1	—	2	—	2	1	1	3	—	—	—	—	10	—
	70—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	5	—
	75 and upwards.	—	—	—	—	—	—	—	1	—	—	2	—	—	—	1	2	—	—	6	—
	Not stated.	—	—	—	3	2	2	1	—	1	—	—	—	—	—	—	—	293	—	304	—
Total Bachelors.																					33449
Total Spinsters.																					33449

For the method of reading this table, see explanatory note on page 216.

LONDON.—AGES of 1,448 of the BACHELORS and of 1,448 of the WIDOWS who intermarried in 1908

WIDOWS UNDER AGE.		WIDOWS OF FULL AGE.											WIDOWS UNDER AGE.	
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwds.	Not stated.
BACHELORS UNDER AGE. 18— 19— 20— (Not stated)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
BACHELORS OF FULL AGE. 21— 25— 30— 35— 40— 45— 50— 55— 60— 65— 70— 75— 80— 85 and upwards. (Not stated)	—	—	13	51	23	4	8	—	—	—	—	—	—	1
	—	—	16	113	103	66	8	6	—	—	—	1	—	3
	—	—	10	48	114	104	36	9	3	1	1	—	—	1
	—	—	3	29	64	96	47	28	3	2	2	—	—	—
	—	—	—	6	30	46	50	28	10	1	—	—	—	—
	—	—	1	2	11	20	23	39	13	6	—	1	—	1
	—	—	—	1	5	4	9	18	16	4	4	—	—	—
	—	—	—	—	1	1	4	7	5	3	1	2	—	—
	—	—	—	—	—	1	—	1	4	2	2	1	—	—
	—	—	—	—	—	—	—	1	2	1	—	1	—	—
	—	—	—	—	—	—	1	—	—	—	—	—	1	—
	—	—	—	—	—	—	—	—	—	—	—	2	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total Widows	—	—	43	251	351	342	186	137	56	20	10	8	1	43
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total Bachelors.		Total Bachelors.											Total Bachelors.	
1448		1448											1448	
Widows.		Widows.											Widows.	
1448		1448											1448	

For the method of reading this table, see explanatory note on page 216.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Widowers.
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.		
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21—	—	—	—	—	3	—	10	4	1	—	—	—	—	—	—	—	—	—	19	
25—	—	—	1	3	10	—	60	54	8	4	1	—	—	—	—	—	1	—	145	
30—	—	—	—	3	1	16	94	121	60	12	1	2	—	—	—	—	1	—	311	
35—	—	—	—	2	3	7	53	114	94	54	19	4	1	—	—	—	1	—	352	
40—	—	—	—	1	2	3	53	99	99	62	38	10	—	—	—	—	1	—	368	
45—	—	—	—	—	1	—	19	39	63	63	50	33	10	—	—	—	2	—	281	
50—	—	—	—	—	—	—	10	26	48	51	46	34	15	4	1	—	3	—	238	
55—	—	—	—	—	1	—	1	17	20	23	33	32	13	13	1	1	—	—	155	
60—	—	—	—	—	—	—	2	10	12	12	14	15	12	11	5	1	—	—	94	
65—	—	—	—	—	1	—	1	3	4	12	14	10	12	9	1	1	1	—	69	
70—	—	—	—	—	—	—	—	—	1	6	2	1	10	2	4	—	—	1	27	
75—	—	—	—	—	—	—	—	1	—	—	1	2	2	3	1	1	—	—	12	
80—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	
85 and upwards.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
Not stated	—	—	—	—	—	—	—	1	2	1	1	2	—	—	—	—	65	—	72	
Total Spinsters	—	—	1	9	13	40	303	489	412	300	222	145	75	42	14	4	2	75	2,146	
WIDOWERS OF FULL AGE.																				Widowers.
																				Spinsters.

For the method of reading this table, see explanatory note on page 216.

LONDON.—AGES of 1,167 of the WIDOWERS and of 1,167 of the WIDOWS who intermarried in 1908.

WIDOWS UNDER AGE.		WIDOWS OF FULL AGE.											Total Widowers.						
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—		70—	75 and up-wards.	Not stated.			
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18—		
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19—		
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20—		
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated		
WIDOWERS OF FULL AGE.	21—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	1	21—		
	25—	—	—	—	11	4	4	—	—	—	—	—	—	—	—	—	25—		
	30—	—	1	—	25	11	11	5	—	—	—	—	—	—	—	—	30—		
	35—	—	—	—	23	41	41	16	1	—	—	—	—	—	—	—	35—		
	40—	—	—	—	26	58	58	73	5	1	—	—	—	—	—	—	40—		
	45—	—	—	—	19	40	40	52	13	6	—	—	—	—	—	1	45—		
	50—	—	—	—	9	22	22	42	51	14	2	—	—	—	—	1	50—		
	55—	—	—	—	3	8	8	23	27	27	5	2	—	1	—	1	55—		
	60—	—	—	—	1	8	8	9	25	22	20	4	4	2	1	—	60—		
	65—	—	—	—	1	3	3	5	5	20	4	7	7	—	—	—	65—		
	70—	—	—	—	—	—	—	1	2	4	10	2	2	5	—	—	70—		
	75—	—	—	—	—	—	—	—	—	3	6	4	4	2	1	—	75—		
	80—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	80—		
	85 and upwards.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	85 and upwards.		
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	34	Not stated.			
Total Widows		—	1	—	5	39	115	196	226	238	130	98	48	19	10	4	38	1,167	1,167

For the method of reading this table, see explanatory note on page 216.

DEATHS IN WORKHOUSES, HOSPITALS, LUNATIC ASYLUMS, AND IDIOT ASYLUMS.

1908.

The following table shows the numbers of deaths (persons, males, and females) registered during 1908 in Workhouses, Hospitals, Lunatic Asylums and Idiot Asylums in England and Wales. These figures afford the means of correcting, in some measure, the mortality of the districts and sub-districts in which the institutions are situated. The table includes 2,902 institutions; of these 833 are Workhouses, Workhouse Infirmaries, or Workhouse Schools; 1,932 are Hospitals or Infirmaries; and 137 are Lunatic Asylums. The Lunatic Asylums comprise County and Borough Asylums, Lunatic Hospitals, and Idiot Asylums. In these 2,902 institutions 100,312 deaths were registered during the year, or 19·27 per cent. of the total deaths in England and Wales, against 18·19 and 18·75 per cent. in the two preceding years; 54,058 deaths occurred in Workhouses, 36,101 in Hospitals, and 10,153 in Lunatic Asylums. The proportion to total deaths was 10·38 per cent. in Workhouses, 6·94 in Hospitals, and 1·95 in Lunatic Asylums. The proportion of deaths recorded in Workhouses, which had been 9·67 and 10·05 per cent. in 1906 and 1907 respectively, was 10·38 per cent. in 1908.

Information relating to the deaths recorded in many Private Lunatic Asylums, and in a few other institutions, will be found in the notes to the table.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				In- stitutions.	DEATHS.			In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
ENGLAND AND WALES		2902	100312	833	54058	31719	22339	1932	36101	21033	15068	137	10153	5277	4876
No.	I.—LONDON.	232	26966	87	14652	8095	6557	138	11810	6805	5005	7	504	257	247
1	LONDON	232	26966	87	14652	8095	6557	138	11810	6805	5005	7	504	257	247
	II.—SOUTH EASTERN.	544	10210	122	4809	2787	2022	391	3118	1842	1276	31	2283	1202	1081
2	SURREY	100	2986	21	1223	699	524	66	592	332	260	13	1171	617	554
3	KENT	176	2746	35	1256	736	520	134	916	556	360	7	574	277	297
4	SUSSEX	104	1535	24	833	475	358	77	494	285	209	3	208	125	83
5	HAMPSHIRE ..	121	2166	29	1103	642	461	87	849	508	341	5	214	111	103
6	BERKSHIRE ..	43	777	13	394	235	159	27	267	161	106	3	116	72	44
	III.—SOUTH MIDLAND.	257	5379	80	2730	1590	1140	165	1553	873	680	12	1096	551	515
7	MIDDLESEX ..	77	2350	18	1248	695	553	57	717	375	342	2	385	177	208
8	HERTFORDSHIRE	43	777	13	331	205	126	27	147	82	65	3	299	148	151
9	BUCKINGHAMSH.	24	264	8	152	97	55	15	32	23	9	1	80	41	39
10	OXFORDSHIRE ..	32	448	10	223	140	83	20	161	92	69	2	64	33	31
11	NORTHAMPTONS.	32	643	13	317	205	112	17	218	131	87	2	108	54	54
12	HUNTINGDONSH.	6	99	3	67	40	27	3	32	17	15	—	—	—	—
13	BEDFORDSHIRE ..	23	365	6	165	85	80	16	101	60	41	1	99	63	36
14	CAMBRIDGESH. ..	20	433	9	227	123	104	10	145	93	52	1	61	35	26
	IV.—EASTERN.	185	5167	66	3105	1817	1288	106	1226	728	498	13	836	444	392
15	ESSEX	94	3222	30	2027	1210	817	57	657	380	277	7	538	301	237
16	SUFFOLK	40	857	15	503	284	219	23	224	137	87	2	130	55	75
17	NORFOLK	51	1088	21	575	323	252	26	345	211	134	4	168	88	80
	V.—SOUTH WESTERN.	275	3672	81	1790	984	806	183	1286	752	534	11	596	288	308
18	WILTSHIRE	45	575	17	286	168	118	26	154	88	66	2	135	59	76
19	DORSETSHIRE ..	37	378	12	200	115	85	24	120	68	52	1	58	30	28
20	DEVONSHIRE ..	97	1422	20	665	348	317	72	561	359	202	5	196	95	101
21	CORNWALL	37	374	14	187	87	100	22	103	58	45	1	84	42	42
22	SOMERSETSHIRE	59	923	18	452	266	186	39	348	179	169	2	123	62	61
	VI.—WEST MIDLAND.	317	10196	93	5247	3155	2092	206	3719	2162	1557	18	1230	624	606
23	GLOUCESTERSH. ..	72	1954	19	781	440	341	50	930	552	378	3	243	136	107
24	HEREFORDSHIRE	18	246	8	152	113	39	9	60	29	31	1	34	18	16
25	SHROPSHIRE ..	37	501	15	278	186	92	21	152	92	60	1	71	32	39
26	STAFFORDSHIRE	82	2988	20	1605	996	609	56	910	507	403	6	473	222	251
27	WORCESTERSH. ..	44	1074	14	598	347	251	27	288	171	117	3	188	93	95
28	WARWICKSHIRE	64	3433	17	1833	1073	760	43	1379	811	568	4	221	123	98

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				In- stitutions.	DEATHS.			In- stitutions.	DEATHS.			In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
No.	VII.—NORTH MIDLAND.	163	4086	51	2182	1356	826	103	1452	851	601	9	452	256	196
29	LEICESTERSHIRE	34	937	13	499	291	208	19	336	195	141	2	102	54	48
30	RUTLANDSHIRE ..	3	28	2	23	18	5	1	5	3	2	—	—	—	—
31	LINCOLNSHIRE ..	46	833	15	424	272	152	28	248	150	98	3	161	82	79
32	NOTTINGHAMSH.	39	1378	11	785	486	299	25	437	248	189	3	156	95	61
33	DERBYSHIRE ..	41	910	10	451	289	162	30	426	255	171	1	33	25	8
	VIII.—NORTH WESTERN.	293	18140	70	10933	6462	4471	213	5991	3365	2626	10	1216	603	613
34	CHESHIRE	73	1939	14	1070	622	448	56	658	360	298	3	211	98	113
35	LANCASHIRE ..	220	16201	56	9863	5840	4023	157	5333	3005	2328	7	1005	505	500
	IX.—YORKSHIRE.	264	9104	76	4732	2978	1754	176	3436	2047	1389	12	936	481	455
36	WEST RIDING ..	177	7162	46	3733	2323	1410	126	2802	1657	1145	5	627	314	313
37	EAST RIDING (with	34	1310	11	632	405	227	17	420	252	168	6	258	143	115
38	York). NORTH RIDING ..	53	632	19	367	250	117	33	214	138	76	1	51	24	27
	X.—NORTHERN.	185	4315	46	2183	1383	800	132	1671	1064	607	7	461	263	198
39	DURHAM	80	2186	16	1332	848	484	60	680	441	239	4	174	110	64
40	NORTHUMBERLD.	57	1646	13	624	375	249	42	805	517	288	2	217	123	94
41	CUMBERLAND ..	35	428	11	191	132	59	23	167	94	73	1	70	30	40
42	WESTMORLAND ..	13	55	6	36	28	8	7	19	12	7	—	—	—	—
	XI.—WELSH.	187	3077	61	1695	1112	583	119	839	544	295	7	543	308	235
43	MONMOUTHSH. ..	31	642	6	346	227	119	23	173	113	60	2	123	72	51
44	SOUTH WALES ..	100	1926	35	1027	672	355	61	566	374	192	4	333	186	147
	Glamorganshire ..	58	1592	16	852	563	289	40	503	336	166	2	238	134	104
	Carmarthenshire	9	128	4	43	29	14	4	25	14	11	1	60	31	29
	Pembrokeshire ..	10	68	3	52	27	25	7	16	9	7	—	—	—	—
	Cardiganshire ..	8	37	6	26	14	12	2	11	7	4	—	—	—	—
	Brecknockshire ..	10	91	4	46	32	14	5	10	6	4	1	35	21	14
	Radnorshire	5	10	2	8	7	1	3	2	2	—	—	—	—	—
45	NORTH WALES ..	56	509	20	322	213	109	35	100	57	43	1	87	50	37
	Montgomeryshire	9	57	4	49	39	10	5	8	7	1	—	—	—	—
	Flintshire	4	53	2	47	26	21	2	6	3	3	—	—	—	—
	Denbighshire ..	16	263	4	121	75	46	11	55	32	23	1	87	50	37
	Merionethshire ..	6	29	4	27	14	13	2	2	2	—	—	—	—	—
	Carnarvonshire ..	18	94	4	67	49	18	14	27	13	14	—	—	—	—
	Anglesey	3	13	2	11	10	1	1	2	—	2	—	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
I.—LONDON.							
1.—London.							
1a.—PADDINGTON	1. Paddington, North ..	Home of Compassion of Jesus (Home for Dying), 37, Warrington Crescent.. .. .	10	2	8		
	2. Paddington, Central ..	{ WORKHOUSE	57	26	31		
		{ Infirmary	313	159	154		
		Children's Hospital	90	55	35		
		Lock Hospital.. .. .	—	—	—		
	St. Mary's Hospital	348	221	127			
1b.—KENSINGTON	1. Kensington Town* ..	{ WORKHOUSE	6	5	1		
		{ Infirmary	535	272	263		
		WORKHOUSE (Mary Place)	—	—	—		
		WORKHOUSE Infirmary, Marylebone(Rackham St.)	529	264	265		
		Kensington Dispensary and Children's Hospital..	12	7	5		
	2. Brompton	St. Luke's House (Home for Dying)	97	31	66		
		Kensington General Hospital (late Queen's Jubilee Hospital)	1	1	—		
		Consumption Hospital (part of)	42	30	12		
		2.—FULHAM ..	1. North Hammersmith	WORKHOUSE (Hammersmith)	—	—	—
				WORKHOUSE Infirmary (Hammersmith)	356	185	171
	WORKHOUSE, Children's Receiving Home (Hammersmith)		—	—	—		
	WORKHOUSE, Children's Receiving Home (Paddington)		—	—	—		
	St. John's Hospital for Skin Diseases		—	—	—		
	2. South Hammersmith†	WORKHOUSE, Kensington and Chelsea Dist. Sch.	—	—	—		
		West London Hospital	240	143	97		
		St. Cyprian's Home for Incurables	—	—	—		
	3. North West Fulham..	{ WORKHOUSE (Fulham)	20	10	10		
		{ Infirmary (do.)	402	220	182		
	4. North East Fulham‡	Western Fever Hospital (Met. Asy. Bd.)	177	86	91		
	5. South Fulham ..	WORKHOUSE School (Elm House)	—	—	—		
	3.—CHELSEA ..	1. Chelsea, North ..	{ WORKHOUSE (Chelsea)	18	8	10	
			{ Infirmary (do.)	241	136	105	
			{ WORKHOUSE (St. George, Hanover Square)	4	2	2	
{ Infirmary (do.)			369	229	140		
Cancer Hospital			115	56	59		
		Hospital for Women	14	—	14		
		Consumption Hospital (part of)	38	26	12		
		2. Chelsea, South ..	WORKHOUSE, Casual Ward	—	—	—	
			Victoria Hospital (Children)	169	93	76	
			Cheyne Hospital (Children)	6	3	3	
4.—ST. GEORGE, HANOVER SQUARE		2. Belgrave	WORKHOUSE, Wallis's Yard	1	1	—	
			St. George's Hospital	363	235	128	
		3. St. Margaret and St. John.	Hospital for Women and Children, Lupus Street	—	—	—	
			Station Hospital, Rochester Row	—	—	—	
			Queen Alexandra Military Hospital, Millbank ..	19	19	—	
	Grosvenor Hospital for Women and Children ..		14	—	14		
	Gordon Hospital for Fistula		2	2	—		
	Westminster Hospital		251	144	107		
	Infants' Hospital, Vincent Square		86	59	27		
				—	—	—	
5.—WESTMINSTER	1. St. James and St. Anne	WORKHOUSE	24	10	14		
		Hospital for Diseases of the Throat	7	2	5		
		Home Hospital	—	—	—		
		Hospital for Women	13	—	13		
		Lock Hospital (Male Branch)	3	3	—		
		Hospital for Diseases of the Heart	8	6	2		
		Royal Ear Hospital.. .. .	4	2	2		
6.—ST. MARYLEBONE	1. All Souls.. ..	Middlesex Hospital	427	215	212		
		All Saints' Home for Incurables	—	—	—		
		St. Elizabeth's Home	3	—	3		
		London Throat Hospital	1	1	—		
		Royal National Orthopædic Hospital.. .. .	—	—	—		
		Ladies' Hospital, Harley Street	1	—	1		
		West End Hospital for Paralysis	8	2	6		
		St. Marylebone Home for Incurables.. .. .	1	—	1		
		2. St. Mary	{ WORKHOUSE	57	25	32	
			{ WORKHOUSE Casual Wards (Houseless Poor Wards)	—	—	—	

NOTE.—Whenever two institutions are situated in the same enclosure they are bracketed together in this Table, and are indicated in the Table on pp. 150-209 by a single letter.
* 1b: 1.—In St. Joseph's House, 33 deaths occurred during the year.
† 2: 2.—In Nazareth House, 25 deaths occurred during the year.
‡ 2: 4.—In Otto House, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
1.—London—continued.						
6.—ST. MARYLEBONE—cont.	2. St. Mary—cont.	Queen Charlotte's Lying-in Hospital..	55	28	27	
		Home for Consumptive Females ..	—	—	—	
	4. St. John ..	Western Ophthalmic Hospital ..	—	—	—	
		Samaritan Free Hospital ..	19	—	19	
		Hospital for Epilepsy and Paralysis ..	2	—	2	
7.—HAMPSTEAD ..	1. Hampstead ..	Hospital of St. John and St. Elizabeth ..	38	8	30	
		WORKHOUSE ..	84	46	38	
		North Western Fever Hospital (Met. Asy. Bd.) ..	116	55	61	
		St. Peter's Home (Kilburn) ..	12	—	12	
		Hampstead General Hospital ..	63	37	26	
		Mount Vernon Consumption Hospital ..	17	14	3	
		Home of Peace for the Dying (Friedenheim) ..	96	49	47	
		Tudor House Convalescent Home ..	—	—	—	
		Hospital and Home for Incurable Children (Northcourt) ..	1	1	—	
		8.—ST. PANCRAS ..	1. West St. Pancras ..	London Temperance Hospital ..	131	76
St. Saviour's Hospital ..	3			—	3	
2. South St. Pancras ..	WORKHOUSE Infirmary (Central London Sick Asy.)		148	100	48	
	North London or University College Hospital ..		327	189	138	
	Home Hospital ..		20	15	5	
	Medical and Surgical Home (Fitzroy Square) ..		1	—	1	
	London Skin Hospital ..		—	—	—	
	Metropolitan Ear, Nose, and Throat Hospital ..		1	—	1	
	Medical and Surgical Home, Endsleigh Gardens ..		2	2	—	
	Royal Free Hospital ..		184	111	73	
	Central London Ophthalmic Hospital ..		1	1	—	
	Central London Throat and Ear Hospital ..		19	10	9	
	St. Luke's Hostel, Fitzroy Square ..		2	1	1	
3. East St. Pancras ..	WORKHOUSE ..		67	47	20	
	Infirmary, South ..		404	210	194	
4. North St. Pancras ..	Hospital for Women ..		26	4	22	
	WORKHOUSE Infirmary (Highgate) ..		365	178	187	
	WORKHOUSE (Casual Wards) ..		—	—	—	
9.—ISLINGTON ..	1. Tufnell ..		WORKHOUSE Infirmary (Highgate Hill) ..	743	400	343
			WORKHOUSE, Cornwallis Road ..	4	3	1
	2. Upper Holloway ..	WORKHOUSE, St. John's Road..	114	59	55	
		WORKHOUSE Infirmary (Holborn Union) ..	354	233	121	
		Great Northern Central Hospital ..	203	106	97	
	3. Tollington ..	WORKHOUSE Schools ..	—	—	—	
		WORKHOUSE (Shoreditch) ..	—	—	—	
	6. Islington South East ..	Winifred House Convalescent Home ..	—	—	—	
		London Fever Hospital ..	20	10	10	
	7. Highbury ..	Mildmay Memorial Cottage Hospital ..	20	11	9	
		Home for Confirmed Invalids, Aubert Park and Highbury Terrace ..	5	—	5	
	10.—HACKNEY ..	1. Stoke Newington* ..	Invalid Asylum ..	2	—	2
		
2. North Hackney.†	
		
3. Central Hackney‡ ..		WORKHOUSE (City of London) § ..	3	—	3	
		WORKH. SCHOOL (Shoreditch), Lower Clapton Rd.	—	—	—	
4. South West Hackney ..		Eastern Fever Hospital (Met. Asy. Bd.) ..	149	78	71	
		Metropolitan Free Hospital ..	223	131	92	
		German Hospital ..	123	83	40	
5. South East Hackney ..		Salvation Army Maternity Hospital ..	20	11	9	
		WORKHOUSE ..	21	6	15	
		Infirmary ..	698	374	324	
		WORKHOUSE Cottage Homes (Branch School) ..	—	—	—	
	WORKHOUSE (West Ham) ..	2	2	—		
	St. Joseph's Hospice for the Dying ..	39	12	27		
11.—ST. GILES ..	1. St. Giles and Bloomsbury.	WORKHOUSE ..	62	36	26	
		WORKHOUSE (Casual Ward) ..	—	—	—	
		British Lying-in Hospital..	16	7	9	
		French Hospital ..	28	18	10	
12.—STRAND ..	1. Strand ..	WORKHOUSE ..	23	19	4	
		Charing Cross Hospital ..	179	114	65	
		Royal Westminster Ophthalmic Hospital ..	2	—	2	
		St. Peter's Hospital for Stone, &c. ..	27	26	1	
		King's College Hospital ..	187	111	76	

* 10 : 1.—In Northumberland House, a private Lunatic Asylum, 8 deaths, and in St. Ann's House, 23 deaths occurred during the year.

† 10 : 2.—In Brooke House, a private Lunatic Asylum, 10 deaths occurred during the year.

‡ 10 : 3.—In the Salvation Army Rescue Home, Lanark House, no death occurred during the year.

§ Temporarily closed on 29th April, 1908.

|| 10 : 5.—In the Salvation Army Rescue Home, 27-29, Devonshire Road, 16 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
1.—London—continued.						
13.—HOLBORN ..	1. Holborn	WORKHOUSE (Casual Wards)	—	—	—	
		London Homœopathic Hospital	54	26	28	
		Hospital for Sick Children	430	237	193	
		National Hospital for Paralysis	41	23	18	
		Alexandra Hospital for Hip Disease (Children)	7	6	1	
		Italian Hospital	20	15	5	
		St. Barnabas' Home for Incurables	5	—	5	
		St. Mark's Hospital (Fistula)	5	5	—	
		City of London Lying-in Hospital	31	19	12	
		Royal London Ophthalmic Hospital	6	2	4	
		St. Luke's Lunatic Hospital.. ..	8	3	5	
14.—LONDON CITY	1. St. Botolph	City Police Hospital	1	1	—	
	2. St. Sepulchre and All-hallows.	WORKHOUSE	4	4	—	
		St. Bartholomew's Hospital	719	450	269	
		Billingsgate Mission Hospital	—	—	—	
15.—SHOREDITCH	1. Shoreditch, South ..	Convent Hospital (Children)	5	5	—	
		Home of the Good Shepherd, Harman Street, (Medical Home for Wasting Babies)	17	11	6	
	2. Shoreditch, North West.	{ WORKHOUSE	3	2	1	
		{ Infirmary	534	293	241	
		WORKHOUSE (Holborn)	270	128	142	
		Royal Hospital for Diseases of the Chest	62	41	21	
16.—BETHNAL GREEN	1. Bethnal Green, North East.	WORKHOUSE	35	20	15	
		WORKHOUSE Infirmary	614	336	278	
		City of London Hospital (Diseases of the Chest)	61	38	23	
		Queen's Hospital for Children*	326	184	142	
		Bethnal House Lunatic Asylum	32	15	17	
	2. Bethnal Green, South West.	Mildmay Mission Hospital	32	18	14	
17.—WHITECHAPEL		2. Mile End New Town	WORKHOUSE Infirmary	386	255	131
	London Hospital		1459	857	602	
18.—ST. GEORGE IN THE EAST	1. St. George and St. John	{ WORKHOUSE	2	2	—	
		{ Infirmary	261	148	113	
		WORKHOUSE Casual Ward	—	—	—	
19.—STEPNEY ..	1. Shadwell and Ratchiff	WORKHOUSE (Receiving Home for Children; Stepney, Shoreditch, and Paddington)	1	1	—	
		East London Children's Hospital	451	240	211	
	2. Limehouse	WORKHOUSE Casual Wards	—	—	—	
20.—MILE END OLD TOWN	1. Mile End Old Town, South Western.	East End Mothers' Home.. ..	11	9	2	
	2. Mile End Old Town, North Eastern.	{ WORKHOUSE	2	2	—	
		{ Infirmary (Bancroft Road)	398	212	186	
		WORKHOUSE (Whitechapel), South Grove	51	22	29	
21.—POPLAR ..	2. Bromley	WORKHOUSE Infirmary (City of London)	102	60	42	
		WORKHOUSE (Stepney)	78	43	35	
		WORKHOUSE Infirm. (Poplar & Stepney Sick Asy.)	777	451	326	
	3. Poplar	Poplar Hospital	98	70	28	
		WORKHOUSE	85	52	33	
		WORKHOUSE Infirmary (Branch of Poplar and Stepney Sick Asylum)	17	1	16	
22.—SOUTHWARK	1. Christchurch and St. Saviour, Southwark.	WORKHOUSE	9	9	—	
		Hospital for Diseases of the Skin	—	—	—	
		Guy's Hospital	710	426	284	
	3. St. George the Martyr, West.	WORKHOUSE	10	9	1	
		Evelina Hospital (Children)	191	100	91	
		Royal South London Ophthalmic Hospital	—	—	—	
		Bethlem Royal Lunatic Hospital	21	13	8	
	5. Newington, South ..	WORKHOUSE	85	27	58	
23.—ST. OLAVE (BERMONDSEY).	1. St. Olave	WORKHOUSE	40	25	15	
		WORKHOUSE Sch. (St. Olave Union Children's Home)	—	—	—	
	2. Bermondsey	WORKHOUSE	2	2	—	
		{ WORKHOUSE Infirmary	526	329	197	
	3. Rotherhithe	{ WORKHOUSE (Casual Wards)	—	—	—	
		South Wharf Shelters (Met. Asy. Bd.)	—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

				DEATHS.		
DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Persons.	Males.	Females.	
1.—London—continued.						
24.—LAMBETH	1. Waterloo	Royal Waterloo Hospital (Women and Children)	74	40	34	
		General Lying-in Hospital	51	25	26	
	2. Lambeth Church	St. Thomas's Hospital and Home	732	456	276	
	3. Kennington*	{ WORKHOUSE, Renfrew Road	121	61	60	
		{ Infirmary, Brook Street	701	371	330	
		WORKHOUSE, Princes Road	—	—	—	
	4. Stockwell	Clapham Maternity Hospital	15	6	9	
		South Western Fever Hospital (Met. Asy. Bd.)	94	50	44	
	5. Brixton	Hospital for Children (Belgrave Hospital)	153	83	70	
	6. Norwood†	WORKHOUSE, Elder Road	—	—	—	
	WORKHOUSE Schools	1	1	—		
	British Home for Incurables	7	3	4		
25.—WANDSWORTH	1. East Battersea	National Anti-Vivisection Hosp., Albert Bridge Rd.	5	3	2	
	3. South West Battersea	WORKHOUSE (Branch: Wandsworth), St. James' Rd.	3	3	—	
		WORKHOUSE Infirmary (Wandsworth)	612	334	278	
		Bolingbroke Hospital	79	51	28	
	4. Clapham‡	The Hostel of God	54	21	33	
		Nightingale Nursing Home	—	—	—	
	5. Streatham§	WORKHOUSE (St. Pancras), St. Anne's Home	18	18	—	
		WORKHOUSE (Chelsea), Fairfield House	—	—	—	
		WORKHOUSE (Wandsworth and Clapham), Tooting Home	130	68	62	
		Fountain Fever Hospital (Met. Asy. Bd.)	28	19	9	
		Grove Fever Hospital (Met. Asy. Bd.)	96	45	51	
		Tooting Bec Imbecile Asylum (Met. Asy. Bd.)	265	140	125	
		Middlesex County Lunatic Asylum (part of)	6	3	3	
	6. Springfield	WORKHOUSE (Intermediate School: Wandsworth and Clapham)	—	—	—	
		WORKHOUSE (Wandsworth and Clapham)	22	1	21	
		Middlesex County Lunatic Asylum (part of)	80	47	33	
	7. Southfields	Royal Hospital for Incurables	13	3	10	
	8. Putney.					
26.—CAMBERWELL	2. Camberwell, South	WORKHOUSE	162	87	75	
		WORKHOUSE (Southwark Infirmary)	729	437	292	
	3. Camberwell, North	WORKHOUSE Infirmary	548	311	237	
		Camberwell House Lunatic Asylum	60	26	34	
		Peckham House Lunatic Asylum	32	10	22	
	6. Peckham, South	WORKHOUSE, Gordon Road	4	3	1	
		WORKHOUSE (St. Olave Union Children's Homes)	—	—	—	
		WORKHOUSE (Camberwell Union Children's Homes)	—	—	—	
27.—GREENWICH..	2. Deptford Central	South Eastern Fever Hospital (Met. Asy. Bd.)	157	86	71	
	4. Greenwich West	Miller Memorial Hospital..	32	23	9	
	5. Greenwich East	{ WORKHOUSE	154	58	96	
		{ Infirmary	390	239	151	
		WORKHOUSE School	—	—	—	
	"Dreadnought" Seamen's Hospital	129	120	9		
28.—LEWISHAM ..	1. Eltham	WORKHOUSE (St. Mary's R.C. School for Boys)	1	1	—	
		Cottage Hospital	19	17	2	
	2. Lee	WORKHOUSE, Grove Park (Greenwich)	1	1	—	
		St. John's Hospital	24	11	13	
	3. Lewisham¶	{ WORKHOUSE	37	12	25	
		{ Infirmary	330	188	142	
		WORKHOUSE (St. Olave)	79	35	44	
		Park Fever Hospital (Met. Asy. Bd.)	152	78	74	
	4. Sydenham	Home for Sick Children	17	11	6	
29.—WOOLWICH ..	1. Charlton	Brook Fever Hospital (Met. Asy. Bd.)	122	53	69	
		Herbert Hospital (Military)	24	24	—	
		Cottage Hospital (Kidbrooke)	13	8	5	
	2. Woolwich	Garrison Female Hospital	5	4	1	
		Royal Arsenal Infirmary	13	13	—	
		Cottage Hospital	7	4	3	
		Auxiliary Hospital	—	—	—	
		Home for Mothers and Babies	4	2	2	
	3. Plumstead West	WORKHOUSE (Furze Lodge)	1	—	1	
		Crole-Wyndham Convalescent Home	—	—	—	
	4. Plumstead East	{ WORKHOUSE	1	—	1	
		{ Infirmary	291	168	123	
		WORKHOUSE Schools	—	—	—	

* 24: 3.—In St. Peter's House (Home for Aged Poor), 33 deaths occurred during the year.

† 24: 6.—In Fenstanton, a private Lunatic Asylum, 3 deaths occurred during the year.

‡ 25: 4.—In Clarence Lodge, a private Lunatic Asylum, 1 death occurred during the year.

§ 25: 5.—In Newlands House, a private Lunatic Asylum, 2 deaths occurred during the year.

|| 25: 8.—In the Priory, a private Lunatic Asylum, 7 deaths occurred during the year.

¶ 28: 3.—In Flower House, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

						DEATHS.		
DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.				Persons.	Males.	Females.
II.—SOUTH-EASTERN.								
2.—Surrey.								
30.—EPSOM ..	1. Carshalton* ..	WORKHOUSE, Belmont (Fulham)	2	2	—			
		Croydon R.D. Isolation Hospital	42	17	25			
		Small-pox Hosp. (Croydon C.B., Wimbledon M.B., Merton U.D., and Penge U.D.)	—	—	—			
		Carshalton Cottage Hospital	8	7	1			
		Sutton Cottage Hospital	3	1	2			
		St. Anthony's Hospital	4	—	4			
		London County Lunatic Asylum, Banstead	240	93	147			
		Belmont Imbecile Asylum (Met. Asy. Bd.)†	25	25	—			
		WORKHOUSE and Infirmary	91	61	30			
		WORKHOUSE (Kensington and Chelsea Dist. Schs.)	—	—	—			
	2. Epsom ..	Epsom and Ewell Cottage Hospital	2	1	1			
		Isolation Hospital (Epsom U.D.)	3	1	2			
		Isolation Hospital, Cuddington (Epsom R.D.; Sutton, Carshalton, and Leatherhead U. Dists.)	4	1	3			
		London County Lunatic Asylum, Manor	41	—	41			
		London County Lunatic Asylum, Horton	160	88	72			
		London County Lunatic Asylum, Long Grove.. ..	206	145	61			
		London County Lunatic Asylum, Epileptic Colony	13	12	1			
		Cottage Hospital	2	1	1			
		Metropolitan Convalescent Asylum	9	7	2			
		Cottage Hospital, Weybridge	3	3	—			
31.—CHERTSEY ..	1. Walton ..	Cottage Hospital, Walton	8	4	4			
		WORKHOUSE and Infirmary	69	41	28			
	2. Chertsey.. ..	Isolation Hospital (Chertsey R.D.)	1	1	—			
		Isolation Hospital, Cuddington (Epsom R.D.; Sutton, Carshalton, and Leatherhead U. Dists.)	4	1	3			
32.—GUILDFORD ..	1. Woking ..	Victoria Cottage Hospital, Woking	7	4	3			
		St. Peter's Home	10	—	10			
		Small-pox Hospital (Guildford, Godalming, and Woking Joint Hospital Dist.)	—	—	—			
		County Lunatic Asylum, Brookwood	147	66	81			
	3. Albury ..	Alexandra Hosp. for Hip Disease (Branch)	—	—	—			
		WORKHOUSE	81	51	30			
	4. Guildford ..	Royal Surrey County Hospital	67	43	24			
		Isolation Hospital (Guildford M.B. and R.D., Godalming M.B., and Woking U.D.)	14	4	10			
	5. Godalming ..	Meath Home for Epileptic Women and Children.. ..	—	—	—			
		Isolation Hospital (Frimley U.D.)	—	—	—			
33.—FARNHAM ..	1. Frimley ..	Convalescent Home and Sanatorium (Branch of Brompton Consumption Hospital)	5	3	2			
		Military Hospital for Infectious Diseases	5	3	2			
	2. Aldershot ..	Aldershot Cottage Hospital	7	5	2			
		Isolation Hospital (Aldershot U.D.)	3	1	2			
	3. Farnham ..	WORKHOUSE	81	55	26			
		Cottage Hospital	4	1	3			
		Convalescent Home, Hale	4	1	3			
	4. Frensham ..	Crooksbury Sanatorium for Consumption	1	—	1			
		Isolation Hospital (Farnham U.D. & R.D.)	8	3	5			
		Whitmead Sanatorium (Tuberculosis)	2	1	1			
34.—HAMBLEDON	1. Witley ..	WORKHOUSE	26	19	7			
		Cottage Hospital, Haslemere	9	6	3			
		Bethlem Convalescent Hospital for the Insane	—	—	—			
35.—DORKING ..	2. Cranley ..	Cottage Hospital	2	1	1			
		Village Hospital	1	—	1			
	1. Capel ..	Ockley Sanatorium (Phthisis)	—	—	—			
		WORKHOUSE	23	16	7			
36.—REIGATE ..	2. Dorking ..	Cottage Hospital	3	1	2			
		Isolation Hospital (Dorking U.D. and R.D.)	4	4	—			
	2. Reigate ..	WORKHOUSE and Infirmary	60	41	19			
		Reigate and Redhill Hospital	15	7	8			
		Mrs. Kitto's Convalescent Home	1	1	—			
		Brabazon Home	—	—	—			
	3. Horley ..	Earlswood Idiot Asylum	18	14	4			
		Horley Cottage Hospital	1	—	1			
	3. Horley ..	Infectious Diseases Hospital (Reigate R.D.)	4	2	2			
		Isolation Hospital (Reigate M.B.)	7	3	4			
37.—GODSTONE ..	1. Godstone ..	WORKHOUSE	42	15	27			
		Isolation Hospital (Godstone R.D.)	4	2	2			
		Caterham Cottage Hospital	3	2	1			
		Charing Cross Hospital Convalescent Home	3	3	—			
		Caxton Convalescent Home, Limpsfield	1	1	—			
		Conval. Home for Women & Children, Limpsfield	—	—	—			
		Homes for Epileptic Children, Lingfield	2	1	1			
		Convalescent Home, Oxted	—	—	—			
		Caterham Imbecile Asylum (Met. Asy. Bd.)	147	70	77			
		Borough of Croydon Mental Hospital	50	25	25			

* 30 : 1.—In "The Limes" (Nursing Home for Illegitimate Children), 4 deaths occurred during the year.

† Closed during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
2.—Surrey—continued.					
38.—CROYDON ..	1. Coulsdon	London County Lunatic Asylum, Cane Hill	124	79	45
	2. South Croydon	WORKHOUSE Schools (Bermondsey)	—	—	—
		Purley Cottage Hospital	4	4	—
	3. West Croydon	WORKHOUSE	3	1	2
		WORKHOUSE Infirmary	358	186	172
		WORKHOUSE Cottage Homes	—	—	—
		Borough Hospital (Infectious Diseases)	41	25	16
		General Hospital	99	63	36
	4. North Croydon	Cottage Hospital, Upper Norwood	26	20	6
	5. Penge	WORKHOUSE (North Surrey District Schools)	—	—	—
	6. Mitcham	WORKHOUSE (Holborn Union)	38	21	17
		WORKHOUSE Industrial Schools (Holborn Union)	—	—	—
39.—KINGSTON ..	1. Wimbledon	Atkinson Morley Convalescent Hospital	3	2	1
		Wimbledon Cottage Hospital	14	7	7
		Wimbledon Isolation Hospital	10	4	6
		South Wimbledon and District Cottage Hospital	12	7	5
	2. Kingston	WORKHOUSE	—	—	—
		WORKHOUSE Infirmary, Kingston Hill	261	150	111
		WORKHOUSE (New Malden)	—	—	—
		Kingston Victoria Hospital	14	7	7
	3. Surbiton	Surbiton Cottage Hospital	8	6	2
		Isolation Hospital (Five Urb. Dists. & R.D.)	4	2	2
	4. Esher	Thames Ditton Cottage Hospital	4	3	1
		East and West Molesey Cottage Hospital	2	2	—
	5. Hampton	Teddington and Hampton Wick Cottage Hospital	17	8	9
		Isolation Hospital (Hampton U.D.)	—	—	—
		Normansfield Idiot Asylum	—	—	—
40.—RICHMOND ..	1. Richmond	WORKHOUSE	88	40	48
		Royal Hospital	46	25	21
	2. Mortlake	Isolation Hospital (Barnes U.D.)	2	—	2
3.—Kent.					
41.—BROMLEY ..	1. Bromley	Bromley and Beckenham Joint Hospital (Inf. Dis.)	19	10	9
		Bromley Cottage Hospital	18	11	7
		Phillips' Memorial Hospital	7	1	6
		Lady Margaret Hospital	1	1	—
	2. Beckenham	Cottage Hospital	18	10	8
	3. Orpington	WORKHOUSE	107	55	52
		Small-pox Hospital (Bromley and Beckenham Joint Hospital Board)	1	—	1
	4. Chislehurst	Sidecup Cottage Hospital	3	3	—
		Cray Valley Cottage Hospital	8	1	7
	42.—DARTFORD ..	1. Bexley	WORKHOUSE (Greenwich Union Children's Homes)	2	2
		Cottage Hospital, Bexley	4	2	2
		Isolation Hospital (Bexley U.D.)	2	1	1
2. Erith*		Sanatorium, Belvedere (Erith U.D.)	3	2	1
		Cottage Hospital, Erith	5	1	4
3. Dartford		WORKHOUSE	101	59	42
		Joyce Green Hospital (Met. Asy. Bd.)	—	—	—
		Long Reach Hospital (Met. Asy. Bd.)	—	—	—
		Gore Farm Hospital (Met. Asy. Bd.)	6	5	1
		Bow Arrow Hosp.(Infect. Dis., Dartford U.D. & R.D.)	23	13	10
		Livingstone Cottage Hospital, Dartford	8	6	2
		City of London Lunatic Asylum, Stone	29	9	20
		London County Lunatic Asylum, Dartford Heath	171	89	82
		Darenth Imbecile Asylum (Met. Asy. Bd.)	59	34	25
4. Farningham		Hospital Convalescent Home, Parkwood	3	3	—
		Kettlewell Conval.Home(St. Bartholomew's Hosp.)	1	1	—
		White Oak Ophthalmia School (Met. Asy. Bd.)†	—	—	—
43.—GRAVESEND..	1. Gravesend	WORKHOUSE and Infirmary	56	26	30
		WORKHOUSE (Children's Home)	—	—	—
		Gravesend Hospital (Bath Street)	50	29	21
44.—STROOD ..		Station Hospital	1	1	—
	1. Northfleet	Sanatorium for Small-pox, (Gravesend M.B.)	—	—	—
		Sanatorium (Infectious diseases other than Small-pox, Gravesend M.B.)	1	—	1
		Isolation Hospital (Strood R.D.)	1	1	—
		Small-pox Hospital (Northfleet U.D.)	—	—	—
		Port of London Hospital	4	3	1
	2. Strood	WORKHOUSE	57	34	23
45.—HOO ..	1. Hoo	WORKHOUSE	3	2	1
		Isolation Hospital (Hoo R.D.)	2	1	1

* 42: 2.—In the Royal Alfred Institution for Aged Seamen, 2 deaths occurred during the year.

† Classified as a hospital in the Summary on p. 230.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
3.—Kent—continued.					
46.—MEDWAY ..	1. Rochester and Chatham.	WORKHOUSE	133	78	55
		St. Bartholomew's Hospital	101	51	50
		Fort Pitt Hospital (including Auxiliary Hospital)	4	4	—
		St. William's Hosp. (Rochester and Chatham M.B.'s)	16	10	6
		Small Pox Hosp. (Rochester and Chatham M.B.'s)	—	—	—
	2. Gillingham	Port Sanitary Hospital Ship "Elk"	—	—	—
		Infectious Diseases Hospital (Gillingham M.B.) ..	13	6	7
		Military Families Hospital (Lying-in)	9	6	3
		Alexandra Hosp. for Small Pox (Gillingham M.B.)	—	—	—
		Royal Naval Hospital (General and Infectious) ..	60	60	—
47.—MALLING ..	1. Aylesford*	WORKHOUSE	29	25	4
		Isolation Hospital (Malling R.D.)	—	—	—
		Zymotic Military Hospital	—	—	—
48.—SEVENOAKS ..	1. Shoreham	Isolation Hospital (Sevenoaks R.D.)	3	1	2
		WORKHOUSE and Infirmary	37	23	14
	2. Sevenoaks	Holmesdale Cottage Hospital	4	2	2
		Hospital for Hip Diseases	—	—	—
	3. Penshurst	Sevenoaks Urban District Fever Hospital	—	—	—
		Isolation Hospital (Joint Parish Councils)	1	—	1
49.—TONBRIDGE ..	1. Tunbridge Wells ..	General Hospital	75	51	24
		Homœopathic Hospital	2	—	2
		Eye and Ear Hospital	—	—	—
		Isolation Hospital (Southborough U.D.)	—	—	—
	2. Tonbridge†	WORKHOUSE	88	53	35
		Infectious Diseases Hospital (Tonbridge U.D.) ..	—	—	—
	3. Brenchley	Cottage Hospital	4	1	3
		Infectious Diseases Hospital (Tonbridge R.D.) ..	7	4	3
		Small Pox Hospital (Joint Board)	—	—	—
50.—MAIDSTONE ..	2. Loose	WORKHOUSE	86	54	32
		WORKHOUSE Schools	—	—	—
	3. Maidstone	Infectious Diseases Hospital (Maidstone R.D.) ..	2	2	—
		Sanatorium (Public Fever Hosp.; Maidstone M.B.)	3	2	1
		West Kent General Hospital	52	28	24
		Kent Ophthalmic Hospital	1	—	1
		County Lunatic Asylum, Barming Heath	178	81	97
51.—HOLLINGBOURN	1. Hollingbourn	WORKHOUSE	7	5	2
		Hospital for Infectious Dis. (Hollingbourn Union)	—	—	—
52.—CRANBROOK	1. Cranbrook	WORKHOUSE	23	14	9
		Passmore Edwards Conval. Home (Met. Free Hosp.)	—	—	—
		Isolation Hospital (Cranbrook R.D.)	—	—	—
	2. Hawkhurst‡	Sanatorium, Benenden (Consumption)	6	6	—
		Village Hospital	1	—	1
53.—TENTERDEN ..	1. Tenterden	WORKHOUSE	11	7	4
54.—WEST ASHFORD	1. Calehill	WORKHOUSE	19	15	4
		Sanatorium (West Ashford R.D.)	—	—	—
	2. Ashford	Small Pox Hospital (West Ashford R.D.)	—	—	—
		Cottage Hospital	16	11	5
		Sanatorium (Ashford U.D.)	—	—	—
55.—EAST ASHFORD	1. Brabourne	WORKHOUSE	13	7	6
		Infectious Diseases Hospital (East Ashford R.D.)	1	—	1
	2. Wye	Burton Infectious Dis. Hosp. (Ashford U.D.) ..	—	—	—
56.—BRIDGE ..	1. Chartham	County Lunatic Asylum	124	61	63
		WORKHOUSE	16	9	7
	2. Barham	Sanatorium (Bridge R.D.)	2	—	2
57.—CANTERBURY	1. Canterbury	WORKHOUSE and Infirmary	45	25	20
		Kent and Canterbury Hospital	63	37	26
		Military Hospital	1	1	—
		City of Canterbury Sanatorium	7	—	7
		Decker Hut Small-pox Hosp. (City of Canterbury)	—	—	—
		Borough Lunatic Asylum	13	3	10
58.—BLEAN ..	2. Herne	WORKHOUSE	21	10	11
		St. Anne's Convalescent Home (Met. Asy. Bd.) ..	5	4	1
		Cottage Hospital	1	—	1
		West End Isolation Hospital (Blean R.D.)	—	—	—
		Isolation Hospital (Herne Bay U.D.)	—	—	—
		Railway Servants' Convalescent Home	—	—	—
		Passmore Edwards Convalescent Home	1	1	—

* 47 : 1.—In West Malling Place, a private Lunatic Asylum, 3 deaths occurred during the year.
† 49 : 2.—In Redlands, a private Lunatic Asylum, 1 death occurred during the year.
‡ 52 : 2.—In Dr. Barnardo's Home, Babies' Castle, 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
3.—Kent—continued.						
59.—FAVERSHAM..	2. Faversham	WORKHOUSE	45	22	23	
		Faversham Cottage Hosp. & Provident Dispensary ..	4	3	1	
	3. Teynham	Kennaway's Hospital (Faversham M.B.)	1	—	1	
		(Small-pox Hospital (Faversham R.D.)	—	—	—	
		(Infectious Diseases Hospital (Faversham R.D.) ..	2	1	1	
		Isolation Hospital (Faversham M.B.)	—	—	—	
60.—MILTON ..	1. Milton	WORKHOUSE and Infirmary	63	39	24	
		Sittingbourne and Milton Joint Hosp.(Keycol Hosp.)	6	6	—	
		Sittingbourne and Milton Small-pox Hospital ..	—	—	—	
61.—SHEPPEY ..	1. Minster	WORKHOUSE	26	13	13	
		Military and Garrison Hospital	—	—	—	
		Naval Hospital	1	1	—	
		Small Pox Hospital (Sheppey R.D.)	—	—	—	
		Small Pox Hospital (Queenborough M.B.)	—	—	—	
62.—THANET ..	1. Minster	WORKHOUSE	90	49	41	
		WORKHOUSE (West Ham Conval.Home), Dane Hill	7	—	7	
	2. Margate	WORKHOUSE (Château Belle Vue Infirmary) ..	4	4	—	
		WORKHOUSE (Chelsea Home for Conval. Children)	—	—	—	
		Royal Sea Bathing Hospital	17	9	8	
		Cottage Hospital	16	12	4	
		Convalescent Home, Harold Road	—	—	—	
		Victoria Convalescent Home	1	1	—	
		Conval. Home for R.C. Childn., Grosvenor Place ..	13	4	9	
		St. Michael's Conval. Home, Westgate-on-Sea ..	1	1	—	
		East Cliff Convalescent Home (Met. Asy. Bd.) ..	9	2	7	
	3. Broadstairs	WORKHOUSE (N.Surrey Dis.) Wainwright Con.Ho.	1	1	—	
		Thanet Isolation Hospital (Joint Hospital Board)	14	9	5	
		Victoria Convalescent Home	—	—	—	
		Metropolitan Convalescent Institution, St. Peter's	1	—	1	
		Whittuck Convalescent Home	—	—	—	
	4. Ramsgate	Yarrow Convalescent Home	4	3	1	
		WORKHOUSE (Cottage Homes)	—	—	—	
		General Hospital and Seamen's Infirmary ..	13	7	6	
		Club Union Convalescent Home, St. Lawrence ..	2	2	—	
		St. Catherine's Hospital	18	11	7	
		St. Martin's Hospital (Incurables)	1	—	1	
		St. Luke's Hospital for Insane (Convalescent Branch)	—	—	—	
	63.—EASTRY ..	1. Sandwich	WORKHOUSE	28	18	10
			Cottage Hospital	—	—	—
		4. Deal	Sanatorium (Eastry R.D.)	—	—	—
			Victoria Cottage Hospital	10	3	7
Isolation Hospital (Deal M.B. & Walmer U.D.) ..			2	1	1	
64.—DOVER ..	2. Dover	WORKHOUSE	77	45	32	
		Royal Victoria Hospital	29	19	10	
		Cottage Hospital (Infect. Dis.; Dover M.B.) ..	24	17	7	
		Western Heights Hospital (Military)	7	7	—	
		Convalescent Home (Morley House)	1	1	—	
		Friendly Societies' Convalescent Home	1	1	—	
65.—ELHAM ..	1. Folkestone	WORKHOUSE (Elham Union Cottage Homes) ..	—	—	—	
		St. Andrew's Convalescent Home	—	—	—	
		Hosp. Shorncliffe Camp (inc. Female Military Hosp.)	5	5	—	
		Borough of Folkestone Sanatorium	1	—	1	
		Small-pox Hospital (Folkestone M.B.)	—	—	—	
		Victoria Hospital	33	16	17	
		Farleigh House Home (Consumption)	7	7	—	
		Ontario House Convalescent Home	1	1	—	
		Grosvenor House Home (Consumption)	9	9	—	
		Cheriton Cliff Convalescent Home	2	2	—	
		Lymington House Convalescent Home	—	—	—	
		Sandgate House Convalescent Home	—	—	—	
		Cambridge House Sanatorium (Consumption) ..	4	—	4	
		Durnford House Sanatorium (Consumption) ..	4	—	4	
		Alfred Bevan Memorial Convalescent Home ..	—	—	—	
		Weare Bay House Convalescent Home	1	1	—	
		2. Elham	WORKHOUSE	48	34	14
			Sanatorium (Elham R.D.)	—	—	—
		3. Hythe	Isolation Hospital, Newington (Cheriton U.D.) ..	—	—	—
	Isolation Hospital, West Hythe (Sandgate U.D.) ..		—	—	—	
			Eversley Convalescent Home	—	—	—
	66.—ROMNEY MARSH	1. New Romney	WORKHOUSE	13	8	5
			Isolation Hospital (Romney Marsh R.D.)	—	—	—
			Convalescent Home, Littlestone	1	—	1

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
4.—Sussex.							
67.—RYE	1. Rye	WORKHOUSE	23	10	13		
	2. Beckley	Isolation Hospital (Rye M.B. & R.D.)	—	—	—		
63.—HASTINGS ..	1. Ore	WORKHOUSE	70	31	39		
		Hastings Borough Sanatorium	4	1	3		
	3. St. Mary Magdalen ..	Fairlight Conval. Home (Consumption)	1	1	—		
		Hastings, St. Leonards, and East Sussex Hospital..	43	23	20		
		Children's Convalescent Home	—	—	—		
		Buchanan Hospital	6	2	4		
		Eversfield Hospital for Consumption	10	7	3		
		Convalescent Home (Chelsea Hospital for Women)	—	—	—		
		Herts Convalescent Home	2	1	1		
		Railway Convalescent Home	—	—	—		
		Alexandra Home for Chronic Invalids	2	—	2		
		Beau Site Convalescent Home	1	—	1		
		69.—BATTLE ..	1. Bexhill*	Metropolitan Convalescent Institution	3	2	1
2. Battle	WORKHOUSE		26	18	8		
70.—FASTBOURNE	1. Westham	Infect. Dis. Hospital (Small-pox, Eastbourne M.B.)	—	—	—		
		Infectious Diseases Hospital (Eastbourne R.D.) ..	1	—	1		
	2. Eastbourne	WORKHOUSE and Infirmary	55	32	23		
		Homœopathic Convalescent Home	—	—	—		
		All Saints Convalescent Hospital, Eastbourne ..	4	1	3		
		Borough Sanatorium	17	8	9		
		Military Station Hospital.. ..	—	—	—		
		Princess Alice Hospital	30	18	12		
		Leaf Homœopathic Cottage Hospital.. ..	2	1	1		
		Medical and Surgical Home	—	—	—		
		Seaside Convalescent Hospital	—	—	—		
		71.—HAILSHAM ..	2. Hellingly	WORKHOUSE	16	8	8
				Victoria Isolation Hospital (Hailsham R.D.) ..	—	—	—
72.—TICEHURST ..	1. Ticehurst†	East Sussex County Lunatic Asylum	83	50	33		
		WORKHOUSE	14	5	9		
		Isolation Hospital (Ticehurst R.D.)	—	—	—		
73.—UCKFIELD ..	2. Wadhurst	Tunbridge Wells Borough Sanatorium	2	2	—		
		WORKHOUSE	20	17	3		
74.—EAST GRIN-STEAD	3. Isfield	Cottage Hospital	1	1	—		
		WORKHOUSE	22	17	5		
75.—CUCKFIELD ..	2. East Grinstead ..	Queen Victoria Cottage Hospital	4	4	—		
		Sanatorium (East Grinstead U.D. & R.D.) ..	1	1	—		
76a.—LEWES ..	1. Cuckfield	WORKHOUSE	35	23	12		
		Eliot Cottage Hospital (Hayward's Heath) ..	3	3	—		
76b.—NEWHAVEN	2. Hurstpierpoint ..	Infectious Diseases Hosp. (Cuckfield R.D.) ..	1	1	—		
		Nayworth Cottage Convalescent Home	1	1	—		
	1. Chailey†.. ..	WORKHOUSE (Lewes)	30	17	13		
		Convalescent Home.. ..	—	—	—		
		Newick Cottage Hospital.. ..	—	—	—		
		Isolation Hospital (Chailey R.D.)	2	2	—		
		Sedgebrook Small-pox Hospital (E. Sussex Ad. Co.)	—	—	—		
		Brighton Borough Lunatic Asylum	58	39	19		
		WORKHOUSE School (Lewes)	—	—	—		
		Victoria Hospital (Lewes Infirmary)	12	8	4		
		Hospital for Infectious Diseases (Lewes M.B.) ..	1	—	1		
		WORKHOUSE (Newhaven)	12	11	1		
		WORKHOUSE (Downlands Convalescent Home) ..	—	—	—		
		WORKHOUSE (Brighton Industrial School) ..	—	—	—		
77.—BRIGHTON ..	2. Lewes	Surrey Convalescent Home, Seaford	—	—	—		
		Isolation Hospital (Newhaven U.D.)	3	1	2		
	1. East Brighton ..	WORKHOUSE	277	149	128		
		French Convalescent Home	—	—	—		
		Female Convalescent Home	—	—	—		
		Sussex County Hospital	155	97	58		
		Royal Alexandra Hospital for Children	49	26	23		
		Throat and Ear Hospital	3	1	2		
		Brighton and Hove Hospital for Women (Lying-in)	6	2	4		
		Sussex Eye Hospital	—	—	—		
		Home for Incurable Children	5	1	4		
		Brighton C.B. Sanatorium	22	14	8		
78.—STEYNING ..	2. Hove§	Brighton, Hove, and Preston Dispensary	9	7	2		
		St. Bernard's Invalid Home	—	—	—		
	1. Preston	Charlotte Convalescent Home, Aldrington..	—	—	—		
		Jewish Convalescent Home, Hove	—	—	—		
		Convalescent Police Seaside Home	1	1	—		
		WORKHOUSE	103	52	51		
		Hangleton Hosp. for Infec. Diseases (Hove M.B.)..	3	1	2		
		WORKHOUSE	—	—	—		
		WORKHOUSE	—	—	—		
		WORKHOUSE	—	—	—		
		WORKHOUSE	—	—	—		
		WORKHOUSE	—	—	—		

* 69: 1.—In Nazareth House, 4 deaths occurred during the year.
† 72: 1.—In Ticehurst House, a private Lunatic Asylum, 5 deaths occurred during the year.
‡ 76a: 1.—In St. George's Retreat, a private Lunatic Asylum, 3 deaths occurred during the year.
§ 78: 2.—In St. Joseph's Home (Home for Aged Poor) 5 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT	SUB-DISTRICT.	NAME OF INSTITUTION	DEATHS.				
			Persons.	Males.	Females.		
4.—Sussex—continued.							
79.—HORSHAM ..	2. North Horsham ..	WORKHOUSE	31	22	9		
		Horsham Cottage Hospital	4	2	2		
	3. West Horsham ..	Crawley and Horsham Cottage Hospital	2	—	2		
		Rudgwick Sanatorium for Consumption	2	1	1		
80.—PETWORTH ..	1. Petworth, Northern..	WORKHOUSE	12	9	3		
	2. Petworth, Southern ..	WORKHOUSE	5	2	3		
		Cottage Hospital	2	1	1		
		Flathurst Cottages : Isol. Hosp. (Petworth R.D.)..	—	—	—		
81.—THAKEHAM ..	2. Washington	WORKHOUSE	8	6	2		
82.—EAST PRESTON	1. Worthing	Worthing Hospital	20	10	10		
		Swandean Hospital (Inf. Dis.; Worthing M.B.) ..	7	3	4		
		St. Mary's Convalescent Home	—	—	—		
		Banting Memorial Convalescent Home	—	—	—		
		Home of the Holy Rood (Incurables).. .. .	2	—	2		
		Friends' Convalescent Home, Worthing	—	—	—		
	2. Littlehampton ..	WORKHOUSE	27	17	10		
		Rustington Convalescent Home	1	1	—		
		Millfield Convalescent Home (M.A.B.)	2	2	—		
		Littlehampton and District Cottage Hospital ..	3	3	—		
	3. Arundel	Emergency Hospital (Accidents, &c.).. .. .	—	—	—		
	83.—WESTHAMP- NETT	2. Bognor	Merchant Taylors' Convalescent Home	—	—	—	
Princess Mary Convalescent Home			1	—	1		
84.—CHICHESTER..	1. Chichester	Victoria Convalescent Home for Surrey Women..	1	—	1		
		WORKHOUSE	30	20	10		
		General Infirmary and Dispensary	35	21	14		
		City of Chichester Isolation Hospital.. .. .	—	—	—		
85.—MIDHURST ..	1. Midhurst	<i>West Sussex County Lunatic Asylum (Graylingwell Mental Hospital)</i>	67	36	31		
		WORKHOUSE	13	6	7		
		Edward VII. Sanatorium for Consumption	2	2	—		
86.—WESTBOURNE	1. Westbourne	WORKHOUSE	4	3	1		
		Isolation Hospital (Westbourne R.D.)	—	—	—		
5.—Hampshire.							
87.—HAVANT ..	1. Havant*	WORKHOUSE	7	3	4		
		Cottage Hospital, Emsworth	3	3	—		
88.—PORTSMOUTH	2. Kingston and East Southsea.	Havant District Hospital (Infectious Diseases; Havant U.D. and R.D., and Warblington U.D.) ..	2	2	—		
		WORKHOUSE	2	2	—		
		WORKHOUSE Infirmary	363	201	162		
		WORKHOUSE, Children's Homes	—	—	—		
		Milton Hospital (Infec. Dis.; Portsmouth C.B.) ..	43	16	27		
		R. M. A. Infirmary	1	1	—		
		Women and Children's Hospital (R. M. A.) ..	—	—	—		
		Home for Convalescent Children	—	—	—		
		South Coast Medical and Surgical Home	2	—	2		
		East Southsea Invalid Home	—	—	—		
		Rothbury Nursing Home.. .. .	3	2	1		
		St. Ronan's Nursing Home	—	—	—		
		Alexandra Nursing Home	3	3	—		
		Portsmouth Borough Lunatic Asylum	89	48	41		
		Royal Portsmouth, Portsea, and Gosport Hospital	147	76	71		
		Military Families Hospital, Mill Dam	7	5	2		
		Military Hospital†	3	3	—		
		Eye and Ear Infirmary	—	—	—		
		Home of Comfort for Sick and Dying	12	1	11		
		Medical and Surgical Home	1	—	1		
		Princess Christian's Soldiers' and Sailors' Nursing Home	1	1	—		
		St. Hellier's Nursing Home, Outram Road	—	—	—		
		Home Hospital	—	—	—		
		Nursing Home, Cottage Grove (Portsmouth Maternity Committee)	—	—	—		
		89.—ALVERSTOKE	1. Alverstoke	WORKHOUSE, (House of Industry)	20	10	10
				Naval Hospital, Haslar	49	49	—
				Military Hospital (Gosport Station)	—	—	—
				Isolation Hosp., Elson (Gosport & Alverstoke U.D.)	2	1	1
90.—FAREHAM ..	1. Fareham	WORKHOUSE	26	14	12		
		Military Hospital, Hilsea.. .. .	—	—	—		
		Alexandra Hospital (Military), Portsdown Hill ..	9	9	—		
		Isolation Hospital (Fareham R.D.)	3	1	2		
		County Lunatic Asylum	99	53	46		

* 87 : 1.—In St. Andrews Home (Home for Deserted Mothers and Children) 3 deaths occurred during the year.

† Closed during the year.

‡ 88 : 4.—In Nazareth House, 14 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
91.—ISLE OF WIGHT	1. Cowes	Osborne House (Convalescent Home: Officers of Army and Navy)	1	1	—
		Port Sanitary Hospital Ship	—	—	—
		Frank James Memorial Cottage Hospital	10	5	5
	2. Newport	<i>Criminal Lunatic Asylum, Parkhurst</i>	—	—	—
		WORKHOUSE	71	44	27
		Military Hospital, Parkhurst	—	—	—
	3. Ryde	<i>Isle of Wight Lunatic Asylum</i>	26	10	16
		Royal Isle of Wight County Hospital	39	24	15
	4. Brading	Borough Hospital (Infectious Diseases)	—	—	—
		Isolation Hospital (Sandown U.D. & Shanklin U.D.)	1	1	—
		Scio House Children's Surgical Hospital	2	1	1
	5. Godshill	Arthur Webster Memorial Hospital, Shanklin	1	1	—
		Royal National Consumption Hospital (Ventnor)	7	6	1
		St. Catherine's Home (Consumption)	3	3	—
		Convalescent Home (Royal Hants County Hospital)	—	—	—
Undercliffe Isolation Hospital (Joint Committee)		—	—	—	
92.—LYMINGTON ..	1. Lymington	WORKHOUSE and Fever Ward	18	11	7
	Temporary Isolation Hospital (Lymington M.B.)	—	—	—	
93.—CHRISTCHURCH	1. Christchurch	Milford Cottage Hospital	3	—	3
		WORKHOUSE	64	29	35
	2. Bournemouth	WORKHOUSE Cottage Homes	—	—	—
		Sanatorium (Consumption)	11	7	4
		Isolation Hospital (Christchurch R.D.)	—	—	—
		Royal National Sanatorium for Consumption	2	1	1
		Herbert Convalescent Home	1	1	—
		Firs Home (Consumption)	15	11	4
		Royal Victoria Hospital	33	13	20
		St. Joseph's Convalescent Home	3	3	—
		Royal Boscombe and West Hants Hospital	48	29	19
		Invalids' Cottage Home	—	—	—
		Hahnemann Home	—	—	—
		Sanitary Hospital (Bournemouth C.B.)	16	7	9
		Glenbank Conv. Home (Sunday School Union)	—	—	—
		Home of Good Hope (Nursing Home)	7	4	3
		Victoria Nursing Home	5	3	2
94.—RINGWOOD ..	1. Ringwood	WORKHOUSE	4	2	2
		Linford Sanatorium (Consumption)	4	2	2
95.—FORDING-BRIDGE	1. Fordingbridge	WORKHOUSE	7	6	1
		Cottage Hospital (Nursing Home)	4	3	1
96.—NEW FOREST	3. Eling	WORKHOUSE	9	6	3
97.—SOUTHAMPTON	1. Southampton	WORKHOUSE	53	30	23
		Royal South Hants and Southampton Hospital	133	82	51
		Eye and Ear Hospital	—	—	—
		Grosvenor House Nursing Home	6	2	4
98.—SOUTH STONEHAM	1. St. Mary Extra	Royal Victoria Hospital, Netley (including Female Hospital)	21	20	1
		<i>Military Lunatic Hospital, Netley</i>	—	—	—
	2. South Stoneham	WORKHOUSE	66	40	26
		Hospital for Infectious Dis. (South Stoneham R.D.)	—	—	—
	3. Millbrook	WORKHOUSE Infirmary (Southampton)	161	106	55
		Shirley Children's Hospital	2	—	2
		Isolation Hospital (Southampton C.B.)	25	14	11
99.—ROMSEY	1. Romsey	Hospital Ship, "City of Adelaide" (Sthmptn. C.B.)	—	—	—
		WORKHOUSE	7	7	—
100.—STOCKBRIDGE	2. Stockbridge	Romsey Nursing Home and Cottage Hospital	2	1	1
		WORKHOUSE	13	6	7
101.—WINCHESTER	1. Micheldever	WORKHOUSE	—	—	—
		Diamond Jubilee Hospital (Infectious Diseases: New Winchester R.D.)	—	—	—
	2. Winchester	WORKHOUSE (Winchester)	35	18	17
		Royal Hants County Hospital	86	49	37
	4. Hursley	Victoria Hospital (Inf. Dis.: City of Winchester)	3	—	3
102.—DROXFORD ..	3. Hambledon	WORKHOUSE (Hursley)	5	4	1
		WORKHOUSE	9	5	4
103.—CATHERINGTON.	1. Horndean	Shedfield Cottage Hospital	—	—	—
		WORKHOUSE	2	—	2
		Infectious Diseases Hospital (Catherington R.D.)	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
104.—PETERSFIELD	1. Petersfield	WORKHOUSE	18	12	6
		Cottage Hospital	5	4	1
		Isolation Hospital (Petersfield U.D. and R.D.) ..	1	—	1
105.—ALRESFORD ..	2. Alresford	WORKHOUSE	11	5	6
106.—ALTON ..	1. Alton*	WORKHOUSE	30	21	9
		Cottage Hospital	3	3	—
		Isolation Hospital (Alton U.D.)	8	4	4
107.—HARTLEY WINTNEY	1. Odiham	Isolation Hospital, Faringdon (Alton R.D.) ..	—	—	—
		WORKHOUSE (District Schools)	—	—	—
	2. Farnborough	Fleet Cottage Hospital	5	1	4
		Connaught Hospital	12	12	—
	3. Hartley Wintney ..	Cottage Hospital, Yateley	—	—	—
		WORKHOUSE	30	19	11
108.—BASINGSTOKE	1. Basingstoke	Moorcote Sanatorium, Eversley (Consumption) ..	2	1	1
		WORKHOUSE	29	20	9
		Cottage Hospital	15	7	8
109.—WHITCHURCH	1. Whitechurch	Basingstoke Borough Infectious Diseases Hospital	2	1	1
		WORKHOUSE	10	5	5
		Isolation Hospital (Whitchurch R.D.)	—	—	—
110.—ANDOVER ..	3. Andover	WORKHOUSE	24	12	12
		Cottage Hospital	10	8	2
		Isolation Hospital (Pest House; Andover M.B.) ..	1	—	1
111.—KINGSCLERE	2. Kingsclere	WORKHOUSE	9	4	5
		Isolation Hospital (Kingsclere Union)	—	—	—
6.—Berkshire.					
112.—NEWBURY ..	1. Newbury	WORKHOUSE	28	18	10
		Newbury District Hospital (General Diseases) ..	13	9	4
	3. Thatcham	Isolation Hospital (Newbury M.B.)	1	1	—
		St. Andrew's Home	—	—	—
113.—HUNGERFORD	2. Hungerford	Children's Cottage Hospital	1	—	1
		WORKHOUSE	25	11	14
		WORKHOUSE	23	13	10
114.—FARINGDON	2. Faringdon	Cottage Hosnital	5	3	2
		WORKHOUSE	27	15	12
115.—ABINGDON ..	2. Abingdon	Cottage Hospital	3	3	—
		Isolation Hospital (Abingdon M.B. and R.D.) ..	2	1	1
	3. Nuneham Courtenay	Isolation Hospital (Culham R.D.)	—	—	—
		1. Wantage	WORKHOUSE	13	6
Cottage Hospital	6		5	1	
117.—WALLING- FORD	1. Cholsey	WORKHOUSE	—	—	—
		County Lunatic Asylum	65	29	36
	2. Wallingford	WORKHOUSE	28	21	7
		Cottage Hospital	1	—	1
118.—BRADFIELD ..	1. Bucklebury	Isolation Hospital (Wallingford M.B. and R.D., and Crowmarsh R.D.)	5	2	3
		WORKHOUSE	15	12	3
		2. Tilehurst	Park Hospital (Inf. Dis.; Reading C.B.)	20	6
119.—READING ..	1. St. Mary	Box Grove Cottage Sanatorium (Phthisis)	—	—	—
		WORKHOUSE	94	60	34
		2. St. Giles	St. Helena Nursing Home	—	—
120.—WOKINGHAM	1. Wokingham	Royal Berkshire Hospital	133	82	51
		Borough of Reading Sanatorium (Small-pox) ..	—	—	—
		London Open-Air Sanatorium, Pinewood	7	6	1
121.—MAIDEN- HEAD	1. Maidenhead	WORKHOUSE	46	25	21
		Cottage Hospital	8	6	2
		Infectious Diseases Hospital (Maidenhead M.B.) ..	1	—	1
122.—EASTHAMP- STEAD	1. Bracknell	WORKHOUSE	20	9	11
		Ascot Priory Convalescent Home	—	—	—
123.—EASTHAMP- STEAD	2. Sandhurst	Criminal Lunatic Asylum, Broadmoor	27	26	1

* 106: 1.—In Westbrook House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
6.—Berkshire—continued.						
123.—WINDSOR ..	1. Egham	Egham Cottage Hospital, Englefield Green ..	8	4	4	
		Royal Victoria Cottage Nursing Home ..	4	3	1	
		Holloway Sanatorium	24	17	7	
	2. Windsor	WORKHOUSE	50	30	20	
		St. Andrew's Convalescent Hospital ..	8	4	4	
		Windsor and Eton Royal Infirmary and Dispensary ..	40	25	15	
		Station Hospital	—	—	—	
		Borough of New Windsor Sanatorium ..	—	—	—	
		Prince Christian Victor Nursing Home ..	1	1	—	
		III.—SOUTH MIDLAND.				
7.—Middlesex.						
124.—STAINES ..	1. Sunbury*	WORKHOUSE (West London District School) ..	2	1	1	
	2. Staines	WORKHOUSE	56	31	25	
		Cottage Hospital	3	—	3	
125.—UXBRIDGE ..	1. Hillingdon†	WORKHOUSE	57	37	20	
		Cottage Hospital	4	3	1	
		Hospital for Inf. Diseases (Uxbridge U.D. & R.D.) ..	—	—	—	
	2. Uxbridge	Consumption Hospital (Branch of Mount Vernon Hospital, Hampstead) ..	6	4	2	
		WORKHOUSE (Marylebone School)	—	—	—	
	3. Hayes‡	Cottage Hospital	1	—	1	
		Small-pox Hospital (Uxbridge U.D. & R.D.) ..	—	—	—	
		Sanatorium (Southall Norwood U.D.) ..	2	1	1	
		London County Lunatic Asylum, Hanwell ..	210	98	112	
126.—BRENTFORD	1. Isleworth§	WORKHOUSE	7	1	6	
		WORKHOUSE Infirmary	323	181	142	
		WORKHOUSE School	—	—	—	
		Hounslow Hospital	6	2	4	
		Mogden Isolation Hospital (Richmond M.B. and Heston & Isleworth U.D.) ..	6	5	1	
		Military Isolation Hospital, Hounslow Heath ..	—	—	—	
		Small-pox Hospital (Richmond M.B. and Heston & Isleworth U.D.), Dockwell ..	—	—	—	
		St. John's Hospital	26	14	12	
	2. Twickenham	Cottage Hospital (Inf. Dis.; Twickenham U.D.) ..	—	—	—	
		Nightingale Nursing Home	5	2	3	
		Cottage Hospital, Brentford	2	1	1	
	3. Brentford	Cottage Hospital, Ealing	18	7	11	
		Brentford Isolation Hospital	—	—	—	
		Ealing Isolation Hospital	3	2	1	
		Isolation Hospital (Chiswick U.D.)	3	1	2	
	4. Chiswick 	St. Joseph's Hos. for Incurable Women and Childn. ..	8	—	8	
		5. Acton	WORKHOUSE (Central London District School) ..	3	1	2
	St. Joseph's Convalescent Home		1	—	1	
	Acton Cottage Hospital		13	9	4	
	Hanwell Cottage Hospital		3	2	1	
	Acton Isolation Hospital		19	11	8	
	127.—HENDON ..	1. Harrow	Cottage Hospital	10	5	5
			Isolation Hospital (Harrow on the Hill U.D.) ..	1	1	—
		2. Edgware	St. Mary of Nazareth Home for Incurables (The Priory)	1	—	1
			Cottage Hospital	3	2	1
			Small-pox Hospital (Willesden U.D.)	—	—	—
		3. Willesden	Infectious Diseases Hospital (Hendon R.D.) ..	—	—	—
			WORKHOUSE Infirmary (Willesden)	207	117	90
Willesden Cottage Hospital			14	6	8	
St. Monica's Home			2	—	2	
4. Hendon		Isolation Hospital (Willesden U.D.)	34	16	18	
		WORKH. Infm. and Schools (Hendon and Uxbridge) ..	59	39	20	
		WORKH. Infirmary (Central London Sick Asylum) ..	64	33	31	
		Infectious Diseases Hospital (Hendon U.D.) ..	1	1	—	
128.—BARNET ..	1. South Mimms	Cottage Hospital	5	2	3	
		Small-pox and Vaccination Hospital	—	—	—	
	2. Barnet	Isolation Hospital (Barnet U.D.)	1	—	1	
		WORKHOUSE	41	24	17	
	3. Finchley.. ..	Victoria Cottage Hospital	8	4	4	
		Children's Home Hospital	—	—	—	
		Woodside Home for Incurable and Infirm Women ..	7	—	7	
		Conv. Home of National Hosp. for Pars. and Epily. ..	6	1	5	
		Isolation Fever Hospital (Finchley U.D.) ..	—	—	—	
		Finchley Cottage Hospital	5	3	2	
London County Lunatic Asylum, Colney Hatch ..	175	79	96			

* 124: 1.—In Halliford House, a private Lunatic Asylum, 2 deaths occurred during the year.

† 125: 1.—In Moorcroft House (and Laurel Lodge), a private Lunatic Asylum, 3 deaths occurred during the year.

‡ 125: 3.—In Hayes Park, Wood End House, Vine Cottage, and Featherstone Hall private Lunatic Asylums, 3 deaths occurred during the year.

§ 126: 1.—In Wyke House, a private Lunatic Asylum, 2 deaths occurred during the year.

|| 126: 4.—In Chiswick House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908--continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
7.—Middlesex—continued.						
129.—EDMONTON..	1. Hornsey	Conval. Hospital for Children (Cromwell House)	—	—	—	
		Isolation Hos. (Hornsey M.B., Finchley U.D., and Wood Green U.D.)	16	5	11	
	2. Wood Green	WORKHOUSE (Shoreditch)	11	5	6	
		Passmore Edwards Hospital	162	88	74	
	3. West Tottenham ..	North Eastern Fever Hospital (Met. Asy. Bd.)	200	125	75	
	4. East Tottenham ..	Prince of Wales General Hosp. (Tottenham Hosp.)	8	3	5	
		Home and Hospital for Jewish Incurables	312	178	134	
	5. Edmonton	WORKHOUSE	61	26	35	
		WORKHOUSE (Strand)	1	1	—	
		WORKHOUSE (Strand Union Industrial Sch.)	4	1	3	
		Northern Fever Hospital (Met. Asy. Bd.)	—	—	—	
	6. Enfield	Temp. Isolation Hos. (Small-pox ; Edmonton U.D.)	8	3	5	
		Isolation Hospital (Southgate U.D.)	52	24	28	
		WORKHOUSE	3	1	2	
		WORKHOUSE (Chase Farm Schools)	15	7	8	
	7. Waltham Abbey ..	Enfield and Edmonton Joint Isolation Hospital	61	29	32	
Isolation Hospital (Waltham Holy Cross, Chingford, and Buckhurst Hill U.Ds.)		—	—	—		
8. Cheshunt	Cottage Hospital	2	1	1		
	Isolation Hospital (Cheshunt U.D.)	3	3	—		
8.—Hertfordshire.						
130.—WARE ..	3. Ware	WORKHOUSE	29	21	8	
131.—BISHOP STORTFORD	1. Stortford	WORKHOUSE	61	35	26	
		Isolation Hosp., Gt. Hallingbury (Bishop Stort. U.D.)	—	—	—	
	3. Braughing	Isolation Hospital (Sawbridgeworth U.D. Hadham R.D. & Stansted R.D.)	—	—	—	
		Bishop Stortford Hospital	11	3	8	
132.—ROYSTON ..	1. Buntingford	Children's Home, Much Hadham (Convalescent)	1	1	—	
		WORKHOUSE (Buntingford)	7	6	1	
	2. Royston	Isolation Hospital (Buntingford R.D.)	1	1	—	
		Cottage Hospital	9	4	5	
3. Melbourn	WORKHOUSE (Royston)	18	11	7		
	Isolation Hospital (Royston U.D. and Ashwell and Melbourn R.Ds.)	—	—	—		
133.—HITCHIN ..	2. Hitchin	WORKHOUSE	25	16	9	
		North Herts and South Beds Hospital	8	6	2	
		St. Luke's Home of Rest	4	—	4	
		German Hospital Convalescent Home	—	—	—	
134.—HERTFORD ..	1. Watton	Small-pox Hospital (Hertford and Ware Jt. Bd.)	—	—	—	
	2. Hertford	WORKHOUSE	25	17	8	
		Hertford County Hospital	26	21	5	
		Hertford and Ware Joint Fever Hospital	2	—	2	
135.—HATFIELD ..	1. Hatfield	Hertford and Ware Joint Fever Hospital	5	4	1	
		WORKHOUSE and Infirmary (Hatfield)	—	—	—	
	2. Welwyn	Chantry House Sanatorium (Consumption)	4	3	1	
		WORKHOUSE (Welwyn)	—	—	—	
		Isolation Hospital (Welwyn R.D.)	4	4	—	
136.—ST. ALBANS ..	2. St. Albans	Memorial Cottage Hospital	—	—	—	
		WORKHOUSE and Infirmary	48	26	22	
		Hospital and Dispensary	11	4	7	
		Sisters' Hospital (Infectious Diseases)	1	1	—	
		Herts County Lunatic Asylum, Hill End	44	23	21	
137.—WATFORD ..	1. Bushey	Middlesex County Lunatic Asylum, Napsbury	97	60	37	
		Cottage Hospital, Bushey Heath	9	6	3	
	2. Watford	WORKHOUSE and Infirmary	60	38	22	
		Watford District Hospital	22	8	14	
		Isolation Hospital (Watford U.D. & R.D.)	11	6	5	
		Holywell Hosp. (Small-pox ; Watford U.D. & R.D. and Rickmansworth U.D.)	—	—	—	
	3. Rickmansworth ..	WORKHOUSE (St. Pancras Schools)	2	—	2	
		Leavesden Imbecile Asylum (Met. Asy. Bd.)	158	65	93	
	138.—HEMEL HEMPSTEAD	2. Hemel Hempstead ..	WORKHOUSE	27	19	8
			West Herts Hospital	21	14	7
King's College Hospital Convalescent Home			1	1	—	
139.—BERKHAMPSTEAD	1. Berkhamstead ..	Isolation Hospital (Hemel Hempstead R.D.)	3	1	2	
		WORKHOUSE	20	9	11	
		2. Tring	Infect. Diseases Hospital (Berkhamstead R.D.)	—	—	—
		Infectious Diseases Hospital (Tring U.D.)	2	1	1	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
9.—Buckinghamshire.					
140.—AMERSHAM..	2. Chesham	Cottage Hospital	2	2	—
		Fever Hospital (Chesham U.D.)	—	—	—
	3. Amersham	WORKHOUSE	28	17	11
141.—ETON	4. Chalfont	Cottage Hospital	1	1	—
		WORKHOUSE	25	20	5
	1. Eton	Bell Farm Hospital (Infectious Dis.; Eton U.D.) ..	—	—	—
		Cottage Hospital	2	1	1
		Convalescent Home for Children (Fairview) ..	2	1	1
		Burnham Isolation Hospital (Eton R.D.)	2	2	—
142.—WYCOMBE ..	2. Burnham	WORKHOUSE	4	3	1
		Cottage Hospital	1	1	—
	1. Wycombe	Isolation Hospital, Clay Lane (Wycombe R.D.) ..	—	—	—
		Isolation Hosp., Booker (Chepping Wycombe M.B.)	5	1	4
		WORKHOUSE and Infirmary	45	34	11
143.—AYLESBURY	4. Stokenchurch ..	WORKHOUSE School	—	—	—
		County Lunatic Asylum	80	41	39
	1. Haddenham	WORKHOUSE	27	15	12
		Royal Buckinghamshire Hospital	11	9	2
		Isolation Hospital (Aylesbury U.D.)	1	1	—
144.—WINSLOW ..	2. Aylesbury	WORKHOUSE	10	3	7
145.—NEWPORT PAGNELL	1. Winslow	WORKHOUSE	11	3	8
	2. Newport Pagnell ..	WORKHOUSE	6	5	1
146.—BUCKINGHAM	1. Buckingham	Nursing Home	1	1	—
		Isolation Hospital (Buckingham M.B.)	—	—	—
		10.—Oxfordshire.			
147.—HENLEY ..	1. Henley	WORKHOUSE	19	—	10
		Smith Isolation Hospital (Henley R.D. and Hambleton R.D.) ..	3	2	1
		Consumption Sanatorium (Kingswood and Maitland Cottage)	—	—	—
148.—THAME ..	3. Watlington	Watlington Cottage Hospital	—	—	—
		WORKHOUSE	19	14	5
	2. Thame	Small-pox Hospital (Thame U.D.)	—	—	—
		Small-pox Hospital (Thame and Long Crendon Rural Districts)	—	—	—
		White House Infectious Dis. Hosp. (Thame U.D.)	—	—	—
		Victoria Nursing Home (S. Oxon. Benefit Nursing Association)	2	1	1
149.—HEADINGTON	1. Wheatley	Small-pox Hospital (City of Oxford)	—	—	—
		Small-pox Hospital (Headington R.D.)	—	—	—
	2. St. Clement	WORKHOUSE (Headington)	30	18	12
		WORKHOUSE (Oxford)*	44	30	14
		WORKHOUSE (Cowley Poor Law School: Oxford and several Unions)*	—	—	—
		Radcliffe Infirmary	114	68	46
		National Hospital for Incurables (St. John's) ..	2	—	2
		Oxford Eye Hospital	1	—	1
		Acland Nursing Home	15	7	8
		Oxford County and City Lunatic Asylum, Littlemore ..	59	29	30
		Warneford Asylum (Lunatic Hospital)	5	4	1
		150.—OXFORD ..	1. Oxford	Corporation Hospital (Infectious Diseases) ..	1
Isolation Hospital (Bicester R.D.)	—			—	—
151.—BICESTER ..	2. Bicester	WORKHOUSE	16	12	4
		Sanatorium (Bicester U.D. and R.D.)	2	1	1
152.—WOODSTOCK	2. Woodstock	WORKHOUSE	19	10	9
153.—WITNEY ..	3. Witney	WORKHOUSE	19	10	9
		Cottage Hospital	1	—	1
154.—CHIPPING NORTON	4. Burford	WORKHOUSE and Infirmary	18	11	7
155.—BANBURY ..	2. Chipping Norton ..	WORKHOUSE	39	26	13
		Horton Infirmary	20	12	8
		Isolation Hospital, Grimsbury (Banbury M.B.) ..	—	—	—
		Isolation Hospital, Neithrop (Banbury M.B.) ..	—	—	—

* ERRATUM.—Headington: St. Clement (149: 2): Deaths should read:—

	1901.			1907.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
WORKHOUSE (Oxford)	42	23	19	37	25	12
WORKHOUSE (Cowley Poor Law School)	—	—	—	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
11.—Northamptonshire.					
156.—BRACKLEY ..	1. Brackley	WORKHOUSE Cottage Hospital	6 —	5 —	1 —
157.—TOWCESTER	2. Towcester	WORKHOUSE	9	5	4
158.—POTTERSPURY	1. Potterspury	WORKHOUSE	12	9	3
159.—HARDING- STONE	2. Hardingstone	WORKHOUSE Infectious Diseases Hospital (Hardingstone R.D.) .. Small-pox Hospital (Hardingstone R.D.)	4 — —	1 — —	3 — —
160.—NORTHAMP- TON	1. St. Giles	WORKHOUSE General Hospital St. John's Hospital (Convalescent Home) St. Andrew's Lunatic Hospital County Lunatic Asylum	100 124 17 91	61 76 12 42	39 48 5 49
161.—DAVENTRY ..	2. Daventry	WORKHOUSE WORKHOUSE (Cottage Home for Children) Borough of Daventry Sanatorium	18 — 1	9 — —	9 — 1
162.—BRIXWORTH	2. East Brixworth ..	WORKHOUSE Northampton Borough Hospital (Infect. Dis.) .. Northampton Borough Consumption Hospital ..	9 10 2	7 5 1	2 5 1
163.—WELLING- BOROUGH	1. Wellingborough ..	WORKHOUSE and Infirmary Epidemic Hospital (Wellingborough U.D.) Wellingborough Cottage Hospital	51 — 5	36 — 3	15 — 2
164.—KETTERING..	2. Kettering	WORKHOUSE Kettering Urban District Hospital (Infect. Dis.) .. Kettering and District General Hospital Small-pox Hospital (Kettering U.D.)	40 5 17 —	24 2 9 —	16 3 8 —
165.—THRAPSTON..	1. Thrapston	WORKHOUSE	18	13	5
166.—OUNDLE ..	1. Oundle	WORKHOUSE Isolation Hospital (Oundle R.D.)	17 1	13 —	4 1
167.—PETER- BOROUGH	2. Peterborough	WORKHOUSE Peterborough Infirmary Fever Sanatorium (City of Peterborough) Small-pox Hospital (City of Peterborough) ..	33 52 1 —	22 35 — —	11 17 1 —
12.—Huntingdonshire.					
168.—HUNTINGDON	4. Huntingdon	WORKHOUSE County Hospital Spring House (Small-pox; Huntingdon M.B.) Fever Hospital (Huntingdon M.B.)	22 28 — 4	12 15 — 2	10 13 — 2
169.—ST. IVES ..	4. St. Ives	WORKHOUSE	32	21	11
170.—ST. NEOTS ..	2. Kimbolton	WORKHOUSE	13	7	6
13.—Bedfordshire.					
171.—BEDFORD ..	5. Bedford and Kempston* 6. Bedford and Car- dington	WORKHOUSE Isolation Hospital (Bedford R.D.) County Hospital Isolation Hospital (Bedford M.B.) Sanatorium (Bedford Union)	43 6 53 4 —	24 2 36 1 —	19 4 17 3 —
172.—BIGGLESWADE	1. Biggleswade 2. Stotfold	WORKHOUSE and Infirmary Isolation Hospital (Biggleswade R.D.) Beds, Herts, and Hunts Counties Lunatic Asylum ..	22 6 99	11 1 63	11 5 36
173.—AMPTHILL ..	2. Ampthill 4. Woburn	WORKHOUSE Infectious Diseases Hosp. (Apmthill U.D. & R.D.) .. Small-pox Hospital (Ampthill U.D. & R.D.) Woburn Cottage Hospital Daneswood Sanatorium for Consumption	20 3 — 3 —	11 2 — 2 —	9 1 — 1 —
175.—LEIGHTON BUZZARD	1. Leighton Buzzard ..	WORKHOUSE Infectious Diseases Hosp. (Leighton Buzzard U.D.) .. Grove Infect. Dis. Hosp. (Linslade U.D. & Wing R.D.) .. Infectious Diseases Hospital, Kensworth Lane (Eaton Bray R.D.)	15 — — — —	7 — — — —	8 — — — —

* 171 : 5.—In Springfield House, a private Lunatic Asylum, 5 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
13.—Bedfordshire—continued.						
176.—LUTON ..	1. Dunstable	Isolation Hospital (Dunstable M.B., Luton R.D., and Eaton Bray R.D.)	1	—	1	
		2. Luton	WORKHOUSE	65	32	33
		WORKHOUSE (Children's Homes), Dunstable Road.	—	—	—	
		Bute Hospital.. ..	16	12	4	
		Children's Convalescent Home, London Road ..	8	4	4	
		Spittlesea Cottage Hosp. (Inf. Dis.; Luton M.B.) ..	1	—	1	
14.—Cambridgeshire.						
177.—CAXTON ..	1. Caxton	WORKHOUSE	8	3	5	
178.—CHESTERTON	2. Fulbourn	WORKHOUSE	20	10	10	
		Small-pox Hospital (Cambridge M.B.)	—	—	—	
		Isolation Hospital, Histon (Chesterton R.D.) ..	—	—	—	
		County Lunatic Asylum	61	35	26	
179.—CAMBRIDGE	1. St. Andrew the Less..	WORKHOUSE	36	21	15	
		Borough Sanatorium	8	7	1	
		2. St. Andrew the Great	Addenbrooke's Hospital	97	62	35
		Nursing Hostel	6	4	2	
180.—LINTON ..	2. Linton	WORKHOUSE	10	5	5	
181.—NEWMARKET	2. Newmarket	WORKHOUSE	39	17	22	
		Infectious Diseases Hospital (Newmarket R.D.) ..	6	5	1	
		Rous Memorial Hospital	5	4	1	
182.—ELY	3. Ely	WORKHOUSE	33	20	13	
183.—NORTH WITCHFORD	1. Chatteris	WORKHOUSE and Infirmary	15	11	4	
	2. March	Infectious Diseases Hospital (March U.D.)	—	—	—	
184.—WHITTLESEY	1. Whittlesey	WORKHOUSE	11	6	5	
185.—WISBECH ..	2. Wisbech	WORKHOUSE (including Sick Wards)	55	30	25	
		North Cambridge Cottage Hospital	20	11	9	
		Hospital for Infect. Dis. (Wisbech M.B. & R.D.) ..	3	—	3	
IV.—EASTERN.						
15.—Essex.						
186.—WEST HAM..	1. Stratford	West Ham Hospital.. ..	66	42	24	
		2. Forest Gate	WORKHOUSE (Parish of Poplar Borough)	4	4	—
		3. Plaistow	Plaistow Fever Hospital (West Ham C.B.)	89	49	40
		St. Mary's Children's Hospital	39	20	19	
		Medical Mission Hospital.. ..	7	3	4	
		4. Canning Town ..	Seamen's Hospital (Branch)	38	37	1
		5. South East Ham*	East Ham Isolation Hospital	70	38	32
		Convalescent Fever Hospital	—	—	—	
		6. North East Ham ..	WORKHOUSE (St. George-in-East Industrial Sch.)	—	—	—
		Passmore Edwards East Ham Accident Hospital	8	4	4	
		7. Wanstead†	Wanstead Urban District Infectious Dis. Hospital	1	1	—
		8. South Leyton	WORKHOUSE	332	186	146
		WORKHOUSE (West Ham Union School)	—	—	—	
		9. North Leyton	WORKHOUSE Infirmary	934	579	405
		WORKHO. (Forest Ho., and Guardians' Cottages)..	—	—	—	
WORKHOUSE (Bethnal Green School)	2	1	1			
Leyton Isolation Hospital	13	3	10			
187.—EPPING ..	1. Chigwell.. ..	Children's and General Hospital	32	19	13	
		Woodford Jubilee Hospital	2	2	—	
		County Lunatic Asylum (Chestnuts Branch)	—	—	—	
		Infectious Diseases Hospital (Walthamstow U.D.)	23	8	15	
		Buckhurst Hill Village Hospital	6	4	2	
188.—ONGAR ..	2. Chipping Ongar ..	Medical Provident Home	7	4	3	
		Mansfield Convalescent Home	1	—	1	
		WORKHOUSE	26	17	9	
		Infectious Diseases Hospital (Epping R.D.) ..	3	3	—	
		WORKHOUSE	29	17	12	
		WORKHOUSE (Hackney Union School)	—	—	—	

* 186: 5.—In St. Elizabeth's Home, a Maternity Home, 26 deaths occurred during the year.
† 186: 7.—In the Infant Orphan Asylum, Wanstead, no death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
15.—Essex—continued.					
189.—ROMFORD ..	1. Romford.. ..	WORKHOUSE	136	91	45
		Victoria Cottage Hospital	6	4	2
		Dagenham Isolation Hosp. (Romford U.D. & R.D.)	28	13	15
		Small-pox Hospital (West Ham C.B.)	—	—	—
	2. Ilford*	Isolation Hospital (Ilford U.D.).. .. .	7	2	5
		London County Lunatic Asylum, Claybury	188	95	93
		West Ham Borough Lunatic Asylum	94	59	35
		Upney Infectious Dis. Hosp. (Barking Town U.D.)	11	5	6
	4. Hornchurch	WORKHOUSE (Shoreditch Cottage Homes)	2	1	1
		County Lunatic Asylum (Harold Court Branch)	1	1	—
190.—ORSETT ..	1. Grays	WORKHOUSE School, Stifford (Stepney Union)	1	1	—
		WORKHOUSE Cottage Home, Grays (Whitechapel)	—	—	—
		Isolation Hospital (Orsett R.D.)	11	5	6
		Cottage Hospital	17	12	5
	2. Orsett	WORKHOUSE	51	29	22
		WORKHOUSE (Branch Hackney Union), Brentwood	1	1	—
191.—BILLERICAY	1. Brentwood	WORKHOUSE (Separate Infant School, Hackney Union) Brentwood	2	1	1
		WORKHOUSE (Parish of Poplar Borough), Laindon	—	—	—
		WORKHOUSE (Training School: Parish of Poplar Borough), Hutton.. .. .	2	—	2
		Cottage Hospital	1	1	—
		Military Hospital	—	—	—
		County Lunatic Asylum	241	139	102
		WORKHOUSE	36	27	9
	2. Wickford	Infectious Diseases Hospital (Billericay R.D.)	2	1	1
		WORKHOUSE	65	38	27
		Chelmsford and Essex Infirmary	21	8	13
192.—CHELMSFORD	1. Ingatestone	Isolation Hospital (Joint Hospital Board), Galleywood Road	—	—	—
		Isolation Hospital (Joint Hospital Board)	2	1	1
	4. Great Baddow	Isolation Hospital (Joint Hospital Board)	—	—	—
		Isolation Hospital (Joint Hospital Board)	2	1	1
		Isolation Hospital (Joint Hospital Board)	2	1	1
193.—ROCHFORD ..	1. Rochford	WORKHOUSE and Infirmary	75	45	30
		Hospital for Infectious Diseases, Eastwood (Rochford R.D. and Shoeburyness U.D.)	1	1	—
		Small-pox Hospital, Eastwood (Shoeburyness U.D. and Rochford R.D.)	—	—	—
		Southend Victoria Hospital	30	24	6
	2. Prittlewell†	Sanatorium (Southend on Sea M.B.)	10	3	7
		Small-pox Hospital (Southend on Sea M.B.)	—	—	—
		WORKHOUSE	49	38	11
194.—MALDON ..	2. Maldon	Sanatorium (Tuberculosis)	—	—	—
		Heybridge Isolation Hospital (Maldon Joint Hospital Board)	3	1	2
	3. Tollesbury	Isolation Hospital (Clacton U.D.)	—	—	—
195.—TENDRING ..	1. Clacton	Cottage Hospital (Clacton-on-Sea)	4	2	2
		Essex Convalescent Home	—	—	—
		Middlesex Hospital Convalescent Home	—	—	—
		WORKHOUSE	35	27	8
	2. Thorpe.. ..	Hospital for Infectious Diseases (Harwich M.B.)	1	—	1
		Port Sanitary Hospital Ship	—	—	—
	4. Manningtree	County Lunatic Asylum (Brunswick House Branch)	6	—	6
196.—COLCHESTER	1. Colchester South East	Station Hospital (Military Hospital)	6	6	—
		Military Families' Hospital	4	1	3
	2. Colchester North West	WORKHOUSE	52	32	20
		Infectious Diseases Hospital (Colchester M.B.)	7	3	4
		Essex County Hospital	57	38	19
197.—LEXDEN ..	2. Stanway.. ..	Eastern Counties Asylum for Idiots	8	7	1
		WORKHOUSE	29	19	10
198.—HALSTEAD ..	1. Halstead.. ..	WORKHOUSE	19	5	14
		Fever Hospital (Halstead U.D.)	—	—	—
Cottage Hospital		—	—	—	
199.—BRAINTREE	2. Bocking	Isolation Hosp., Castle Hedingham (Halstead R.D.)	—	—	—
		Isolation Hosp., Castle Hedingham (Halstead R.D.)	—	—	—
	5. Braintree	WORKHOUSE	48	24	24
200.—DUNMOW ..	1. Dunmow	Cottage Hospital	—	—	—
		Isolation Hospital (Dunmow R.D.)	1	1	—
		Joint Hosp. for Inf. Dis. (Braintree U.D. and R.D.)	1	1	—
	2. Thaxted	WORKHOUSE	27	16	11
201.—SAFFRON WALDEN	2. Saffron Walden	Cottage Hospital	5	4	1
		Isolation Hospital (Dunmow R.D.)	1	1	—
		Maternity Home, Great Easton	1	—	1
		WORKHOUSE	20	11	9
201.—SAFFRON WALDEN	2. Saffron Walden	Saffron Walden Hospital	14	5	9
		Isolation Hospital (Saffron Walden M.B. & R.D.).. .. .	1	1	—
		Isolation Hospital (Saffron Walden M.B. & R.D.).. .. .	1	1	—

* 189 : 2.—In Dr. Barnardo's Girls' Village Home (including Infirmary) 16 deaths occurred during the year.

† 193 : 2.—In Nazareth House 10 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908 - continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
16.—Suffolk.					
202.—RISBRIDGE ..	1. Haverhill	WORKHOUSE Hospital for Infectious Diseases (Haverhill U.D.) ..	47 —	31 —	16 —
203.—SUDBURY ..	2. Bures	East Anglian Sanatorium (Consumption)	10	7	3
	3. Sudbury	WORKHOUSE	46	26	20
		St. Leonard's Hospital	13	4	9
		Infectious Diseases Hospital (Sudbury M.B.) ..	—	—	—
204.—COSFORD ..	2. Hadleigh	WORKHOUSE	9	7	2
205.—BURY ST. EDMUNDS	2. Bury St. Edmunds ..	WORKHOUSE (Bury St. Edmunds and Thingoe) ..	49	24	25
		Suffolk General Hospital	35	26	9
		Sanitary Hospital (Bury St. Edmunds M.B.) ..	—	—	—
207.—MILDENHALL	1. Mildenhall	WORKHOUSE Cottage Hospital	18 —	6 —	12 —
208.—STOW	2. Rattlesden	WORKHOUSE	22	13	9
	3. Stowmarket	Infectious Diseases Hospital (Stowmarket U.D.) ..	—	—	—
209.—HARTISMERE	1. Mendlesham	WORKHOUSE (Hartismere and Hoxne)	32	16	16
211.—BOSMERE ..	1. Coddenham	WORKHOUSE	51	24	17
212.—SAMFORD ..	1. Capel St. Mary ..	Cottage Hospital, East Bergholt	2	2	—
	2. Holbrook	WORKHOUSE	27	16	11
		Royal Naval Sick Quarters	6	6	—
213.—IPSWICH ..	2. Ipswich Eastern ..	WORKHOUSE (Ipswich and Woodbridge)	90	46	44
		WORKH. School (St. John's Home : Several Unions)	5	1	4
		East Suffolk and Ipswich Hospital	76	42	34
		Ipswich Borough Fever Hospital	6	4	2
		Ipswich Borough Lunatic Asylum	27	15	12
214.—WOODBIDGE	2. Colneis	Suffolk Convalescent Home, Walton	1	1	—
	3. Woodbridge & Wilford	Infectious Diseases Hospital (Woodbridge U.D.) ..	—	—	—
		County Lunatic Asylum	103	40	63
215.—PLOMESGATE	2. Orford	WORKHOUSE	17	14	3
		The Hospital, Sudbourne	1	1	—
216.—BLYTHING ..	1. Westleton	WORKHOUSE	26	17	9
	2. Halesworth	Patrick Stead Hospital	5	—	5
	3. Wenhamston	Cottage Hospital	5	3	2
217.—WANGFORD	2. Beccles	WORKHOUSE	19	8	11
		Beccles Hospital	1	1	—
		Isolation Hospital (Beccles M.B.)	—	—	—
218.—MUTFORD ..	1. Oulton Broad	WORKHOUSE	45	25	20
		Isolation Hospital (Mutford and Lothingland R.D.)	2	1	1
	2. Lowestoft	Sanatorium (Lowestoft M.B.)	16	9	7
		Lowestoft Hospital	45	30	15
		Convalescent Home	—	—	—
17.—Norfolk.					
219.—YARMOUTH..	1. Yarmouth Southern	Great Yarmouth Hospital	43	24	19
		Military Hospital	—	—	—
		Royal Naval Lunatic Hospital	25	25	—
	2. Yarmouth Northern	WORKHOUSE	106	50	56
		Isolation Hospital (Great Yarmouth C.B.) ..	8	6	2
		Convalescent Home for Children	—	—	—
	3. Gorleston	Cottage Hospital	6	4	2
	Isolation Hospital for Small-pox and Cholera (Great Yarmouth C.B.) ..	—	—	—	
220.—FLEGG ..	2. West Flegg	WORKHOUSE	11	5	6
221.—SMALLBURGH	2. Smallburgh	WORKHOUSE	16	9	7
222.—ERPINGHAM	1. Repps	Mundesley Sanatorium for Tuberculosis	6	4	2
	2. Cromer	WORKHOUSE	24	10	14
		Cottage Hospital	6	3	3
		Fletcher Convalescent Home	—	—	—
		Isolation Hospital (Cromer U.D.)	—	—	—
	. Holt	Kelling Sanatorium for Consumption	1	1	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
17.—Norfolk—continued.					
223.—AYLSHAM ..	2. Buxton	WORKHOUSE	20	11	9
224.—ST. FAITH'S ..	1. St. Faith's	WORKHOUSE	9	6	3
		Small-pox Hospital (City of Norwich)	—	—	—
		Norwich City Lunatic Asylum	48	22	26
225.—NORWICH ..	1. East Wymer*				
	2. West Wymert† ..	WORKHOUSE and Girls' Home	140	73	67
		Norwich Iron Hospital (Small-pox) ..	—	—	—
		Norfolk and Norwich Eye Infirmary ..	—	—	—
		Norwich Isolation Hospital	41	22	19
		Norfolk and Norwich Hospital	147	97	50
		Jenny Lind Infirmary	44	24	20
		Bethel Lunatic Hospital	4	2	2
226.—FOREHOE ..	2. Wymondham	WORKHOUSE	13	12	1
227.—HENSTEAD ..	1. Humbleyard	WORKHOUSE	18	12	6
228.—BLOFIELD ..	1. Blofield	WORKHOUSE	6	4	2
		County Lunatic Asylum	91	39	52
229.—LODDON ..	1. Aldeby	All Hallows Hospital	8	5	3
	2. Loddon	WORKHOUSE	10	6	4
230.—DEPWADE ..	1. Harleston	WORKHOUSE	37	25	12
	2. Diss	The Hospital, Diss	3	1	2
232.—WAYLAND ..	1. Attleborough	WORKHOUSE	22	16	6
	2. Watton	Victoria Cottage Hospital	1	1	—
233.—MITFORD ..	4. East Dereham	WORKHOUSE	34	19	15
234.—WALSINGHAM	2. Walsingham	WORKHOUSE	10	6	4
235.—DOCKING ..	2. Snettisham	WORKHOUSE	19	11	8
		Convalescent Home	1	—	1
236.—FREEBRIDGE LYNN	2. Gayton	WORKHOUSE	11	6	5
237.—KING'S LYNN	2. South King's Lynn ..	WORKHOUSE	26	16	10
		West Norfolk and Lynn Hospital	27	16	11
		Fever Hospital (King's Lynn M.B.) ..	—	—	—
238.—DOWNHAM ..	2. Downham	WORKHOUSE (Howdale Home)	12	6	6
239.—SWAFFHAM	1. Swaffham	WORKHOUSE	10	6	4
		Cottage Hospital	—	—	—
		Isolation Hospital (Swaffham U.D. and R.D.)	—	—	—
240.—THETFORD ..	2. Thetford	WORKHOUSE	21	14	7
		Cottage Hospital	3	3	—
V.—SOUTH WESTERN.					
18.—Wiltshire.					
241.—SWINDON ..	1. Highworth	WORKHOUSE	32	24	8
		Overflow Isolation Hospital (Swindon M.B.)	—	—	—
	2. Swindon	G.W.R. Medical Fund Hospital	2	2	—
		Victoria Hospital	7	3	4
		Isolation Hospital (Swindon M.B.) ..	8	2	6
242.—CRICKLADE ..	1. Wootton Bassett ..	Isolation Hospital (Cricklade & Wootton Bassett R.D.)	1	—	1
	2. Cricklade	WORKHOUSE	15	6	9
243.—MALMESBURY	1. Malmesbury Eastern	Convalescent Home for Children	—	—	—
	2. Malmesbury Western	WORKHOUSE	12	6	6
		Cottage Hospital	5	—	5

* 225 : 1.—In the Great Hospital (an Almshouse) 21 deaths occurred during the year.

† 225 : 2.—In Heigham Hall, a private Lunatic Asylum, 4 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
18.—Wiltshire—continued.					
244.—CHIPPENHAM	2. Corsham*	WORKHOUSE	23	12	11
	3. Chippenham	Cottage Hospital	9	5	4
		Isolation Hospital (Chippenham M.B. and R.D.)..	4	1	3
245.—CALNE ..	1. Calne	WORKHOUSE	14	8	6
		Infectious Diseases Hospital (Calne M.B. & R.D.)..	—	—	—
246.—MARLBOROUGH	1. Marlborough	WORKHOUSE	12	6	6
		Savernake Cottage Hospital	18	14	4
		Isolation Hospital (Marlborough M.B. & R.D.) ..	—	—	—
		Small-pox Hospital (Marlborough M.B. and R.D.)	—	—	—
247.—DEVIZES ..	1. Devizes	WORKHOUSE	26	13	13
		Cottage Hospital	8	4	4
		Urban District Hospital for Infectious Diseases ..	2	1	1
		County Lunatic Asylum	126	58	68
	2. Lavington†	—	—	—	
248.—MELKSHAM..	1. Melksham	WORKHOUSE	27	16	11
	2. Trowbridge	Cottage Hospital	2	2	—
		Cottage Hospital	2	2	—
		Fever Hospital (Trowbridge U.D.)	9	5	4
249.—BRADFORD ON AVON	1. Bradford on Avon ..	WORKHOUSE	12	9	3
		Winsley Sanatorium for Consumption	6	5	1
250.—WESTBURY ..	2. Westbury	WORKHOUSE	13	9	4
		Westbury Cottage Hospital	1	1	—
251.—WARMINSTER	1. Warminster	WORKHOUSE	19	13	6
		Cottage Hospital	13	5	8
		Infectious Diseases Hospital (Warminster U.D.) ..	—	—	—
252.—PEWSEY ..	1. Netheravon	WORKHOUSE	19	11	8
	2. Collingbourne.. ..	Military Families' Hospital (Women and Children)	1	—	1
253.—AMESBURY ..	2. Amesbury	WORKHOUSE	7	2	5
	3. Winterbourne	Station Hospital, Bulford Camp	1	1	—
		Isolation Hospital (City of Salisbury)	1	—	1
254.—SALISBURY ..	1. Alderbury‡	—	—	—	
	3. Salisbury	WORKHOUSE	24	16	8
		General Infirmary	54	35	19
255.—WILTON ..	1. Wilton	Fisherton House Lunatic Asylum.. .. .	9	1	8
		—	—	—	—
255.—WILTON ..	1. Wilton	WORKHOUSE	10	4	6
256.—TISBURY ..	2. Tisbury	WORKHOUSE	12	7	5
257.—MERE ..	1. Mere	WORKHOUSE	9	6	3
19.—Dorsetshire.					
258.—SHAFTESBURY	1. Shaftesbury	WORKHOUSE	11	7	4
		Westminster Cottage Hospital	6	1	5
259.—STURMINSTER	1. Sturminster	WORKHOUSE	11	6	5
260.—BLANDFORD	1. Milton Abbas	Milton Abbas Cottage Hospital.. .. .	—	—	—
	2. Blandford	WORKHOUSE	18	14	4
		Blandford Cottage Hospital	3	2	1
		Isolation Hospital (Blandford Forum M.B. and Blandford R.D.)	1	—	1
261.—WIMBORNE..	2. Wimborne	WORKHOUSE	15	10	5
		Victoria Cottage Hospital.. .. .	6	4	2
262.—POOLE ..	1. Canford	Infectious Diseases Hospital (Poole M.B. and R.D.)	9	5	4
		Outdoor Sanatorium "Alderney Manor" (Lung Diseases)	4	3	1
	2. Poole	WORKHOUSE	36	18	18
		Cornelia Hospital	12	9	3
		St. Mary's Home for Incurables	1	—	1
		Borough of Poole Infectious Diseases Hospital ..	—	—	—
263.—WAREHAM ..	1. Swanage	Cottage Hospital	2	2	—
	3. Wareham	WORKHOUSE	13	7	6
		Isolation Hospital (Wareham and Purbeck R.D.)	—	—	—

* 244: 2.—In Kingsdown House, a private Lunatic Asylum, 4 deaths occurred during the year.
† 247: 2.—In Fiddington House, a private Lunatic Asylum, no death occurred during the year.
‡ 254: 1.—In Laverstock House, a private Lunatic Asylum, 5 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
19.—Dorsetshire—continued.						
264.—WEYMOUTH	1. Upway	Borough Isolation Hospital (Weymouth and Melcombe Regis M.B.)	7	4	3	
		Isolation Hospital (Weymouth R.D.)	—	—	—	
	2. Weymouth .. .	WORKHOUSE	46	25	21	
		Royal Hospital	12	7	5	
		County Eye Infirmary	—	—	—	
		Port Sanitary Hospital (Weymouth and Melcombe Regis, M.B., &c.)	—	—	—	
		Princess Christian Hospital (formerly Sanatorium for Women and Children)	11	1	10	
		Royal Naval Hospital	7	7	—	
	265.—DORCHESTER	1. Dorchester	WORKHOUSE (Dorchester)	9	4	5
			County Hospital	22	12	10
3. Maiden Newton ..		Isolation Hospital (Dorchester M.B.)	2	1	1	
		County Lunatic Asylum	58	30	28	
266.—SHERBORNE	2. Sherborne	WORKHOUSE	12	8	4	
		Yeatman Hospital	12	8	4	
267.—BEAMINSTER	2. Netherbury	WORKHOUSE and Infirmary	12	8	4	
268.—BRIDPORT ..	2. Bridport	WORKHOUSE	15	7	8	
		Thomas Cottage Hospital	3	2	1	
	3. Whitchurch Canon- icorum.	Isolation Hospital (Bridport M.B.)	—	—	—	
20.—Devonshire.						
269.—AXMINSTER	1. Lyme	Cottage Hospital	2	1	1	
	2. Axminster	WORKHOUSE	21	6	15	
		Cottage Hospital	1	1	—	
	3. Chardstock	Temporary Isolation Hospital (Axminster R.D.) ..	—	—	—	
270.—HONITON ..	1. Honiton	WORKHOUSE	15	10	5	
		Honiton Nursing Home	—	—	—	
	2. Ottery St. Mary ..	Ottery St. Mary Cottage Hosp. (Paxford House) ..	1	1	—	
Victoria Cottage Hospital, Sidmouth		2	1	1		
271.—ST. THOMAS..	1. East Budleigh	Budleigh Salterton Cottage Hospital	3	3	—	
	2. Exmouth	Exmouth Cottage Hospital (Maud Hospital)	3	1	2	
		St. Luke's Convalescent Home	—	—	—	
	5. Heavitree	Exeter Sanatorium	4	4	—	
		Isolation Hospital (Heavitree U.D.)	—	—	—	
		Exeter Lunatic Asylum	36	20	16	
	Wonford House Lunatic Hospital	4	1	3		
272.—EXETER ..	1. Exeter	WORKHOUSE	39	20	19	
		County Lunatic Asylum	125	57	68	
272.—EXETER ..	1. Exeter	Western Counties Idiot Asylum	2	2	—	
		WORKHOUSE	45	28	17	
		Royal Devon and Exeter Hospital	100	58	42	
		West of England Eye Infirmary	—	—	—	
273.—NEWTON ABBOT.	1. Teignmouth	Home Hospital	2	1	1	
		Teignmouth Hospital	2	2	—	
		Dawlish Cottage Hospital	8	1	7	
		Isolation Hosp. (Teignmouth Port Sanitary Dist.)	—	—	—	
	3. Moreton Hampstead	Cottage Hospital	2	2	—	
		Ashburton and Buckfastleigh Cottage Hospital ..	3	2	1	
	4. Ashburton	WORKHOUSE	87	47	40	
		Newton Abbot Hospital & Dispensary	12	10	2	
	6. Torquay	Hospital for Infectious Diseases (Newton Abbot U.D. and R.D.)	5	2	3	
		Torbay Hospital	33	24	9	
		Erith House (Institution for Invalid Ladies)	—	—	—	
		Western Hospital (Incipient Consumption)	2	2	—	
		Mildmay Home for Consumption ("Smyrna")	2	—	2	
		Sanatorium (Infectious Dis. ; Torquay M.B.)	5	1	4	
		Hospital for Children (Rosehill)	2	2	—	
		St. Luke's Convalescent Home	—	—	—	
		St. Raphael's Convalescent Home	—	—	—	
		St. Barnabas Home (Incurables)	10	7	3	
		Isolation Hospital (Torquay M.B.)	—	—	—	
		Ockenden Convalescent Home (Branch of Devon and Exeter Hospital)	—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
20.—Devonshire—continued.					
274.—TOTNES ..	1. Paignton.. ..	Cottage Hospital	5	4	1
		Isolation Hospital (Paignton U.D.)	—	—	—
	2. Brixham.. ..	Cottage Hospital	6	1	5
		Isolation Hospital (Brixham U.D.)	—	—	—
		S.S. "Mayfly" Infectious Diseases Hospital (Totnes & Dartmouth Port Sanitary Authority)	—	—	—
	3. Dartmouth . .	Cottage Hospital	2	2	—
275.—KINGSBRIDGE	4. Totnes .. .	WORKHOUSE	28	19	9
		Cottage Hospital	5	4	1
	6. Ugborough ..	Devon and Cornwall Sanatorium (Consumption)	1	1	—
		Plymouth Borough Lunatic Asylum	29	15	14
276.—PLYMPTON ST. MARY	3. West Alvington ..	WORKHOUSE	14	7	7
	4. Kingsbridge ..	Kingsbridge Cottage Hospital	5	3	2
277.—PLYMOUTH ..	2. Plympton* .. .	WORKHOUSE	14	8	6
		House of Rest for Convalescents	1	—	1
		Convalescent Home, Tamerton Foliot	—	—	—
278.—EAST STONEHOUSE	1. Plymouth, North† ..	WORKHOUSE and Infirmary	182	96	86
		South Devon and East Cornwall Hospital	100	60	40
		Royal Eye Infirmary	—	—	—
		Devon and Cornwall Ear and Throat Hospital ..	—	—	—
		Pearns Convalescent Home	1	1	—
	2. Plymouth, South-East	Borough Hospital (Infectious Diseases)	15	7	8
	3. Plymouth, South-West	Homœopathic Hospital	11	3	8
		Hospital Ship "Pique" (Port Sanitary Authority)	—	—	—
		Hospital Ship "Maude" (Plymouth C.B.)	—	—	—
279.—DEVONPORT	1. East Stonehouse ..	WORKHOUSE	15	5	10
		Royal Naval Hospital	55	55	—
280.—TAVISTOCK ..	1. St. Aubyn .. .	Hospital for Soldiers' Wives and Children	5	2	3
		Royal Albert Hospital and Eye Infirmary	55	34	21
	2. Stoke .. .	WORKHOUSE	70	28	42
		Devonport Borough Hospital (Infectious Diseases)	17	5	12
		Small-pox Hospital (Devonport C.B.)	—	—	—
281.—OKEHAMPTON	3. Tamar .. .	Military Hospital (Station Hospital)	14	14	—
	2. Tavistock .. .	WORKHOUSE	18	11	7
282.—CREDITON ..		Cottage Hospital	13	12	1
	1. Bratton Clovelly ..	Winsford Cottage Hospital	1	—	1
	3. Okehampton .. .	WORKHOUSE	11	3	8
	4. Chagford .. .	Dartmoor Sanatorium for Consumption	1	—	1
283.—TIVERTON ..	3. Crediton .. .	WORKHOUSE	13	6	7
284.—SOUTH MOLTON	3. Tiverton .. .	WORKHOUSE	18	12	6
		Infirmary and Dispensary	13	9	4
		Isolation Hospital (Tiverton M.B. and R.D.) ..	—	—	—
285.—BARNSTAPLE	2. South Molton .. .	WORKHOUSE	12	9	3
		Cottage Hospital	1	1	—
286.—TORRINGTON	1. Barnstaple .. .	WORKHOUSE	29	13	16
		North Devon Infirmary	13	7	6
		Infectious Diseases Hospital (Barnstaple M.B.) ..	1	1	—
	2. Lynton .. .	Lynton Cottage Hospital	2	1	1
	4. Ilfracombe .. .	Tyrrell Cottage Hospital	4	1	3
		Bickleighscombe Isolation Hos. (Ilfracombe U.D.)	—	—	—
		Hospital Ship "Nymphen" (Port Sanitary Authority)	—	—	—
287.—BIDEFORD ..	4. Great Torrington ..	WORKHOUSE	11	10	1
		Cottage Hospital	—	—	—
288.—HOLSWORTHY	1. Bideford .. .	WORKHOUSE and Infirmary	18	7	11
		Infirmary and Dispensary†	10	5	5
		Infectious Diseases Hospital (Bideford M.B.) ..	—	—	—
289.—HOLSWORTHY	2. Holsworthy .. .	WORKHOUSE	5	3	2

* 276 : 2.—In Plympton House, a private Lunatic Asylum, 3 deaths occurred during the year.
† 277 : 1.—In St. Joseph's House 11 deaths occurred during the year.
‡ The title of this Hospital was altered to "The Hospital, Bideford" in June, 1909.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
21.—Cornwall.					
289.—STRATTON ..	2. Stratton	WORKHOUSE Cottage Hospital	5 —	3 —	2 —
290.—CAMELFORD	2. Camelford	WORKHOUSE	1	1	—
291.—LAUNCESTON	3. Launceston	WORKHOUSE Launceston Infirmary and Rowe Dispensary ..	6 2	6 1	— 1
292.—ST. GERMANS	1. Antony 3. Saltash	WORKHOUSE St. Barnabas Cottage Hospital	11 4	6 2	5 2
293.—LISKEARD ..	2. Liskeard 4. Lerrin	WORKHOUSE Cottage Hospital Cottage Hospital (Fowey Port Sanitary Authority)	18 3 —	9 — —	9 3 —
294.—BODMIN ..	3. Bodmin	WORKHOUSE East Cornwall Hospital County Lunatic Asylum	10 1 84	5 1 42	5 — 42
295.—ST. COLUMB..	2. St. Columb	WORKHOUSE Infectious Diseases Hospital (Newquay U.D.) ..	7 —	2 —	5 —
296.—ST. AUSTELL	1. Fowey 2. St. Austell	Cottage Hospital WORKHOUSE	4 20	2 11	2 9
297.—TRURO ..	3. St. Agnes 4. St. Clement 5. Kenwyn	Temporary Infect. Diseases Hospital (Truro R.D.) Epiphany Convalescent Hospital WORKHOUSE Infectious Diseases Hospital (City of Truro) .. Royal Cornwall Infirmary	— — 22 1 30	— — 10 1 19	— — 12 — 11
298.—FALMOUTH ..	2. Falmouth	WORKHOUSE and Infirmary Sailors' Home and Infirmary Swanpool Hospital (Port Sanitary Authority) .. Convalescent Home, Penjerrick Cottage Hospital	16 4 2 — 8	11 4 1 — 2	5 — 1 — 6
299.—HELSTON ..	2. Helston	WORKHOUSE	15	7	8
300.—REDRUTH ..	2. Redruth 3. Illogan 4. Camborne	West Cornwall Miners' Hospital West Cornwall Women's Hospital WORKHOUSE Isolation Hospital (Redruth R.D.) Infectious Diseases Hospital (Camborne U.D.) ..	12 10 35 — 1	11 — 9 — 1	1 10 26 — —
301.—PENZANCE ..	4. Penzance	WORKHOUSE West Cornwall Infirmary and Dispensary Isolation Hospital, Alverton (Penzance M.B.) ..	21 20 1	7 12 1	14 8 —
302.—ISLES OF SCILLY	1. Isles of Scilly	WORKHOUSE (St. Mary's Parish Poor House) ..	—	—	—
22.—Somersetshire.					
303.—WILLITON ..	1. Minehead 2. Dunster 3. Williton	Isolation Hospital (Minehead and Williton (West) District Hospital Committee) Village Hospital WORKHOUSE	— 3 18	— 2 9	— 1 9
304.—DULVERTON	1. Dulverton	WORKHOUSE	7	5	2
305.—WELLINGTON	2. Milverton 3. Wellington	Cottage Hospital WORKHOUSE Cottage Hospital	— 18 7	— 8 1	— 10 6
306.—TAUNTON ..	3. Taunton 4. Bishop's Lydeard ..	WORKHOUSE Taunton and Somerset Hospital Sanitary Hospital (Taunton M.B. & R.D.) County Lunatic Asylum, Cotford	34 78 2 54	24 40 — 32	10 38 2 22
307.—BRIDGWATER	2. Bridgwater	WORKHOUSE (including Union Hospital) Bridgwater Hospital Infectious Diseases Hospital (Bridgwater M.B.) ..	34 29 2	19 16 —	15 13 —

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
22.—Somersetshire—continued.						
308.—LANGPORT ..	1. Somerton	WORKHOUSE	9	5	4	
309.—CHARD ..	3. Chard	WORKHOUSE	11	6	5	
	4. Crewkerne	Crewkerne Hospital.. .. .	5	2	3	
310.—YEOVIL ..	4. Yeovil	WORKHOUSE	20	13	7	
		District Hospital	7	4	3	
		Isolation Hospital (Yeovil M.B.)	1	1	—	
311.—WINCANTON	2. Milborne Port	Merthyr Guest Hospital	2	1	1	
	3. Wincanton	WORKHOUSE and Infirmary	17	8	9	
		Wincanton Hospital	6	5	1	
312.—FROME ..	2. Frome	WORKHOUSE	23	14	9	
		Frome Victoria Hospital	10	4	6	
		Infectious Diseases Hospital (Frome U.D.)	—	—	—	
313.—SHEPTON MALLET	1. Shepton Mallet	WORKHOUSE	21	15	6	
		Shepton Mallet District Hosp. (General Diseases)	5	3	2	
314.—WELLS ..	1. Wells	WORKHOUSE	25	16	9	
		Cottage Hospital	4	1	3	
	2. Glastonbury	County Lunatic Asylum	69	30	39	
		Sir George Bowles Hospital, Butleigh	2	—	2	
		St. Saviour's Isolation Hospital (Glastonbury M.B. and Street U.D.)	—	—	—	
315.—AXBRIDGE ..	1. Axbridge	WORKHOUSE	33	18	15	
		St. Michael's Home (Consumption)	15	5	10	
		Engel Home (Consumption Branch of St. Michael's Home)	1	—	1	
	3. Weston super Mare	Royal West of England Sanatorium	4	4	—	
		Weston super Mare Hospital	16	8	8	
		Infectious Diseases Hosp. (Weston super Mare U.D.)	2	—	2	
316.—CLUTTON ..	1. Harptree	Children's Convalescent Home	—	—	—	
		WORKHOUSE	15	12	3	
	3. High Littleton.. ..	Nordrach upon Mendip Sanatorium for Phthisis, &c.	1	1	—	
	4. Midsomer Norton	Cottage Hospital, Paulton	4	4	—	
317.—BATH ..	2. Bathwick	Isolation Hospital (Midsomer Norton U.D.)	—	—	—	
		Statutory Hospital (Infect. Dis. ; City of Bath)	4	2	2	
	3. Lyncombe	WORKHOUSE	118	64	51	
		WORKHOUSE (Scattered Homes)	—	—	—	
	4. Walcot	Royal United Hospital	112	62	50	
		Royal Mineral Water Hospital	7	5	2	
		Homœopathic Hospital	—	—	—	
		Eye Infirmary	—	—	—	
		Lansdown Grove Hospital	1	1	—	
		Medical and Surgical Home	8	2	6	
318.—KEYNSHAM..	3. Keynsham†	WORKHOUSE	25	16	9	
		Isolation Hospital (Keynsham R.D.)	—	—	—	
319.—LONG ASHTON	1. Long Ashton	WORKHOUSE	24	14	10	
		Clevedon Cottage Hospital	9	5	4	
		Christ Church Convalescent Homes	—	—	—	
	2. Yatton	Isolation Hospital (Clevedon U.D.)	1	—	1	
VI.—WEST MIDLAND.						
23.—Gloucestershire.						
320.—BRISTOL ..	1. Bedminster	Bristol General Hospital (part of)	66	35	31	
		City Hospital, Nover's Hill (Infectious Diseases)	4	3	1	
		Isolation Hospital (City of Bristol)	35	22	13	
	2. Clifton	Orthopædic Hosp. and Home for Crippled Children	1	1	—	
		Victoria Jubilee Convalescent Home	—	—	—	
	3. Bristol Central	Bristol Royal Infirmary	272	160	112	
		Eye Hospital	1	—	1	
		Royal Hospital for Sick Children and Women	104	60	44	
		Bristol General Hospital (part of)	130	87	43	
		Bristol Temporary Home (Maternity Cases)	4	3	1	
		Hospital Ship "Margarida" (Port Sanitary Auth.)	—	—	—	
		Hahnemann Hospital	2	—	2	
* 317: 5.—In Bailbrook House, a private Lunatic Asylum, 2 deaths occurred during the year.						
† 318: 3.—In Brislington House, a private Lunatic Asylum, 5 deaths occurred during the year.						

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
23.—Gloucestershire—continued.					
320.—BRISTOL—cont.	7. Stapleton	WORKHOUSE, Stapleton	171	95	76
		WORKHOUSE, Eastville	270	155	115
		Castle Hill Nursing Home	—	—	—
		Cossham Memorial Hospital	34	22	12
	8. Ashley	Bristol Lunatic Asylum	138	73	65
		Lock Hospital	—	—	—
		Military Hospital	—	—	—
		9. Westbury on Trym ..	WORKHOUSE	9	—
	Avonmouth Cottage Hospital		—	—	—
	322.—CHIPPING SODBURY	1. Winterbourne	Hambrook Village Hospital	1	1
2. Chipping Sodbury		Infectious Dis. Hospital (Chipping Sodbury R.D.)	—	—	—
5. Iron Acton*		WORKHOUSE	6	4	2
323.—THORNBURY	1. Almondsbury	Memorial Institute Hospital	2	1	1
	2. Thornbury	WORKHOUSE	17	9	8
	3. Berkeley	Cottage Hospital	2	1	1
		Port Sanitary Hospital	—	—	—
324.—DURSLEY ..	2. Dursley	WORKHOUSE	20	12	8
		Hospital for Infectious Diseases (Dursley Union)..	—	—	—
325.—WESTBURY ON SEVERN	1. Newnham	WORKHOUSE	14	11	3
	2. East Dean	Inf. Dis. Hosp. (East Dean & United Parishes R.D.)	2	1	1
326.—NEWENT ..	1. Newent	WORKHOUSE	3	2	1
327.—GLOUCESTER	1. Barnwood	St. Lucy's Hospital for Children	22	11	11
		City of Gloucester Isolation Hospital	6	4	2
		City of Gloucester Small-pox Hospital	—	—	—
		County Lunatic Asylum { Wotton	79	50	29
		{ Barnwood	20	11	9
		Barnwood House Lunatic Hospital	6	2	4
	2. Gloucester Northern	WORKHOUSE and Union Hospital	52	26	26
		WORKHOUSE (Branch, Ladybellegate Lodge) ..	1	—	1
		St. Lucy's Home	4	—	4
		General Infirmary	96	56	40
		Port Sanitary Hospital	—	—	—
328.—WHEATEN-HURST	2. Frampton	WORKHOUSE	11	6	5
329.—STROUD ..	1. Stonehouse	Isolation Hospital (Stroud Joint Hosp. Bd.) ..	4	3	1
	2. Painswick	Cotswold Sanatorium for Consumption	4	4	—
	3. Bisley	Small-pox Hospital (Stroud Joint Hospital Board)	—	—	—
	4. Stroud	WORKHOUSE	48	27	21
330.—TETBURY ..	2. Tetbury	General Hospital	23	16	7
		WORKHOUSE	2	2	—
		Cottage Hospital	4	2	2
331.—CIRENCESTER	2. Cirencester	WORKHOUSE	43	30	13
		Cottage Hospital	9	5	4
		Hospital for Contagious Diseases (Cirencester U.D. & R.D.)	5	3	2
	3. Fairford†	Small-pox Hospital (Cirencester U.D. & R.D.)	—	—	—
		Cottage Hospital	8	5	3
332.—NORTHLEACH	1. Bibury	WORKHOUSE	9	4	5
		Isolation Hospital (Northleach R.D.)..	2	1	1
		Small-pox Hospital (Northleach R.D.)	—	—	—
333.—STOW ON THE WOLD	1. Bourton on the Water	Cottage Hospital	—	—	—
	2. Stow on the Wold ..	WORKHOUSE	7	5	2
334.—WINCHCOMB	1. Guiting	WORKHOUSE	11	9	2
		Cottage Hospital	—	—	—
		Isolation Hospital (Winchcomb R.D.)	—	—	—
335.—CHELTENHAM	2. Cheltenham	WORKHOUSE	79	37	42
		General Hospital and Dispensary	72	41	31
		Home for Sick Children (Belmont House) ..	3	1	2
		Delancey Hosp. for Infect. Dis. (Cheltenham M.B.)	4	1	3
		Eye, Ear, and Throat Free Hospital	1	1	—
336.—TEWKESBURY	1. Tewkesbury	WORKHOUSE	8	6	2
		Rural Hospital (Tewkesbury General Hospital) ..	3	1	2
		Isolation Hospital (Tewkesbury M.B.)	—	—	—
		Isolation Hosp., Tredington (Tewkesbury R.D.) ..	—	—	—

* 322: 5.—In Northwoods, a private Lunatic Asylum, 3 deaths occurred during the year.

† 331: 3.—In The Retreat, Fairford, a private Lunatic Asylum, 4 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
24.—Herefordshire.					
337.—LEDBURY ..	1. Ledbury.. ..	WORKHOUSE Cottage Hospital	24 5	17 2	7 3
338.—ROSS	2. Ross	WORKHOUSE Cottage Hospital	15 6	11 3	4 3
339.—HEREFORD..	3. Burghill.. ..	County and City Lunatic Asylum	34	18	16
	4. Hereford City ..	WORKHOUSE (Hereford)	42	28	14
		Herefordshire General Hospital	41	19	22
		Infectious Diseases Hospital (Hereford City) ..	1	—	1
		Victoria Eye and Ear Infirmary	—	—	—
	6. Kentchurch ..	WORKHOUSE (Dore)	10	7	3
340.—WEOBLEY ..	1. Weobley.. ..	WORKHOUSE	10	10	—
341.—BROMYARD..	1. Bromyard	Cottage Hospital	2	1	1
	3. Brockhampton ..	WORKHOUSE	21	17	4
		Isolation Hospital (Bromyard U.D. & R.D.) ..	—	—	—
342.—LEOMINSTER	1. Leominster ..	WORKHOUSE	17	13	4
		Cottage Hospital	5	4	1
343.—KINGTON ..	3. Kington	WORKHOUSE and Union Hospital Victoria Cottage Hospital	13 —	10 —	3 —
25.—Shropshire.					
344.—LUDLOW ..	2. Ludlow	WORKHOUSE	20	10	10
		Cottage Hospital	8	6	2
		Infectious Diseases Hospital (Small-pox : Ludlow M.B. & R.D.).. ..	—	—	—
345.—CLUN.. ..	1. Clun	St. Katharine's Cottage Hospital	—	—	—
	2. Bishops Castle ..	WORKHOUSE	12	9	3
346.—CHURCH STRETTON	1. Church Stretton*	WORKHOUSE	6	3	3
347.—CLEOBURY MORTIMER	1. Cleobury Mortimer ..	WORKHOUSE	13	9	4
348.—BRIDGNORTH	2. Bridgnorth ..	WORKHOUSE	23	15	8
		South Salop and Bridgnorth Infirm. and Dispensy. ..	7	3	4
		Borough Hospital (Infectious Diseases)	—	—	—
349.—SHIFNAL ..	2. Shifnal	WORKHOUSE	7	4	3
		Cottage Hospital	2	1	1
350.—MADELEY ..	2. Madeley	WORKHOUSE	21	15	6
		Forester Hospital (Much Wenlock)	7	4	3
	3. Broseley	Forester Hospital (Broseley)	5	4	1
		Small-pox Hospital (Wenlock M.B.)	—	—	—
351.—ATCHAM ..	1. Condover	WORKHOUSE	60	46	14
	2. St. Mary	Salop Infirmary	101	66	35
		Isolation Hospital (Shrewsbury M.B.)	—	—	—
	3. St. Chad	Salop Eye, Ear, and Throat Hospital.. ..	2	—	2
		Salop and Montgomery Counties Lunatic Asylum ..	71	32	39
352.—OSWESTRY ..	3. Oswestry	WORKHOUSE (House of Industry) Cottage Hospital	40 3	23 1	17 2
353.—ELLESMERE	1. Overton	Edmund Peel Memorial Nursing Home	1	1	—
	3. Ellesmere	WORKHOUSE	18	14	4
		Ellesmere Cottage Hospital	4	3	1
	4. Baschurch†	—	—	—	—
354.—WEM	1. Wem	WORKHOUSE	8	6	2
355.—WHITCHURCH	1. Whitchurch ..	WORKHOUSE	6	3	3
		Cottage Hospital	8	2	6
356.—MARKET DRAYTON	2. Market Drayton ..	WORKHOUSE	8	2	6
		Cottage Hospital	1	1	—
		Isolation Hosp. (Drayton and Blore Heath R.D's.) ..	2	—	2
357.—WELLINGTON	1. Ercall Magna ..	Convalescent Home (Co-operative Wholesale Soc.) ..	1	—	1
	2. Wellington	WORKHOUSE	26	21	5

* 346: 1.—In Grove House and Stretton House, two private Lunatic Asylums, 2 deaths occurred during the year.
† 353: 4.—In Boreatton Park, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
25.—Shropshire—continued.					
358.—NEWPORT ..	1. Newport ..	WORKHOUSE .. Small-pox Hospital (Wellington Union) Infectious Diseases Hospital (Newport U.D. & R.D.)	10 — —	6 — —	4 — —
26.—Staffordshire.					
359.—STAFFORD ..	1. Stafford ..	WORKHOUSE .. Staffordshire General Infirmary Infectious Diseases Hospital (Stafford R.D.) Isolation Hospital (Stafford M.B.) Sister Dora Convalescent Hospital County Lunatic Asylum Lunatic Hospital, Coton Hill	54 48 — — — 118 11	33 34 — — — 56 3	21 14 — — — 62 8
360.—STONE ..	1. Stone .. 2. Eccleshall ..	WORKHOUSE .. St. Mary's Hospital (Convent Hospital) Infectious Diseases Hospital (Stone U.D. & R.D.)	18 7 —	12 — —	6 7 —
361.—NEWCASTLE UNDER LYME	2. Newcastle under Lyme.	WORKHOUSE and Infirmary Infect. Diseases Hosp.(Newcastle under Lyme M.B.)	50 —	34 —	16 —
362.—WOLSTANTON	1. Wolstanton .. 2. Tunstall .. 3. Burslem ..	Bradwell Sanatorium (Wolstanton United U.D., Kidsgrove U.D., and Smallthorne U.D.) WORKHOUSE .. Haywood Hospital .. Isolation Hospital (Burslem M.B.)	6 112 22 29	4 63 12 13	2 49 10 16
363.—STOKE UPON TRENT	1. Hanley* .. 2. Stoke upon Trent .. 4. Longton .. 5. Stoke Rural ..	WORKHOUSE .. WORKHOUSE (Cottage Homes).. North Staffordshire Infirmary .. Longton Cottage Hospital.. Joint Hospital, Bucknall (Infect. Dis.; Hanley C.B., Fenton U.D., Stoke upon Trent M.B. and R.D.)	300 1 165 11 35	192 — 96 7 17	108 1 69 4 18
364.—LEEK ..	1. Norton .. 2. Biddulph .. 3. Leek ..	Infectious Diseases Hospital (Leek R.D.) Joint Hosp., Bagnall (Small-pox; N. Staffs. J.H.B.) Fever Hospital (Biddulph U.D.) WORKHOUSE .. Cottage Hospital .. Fever Hospital (Leek U.D.)	— — 2 19 9 7	— — 1 11 4 4	— — 1 8 5 3
365.—CHEADLE ..	2. Ipstones .. 4. Cheadle ..	County Lunatic Asylum, Cheddleton .. WORKHOUSE .. Hospital for Infectious Diseases (Cheadle R.D.)	90 18 3	47 14 2	43 4 1
366.—UTTOXETER..	1. Uttoxeter ..	WORKHOUSE ..	10	8	2
367.—BURTON UPON TRENT	2. Repton .. 4. Burton upon Trent ..	Isolation Hospital (Repton R.D.) Derby County Lunatic Asylum .. WORKHOUSE .. Burton upon Trent Infirmary .. Barton under Needwood Cottage Hospital Borough Hospital (Infectious Diseases)	5 107 84 73 3 10	2 55 51 45 1 4	3 52 30 28 2 6
368.—TAMWORTH..	1. Tamworth ..	WORKHOUSE and Infirmary .. Cottage Hospital .. Isolation Hospital (Tamworth M.B. and R.D.)	31 7 1	16 5 1	15 2 —
369.—LICHFIELD ..	1. Lichfield .. 2. Rugeley ..	WORKHOUSE .. Hammerwich and District Cottage Hospital Lichfield Victoria Nursing Home County Lunatic Asylum, Burntwood .. Cottage Hospital, Yoxall .. District Hospital .. Cottage Hospital (Levett Convalescent Home) Isolation Hospital (City of Lichfield and R.D.)	40 4 3 147 — 5 — —	32 3 1 61 — 5 — —	8 1 2 86 — — — —
370.—CANNOCK ..	2. Cannock ..	WORKHOUSE .. Accident Home Infectious Diseases Hospital (Cannock U.D. & R.D.)	56 3 1	42 3 1	14 — —
371.—WOLVER- HAMPTON	3. Wombourn .. 4. Wolverhampton Western. 5. Wolverhampton Eastern.	WORKHOUSE (Seisdon) .. Infectious Diseases Hospital (Seisdon R.D.) Hospital for Women .. Wolverhampton Eye Infirmary .. Victoria Nursing Institution .. Wolverhampton and Staffordshire General Hosp. Borough Hospital (Infectious Diseases)	12 1 11 1 6 199 6	3 1 — — 3 110 2	9 — 11 1 3 89 4

* 363; 1.—In St. Augustine's Home, 14 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
26.—Staffordshire—continued.					
371.—WOLVERHAMPTON—cont.	6. Willenhall	WORKHOUSE (Cottage Home)	1	1	—
		WORKHOUSE (Homes for the Poor)	265	159	106
	7. Bilston	Isolation Hospital (Willenhall U.D.)	—	—	—
		Fever Hospital (Bilston U.D.)	—	—	—
		Small-pox Hosp. (S.Staffs.Jt.Small-pox Hosp. Bd.)	—	—	—
372.—WALSALL ..	1. Darlaston	Infectious Diseases Hospital (Darlaston U.D.) ..	—	—	—
	2. Bloxwich	Small-pox Hospital (Walsall C.B.)	—	—	—
	3. Walsall	WORKHOUSE	166	100	66
		Walsall and District Cottage Hospital	64	33	31
		Epidemic Hospital (Walsall C.B.)	2	1	1
373.—WEST BROMWICH	1. Handsworth	Fever Hospital (Aston Union)	14	7	7
		Small-pox Hospital (Aston Manor M.B.)	—	—	—
		<i>Birmingham City Lunatic Asylum (Branch)</i> ..	—	—	—
	2. Oldbury	Hospital for Infectious Diseases (Oldbury U.D.) ..	—	—	—
	3. West Bromwich S.W.	West Bromwich District Hosp. (General Diseases)	52	35	17
	4. West Bromwich N.E.	WORKHOUSE	228	130	98
		WORKHOUSE (W. Bromwich & Walsall Ind. Sch.)	2	—	2
		Infect. Diseases Hospital (West Bromwich Union)	24	10	14
		5. Wednesbury	Isolation Hospital (Small-pox ; Wednesbury M.B.)	—	—
374.—DUDLEY ..	1. Rowley Regis	Tividale Infectious Diseases Hospital (Rowley Regis U.D.)	2	1	1
		Infectious Diseases Hospital (Tipton U.D.)	5	2	3
	2. Tipton	WORKHOUSE	138	92	46
	3. Sedgley	Guest Hospital	62	36	26
	4. Dudley	Infectious Diseases Hospital (Dudley C.B.)	2	1	1
27.—Worcestershire.					
375.—STOURBRIDGE	1. Halesowen	Isol. Hosp. (Stourbridge & Halesowen Hosp. Com.)	10	1	9
		Corbett Hospital	23	16	7
	2. Stourbridge	WORKHOUSE	92	52	40
	3. Kingswinford*	Infectious Diseases Hospital (Brierley Hill U.D. and Quarry Bank U.D.)	2	2	—
376.—KIDDERMINSTER	3. Kidderminster	WORKHOUSE	81	40	41
		Infirmary	59	31	28
		Infect. Diseases Hospital (Kidderminster M.B.) ..	2	1	1
377.—TENBURY ..	1. Tenbury	WORKHOUSE	9	5	4
		St. Mary's Cottage Hospital, Burfont	11	8	3
378.—MARTLEY ..	1. Martley	WORKHOUSE	21	14	7
		Isolation Hospital (Malvern U.D.)	2	1	1
	2. Leigh	Knightwick Sanatorium for Consumption	—	—	—
379.—WORCESTER	1. Worcester	WORKHOUSE	84	49	35
		WORKHOUSE Cottage Homes	1	—	1
		Worcester General Infirmary	90	64	26
		Ophthalmic Hospital	—	—	—
		City Hospital (Infectious Diseases)	5	4	1
		City and County Nursing Institution	6	3	3
380.—UPTON ON SEVERN	1. Malvern	Rural or Malvern Hospital	10	6	4
		<i>County Lunatic Asylum</i>	70	36	34
	2. Upton on Severn	WORKHOUSE	24	15	9
		Isolation Hospital (Upton on Severn R.D.)	—	—	—
381.—EVESHAM ..	1. Evesham	WORKHOUSE	24	15	9
		Cottage Hospital	5	4	1
		Sanatorium (Evesham M.R. and R.D.)	1	1	—
382.—PERSHORE ..	2. Pershore	WORKHOUSE	21	14	7
		Cottage Hospital	1	1	—
		Scarlet Fever Hospital (Pershore R.D.)	—	—	—
383.—DROITWICH	1. Ombersley	City of Worcester Small-pox Hospital	—	—	—
		WORKHOUSE	11	11	—
	2. Droitwich	St. John's Hospital	1	—	1
384.—BROMSGROVE	1. Bromsgrove	WORKHOUSE	36	27	9
		Blackwell Sanatorium (Convalescent Home) ..	1	1	—
		Cottage Hospital	8	2	6
		Isolation Hosp. (Bromsgrove and Redditch U.D.'s.)	4	2	2
		<i>County Lunatic Asylum (Barnsley Hall)</i>	49	29	20
	3. Tardebigg	Smallwood Hospital, Redditch	8	5	3

* 375 : 3—In Ashwood House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
27.—Worcestershire—continued.					
385.—KINGS NORTON	1. Kings Norton	WORKHOUSE Infirmary (Monyhull Colony: Birmingham, Aston, and Kings Norton Unions)	5	1	4
		WORKHOUSE and Infirmary	189	104	85
		WORKHOUSE Cottage Homes	—	—	—
		Fever Hospital (Kings Norton & Northfield U.D.)	22	12	10
		Convalescent Hosp. for Children (Moseley Hall).. Birmingham City Lunatic Asylum, Rubery Hill ..	3 69	— 28	3 41
	3. Edgbaston*				
	4. Smethwick	Smethwick and Oldbury Joint Isolation Hospital	14	6	8
28.—Warwickshire.					
386.—BIRMINGHAM	1. Lady Wood	Children's Hospital	132	73	59
		WORKHOUSE	45	16	29
	2. All Saints	WORKHOUSE Infirmary	860	514	346
		City Hospital (Infectious Diseases)	91	50	41
	3. St. George	City Lunatic Asylum, Winson Green	111	66	45
		General Hospital	553	341	212
		Hospital, 70, Newhall Street	8	3	5
	4. St. Martin	Maternity Hosp. (Birmingham Lying-in Charity)	28	10	18
		Queen's Hospital	206	140	66
		Skin and Urinary Hospital	—	—	—
		Homœopathic Hospital	10	5	5
		Eye Hospital	1	—	1
		Royal Orthopædic and Spinal Hospital	5	2	3
		Ear and Throat Hospital	4	2	2
387.—ASTON ..	2. Bordesley	Emergency Small-pox Hospital (City of Birm'ham)	—	—	—
		WORKHOUSE	510	289	221
	5. Erdington	WORKHOUSE Cottage Homes	5	3	2
		Jaffray Hospital	7	3	4
		Infectious Diseases Hospital (Aston Manor M.B. and Sutton Coldfield M.B.)	—	—	—
388.—MERIDEN ..	6. Sutton Coldfield	City Hospital (Infectious Diseases)	78	45	33
		Birm'ham City Lun. Asy. (Branch of) "Glenthorpe."	—	—	—
	1. Coleshill	Sutton Coldfield Cottage Hospital	2	1	1
		WORKHOUSE (Marston Green Homes)	1	—	1
		WORKHOUSE	8	5	3
389.—ATHERSTONE	1. Atherstone	WORKHOUSE	10	8	2
		Isolation Hospital (Atherstone R.D.)	1	—	1
390.—NUNEATON..	1. Nuneaton	WORKHOUSE	22	16	6
		Nuneaton General Hospital	13	10	3
		Isolation Hospital (Nuneaton M.B.)	—	—	—
391.—FOLESHILL ..	1. Foleshill	WORKHOUSE	15	8	7
		Infectious Diseases Hospital (Foleshill R.D.)	—	—	—
392.—COVENTRY ..	1. St. John	WORKHOUSE	140	88	52
		Pinley Isolation Hospital (City of Coventry)	—	—	—
	2. Holy Trinity	Coventry and Warwick Hospital	81	50	31
		City Hospital (Infectious Diseases)	7	3	4
393.—RUGBY ..	1. Rugby	WORKHOUSE	41	24	17
		Hospital of St. Cross	29	17	12
		Rugby Urban District Hospital (Infect. Diseases)..	—	—	—
394.—SOLIHULL ..	1. Solihull	WORKHOUSE	45	24	21
		Birmingham and Midland Hospital for Women ..	5	1	4
		Convalescent Home (Branch of Hosp. for Women)	—	—	—
		Infectious Dis. Hosp. (Solihull and Yardley R.D.'s)	8	3	5
		Children's Convalescent Home	—	—	—
		Midland Counties Idiot Asylum	1	1	—
395.—WARWICK ..	1. Warwick	WORKHOUSE	64	26	28
		Cottage Hospital	—	—	—
		Heathcote Hosp. for Infect. Dis. (Warwick Union)	6	3	3
		County Lunatic Asylum	109	56	53
		Warneford Hospital	61	29	32
		Midland Counties Home for Incurables	11	4	7
396.—STRATFORD ON AVON	2. Stratford on Avon	Kenilworth Convalescent Home	1	—	1
		WORKHOUSE and Infirmary	20	13	7
		Joint Infect. Dis. Hosp. (Stratford on Avon M.B. & R.D.)	3	1	2
		Belle Vue Small-pox Hl. (Stratford on Avon M.B. & R.D.)	—	—	—
		Stratford on Avon Hospital	19	12	7
		Nursing Home and Children's Hospital	—	—	—
397.—ALCESTER ..	2. Alcester	WORKHOUSE	24	15	9
		Sanatorium (Alcester Union)	1	—	1

* 385 : 3.—In St. Joseph's Home (Home for Aged Poor), 40 deaths occurred during the year.

† 396 : 3.—In Glendossill and Hurst House, a private Lunatic Asylum, 5 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
28.—Warwickshire—continued.					
398.—SHIPSTON ON STOUR	2. Shipston on Stour ..	WORKHOUSE Ellen Badger Cottage Hospital, Shipston on Stour Moreton in the Marsh Cottage Hospital Isolation Hos.(Brailes R.D. & Shipston on Stour R.D.) Todenham Isolation Hosp.(Camden R.D.)	17 3 4 1 —	10 1 2 — —	7 2 2 1 —
399.—SOUTHAM ..	1. Southam.. . . .	WORKHOUSE	6	4	2
VII.—NORTH MIDLAND.					
29.—Leicestershire.					
400.—LUTTERWORTH	1. Lutterworth	WORKHOUSE Cottage Hospital	11 4	5 2	6 2
401.—MARKETHARBOROUGH	1. Market Harborough..	WORKHOUSE	13	9	4
402.—BILLESDON..	1. Billesdon	WORKHOUSE	5	3	2
403.—BLABY ..	1. Wigston	WORKHOUSE Infirmary (Leicester) WORKHOUSE (Leicester Cottage Homes) Isolation Hosp.(Wigston Magna U.D. & Blaby R.D.)	326 — 3	186 — —	140 — 3
	2. Enderby.. .. .	WORKHOUSE Leicester and Rutland Counties Lunatic Asylum*	16 36	10 18	6 18
404.—HINCKLEY ..	2. Hinckley	WORKHOUSE Cottage Hospital Isolation Hospital (Hinckley U.D. and R.D.)	12 7 1	8 5 —	4 2 1
405.—MARKET BOSWORTH	1. Market Bosworth .. 2. Ibstock	WORKHOUSE Isolation Hospital (Market Bosworth R.D.)	15 —	9 —	6 —
406.—ASHBY DE LA ZOUCH	3. Ashby de la Zouch .. 4. Whitwick	WORKHOUSE Cottage Hospital Infect. Diseases Hospital (Ashby de la Zouch U.D.) Moirra Infect. Diseases Hosp.(Ashby Wouds, U.D.) Infect. Diseases Hosp. (Ashby de la Zouch R.D.)..	19 6 — — 1	16 1 — — 1	3 5 — — —
407.—LOUGHBOROUGH	1. Loughborough.. ..	WORKHOUSE General Hospital Isolation Hospital (Loughborough M.B.)	35 17 1	21 13 1	14 4 —
408.—BARROW UPON SOAR	2. Quorndon 3. Rothley 4. Syston	Cottage Hospital Charnwood Forest Adult Convalescent Home WORKHOUSE Hospital for Infect. Diseases (Leicester C.B.) Small-pox Hospital (Leicestershire C.C.)	— — 19 35 —	— — 11 18 —	— — 8 17 —
409.—LEICESTER ..	1. North West Leicester 2. North East Leicester 3. South Leicester ..	Cottage Hospital Leicester and Leicestershire Dispensary Maternity Hospital WORKHOUSE Leicester Borough Lunatic Asylum General Infirmary Leicester and Rutland Counties Lunatic Asylum*	2 6 9 53 246 13	2 4 6 30 144 6	— 2 3 23 102 7
410.—MELTON MOWBRAY	1. Melton Mowbray ..	WORKHOUSE Hospital for Infect. Dis. (Melton Mowbray U.D. & R.D. & Belyoir R.D.)	19 7	7 4	12 3
30.—Rutlandshire.					
411.—OAKHAM ..	1. Oakham	WORKHOUSE Oakham and District Cottage Hospital	13 5	10 3	3 2
412.—UPPINGHAM	1. Uppingham	WORKHOUSE	10	8	2
31.—Lincolnshire.					
413.—STAMFORD ..	1. Stamford	WORKHOUSE Stamford and Rutland General Infirmary	7 17	3 10	4 7
414.—BOURNE ..	3. Bourne	WORKHOUSE	9	4	5
415.—SPALDING ..	4. Spalding	WORKHOUSE and Infirmary Johnson Hospital Isolation Hospital (Spalding U.D.)	40 6 —	23 5 —	17 1 —
416.—HOLBEACH ..	3. Holbeach	WORKHOUSE and Infirmary	29	19	10

* 403:2 and 409:3.—The Leicester and Rutland Counties Lunatic Asylum in Enderby was opened, and that in South Leicester closed, during February, 1908.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
31.—Lincolnshire—continued.						
417.—BOSTON ..	3. Boston	WORKHOUSE	39	22	17	
		Boston Hospital	25	15	10	
		Fever Hospital, Skirbeck (Boston M.B. and R.D.) ..	1	—	1	
418.—SLEAFORD ..	2. Sleaford	WORKHOUSE	14	8	6	
		Small-pox Hospital (Sleaford U.D.)	—	—	—	
		County Lunatic Asylum (Kesteven)	31	17	14	
419.—GRANTHAM..	2. Grantham North ..	WORKHOUSE	25	21	4	
		Grantham Hospital	14	9	5	
		Infectious Diseases Hospital (Grantham M.B.) ..	—	—	—	
420.—LINCOLN ..	2. Lincoln Home	WORKHOUSE	55	35	20	
		County Hospital	83	45	38	
		Sanatorium for Small-pox (City of Lincoln) ..	—	—	—	
		City Hospital (Infectious Dis., City of Lincoln) ..	16	9	7	
		County Lunatic Asylum (Lindsey and Holland) ..	125	61	64	
		Lincoln Lunatic Hospital (The Lawn)	5	4	1	
421.—HORNCastle	2. Horncastle	WORKHOUSE	11	6	5	
		Infectious Diseases Hospital (Horncastle U.D.) ..	—	—	—	
	3. Tattershall	Alexandra Bromo-Iodine Hospital	—	—	—	
422.—SPILSBY ..	3. Spilsby	WORKHOUSE	16	11	5	
		Grace Swan Cottage Hospital, Handleby	—	—	—	
	4. Burgh	Isolation Hospital (Skegness U.D.)	1	1	—	
		Nottingham and Notts Convalescent Home ..	1	1	—	
423.—LOUTH ..	1. Withern	Mablethorpe Convalescent Home	—	—	—	
		2. Louth	WORKHOUSE	23	13	10
		Hospital and Dispensary	7	5	2	
424a.—GRIMSBY ..	1. Great Grimsby	Cottage Hospital (Infectious Dis., Louth M.B.) ..	—	—	—	
		WORKHOUSE (Grimsby)	84	62	22	
		Grimsby and District Hospital	57	36	21	
		Small-pox Hospital (Grimsby C.B.)	—	—	—	
424b.—CAISTOR ..	1. Caistor	Corporation Fever Hospital (Grimsby C.B.) ..	14	9	5	
		2. Market Rasen	WORKHOUSE	21	12	9
		Cottage Hospital	1	1	—	
		Isolation Hospital (Market Rasen U.D. and Caistor R.D.)	—	—	—	
425.—GLANFORD BRIGG	1. Brigg	WORKHOUSE	25	16	9	
		2. Winterton	Frodingham Cottage Hospital	3	3	—
426.—GAINS-BOROUGH	3. Gainsborough	WORKHOUSE	26	17	9	
		Infectious Diseases Hospital (Gainsborough U.D.) ..	1	1	—	
	4. Marton	Infectious Diseases Hospital (Gainsborough R.D.) ..	—	—	—	
		Reynard Cottage Hospital	1	—	1	
32.—Nottinghamshire.						
427.—EAST RET-FORD	2. Clarborough	WORKHOUSE	32	22	10	
		3. East Retford	Cottage Hospital	13	8	5
		Fever Hospital (East Retford M.B.)	—	—	—	
428.—WORKSOP ..	1. Worksop	WORKHOUSE	—	—	—	
		WORKHOUSE Infirmary	36	23	13	
		Victoria Hospital	10	6	4	
		Small-pox Hospital (Worksop U.D., Blyth and Cuckney R.D.)	—	—	—	
	2. Carlton	Isolation Hospital (Worksop U.D., Blyth and Cuckney R.D.)	4	2	2	
429.—MANSFIELD	1. Warsop	Mansfield Woodhouse District Hospital	5	1	4	
		2. Pleasley	Isolation (District) Hospital (N. Derbysnre Hosp. Committee)	—	—	—
	3. Blackwell	Small-pox Hosp. (Skegby and Blackwell R.D's.) ..	—	—	—	
		5. Mansfield	WORKHOUSE	90	68	22
			Infectious Diseases Hosp. (Mansfield M.B.) ..	1	—	1
430.—BASFord	2. Ilkeston	Accident Hospital	12	5	7	
		Cottage Hospital	10	8	2	
		Infectious Diseases Hospital (Ilkeston M.B.) ..	1	1	—	
		4. Hucknall Torkard ..	Temporary Small-pox Hospital (Joint Hospital Board)	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
32.—Nottinghamshire—continued.					
431.—NOTTINGHAM	1. Nottingham South West.	General Hospital	268	162	104
		Hospital for Women	12	—	12
	3. Nottingham North East.	Notts and Midland Eye Infirmary	—	—	—
		Children's Hospital	40	23	17
		Nottingham City Lunatic Asylum	80	51	29
	4. Nottingham North West.	Nottingham Lunatic Hospital (The Coppice)	8	7	1
		WORKHOUSE School (Training Institution)	1	1	—
	5. Bulwell	Samaritan Hospital for Women	5	—	5
		WORKHOUSE (Basford)	108	67	41
		WORKHOUSE and Infirmary	458	268	190
432.—SOUTHWELL	1. Southwell	City of Nottingham Isolation Hospital	37	18	19
		Basford Rural District Sanatorium	2	1	1
		Convalescent Home (Nottingham General Hosp.)	—	—	—
		Small-pox Hospital (City of Nottingham)	—	—	—
		WORKHOUSE	22	15	7
		Isolation Hospital (Newark M.B.)	—	—	—
433.—NEWARK ..	3. Newark	WORKHOUSE Infirmary	28	16	12
		Hospital and Dispensary	17	13	4
	4. Balderton	Isolation Hospital (Newark M.B.)	2	—	2
		5. Claypole	2	—	2
434.—BINGHAM ..	1. Bingham	WORKHOUSE	8	6	2
		County Lunatic Asylum	68	37	31
33.—Derbyshire.					
435.—SHARDLOW ..	3. Shardlow	WORKHOUSE	26	16	10
		5. Spondon	4	1	3
436.—DERBY ..	2. Derby	Draycott Isolation Hospital (Shardlow R.D.)	—	—	—
		WORKHOUSE	117	75	42
		Derbyshire Royal Infirmary	199	127	72
		Hospital for Sick Children	34	22	12
		Borough Isolation Hospital	19	12	7
		Derbyshire Women's Hospital	1	—	1
		Nightingale Home (Royal Derby Nursing Asso.)	11	7	4
		Queen Victoria Memorial Home of Rest	14	2	12
		Derby Borough Lunatic Asylum	33	25	8
		Convalescent Home, Holbrook	—	—	—
437.—BELPER ..	2. Horsley	WORKHOUSE	69	44	25
		3. Belper	5	2	3
		4. Ripley	—	—	—
		Isolation Hospital (Belper Joint Hospital District)	4	3	1
438.—ASHBOURNE	1. Ashbourne	Cottage Hospital	—	—	—
		WORKHOUSE	25	16	9
		Ashbourne Cottage Hospital	3	2	1
439.—CHESTERFIELD	1. Ashover	Temporary Small-pox Hospital (Ashbourne U.D. and R.D., and Mayfield R.D.)	—	—	—
		Isolation Hosp. (South District, Chesterfield Union)	4	3	1
	2. Chesterfield	WORKHOUSE	132	87	45
		WORKHOUSE (Chesterfield Union Schools)	—	—	—
		Chesterfield and N. Derbyshire Hosp. and Disp.	80	49	31
		Newbold Small-pox Hospital (Chesterfield Joint Hospital Committee)	—	—	—
		Penmore Isolation Hospital (Chesterfield Joint Hospital Committee)	6	4	2
		Spital Lane Small-pox Hospital (North Derbyshire Hospital Committee)	—	—	—
		4. Eckington	3	1	2
		5. Dronfield	3	1	2
440.—BAKEWELL ..	1. Bakewell	Isolation Hosp. (N. Derbyshire Hosp. Committee)	—	—	—
		WORKHOUSE	24	13	11
		Temporary Isolation Hospital (Bakewell U.D.)	—	—	—
		2. Matlock	2	—	2
441.—CHAPEL EN LE FRITH	1. Buxton*	Smedley's Memorial Hospital	11	6	5
		Whitworth Hospital	—	—	—
		Derby and Derbyshire Convalescent Home	—	—	—
		Devonshire Hospital	7	5	2
		Sanatorium (Buxton U.D.)	1	1	—
		Free Convalescent Home, Buxton	1	—	1
442a.—GLOSSOP ..	2. Chapel en le Frith ..	WORKHOUSE	10	8	2
		High Peak Isol. Hos. (New Mills U.D. & Fairfield U.D.)	4	2	2
		General Hospital, Birchinlee	1	1	—
		1. Glossop	32	21	11
		Wood's Hospital	4	2	2
442b.—HAYFIELD ..	1. Hayfield	Gamesley Infectious Diseases Hospital (Glossop M.B. and Glossop Dale R.D.)	5	2	3
		WORKHOUSE	16	9	7

* 441: 1.—In Wye House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
VIII.—NORTH-WESTERN.					
34.—Cheshire.					
443.—STOCKPORT..	2. Hyde	Infectious Diseases Hospital (Hyde M.B.)	26	12	14
	4. Stockport First	WORKHOUSE	26	11	15
		WORKHO. Infirm. (Stepping Hill Poor Law Hosp.)	290	162	128
		Corporation Hospital (Fever)	11	6	5
	5. Stockport Second	Stockport Infirmary	67	39	28
	6. Stockport Third	Whitehill Hosp. for Infect. Dis. (Stockport C.B.) ..	—	—	—
	7. Heaton Norris	Northern Counties Hospital for Incurables	11	7	4
	8. Cheadle	Barnes Convalescent Hospital	14	10	4
444.—MACCLESFIELD		Manchester Royal Lunatic Hospital (including St. Anne's Hospital)	38	23	15
	4. Macclesfield	WORKHOUSE	49	23	26
		General Infirmary	43	24	19
		Macclesfield Borough Isolation Hospital	4	1	3
		County Lunatic Asylum, Parkside	87	33	54
	5. Sutton	Small-pox Hospital (Macclesfield R.D.)	—	—	—
	7. Alderley.. ..	Convalescent Homes (Branch of Ancoats Hosp.) ..	1	—	1
445.—BUCKLOW ..	1. Wilmslow	WORKHOUSE, Styal Cottage Homes (Chorlton) ..	4	2	2
	2. Altrincham	Lloyd's Fever Hospital (Altrincham U.D.) ..	—	—	—
		Altrincham Hospital	36	17	19
		Consump. Hosp. (Beh. of Manch. Consump. Hosp.)	5	4	1
		Small-pox Hospital (Altrincham U.D.)	—	—	—
	3. Sale	Small-pox Hospital (Bucklow Joint Hosp. Board)	—	—	—
		Sanatorium (City of Manchester)	17	6	11
	4. Lymm	Ashton upon Mersey Nursing Institution	2	—	2
446.—RUNCORN ..	5. Knutsford	Infectious Diseases Hospital (Lymm U.D.)..	—	—	—
		WORKHOUSE	86	49	37
		David Lewis Manchester Epileptic Colony ..	5	4	1
	1. Budworth	WORKHOUSE	37	24	13
		Small-pox Hospital (Runcorn R.D.)	—	—	—
		Isolation Hospital (Runcorn R.D.)	3	1	2
	2. Runcorn	Infectious Diseases Hospital (Runcorn U.D.) ..	1	—	1
		Victoria Cottage Hospital	4	3	1
447.—NORTHWICH	3. Frodsham	San. for Consum. (Beh. of Livpl. Hosp. for Consum.)	—	—	—
		Crossley San. (Beh. of Manch. Consump. Hosp.) ..	10	7	3
	2. Northwich	WORKHOUSE	33	25	8
		Winnington Hospital (Victoria Infirmary)	10	7	3
		Small-pox Hospital (Northwich U.D.)	—	—	—
		Small-pox Hospital, Marbury (Northwich R.D.)..	—	—	—
		Infect. Dis. Hosp., Leftwich (Northwich U.D. and R.D., Middlewich U.D., and Winsford U.D.) ..	8	4	4
	3. Over	Albert Infirmary	8	7	1
448.—CONGLETON		Infectious Dis. Hosp. (Small-pox : Winsford U.D.)	—	—	—
	2. Congleton	WORKHOUSE (Casual Ward)	—	—	—
		Cottage Hospital	5	3	2
	3. Sandbach	WORKHOUSE	31	22	9
449.—NANTWICH ..		Small-pox Hospital (Sanitary Areas in Congleton Union)	—	—	—
	1. Crewe	The Hospice (Accident Hospital, L. & N. W. Ry.)..	3	3	—
		Memorial Cottage Hospital	13	8	5
		Isolation Hospital (Crewe M.B.)	8	7	1
	2. Nantwich	WORKHOUSE and Infirmary	58	37	21
		Isolation Hospital (Nantwich U.D. and R.D.) ..	4	1	3
450.—CHESTER ..	2. Chester Castle..	WORKHOUSE (Tarvin Union)	9	8	1
	3. Chester Cathedral ..	WORKHOUSE (Chester Union)	101	59	42
		Isolation Hospital (City of Chester)	20	8	12
		Chester General Infirmary	95	61	34
		Small-pox Hospital (City of Chester)	—	—	—
451.—WIRRAL ..		County Lunatic Asylum	86	42	44
	3. Bebington	WORKHOUSE	43	28	15
		Liverpool Port Sanitary Hospital	1	1	—
		Wirral Joint Hospital (Infectious Diseases; Urban and Rural Dist. in Wirral Registration Dist.) ..	8	2	6
		Cottage Hospital, Port Sunlight	5	2	3
	4. Woodchurch	Children's Convalescent Home	10	6	4
		Greasby Hospital (Small-pox; Urban and Rural Districts in Wirral Registration District)	—	—	—
		Queen Victoria Memorial Cottage Hospital ..	6	1	5

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
34.—Cheshire—continued.					
452.—BIRKENHEAD	1. Birkenhead	Borough Hospital (General Hospital)	70	39	31
		Maternity Hospital*	7	4	3
	2. Tranmere	Wirral Children's Hospital	31	14	17
		Infect. Diseases Hosp. (Birkenhead C.B.)	15	8	7
		WORKHOUSE and Infirmary	303	172	131
		Victoria Central Hospital.. ..	42	20	22
		Cottage Hospital, Wallasey	12	7	5
		Convalescent Home	—	—	—
		Mill Lane Fever Hospital (Wallasey U.D.)	17	6	11
		N. Meade House (Overflow F. Hosp., Wallasey U.D.)	—	—	—
		Small-pox Hospital (Wallasey U.D.)	—	—	—
35.—Lancashire.					
453.—LIVERPOOL..	2. Exchange	St. Paul's Eye and Ear Hospital	—	—	—
		Northern Hospital	223	161	62
	3. Abercromby	Skin Hospital	1	—	1
		WORKHOUSE and Infirmary	1006	659	347
		Royal Infirmary	317	198	119
		Children's Infirmary	185	101	84
		Hospital for Consumption and Chest Diseases	13	6	7
		Maternity Hospital*	23	11	12
		Eye and Ear Infirmary	6	5	1
		Hahnemann Hospital	24	17	7
		Cancer Hospital	1	—	1
454.—TOXTETH PARK.	1. Toxteth Park, North West	City Hospital, Grafton Street (Infectious Diseases)	45	26	19
		Royal Southern Hospital	192	125	67
	2. Toxteth Park, South West	Samaritan Hospital for Women	2	—	2
		WORKH.(Hosp.for Epilep.&c.,Livpl.Wk.),Dingle Mt. City Hospital, Park Hill (Infectious Diseases)	2	—	2
	3. Toxteth Park, Central	Home for Female Incurables	45	24	21
	4. Toxteth Park, East†..	18	—	18
		WORKHOUSE	380	197	183
455.—WEST DERBY	1. Crosby	Turner Memorial Home of Rest for Males	7	7	—
		—	—	—
	3. Fazakerley	Park House Convalescent Institution	3	—	3
		WORKHOUSE (Cottage Homes)	1	—	1
	4. Walton‡	Liverpool City Infectious Diseases Hospital	157	74	83
		WORKHOUSE	856	459	397
		WORKHOUSE (Liverpool & W. Derby, including Epileptic Home), Belmont Road	168	105	63
	5. Bootle	Infectious Diseases Hospital (City of Liverpool)	—	—	—
		Bootle Borough Hospital (Accident and General)	72	49	23
	6. Kirkdale.. ..	Bootle Corporation Hospital (Infectious Diseases)	28	12	16
		WORKHOUSE (Liverpool Branch, Aged Men)	1	1	—
	7. North Everton.. ..	WORKHOUSE (Kirkdale Home, Liverpool Branch) Stanley Hospital	27	17	10
		131	81	50
	8. South Everton	WORKH. (Lvpl. Bch., Mitford Ho.; Infirm Women) City Hospital North (Netherfield Hosp.; Inf. Dis.)	1	—	1
		104	55	49
	10. West Derby Eastern§	WORKHOUSE Infirmary (Mill Road Hospital)	873	527	346
		Hospital for Women	39	—	39
	11. Wavertree	WORKHOUSE Infirmary (Liverpool)	264	129	135
		City Hospital East (Infectious Diseases)	102	54	48
		WORKHOUSE (Lvpl.Bch.,Grove Mt.Convul.Home) 	4	3	1
		WORKHOUSE (Lvpl. Cottage Homes for Children including Convalescent Branch), Olive Mount 	—	—	—
		WORKHOUSE (Casual Wards)	—	—	—
		WORKHOUSE Schools (Toxteth Park)	—	—	—
		Accident Hospital	3	2	1
456.—PRESCOT ..	2. Much Woolton	Children's Rest (Home for Incurable Children)	—	—	—
		—	—	—
	3. Widnes	Liverpool Convalescent Institution	1	1	—
		Accident Hospital	5	2	3
	4. Prescott	Widnes Infectious Diseases Hospital	5	2	3
		WORKHOUSE	255	171	84
		Sanatorium (Whiston R.D.)	8	6	2
	5. St. Helens	County Lunatic Asylum (part of), Rainhill	67	38	29
		St. Helens Hospital	78	45	33
		Providence Hospital	62	33	29
		Fever Hospital (St. Helens C.B.)	56	34	22
457.—ORMSKIRK ..	6. Rainford	County Lunatic Asylum (part of), Rainhill	82	48	34
		Infectious Diseases Hospital (Rainford U.D.)	1	—	1
	2. Ormskirk	WORKHOUSE	95	55	40
		WORKHOUSE Schools	—	—	—
		Infectious Diseases Hospital (Ormskirk U.D.)	1	—	1
		Cottage Hospital	2	1	1

* Previously called Lying-in Hospital.
† 454: 4.—In St. Augustine's Home, 29 deaths, and in the House of Providence (Rescue Home) 4 deaths occurred during the year.
‡ 455: 4.—In St. Joseph's House, 44 deaths occurred during the year.
§ 455: 10.—In Tue Brook Villa, a private Lunatic Asylum, 5 deaths occurred during the year.
|| The Grove Mount Convalescent Home was closed during the year, the children being transferred to the Cottage Homes, Olive Mount.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
457.—ORMSKIRK —cont.	3. Aughton	WORKHOUSE (Convalescent Branch, Livpl. Wkho.)	2	2	—
		Isolation Hospital (West Lancashire R.D.)..	3	1	2
	5. Formby*	Hospital for Infectious Dis. (Birkdale U.D.)	3	1	2
	6. North Meols	Convalescent Hospital	12	5	7
		Southport Infirmary and Local Dispensary	39	24	15
		Small-pox Hospital (Southport C.B.)	—	—	—
		Southport Borough Cottage Hospital (Infect. Dis.)	10	6	4
		Children's Sanatorium	—	—	—
		Convalescent Home (Provident Society)	1	1	—
		Bradstock Locket Home for Cripples..	2	2	—
		Hydropathic Hospital	3	3	—
	8. Lathom	Small-pox Hospital (Ormskirk U.D., and Lathom and Burscough U.D.)	—	—	—
458.—WIGAN ..	2. Aspull	Small-pox Hospital (Horwich U.D.)	—	—	—
	3. Wigan	WORKHOUSE	190	140	50
		Royal Albert Edward Infirmary	141	89	52
		Wigan Borough Sanatorium	26	16	10
	4. Hindley	Infectious Diseases Hosp. (Ince in Makerfield U.D.)	2	1	1
		Small-pox and Fever Hospital (Hindley U.D.)	4	2	2
		Sanatorium (Abram U.D.)	3	3	—
	5. Pemberton	Cottage Hospital for Infect. Dis. (Wigan C.B.)	—	—	—
	7. Ashton in Makerfield	Hospital for Infect. Dis. (Ashton in Makerfield U.D.)	11	8	3
		Small-pox Hospital (Ashton in Makerfield U.D.)..	—	—	—
459.—WARRINGTON	1. Newton in Makerfield	Cottage Hospital	6	5	1
		Old Wint Hospital (Small-pox ; St. Helens C.B.)	—	—	—
		Haydock Lodge Lunatic Asylum	6	1	5
	2. Winwick	County Lunatic Asylum, Winwick Hall	206	52	154
	3. Sankey	Sanatorium (Small-pox ; Warrington C.B.)	—	—	—
	4. Warrington	WORKHOUSE	151	90	61
		Warrington Infirmary and Dispensary	62	30	32
		Infectious Diseases Hospital (Warrington C.B.)	27	13	14
	5. Rixton	WORKHOUSE (Padgate Industrial School)	1	—	1
			—	—	—
460.—LEIGH ..	2. Culcheth	Small-pox Hospital (Leigh Joint Hospital Board)	—	—	—
	3. Leigh	Leigh Infirmary	24	13	11
	4. Atherton	WORKHOUSE and Infirmary	93	52	41
		Leigh M.B. Sanatorium	29	17	12
461.—BOLTON ..	1. Farnworth	WORKHOUSE	325	211	114
		Fever Hospital (Farnworth, Little Hulton, and Little Lever Urban Districts) ..	12	6	6
		Temporary Small-pox Hospital (Little Hulton and Little Lever Urban Districts)	—	—	—
	2. South West Bolton ..	Western Fever Hospital (Bolton C.B.)	16	7	9
		Eastern Fever Hospital (Bolton C.B.)	16	7	9
		Infirmary and Dispensary	124	74	50
	4. Horwich.. ..	Fall Birch Infectious Diseases Hospital (Horwich, Westhoughton, and Blackrod Urban Districts) ..	7	3	4
	6. Turton	Blair Convalescent Hospital	1	1	—
			—	—	—
			—	—	—
462.—BURY.. ..	1. Ramsbottom	Memorial Cottage Hospital	4	2	2
	3. Elton	Florence Nightingale Hosp.(Infect. Dis.; Bury C.B. and Radcliffe U.D.)	22	9	13
		Small-pox Hosp. (Joint Hosp. Com., incl. Bury C.B.)	—	—	—
	4. North Bury	WORKHOUSE	200	119	81
		Bury Dispensary and Hospital	45	28	17
		Robinson Kay Home and Hospital for Incurables	5	—	5
	5. Heywood	Infectious Diseases Hospital (Heywood M.B.)	—	—	—
	7. Radcliffe.. ..	Bealey Memorial Convalescent Hospital	—	—	—
463.—BARTON UPON IRWELL	8. Whitefield†		—	—	—
	1. Worsley	WORKHOUSE (Industrial Schools ; Manchester)	—	—	—
		Small-pox Hospital (Worsley U.D. and Swinton & Pendlebury U.D.)	—	—	—
	2. Barton‡	WORKHOUSE and Infirmary	110	56	54
		Eccles and Patricroft Hospital	5	3	2
464.—CHORLTON ..	3. Stretford	Cottage Hospital, Urmston	4	2	2
	1. Didsbury	WORKHOUSE and Schools	1071	584	487
	2. Ardwick.. ..	Isolation Hospital (Gorton U.D.)	2	—	2
	3. Chorlton upon Medlock§	Royal Eye Hospital..	2	2	—
		Christie Hospital (Cancer)	31	14	17
	Royal Infirmary	25	13	12	

* 457 : 5.—In Shaftesbury House, a private Lunatic Asylum, 6 deaths occurred during the year.

† 462 : 8.—In Overdale, a private Lunatic Asylum, no death occurred during the year.

‡ 463 : 2.—In St. Joseph's Home for Destitute and Abandoned Children, 7 deaths occurred during the year.

§ 464 : 3.—In the Home of the Little Sisters of the Poor, 23 deaths occurred during the year.

|| Removed in December, 1908, from Manchester Central (466 : 2) to Chorlton upon Medlock (464 : 3).

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
465.—SALFORD ..	1. Pendleton	WORKHOUSE Infirmary (Hope Hospital)	567	314	253
		Children's Hospital	169	106	63
		Bethesda Home for Incurable Children	4	1	3
		Salford Royal Hospital	209	114	95
		WORKHOUSE	29	12	17
466.—MANCHESTER	1. Ancoats	Ladywell Sanatorium (Salford C.B.)	214	111	103
		WORKHOUSE (Chorlton and Manchester Casual Ward and Test House)	—	—	—
		Ardwick and Ancoats Hospital.. ..	210	120	90
		WORKHOUSE	2	2	—
		Royal Infirmary and Dispensary*	484	307	177
467.—PRESTWICH..	2. Central	St. Mary's Hospital (Women and Children).. ..	93	33	60
		Lock Hospital.. ..	—	—	—
		Ear Hospital	4	1	3
		Eye and Ear Hospital (St. John's Street)	3	—	3
		Hospital for Skin Diseases	—	—	—
468.—ASHTON UNDER LYNE	3. Ashton Town	WORKHOUSE (Manchester)	850	531	319
		WORKHOUSE (Prestwich)	253	133	115
		Northern Hospital	59	28	31
		Jewish Hospital	21	13	8
		Drinkwater Park Hosp. (Sm.-pox; Salford C.B., &c.)	—	—	—
469.—OLDHAM ..	2. Prestwich	County Lunatic Asylum	250	130	120
		Monsall Fever Hospital (City of Manchester) ..	193	90	103
		Clayton Vale Hosp. (Phthisis; City of Manchester)	19	9	10
		WORKHOUSE	262	142	120
		District Infirmary	105	58	47
470.—ROCHDALE..	3. Castleton No. 2	Borough Hospital (Infectious Diseases)	—	—	—
		Small-pox Hospital (Oldham C.B.)	—	—	—
		WORKHOUSE	432	253	179
		Westhulme Hospital (Infect. Dis.; Oldham C.B.) ..	29	15	14
		Infirmary	104	65	39
471.—HASLINGDEN	1. Oldham East	Cinder Hill Small-pox Hospital (Chadderton U.D.)	—	—	—
		WORKHOUSE Branch (Fir Bank Children's Hosp.)	—	—	—
		Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
472.—BURNLEY ..	1. East Ward	WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
		WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
473.—CLITHEROE..	4. Clitheroe	Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
		WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
474.—BLACKBURN	1. Billington	Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
		Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
475.—BURNLEY ..	2. West Ward	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
476.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
477.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
478.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
479.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
480.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
481.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
482.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
483.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
484.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
485.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
486.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
487.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
488.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
489.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
490.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
491.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
492.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
493.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
494.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
495.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
496.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
497.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
498.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
499.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
500.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
501.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
502.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
503.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
504.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
505.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
506.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
507.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
508.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
509.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
510.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
511.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
512.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
513.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
514.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	99	55	44
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
515.—BURNLEY ..	2. West Ward	Small-pox Hospital (Nelson M.B.)	—	—	—
		Cottage Hospital	13	7	6
		Small-pox Hospital (Colne M.B.)	—	—	—
		WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
516.—BURNLEY ..	4. Clitheroe	WORKHOUSE	23	20	8
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
517.—BURNLEY ..	6. Royton	Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.)	22	12	10
		Infirmary and Dispensary	46	30	16
		WORKHOUSE	252	155	97
		WORKHOUSE Cottage Homes	1	—	1
		Isolation Hospital (Littleborough, Milnrow, and Wardle U.D.s.)	3	1	2
518.—BURNLEY ..	7. Littleborough	WORKHOUSE	107	63	44
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Inf. Dis. Hosp. (Small-pox, Accrington M.B.) ..	—	—	—
		Victoria Cottage Hospital	23	16	7
519.—BURNLEY ..	1. East Ward	WORKHOUSE and Infirmary	315	217	98
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	33	17	16
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burn			

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
475.—CHORLEY ..	1. Brindle	Small-pox Hosp., Hoghton (Blackburn C.B.) ..	—	—	—
		Isolation Hospital (Withnell U.D.)	—	—	—
	3. Rivington	Infectious Diseases Hospital (Chorley M.B., Chorley R.D., Adlington U.D., and Leyland U.D.)	7	4	3
	4. Chorley	WORKHOUSE	41	27	14
		Rawcliffe Hospital	18	12	6
476.—PRESTON ..	3. North Preston ..	Royal Infirmary (including Harris Infect. Wards)	81	47	34
		Holme Slack Small-pox Hospital (Preston C.B.) ..	—	—	—
		Nurses' Home and Preston Private Hospital ..	2	1	1
		Isolation Hospital (Preston C.B.)	23	11	12
	4. West Preston ..	St. Joseph's Hospital	2	—	2
	5. Walton le Dale ..	Bradkirk Small-pox Hosp. (Walton le Dale U.D.)..	—	—	—
		Infectious Diseases Hosp. (Walton le Dale U.D.) ..	1	1	—
	6. Alston	WORKHOUSE	5	5	—
	7. Broughton	WORKHOUSE	178	99	79
		Joint Isolation Hospital (Fulwood U.D., Longridge U.D., and Preston R.D.)..	1	1	—
		Military Hospital (Garrison Hospital)	3	3	—
		County Lunatic Asylum, Whittingham	160	76	84
477.—FYLDE ..	1. Kirkham	(WORKHOUSE	49	26	23
		(WORKHOUSE, Children's Home	—	—	—
		Moss Side Fever Hospital (Joint Hospital Board)	12	5	7
	2. Lytham	Cottage Hospital	1	—	1
		Abraham Ormerod Convalescent Home	1	—	1
	3. Blackpool	Sanatorium (Blackpool C.B.)	12	6	6
		Victoria Hospital	47	27	20
		Co-operative Convalescent Home	—	—	—
	4. Fleetwood	Fleetwood Cottage Hospital	9	7	2
		Small-pox Hospital (Joint Hospital Board) ..	1	1	—
478.—GARSTANG ..	3. Garstang	WORKHOUSE	4	3	1
479.—LANCASTER	2. Heaton	Sanatorium (Morecambe M.B.)	1	—	1
		Queen Victoria Cottage Hospital	9	6	3
	3. Lancaster	WORKHOUSE	50	37	13
		Infirmary and Dispensary	47	28	19
		Luneside Hospital (Inf. Dis.; Lancaster M.B.) ..	12	5	7
		County Lunatic Asylum, Lancaster Moor ..	221	151	70
		Royal Albert Asylum for Idiots	13	9	4
480.—LUNESDALE	2. Wray	WORKHOUSE	2	2	—
		Small-pox Hospital, Hornby (Lunesdale R.D.) ..	—	—	—
481.—ULVERSTON	3. Ulverston	WORKHOUSE	35	25	10
		Cottage Hospital	10	5	5
		High Carley Sanatorium (Ulverston Jt. Hosp. Bd.)	—	—	—
482.—BARROW IN FURNESS	1. Barrow in Furness ..	WORKHOUSE and Infirmary	56	35	21
		WORKHOUSE Grouped Cottage Homes	—	—	—
		North Lonsdale Hospital	32	19	13
		Small-pox Hospital (Barrow in Furness C.B.) ..	—	—	—
		Cholera Hospital (Barrow in Furness C.B.) ..	—	—	—
		Infectious Dis. Hosp. (Barrow in Furness C.B.) ..	1	1	—
IX.—YORKSHIRE.					
36.—West Riding.					
483.—SEDBERGH ..	1. Sedbergh	WORKHOUSE	1	—	1
484.—SETTLE ..	2. Settle	WORKHOUSE and Fever Hospital	18	13	5
485.—SKIPTON ..	3. Barnoldswick ..	Isolation Hospital (Barnoldswick U.D.)	—	—	—
	5. Skipton	WORKHOUSE and Infirmary (Skipton Union) ..	41	29	12
		WORKHOUSE Infirmary, Consumption Sanatorium (Bradford)..	1	1	—
		Joint Fever Hospital (Skipton U.D., Silsden U.D., and Skipton R.D.)..	3	2	1
		Skipton and District Cottage Hospital	9	5	4
486.—PATELEY BRIDGE	2. Pateley Bridge ..	Small-pox Hospital (Skipton U.D.)	5	3	2
487.—RIPON ..	2. Ripon	WORKHOUSE	3	2	1
		Isolation Hospital (Pateley Bridge R.D.)	1	1	—
		WORKHOUSE	11	6	5
		Dispensary and Cottage Hospital	8	4	4
		Infectious Diseases Hosp. (Ripon and Wath R.D's.)	1	1	—
		Small-pox Hospital (Ripon and Wath R.D's.) ..	—	—	—
488.—GREAT OUSEBURN	2. Whixley	WORKHOUSE	6	6	—
	3. Poppleton	Fever Hospital (Great Ouseburn R.D.)	3	1	2
		Small-pox Isolation Hospital (Great Ouseburn R.D.)	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
489.—KNARES-BOROUGH	1. Knaresborough ..	WORKHOUSE ..	28	13	15
		Isolation Hosp. (Harrogate M.B. & Knaresborough U.D. & R.D.) ..	3	1	2
	2. Harrogate ..	Royal Bath Hospital and Rawson Conv. Home ..	1	1	—
		Harrogate Infirmary ..	34	19	15
		Home for Incurables ..	7	2	5
	Heatherdene Convalescent Home ..	—	—	—	
490.—WETHERBY	1. Wetherby ..	WORKHOUSE ..	5	2	3
		Isolation Hospital (Wetherby R.D.) ..	—	—	—
491.—WHARFE-DALE	1. Horsforth ..	Cookridge Convalescent Hospital ..	1	1	—
		Ida Hospital (connected with Leeds Gen. Infirmary) ..	4	3	1
		Woodlands Convalescent Home (Branch of Bradford Royal Infirmary) ..	—	—	—
		Springfield Convalescent Home (Leeds Work-people Hospital Fund) ..	—	—	—
		WORKHOUSE ..	31	22	9
	2. Fewston ..	Fever Hospital (Otley U.D.) ..	4	2	2
		West Riding Lunatic Asylum, Menston ..	165	69	96
	3. Otley ..	West Riding Lunatic Asylum, Scalebor Park ..	30	11	19
		Sermon Convalescent Home (Brad. Corp.) ..	—	—	—
	4. Ilkley ..	Cottage Hospital (Infect. Diseases; Ilkley U.D.) ..	—	—	—
		Ilkley Hospital and Convalescent Home ..	1	1	—
		Ilkley Coronation Hospital ..	9	4	5
	5. Yeadon ..	Small-pox Hosp. (Wharfedale Jnt. Hosp. Comm.) ..	—	—	—
492.—KEIGHLEY ..	1. Bingley ..	Cottage Hospital ..	4	2	2
		Joint Inf. Dis. Hosp. (Keighley M.B. & Bingley U.D.) ..	16	10	6
	2. Keighley ..	WORKHOUSE and Infirmary ..	81	45	36
		Victoria Hospital ..	36	18	18
493.—TODMORDEN	2. Todmorden ..	WORKHOUSE ..	47	34	13
		Small-pox Hospital (Urban & Rural Districts in Todmorden Reg. Dist. and Bacup M.B.) ..	—	—	—
		Fielden Hospital (Infectious Diseases; Urban & Rural Dists. in Todmorden Reg. Dist.) ..	9	7	2
494.—SADDLE-WORTH	2. Saddleworth ..	WORKHOUSE ..	8	7	1
		Small-pox Hosp., Runninghill (Saddleworth U.D.) ..	—	—	—
495.—HUDDERS-FIELD	2. Honley ..	WORKHOUSE ..	34	21	13
		Convalescent Home ..	—	—	—
		Moor Top Small-pox Hosp. (Colne & Holme Jt. Bd.) ..	—	—	—
		Isolation Hospital (Colne & Holme Jt. Bd.) ..	6	4	2
	5. Kirkburton ..	West Riding Lunatic Asylum (Storthes Hall) ..	59	29	30
	6. Almondbury ..	Huddersfield Sanatorium, Dalton ..	13	5	8
	8. Huddersfield ..	Huddersfield Infirmary ..	130	78	52
		Nursing Home, Trinity Street ..	11	8	3
	9. Lockwood ..	WORKHOUSE and Fever Hospital ..	132	90	42
496.—HALIFAX ..	1. Brighouse ..	Brighouse Joint Hospital (Infectious Diseases; Halifax R.D. and three Urban Districts) ..	4	2	2
		Hollin Hey Hosp. (Inf. Dis.; five Urban Districts) ..	—	—	—
	2. Elland ..	Cottage Hospital (Inf. Dis.; Sowerby Bridge U.D.) ..	1	1	—
		Small-pox Hospital (Sowerby U.D.) ..	—	—	—
	4. Sowerby ..	WORKHOUSE ..	5	3	2
		WORKHOUSE Infirmary (Poor Law Hospital) ..	260	147	113
		Royal Halifax Infirmary ..	144	88	56
	6. Halifax, North ..	Borough Fever Hospital ..	13	7	6
		Small-pox Hospital (Halifax C.B.) ..	—	—	—
		Infectious Diseases Hospital (Halifax C.B., Lud-denden Foot and Midgley U.D.'s.) ..	—	—	—
		Infectious Diseases Hospital (Queensbury U.D.) ..	—	—	—
497a.—BRADFORD	2. Bradford East ..	Fever Hospital (City of Bradford) ..	50	27	23
		Bradford Royal Infirmary ..	232	123	109
	3. Bradford West ..	Royal Eye and Ear Hospital ..	6	3	3
		Hospital for Sick Children of the Poor ..	119	80	39
		St. Catherine's Home for Incurables ..	24	—	24
	4. Horton ..	WORKHOUSE ..	530	311	219
	WORKHOUSE, Children's Homes ..	—	—	—	
497b.—NORTH BIERLEY	1. Cleckheaton ..	North Bierley Joint Inf. Dis. Hosp. (City of Brad-ford, Hunsworth U.D., and Cleckheaton U.D.) ..	2	1	1
		Small-pox Hospital (Cleckheaton U.D.) ..	—	—	—
	3. North Bierley ..	Small-pox Hospital (City of Bradford) ..	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
497b.—NORTH BIERLEY—cont.	4. Thornton	WORKHOUSE	98	53	45
		WORKHOUSE Cottage Homes for Children	—	—	—
		Inf. Dis. Hosp. (City of Bradford & Clayton U.D.) ..	1	—	1
	6. Shipley	Salt's Hospital, Saltaire	2	1	1
	8. Calverley	Stoney Ridge Hospital (Infect. Dis.; Shipley U.D.) ..	2	1	1
		Calverley Joint Inf. Dis. Hosp. (City of Bradford, Pudsey M.B., Calverley U.D. and Farsley U.D.) ..	7	3	4
498.—HUNSLET ..	3. Rothwell	WORKHOUSE	70	33	37
		WORKHOUSE, Children's Homes	—	—	—
		Small-pox Hospital (Rothwell U.D.)	—	—	—
		Small-pox Hospital (Hunslet R.D.)	—	—	—
		Isolation Hospital (Rothwell U.D., Methley U.D. and Hunslet R.D.)	5	4	1
499.—HOLBECK ..	1. Holbeck	WORKHOUSE	45	27	18
500.—BRAMLEY ..	3. Wortley	WORKHOUSE	71	33	38
		Hospital for Consumption	20	19	1
501.—LEEDS ..	2. North Leeds	WORKHOUSE and Infirmary	494	300	194
	3. West Leeds*	General Infirmary	535	365	170
		Hospital for Women and Children	34	6	28
	5. Chapeltown	WORKHOUSE, Temporary Branch (Aged Poor) ..	3	3	—
		City Small-pox Hospital (Killingbeck)	—	—	—
		City of Leeds Fever Hospital (Seacroft)	78	36	42
502.—DEWSBURY..	1. Morley	Infectious Diseases Hospital (Morley M.B.) ..	3	2	1
	2. Batley	District Hospital	23	17	6
		Isolation Hospital (Batley M.B.)	—	—	—
	3. Gomersal	Oakwell Isolation Hospital (Joint Board) ..	4	2	2
	5. Mirfield	Memorial Cottage Hospital	14	6	8
		Crossley Infectious Diseases Hosp. (Liversedge and Mirfield U.Ds.)	3	—	3
	6. Dewsbury	WORKHOUSE	130	73	57
		Dewsbury District General Infirmary	55	29	26
	7. Soothill	Infect. Dis. Hosp. (Dewsbury Joint Hosp. Board)	12	5	7
	8. Ossett	Small-pox Hospital (Ossett M.B.)	1	1	—
	9. Thornhill	Small-pox Isolation Hospital (Thornhill U.D.) ..	—	—	—
503.—WAKEFIELD	2. Sandal	Isolation Hospital (Sandal Magna U.D.)	—	—	—
	3. Horbury	Small-pox Hospital, Addingford (Horbury U.D.) ..	1	—	1
	4. Wakefield	WORKHOUSE and Infirmary	116	78	38
		Clayton Hospital & Wakefield General Dispensary ..	72	47	25
		Fever Hospital (City of Wakefield)	3	1	2
	6. Stanley	West Riding Lunatic Asylum, Wakefield	200	109	91
		Isolation Hospital (Ardsley U.D. & Wakefield R.D.) ..	1	—	1
	7. Normanton	Small-pox Hospital (Normanton U.D.)	—	—	—
504.—PONTEFRACT	3. Pontefract	WORKHOUSE	52	30	22
		Joint Isolation Hospital (Pontefract M.B. and R.D. and Knottingley U.D.)	2	—	2
		Small-pox Hospital (Featherstone U.D.)	—	—	—
		Infectious Diseases Hospital, Ackton (Normanton & District Hospital Committee)	21	12	9
		General Dispensary and Infirmary	6	4	2
	4. Castleford	Small-pox Hospital (Whitwood U.D.)	—	—	—
		Red Hill Small-pox Hospital (Castleford U.D.) ..	—	—	—
505.—HEMSWORTH	2. Hemsworth	WORKHOUSE	15	13	2
		Infectious Diseases Hospital (Hemsworth R.D.) ..	7	5	2
506.—BARNESLEY ..	2. Barnsley	WORKHOUSE	102	77	25
		Beckett's Hospital and Dispensary	65	37	28
		Kendray Hospital (Barnsley M.B.)	46	26	20
		Small-pox Hospital (Barnsley M.B.)	—	—	—
507.—WORTLEY ..	3. Penistone	WORKHOUSE (Penistone)	19	13	6
		Stanhope Isol. Hosp. (Penistone Hospital District)	2	2	—
	5. Ecclesfield	WORKHOUSE (Wortley)	14	9	5
		Infectious Diseases Hospital (Wortley R.D.) ..	7	3	4
		West Riding Lunatic Asylum, Wadsley	173	96	77
	6. Bradfield	Isolation Hospital (Stocksbridge U.D.)	—	—	—

* 501 : 3.—In the Little Sisters' Home (Consort Terrace Hospital), 20 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
508.—ECCLESALL BIERLOW.	2. Ecclesall West Central.	WORKHOUSE Cottage Homes (Sheffield)	—	—	—
		Lodge Moor Hosp. (Infec. Dis.; City of Sheffield)	77	46	37
		Crimicar Lane Hosp. (Sm.-pox; City of Sheffield)	—	—	—
		Children's Hospital	43	22	21
		Hospital for Consumption (City of Sheffield)	1	1	—
509.—SHEFFIELD..	5. Ecclesall South	Royal Hospital Annexe (Convalescent Home)	—	—	—
		WORKHOUSE	294	185	109
		Royal Hospital	190	126	64
		Jessop Hospital for Women	46	9	37
		Royal Infirmary	291	176	115
510.—ROTHERHAM	1. Aston	Fever Hospital (City of Sheffield)	—	—	—
		WORKHOUSE (Children's Homes)	—	—	—
		WORKHOUSE (including Lunatic Ward)	139	101	38
		WORKHOUSE Infirmary (Union Hospital)	540	343	197
		WORKHOUSE (Children's Homes)	—	—	—
511.—DONCASTER	6. East Brightside	Children's Hospital (Wicker)	1	1	—
		Isolation Hospital (Rotherham R.D., Handsworth U.D. and Kiveton Park R.D.)	8	5	3
		WORKHOUSE	132	93	39
		Hospital and Dispensary	71	47	24
		Small-pox Hospital (Rotherham C.B.)	—	—	—
512.—THORNE ..	1. Tickhill	Isolation Hospital (Rotherham C.B.)	12	5	7
		3. North West Rotherham*	—	—	—
		4. Rawmarsh	—	—	—
		5. Wath	—	—	—
		Infec. Dis. Hospital (Wath, Swinton and District Joint Board)	20	15	5
513.—GOOLE ..	2. Goole	WORKHOUSE	74	49	25
		Small-pox Hospital (Doncaster M.B.)	—	—	—
		Montague Cottage Hospital	15	8	7
		Infectious Diseases Hospital (Mexborough U.D. and Doncaster R.D.)	12	7	5
		Fullerton Hospital (Accidents)	9	6	3
514.—SELBY ..	2. Selby	Royal Infirmary and Dispensary	34	21	13
		Carr House Hosp. for Infect. Dis. (Doncaster M.B.)	2	2	—
		WORKHOUSE	16	10	6
		WORKHOUSE and Infirmary	39	29	10
		Fever Hospital (Goole U.D.)	7	4	3
515.—TADCASTER..	1. Aberford	Small-pox Hospital (Goole U.D.)	—	—	—
		Cottage Hospital	6	6	—
		WORKHOUSE	17	9	8
		Gateforth Hall Sanatorium (Tuberculosis) ..	—	—	—
		Brooke Cottage Hospital	5	3	2
516.—YORK..	1. Skelton	Isolation Hospital (Selby U.D. and R.D.) ..	3	2	1
		Cliffe Isolation Hospital (Tadcaster R.D.) ..	3	2	1
		WORKHOUSE	11	10	1
		Small-pox Hospital (Joint Hospital Board)	—	—	—
		37.—East Riding (with York).			
517.—POCKLINGTON	2. Pocklington	York Infectious Hospital	7	5	2
		York Small-pox Hospital †	1	—	1
		North Riding Lunatic Asylum	74	44	30
		WORKHOUSE and Infirmary	136	84	52
		Military Hospital	7	7	—
518.—HOWDEN ..	3. Howden	County Hospital	61	37	24
		York Lunatic Hospital (Bootham Park Asylum)	9	3	6
		The Retreat (Lunatic Hospital)	4	—	4
		York City Lunatic Asylum	35	25	10
		Muncaster House (Convalescent Branch of York City Fever Hospital)	—	—	—
519.—BEVERLEY ..	2. Beverley	WORKHOUSE	9	7	2
		WORKHOUSE	13	9	4
		Isolation Hospital (Howden R.D.)	—	—	—
		WORKHOUSE	24	13	11
		Cottage Hospital	13	6	7
520.—SCULCOATES	1. Southcoates	East Riding Lunatic Asylum	57	22	35
		Evan Fraser Hospital (Small-pox, &c., City of Hull)	2	1	1
		Hull City Lunatic Asylum	79	49	30
		WORKHOUSE (Cottage Homes)	—	—	—
		Sanatorium (City of Hull)	41	17	24
521.—SHEFFIELD..	2. Cottingham	WORKHOUSE	178	125	53
		Hospital for Women and Orthopædics	6	—	6
		4. Hessle	—	—	—
		6. Drypool	—	—	—
		7. East Sculcoates	—	—	—
522.—ROTHERHAM	8. West Sculcoates	WORKHOUSE	—	—	—
		Isolation Hospital (Rotherham C.B.)	—	—	—
		Small-pox Hospital (Rotherham C.B.)	—	—	—
		Hospital and Dispensary	—	—	—
		WORKHOUSE	—	—	—

* 510: 3.—In The Grange, a private Lunatic Asylum, no death occurred during the year.
† In the absence of small-pox cases this hospital is occasionally used for convalescent cases of scarlet fever and diphtheria.
‡ 516: 2.—In the Pleasaunce, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
37.—East Riding—continued.						
521.—HULL.. ..	1. Humber	Royal Infirmary	213	138	75	
	2. Myton	WORKHOUSE	227	146	81	
		Victoria Hospital for Sick Children	56	32	24	
522.—PATRINGTON	1. Patrington	WORKHOUSE	10		7	
		(Hull and East Riding Convalescent Home	3	3	—	
		(Sanatorium (Consumption)	—	—	—	
523.—SKIRLAUGH	2. Skirlaugh	WORKHOUSE	4	2	2	
524.—DRIFFIELD ..	2. Driffield	WORKHOUSE	16	7	9	
		Cottage Hospital	—	—	—	
525.—BRIDLINGTON	2. Bridlington	WORKHOUSE	15	9	6	
		Lloyd Hospital	10	6	4	
		St. Anne's Convalescent Home	—	—	—	
		Sanatorium (Bridlington M.B.)	—	—	—	
38.—North Riding.						
526.—SCAR-BOROUGH	2. Scarborough	WORKHOUSE	45	26	19	
		Scarborough Hospital and Dispensary	23	5	18	
		Royal Northern Sea Bathing Infirmary	1	1	—	
		Cottage Hospital	—	—	—	
		Sanatorium (Scarborough M.B.)	2	1	1	
527.—MALTON ..	3. Malton	WORKHOUSE	8	5	3	
528.—EASINGWOLD	2. Easingwold	Malton, Norton and District Cottage Hospital	—	—	—	
		WORKHOUSE	7	4	3	
529.—THIRSK ..	2. Thirsk	St. Monica's Cottage Hospital	1	—	1	
		WORKHOUSE	9	6	3	
530.—HELMSLEY ..	2. Thirsk	Lambert Memorial Hospital	2	1	1	
		WORKHOUSE (Helmsley)	3	1	2	
531.—PICKERING ..	3. Kirkby Moorside	WORKHOUSE (Kirkby Moorside)	5	3	2	
		WORKHOUSE	6	3	3	
532.—WHITBY ..	2. Whitby	WORKHOUSE	20	10	10	
		Infectious Diseases Hospital (Whitby U.D.)	1	1	—	
		Cottage Hospital, Whitby	4	4	—	
533.—GUIS-BOROUGH	1. Loftus	Cleveland Cottage Hospital	1	1	—	
		Miners' Hospital, Skinningrove	1	—	1	
		Isolation Hospital (Loftus U.D.)	—	—	—	
	2. Skelton	Miners' Hospital (Skelton and Brotton)	1	1	—	
		3. Marske	Convalescent Home, Saltburn	—	—	—
			Convalescent Home, Coatham	—	—	—
	Miners' Hospital, Marske		—	—	—	
	Fever Hospital (Redcar U.D.)		—	—	—	
	Sanatorium for Small-pox (Redcar U.D., Saltburn by the Sea U.D. and Guisborough R.D.)		—	—	—	
	4. Guisborough		WORKHOUSE	17	13	4
		Hospital for Iron Miners	—	—	—	
		Sanatorium (Guisborough U.D.)	—	—	—	
534.—MIDDLES-BROUGH	1. Middlesbrough*	WORKHOUSE	203	146	57	
		WORKHOUSE (Cottage Homes)	—	—	—	
		WORKHOUSE (Children's Hospital) "Broomlands"	2	1	1	
		North Riding Infirmary	82	55	27	
		Middlesbrough Borough Sanatorium	13	6	7	
	2. Ormesby	Middlesbrough Borough Lunatic Asylum	51	24	27	
		North Ormesby Cottage Hospital	51	40	14	
		Eston Hospital	14	9	5	
	3. Thornaby	Eston Urban District Sanatorium	1	1	—	
		Small-pox Hosp. (Middlesbrough C.B.)	—	—	—	
535.—STOKESLEY ..	1. Stokesley	WORKHOUSE	6	4	2	
536.—NORTHALLERTON	2. Northallerton	WORKHOUSE	9	8	1	
		Rutson Hospital	3	3	—	
		Fever Hospital, Northallerton (Northallerton U.D.)	—	—	—	
		Fever Hospital, Northallerton (Northallerton R.D.)	—	—	—	

* 534. 1.—In Nazareth House, 7 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
38.—North Riding—continued.					
537.—BEDALE ..	1. Bedale	WORKHOUSE	11	9	2
538.—LEYBURN ..	2. Leyburn	WORKHOUSE	3	2	—
539.—AYSGARTH ..	1. Askrigg	WORKHOUSE	4	2	2
		Wensleydale Sanatorium (Phthisis)	2	2	—
540.—REETH ..	2. Reeth	WORKHOUSE	1	—	1
541.—RICHMOND ..	1. Richmond	WORKHOUSE	8	7	1
		Cottage Hospital (Infect. Dis.; Richmond M.B.) ..	—	—	—
		Victoria Cottage Hospital	2	1	1
	2. Catterick	St. John of God's Hospital	6	6	—
X.—NORTHERN.					
39.—Durham.					
542.—DARLINGTON	1. Hurworth*	Ropner Convalescent Home	1	1	—
	2. Darlington	WORKHOUSE	57	40	17
		Darlington Hospital	46	30	16
		Borough Hospital (Darlington Fever Hospital) ..	7	5	2
		Small-pox Hospital (Darlington M.B.)	—	—	—
543a.—STOCKTON..	1. Stockton... ..	WORKHOUSE and Infirmary	67	46	21
		WORKHOUSE Cottage Homes	—	—	—
		Stockton and Thornaby Hospital	41	18	23
		Floating Hospital (Port Sanitary Authority) ..	—	—	—
		Infectious Dis. Hospital (Stockton on Tees M.B.) ..	14	10	4
		Small-pox Hospital (Stockton on Tees M.B.) ..	—	—	—
543b.—SEDFIELD	1. Sedgfield	WORKHOUSE	4	1	3
		Isolation Hospital (Sedgfield R.D.)	6	2	4
		County Lunatic Asylum	142	95	47
		County Lunatic Asylum (Trimdon House Branch) ..	—	—	—
544.—HARTLEPOOL	1. Hartlepool	WORKHOUSE	129	90	39
		Hartlepool Hospital	29	23	6
		Port Sanitary Hospital	3	3	—
		Cameron Hospital	15	12	3
545.—AUCKLAND..	1. Bishop Auckland ..	WORKHOUSE	57	40	17
		Inf. Dis. Hosp., Helmington Row (Joint Board) ..	8	6	2
		Inf. Dis. Hosp., Tindale Crescent (Joint Board) ..	17	10	7
		Small-pox Hospital (Joint Board)	—	—	—
		Inf. Dis. Hosp. (Bishop Auckland U.D.)	—	—	—
		Inf. Dis. Hos., Merrington Lane (Spennymoor U.D.)	5	4	1
		Lady Eden Cottage Hospital, Bishop Auckland ..	9	9	—
546.—TEESDALE..	2. Barnard Castle ..	WORKHOUSE	12	4	8
		Infectious Diseases Hospital (Barnard Castle U.D.)	—	—	—
		Infectious Diseases Hospital (Barnard Castle R.D.)	1	1	—
	3. Middleton	Infectious Diseases Hospital (Startforth R.D.) ..	—	—	—
547.—WEARDALE..	2. Stanhope	WORKHOUSE	5	2	3
		Horn Hall Sanatorium for Phthisis	3	3	—
548.—LANCHESTER	1. Tanfield	Tanfield Infect. Dis. Hos. (Lanchester Jnt. Hos. Brd.)	17	10	7
	2. Consett	Fever Hosp, Leadgate (Lanchester Jnt. Hosp. Brd.)	—	—	—
		Infirmary (Consett Iron Co.)	1	1	—
	3. Lanchester	WORKHOUSE	65	49	16
		Langley Park Isol. Hos. (Lanchester Jnt. Hos. Brd.)	10	5	5
		Maiden Law Sanatorium for Phthisis (Lanchester Joint Hospital Board)	3	3	—
549.—DURHAM ..	1. St. Oswald	WORKHOUSE and Infirmary	35	22	13
		Durham County Hospital	53	38	15
		Houghall Infectious Dis. Hospital (Durham R.D.)	4	1	3
		Brandon Fever Hosp. (Brandon & Byshottles U.D.)	3	1	2
		County Lunatic Asylum (Branch), Newton Hall† ..	—	—	—
	2. St. Nicholas	Sherburn Hospital	6	4	2
		Fever Hospital (City of Durham)	2	1	1
550.—EASINGTON..	2. Dawdon	WORKHOUSE	35	22	13
		Infectious Diseases Hospital (Easington R.D.) ..	—	—	—
		Seaham Harbour Infirmary	5	5	—
		Fever Hospital (Seaham Harbour U.D.)	8	4	4

* 542: 1.—In Dinsdale Park and Middleton Hall, two private Lunatic Asylums, 8 deaths occurred during the year.

† Closed during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
39.—Durham—continued.						
551.—HOUGHTON LE SPRING	1. Houghton le Spring ..	WORKHOUSE	12	10	2	
		Northern Infectious Diseases Hospital (Hetton U.D. and Houghton le Spring R.D.) ..	2	1	1	
		Infectious Diseases Hosp. (Houghton le Spring U.D.) ..	2	2	—	
	2. Hetton le Hole.. ..	Southern Infectious Diseases Hospital (Hetton U.D. and Houghton le Spring R.D.)	1	—	1	
552.—CHESTER LE STREET	1. Chester le Street ..	WORKHOUSE	30	21	9	
		Infectious Diseases Hospital (Rural District) ..	11	7	4	
553.—SUNDERLAND	1. Sunderland, West ..	WORKHOUSE	349	216	133	
		General Infirmary and Dispensary	176	120	56	
	3. Sunderland, North ..	Sunderland and Durham Eye Infirmary	—	—	—	
		Monkwearmouth and Southwick Hospital ..	33	21	12	
		5. Ryhope*	Sanatorium (Sunderland C.B.)	14	8	6
			Isolation Hospital (Sunderland R.D.)	6	5	1
		Sunderland Borough Lunatic Asylum	34	17	17	
554.—SOUTH SHIELDS	1. South Shields	WORKHOUSE and Infirmary	277	163	114	
		Ingham Infirmary	59	33	26	
		Denes Hospital (Infect. Dis.; South Shields C.B.) ..	12	5	7	
		Whiteleas Small-pox Hosp. (South Shields C.B.) ..	—	—	—	
		Boldon Fever Hospital (South Shields R.D. and Southwick on Wear U.D.)	6	4	2	
	2. Jarrow	Memorial Hospital	4	4	—	
		Tyne Floating Hospital (Port Sanitary Authority)	1	1	—	
		Jarrow Borough Hospital, Primrose Hill (Inf. Dis.)	3	3	—	
		Hebburn U.D. Infectious Diseases Hospital ..	5	3	2	
		Hebburn Accident Infirmary	4	3	1	
555.—GATESHEAD	1. Heworth	Small-pox Hospital (Felling U.D.)	—	—	—	
		Fever Hospital (Felling U.D.)	—	—	—	
	2. Gateshead	WORKHOUSE	198	122	76	
		Hospital for Sick Children	10	5	5	
		Sheriff Hill Fever and Small-pox Hospital (Gateshead C.B.)	6	4	2	
		Temporary Fever Hosp., Saltwell (Gateshead C.B.)	1	—	1	
	3. Whickham	Small-pox Hospital (Whickham U.D.)	—	—	—	
	4. Winlaton	Isolation Hospital (Blaydon U.D.)	5	—	5	
40.—Northumberland.						
556.—NEWCASTLE UPON TYNE	2. St. Andrew	Eye Infirmary	1	—	1	
		Royal Victoria Infirmary	579	385	194	
		Northern Counties Hospital for Diseases of Chest	—	—	—	
		Moor Small-pox and Fever Hospital (City of Newcastle on Tyne)	—	—	—	
		Home for Incurables	7	4	3	
	3. Elswick†	Fleming Memorial Hospital for Children	83	49	34	
		WORKHOUSE and Vagrant Ward	355	214	141	
	5. All Saints	Nose, Throat, and Ear Hospital	3	1	2	
		Lying-in Hospital	4	2	2	
		St. Catherine's Hospital	3	—	3	
557.—TYNEMOUTH	1. Wallsend	Infectious Diseases Hospital (Wallsend M.B. and Willington Quay U.D.)	1	1	—	
		Small-pox Hospital (Wallsend M.B.)	—	—	—	
		Small-pox Hospital (Willington Quay U.D.) ..	—	—	—	
	2. Tynemouth	WORKHOUSE	160	104	56	
		Cottage Hospital (Fever; Tynemouth C.B.) ..	—	—	—	
		Victoria Jubilee Infirmary	41	28	13	
	3. Longbenton	Moor Park Fever Hospital (Tynemouth C.B.) ..	3	1	2	
		Walker Hospital and Infirmary	5	5	—	
		Newcastle City Hospital for Infectious Diseases ..	34	18	16	
	4. Whitley	Scaffold Hill Isolation Hosp. (Joint Hosp. Board) ..	2	1	1	
		Infectious Diseases Hospital (Earsdon U.D.) ..	3	3	—	
	5. Blyth	Prudhoe Memorial Convalescent Home	2	2	—	
		Port Sanitary Hospital	—	—	—	
	6. Cramlington	Thomas Knight Memorial Hospital	3	3	—	
		Infectious Diseases Hospital (Cramlington U.D.) ..	1	1	—	
558.—CASTLE WARD	1. Ponteland	WORKHOUSE	18	12	6	
		Small-pox Hospital (Temporary, Gosforth U.D.) ..	—	—	—	
	2. Gosforth	Newcastle Borough Lunatic Asylum	128	77	51	
		3. Newburn	Infectious Diseases Hospital (Gosforth U.D., Newburn U.D., and Castle Ward R.D.)	5	3	2
	Small-pox Hospital (Newburn U.D.)		—	—	—	

* 553: 5.—In "High Barnes" (Home of the Little Sisters of the Poor) 17 deaths occurred during the year.

† 556: 3.—In St. Joseph's House, 45 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
40.—Northumberland—continued.					
559.—HEXHAM ..	1. Bywell	Isolation Hospital (Hexham R.D.)	—	—	—
		2. Hexham	15	7	8
		WORKHOUSE	—	—	—
		Isolation Hospital (Hexham U.D.)	—	—	—
560.—HALTWHISTLE	1. Haltwhistle	Corbridge Cottage Hospital	—	—	—
		WORKHOUSE	3	1	2
	
	
561.—BELLINGHAM	1. Bellingham	WORKHOUSE	3	3	—
562.—MORPETH ..	1. Morpeth	WORKHOUSE	21	7	14
		Victoria Cottage Hospital	2	2	—
		Infectious Diseases Hospital (Morpeth M.B.) ..	1	—	1
		County Lunatic Asylum	89	46	43
	2. Bedlington	Infectious Diseases Hospital (Bedlingtonshire U.D.)	2	2	—
		3. Ashington	1	—	1
		Isolation Hospital (Ashington U.D.)	—	—	—
	2. Alnwick	Isolation Hospital (Newbiggin by the Sea U.D.) ..	—	—	—
		Isolation Hospital (Morpeth R.D.)	—	—	—
		WORKHOUSE	12	4	8
563.—ALNWICK ..	2. Alnwick	Alnwick Infirmary	7	1	6
		Infectious Diseases Hosp. (Alnwick U.D.)	—	—	—
	
	
564.—BELFORD ..	1. Belford	WORKHOUSE	2	2	—
565.—BERWICK ..	1. Berwick upon Tweed	WORKHOUSE	26	14	12
		WORKHOUSE Cottage Home	—	—	—
		Berwick Dispensary and Infirmary	9	4	5
		Military Hospital	—	—	—
		Port Hosp. (Infect. Dis.: Berwick upon Tweed M.B.)	—	—	—
566.—GLENDALE ..	2. Wooller	WORKHOUSE	4	2	2
567.—ROTHBURY ..	1. Rothbury	WORKHOUSE	5	5	—
		Isolation Hospital (Rothbury U.D. and R.D.) ..	—	—	—
		Coquetdale Cottage Hospital	3	1	2
41.—Cumberland.					
568.—ALSTON ..	1. Alston	WORKHOUSE	1	—	1
569.—PENRITH ..	1. Penrith	Ruth Lancaster Cottage Hospital, Alston	2	2	—
		WORKHOUSE	14	12	2
		Fever Hospital (Penrith Union)	2	1	1
		Penrith Cottage Hospital	5	2	3
		Blencathea Sanatorium (Consumption)	1	1	—
570.—BRAMPTON ..	2. Brampton	WORKHOUSE	9	5	4
571.—LONGTOWN ..	1. Longtown	WORKHOUSE	2	1	1
572.—CARLISLE ..	2. St. Cuthbert	WORKHOUSE, Fuse Hill	48	29	19
		WORKHOUSE (School), Harraby Hill	—	—	—
		Cumberland and Westmorland Lunatic Asylum ..	70	30	40
		Cumberland Infirmary	75	47	28
	3. St. Mary	Border Counties Home for Incur. (Strathclyde Ho.)	8	—	8
		Fever Hosp. or House of Recovery (Private Com.) ..	5	2	3
		Small-pox Hospital (City of Carlisle M.B.)	—	—	—
	5. Burgh	WORKHOUSE	13	11	2
		2. Abbey Holme	1	—	1
		Silloth Convalescent Institution	—	—	—
573.—WIGTON ..	1. Wigton	Infectious Diseases Hosp. (Holme Cultrum U.D.)	—	—	—
	
	1. Keswick	Mary Hewetson Hospital	6	2	4
		Whinlatter Infectious Dis. Hosp. (Keswick U.D.)	—	—	—
		2. Cockermouth	48	35	13
	2. Cockermouth	WORKHOUSE	2	1	1
		Nursing Home	19	13	6
		Workington Infirmary	16	6	10
	3. Workington	Ellerbeck Hosp. for Infect. Dis. (Workington M.B.)	—	—	—
		Merchants' Quay Hospital (Port San. Author.) ..	—	—	—
574.—COCKERMOUTH	4. Maryport	WORKHOUSE (School and Casual Ward)	—	—	—
		Fever Hospital (Maryport U.D.)	—	—	—
		Victoria Cottage Hospital	3	2	1
	2. Whitehaven	WORKHOUSE and Infirmary	47	31	16
		Whitehaven and West Cumberland Infirmary	19	13	6
		Bransty Fever Hospital (Whitehaven Port & M.B.)	1	1	—
	2. Bootle	Galemire Hospital (four Urban Dists. and R.D.) ..	1	—	1
		WORKHOUSE	9	8	1
		Hodbarrow Hospital, Steel Green	—	—	—
		Infectious Diseases Hospital (Millom U.D.)	1	1	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
42.—Westmorland.					
577.—EAST WARD	1. Appleby	WORKHOUSE (Vagrant Ward)	1	1	—
		Infectious Diseases Hospital (Appleby M.B., East Westmorland R.D. & West Ward R.D.)	1	—	1
	2. Kirkby Stephen ..	WORKHOUSE	9	7	2
578.—WEST WARD	1. Morland	WORKHOUSE	2	1	1
579.—KENDAL ..	1. Ambleside	Infectious Diseases Hospital (Windermere U.D.) ..	—	—	—
		Infectious Diseases Hospital (Grasmere U.D.) ..	—	—	—
	2. Kendal	WORKHOUSE	11	11	—
		Westmorland County Hospital*	16	11	5
		Sanatorium (Kendal M.B.)	2	1	1
	3. Kirkby Lonsdale ..	WORKHOUSE (Vagrant Ward)	—	—	—
		Small-pox Hospital (Kendal M.B. and South Westmorland R.D.)	—	—	—
	4. Milnthorpe	WORKHOUSE	13	8	5
		Westmorland Consumption Sanatorium	—	—	—
XI.—WELSH.					
43.—Monmouthshire.					
580.—CHEPSTOW ..	1. Chepstow	WORKHOUSE	35	22	13
		Infectious Diseases Hospital (Joint Hospital Board)	1	1	—
	2. Lydney	Cottage Hospital	—	—	—
		Isolation Hospital (Lydney R.D.)	—	—	—
581.—MONMOUTH	3. Monmouth	WORKHOUSE	37	26	11
		General Hospital and Dispensary	3	2	1
		Fever Hospital (Monmouth M.B.)	—	—	—
582.—ABER- GAVENNY	3. Abergavenny	WORKHOUSE	29	18	11
		Victoria Cottage Hospital	5	3	2
		Sanatorium (Abergavenny M.B. & R.D.)	—	—	—
		Monmouth County Lunatic Asylum	88	53	35
	4. Blaenavon	The Hospital	1	1	—
583.—BEDWELLY	1. Aberystroth	Isolation Hospital (Nantyglo and Blaina U.D.) ..	—	—	—
		Isolation Hospital (Abertillery U.D.)	—	—	—
	2. Tredegar	WORKHOUSE (including Children's Homes) ..	67	52	15
		Fever Hospital (Tredegar U.D.)	1	1	—
		Cottage Hospital, Tredegar	4	4	—
		Cottage Hospital (Works Hospital), Ebbw Vale ..	13	11	2
		Rhymney Cottage Hospital, Bedwellty	6	5	1
	3. Rock Bedwellty ..	Isolation Hospital (Bedwellty U.D.)	1	1	—
584.—PONTYPOOL..	2. Pontypool	Isolation Hospital (Abersychan U.D.)	3	2	1
		Pontypool and District Hospital	19	8	11
	3. Llangibby	WORKHOUSE	38	25	13
585.—NEWPORT ..	1. Caerleon	Borough Lunatic Asylum (Newport C.B.)	35	19	16
	2. Newport	WORKHOUSE	140	84	56
		Newport and Monmouthshire Hospital	94	59	35
		Allt-yr-yn Infect. Dis. Hospital (Newport C.B.) ..	20	14	6
	3. Rogerstone	Port Sanitary Hospital (Newport C.B. and Port) ..	—	—	—
		Small-pox Hospital, Cefn (St. Mellons R.D.) ..	—	—	—
		Convalescent Home, Highfield, Bassaleg	1	1	—
	5. Mynyddislwyn ..	"Goverra" Infectious Dis. Hosp. (Abercarn U.D.)	1	—	1
44.—South Wales.					
Glamorganshire.					
586.—CARDIFF ..	1. Llandaff	WORKHOUSE	—	—	—
		Ely Isol. Hosp. (Llandaff and Dinas Powis R.D.) ..	5	3	2
		Cardiff Boro' Lunatic Asylum	29	14	15
	3. Central Cardiff† ..	Glamorganshire and Monmouthshire Infirmary ..	154	95	59
		Royal Hamadryad Seamen's Hospital	28	28	—
		Port Sanitary Hospital	—	—	—
	4. West Cardiff	WORKHOUSE	308	186	122
		WORKHOUSE (Cottage Homes)	—	—	—
		Sanatorium (City of Cardiff)	24	15	9
	5. Penarth	Isolation Hospital (Penarth U.D.)	3	1	2
	6. St. Nicholas	Barry Cottage Hospital (Accidents)	6	5	1
		Voluntary Hospital (General Diseases)	8	7	1
		Sanatorium (Barry U.D.)	—	—	—

* Formerly called Memorial Hospital.

† 586: 3.—In Nazareth House, 13 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
44.—South Wales—continued.					
Glamorganshire—continued.					
587.—PONTYPRIDD.	1. Eglwysilan	Small pox Hospital (Caerphilly U.D.)	—	—	—
		Small-pox Hospital (Pontypridd U.D.)	—	—	—
	2. Llanwonno	Infectious Diseases Hospital (Mountain Ash U.D.)	1	1	—
		Cottage Hospital	4	4	—
	3. Llantrisant	WORKHOUSE	105	79	26
		WORKHOUSE (Cottage Homes for Children)	—	—	—
		Infectious Diseases Hospital (Pontypridd U.D.) ..	4	4	—
		Infectious Diseases Hospital (Pontypridd R.D.) ..	1	—	1
	4. Ystradyfodwg.. ..	WORKHOUSE (Union Homes for Aged)	18	18	—
		Porth Cottage Hospital	11	7	4
588.—MERTHYR TYDFIL.		Rhondda Fever Hospital	13	8	5
		Ferndale Workmen's General Hospital	—	—	—
	1. Gelligaer	Penybank Fever Hosp. (Gelligaer and Rhigos R.D.)	1	1	—
	2. Lower Merthyr Tydfil	Mardy Fever Hospital (Merthyr Tydfil C.B.) ..	13	8	5
	3. Upper Merthyr Tydfil	WORKHOUSE	182	129	53
		General Hospital	33	25	8
	4. Aberdare	WORKHOUSE (Industrial School)	—	—	—
		Aberdare Cottage Hospital	8	6	2
		Infectious Diseases Hospital (Aberdare U.D.) ..	11	4	7
	589.—BRIDGEND ..	1. Maesteg	Small-pox Hospital (Maesteg U.D.)	—	—
		Isolation Hospital (Joint Committee)	2	2	—
2. Ogmore		Isolation Hospital (Ogmore and Garw U.D.) ..	2	1	1
4. Bridgend		WORKHOUSE	42	30	12
		WORKHOUSE Cottage Homes	3	2	1
		Cottage Hospital	—	—	—
		"The Rest," Convalescent Home (S. Wales Conv. Home)	—	—	—
		Small-pox Hospital (Joint Committee)	—	—	—
		Isolation Hospital (Joint Committee)	1	1	—
		Glamorgan County Lunatic Asylum ("Parc Gwylt and Angleton")	209	120	89
590.—NEATH ..	1. Margam	Sanatorium (Margam U.D.)	2	2	—
		Cottage Hospital	—	—	—
	2. Neath	WORKHOUSE	29	23	6
		Isolation Hospital, Cimla (Neath R.D.)	—	—	—
		Infectious Diseases Hospital (Neath M.B.)	—	—	—
	4. Cadoxton	WORKHOUSE Cottage Homes	—	—	—
591.—PONTARDAWE	1. Pontardawe	WORKHOUSE	9	8	1
		Ystalyfera Small-pox Hosp. (Pontardawe R.D.)	—	—	—
		Pontardawe Isolation Hospital (Jt. Hosp. Comm.)	—	—	—
592.—SWANSEA ..	1. Llandilo Talybont ..	WORKHOUSE Cottage Home	—	—	—
	3. Swansea	WORKHOUSE	149	84	65
		Swansea Hospital	145	98	47
		Borough Hospital (Infectious Diseases)	13	5	8
		Swansea and S. Wales Nursing Institute	8	4	4
		Swansea Hospital Convalescent Home	1	1	—
593.—GOWER ..	2. Gower Western ..	WORKHOUSE	7	4	3
Carmarthenshire.					
594.—LLANELLY ..	1. Loughor	Garngoch Fever Hospital (Swansea R.D.)	—	—	—
	2. Llanelly	WORKHOUSE	12	8	4
		Llanelly Hospital	14	8	6
		Isolation Hospital (Llanelly U.D.)	1	—	1
595.—LLANDOVERY	4. Llandingat	WORKHOUSE	5	3	2
596.—LLANDILO- FAWR	4. Llandilo	WORKHOUSE	9	6	3
597.—CARMARTHEN	3. Carmarthen	WORKHOUSE	17	12	5
		County and Borough General Infirmary	10	6	4
		Carmarthen, Cardigan & Pembroke Jnt. Co.'s Lun. Asy.	60	31	29

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
44.—South Wales—continued.					
Pembrokeshire.					
598.—NARBERTH ..	3. Begelly	WORKHOUSE	4	2	2
599.—PEMBROKE ..	1. Tenby	Pembroke Infirmary and Dispensary	1	—	1
		Cottage Hospital	5	4	1
	2. Pembroke	WORKHOUSE	27	13	14
		Military Station Hospital	—	—	—
		Royal Naval Hospital	—	—	—
600.—HAVERFORD- WEST		Isolation Hospital (Pembroke M.B.)	—	—	—
	1. Milford	Hospital (Contag. Dis.; Port Sanitary Authority)	—	—	—
	2. Haverfordwest ..	WORKHOUSE	21	12	9
		Pembrokeshire and Haverfordwest Infirmary ..	10	5	5
Cardiganshire.					
601.—CARDIGAN ..	2. Cardigan	WORKHOUSE	8	3	5
602.—NEWCASTLE IN EMLYN	3. Cenarth	WORKHOUSE	3	2	1
603.—LAMPETER ..	1. Llanybyther	West Wales Sanatorium (Pulmonary Tuberculosis)	—	—	—
	3. Lampeter	WORKHOUSE	1	1	—
604.—ABERAYRON	2. Llansantffraid ..	WORKHOUSE	4	1	3
605.—ABERYST- WITH	2. Aberystwith	WORKHOUSE	6	4	2
		Aberystwith and Cardigan General Infirmary ..	11	7	4
606.—TREGARON ..	3. Tregaron	WORKHOUSE	4	3	1
Brecknockshire.					
607.—BUILTH ..	4. Builth	WORKHOUSE	4	2	2
		Cottage Hospital	2	1	1
608.—BRECKNOCK	1. Defynnock	Cray Hospital (Swansea C.B. Waterworks) ..	—	—	—
	2. Brecknock	WORKHOUSE	14	7	7
		County and Borough Infirmary	3	3	—
		Infectious Diseases Hospital (Brecknock U.D.) ..	—	—	—
609.—CRICK- HOWELL	2. Beaufort	Fever Hospital (Ebbw Vale U.D.)	5	2	3
	4. Crickhowell	WORKHOUSE	19	18	1
610.—HAY ..	1. Talgarth	Brecon and Radnor Lunatic Asylum	35	21	14
	2. Hay	WORKHOUSE	9	5	4
Radnorshire.					
611.—KNIGHTON ..	2. Knighton	WORKHOUSE	6	5	1
612.—RHAYADER ..	1. Rhayader	Elan Village Acc. Hosp. (Birmingham Water Wrks.)	—	—	—
		Elan Valley Inf. Dis. Hosp. (Birmingham Water Works)	—	—	—
	2. Nantmel	WORKHOUSE	2	2	—
		Llandrindod Wells Cottage Hospital	2	2	—
45.—North Wales.					
Montgomeryshire.					
613.—MACHYNL- LETH	1. Machynlleth	WORKHOUSE	1	—	1
		Londonderry Cottage Hospital	—	—	—
614.—NEWTOWN ..	2. Llanwnnog	WORKHOUSE	21	18	3
	4. Newtown	Montgomery Infirmary	7	7	—
		Small-pox Hos. (Newtown & Llanllwchaiarn U.D.)	—	—	—
		Isolation Hospital (Phthisis, &c., Newtown and Llanllwchaiarn U.D.)	1	—	1
615.—FORDEN ..	2. Chirbury	WORKHOUSE	16	11	5
		Forden Isolation Hospital (Montgomery M.B., Forden R.D. and Chirbury R.D.)	—	—	—
616.—LLANFYLLIN	2. Llansantffraid ..	WORKHOUSE	11	10	1

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1908—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
45.—North Wales—continued.					
Flintshire.					
617a.—HOLYWELL	2. Holywell	WORKHOUSE	35	17	18
	4. Mold	Cottage Hospital	1	1	—
617b.—HAWARDEN	1. Hawarden	WORKHOUSE	12	9	3
		Isolation Hospital (Hawarden R.D.)	5	2	3
Denbighshire.					
618.—WREXHAM ..	2. Ruabon	Accident Hospital	2	2	—
	3. Wrexham	WORKHOUSE	69	42	27
		Infirmery and General Dispensary	20	12	8
		Sanitary Hospital (Wrexham M.B. & R.D.)	13	3	10
619.—RUTHIN ..	2. Ruthin	WORKHOUSE	9	7	2
		Vale of Clwyd Sanatorium (Tuberculosis)	3	2	1
620.—ST. ASAPH ..	1. St. Asaph	WORKHOUSE	38	22	16
		Women's Convalescent Home	—	—	—
		Royal Alexandra Hospital (Rhyl)	3	1	2
		Hendre Hosp. (tem. Beh. of Royal Alexandra Hosp.)	—	—	—
	2. Abergelle	Men's Convalescent Institution	—	—	—
		Walsall Convalescent Hospital	—	—	—
		Isolation Hospital (Rhyl U.D.)	1	1	—
		3. Denbigh	Denbigh Infirmary	13	11
	North Wales Counties Lunatic Asylum	87	50	37	
621.—LLANRWST ..	1. Llanrwst	WORKHOUSE	5	4	1
Merionethshire.					
622.—CORWEN ..	1. Corwen	WORKHOUSE	11	8	3
	2. Llangollen	Cottage Hospital	1	1	—
623.—BALA ..	1. Bala	WORKHOUSE	3	1	2
624.—DOLGELLY ..	2. Barmouth	WORKHOUSE	3	2	1
625.—FESTINIOG ..	1. Deudraeth	WORKHOUSE	10	3	7
	2. Festiniog	Oakley's Hospital	1	1	—
Carnarvonshire.					
626.—PWLLEHeli ..	2. Pwllheli	WORKHOUSE	7	6	1
627.—CARNARVON	2. Llanrug	Dinorwic Quarry Hospital	—	—	—
	3. Carnarvon	WORKHOUSE	19	13	6
		Cottage Hospital	1	—	1
		Infectious Diseases Hospital (Carnarvon M.B.)	4	1	3
		Small-pox Hospital (Gwyrfaï R.D.)	—	—	—
628.—BANGOR ..	2. Bangor	WORKHOUSE and Fever Hospital	18	13	5
		Carnarvon and Anglesey Infirmary	13	8	5
		Bangor Borough Hospital for Infectious Diseases	1	1	—
		Beaumaris Port Hospital Ship	—	—	—
	3. Llanfairfechan	Heath Convalescent Home	—	—	—
		4. Llanllechid	Penrhyn Hospital	1	1
629.—CONWAY ..	1. Conway	WORKHOUSE	23	17	6
	2. Llandudno	Cottage Hospital, Llandudno	4	1	3
		Infectious Diseases Hospital (Llandudno U.D.)	1	1	—
	3. Colwyn Bay	Cottage Hospital	2	—	2
		Small-pox Hosp. (Colwyn Bay and Colwyn U.D.)	—	—	—
		Inf. Dis. Hosp. (Colwyn Bay and Colwyn U.D.)	—	—	—
Anglesey.					
630.—ANGLESEY ..	3. Llanfechell	WORKHOUSE	1	1	—
631.—HOLYHEAD ..	2. Llanddeusant	WORKHOUSE	10	9	1
	3. Holyhead	Stanley Hospital	2	—	2

DEATHS
OF
PERSONS, MALES, AND FEMALES,
AT DIFFERENT AGES,
IN REGISTRATION DIVISIONS AND COUNTIES,
1908.

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES.

REGISTRATION DIVISIONS.		AGES AT DEATH.												TOTAL DEATHS.									
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.		
No. I.	ENGLAND AND WALES.	520456	60587	22217	30450	113254	23567	10849	6753	4896	164319	12255	6919	9342	11630	28054	35804	45993	60760	74202	55697	15481	
		{ M. F. }	{ 34856 25731 }	{ 12292 9925 }	{ 16446 14004 }	{ 63594 49660 }	{ 14895 13672 }	{ 5580 5269 }	{ 3415 3338 }	{ 2450 2446 }	{ 89934 74385 }	{ 6059 6196 }	{ 3387 3532 }	{ 4808 4534 }	{ 5999 5631 }	{ 14566 13488 }	{ 19216 16588 }	{ 24899 21094 }	{ 32576 28184 }	{ 36545 37637 }	{ 24784 30913 }	{ 5941 9540 }	
		{ P. M. F. }	{ 32841 3045 }	{ 1561 1245 }	{ 2197 1854 }	{ 7936 6144 }	{ 2056 1888 }	{ 802 762 }	{ 480 442 }	{ 319 280 }	{ 11593 9516 }	{ 682 715 }	{ 434 423 }	{ 566 508 }	{ 745 672 }	{ 2058 1642 }	{ 2993 2398 }	{ 3842 3021 }	{ 4381 3697 }	{ 4334 4563 }	{ 2652 3838 }	{ 561 1289 }	
No. II.	SOUTH EASTERN.	46268	4343	1297	1727	7367	1540	652	454	356	10369	1043	640	840	1126	2644	3371	4154	5531	7504	6776	2270	
		{ M. F. }	{ 23777 22491 }	{ 2543 1800 }	{ 718 579 }	{ 4231 3136 }	{ 789 751 }	{ 352 300 }	{ 216 238 }	{ 176 180 }	{ 5784 4605 }	{ 536 507 }	{ 318 322 }	{ 444 396 }	{ 628 498 }	{ 1405 1239 }	{ 1888 1483 }	{ 2186 1968 }	{ 2802 2629 }	{ 3697 3807 }	{ 3106 3670 }	{ 903 1367 }	
		{ P. M. F. }	{ 23777 22491 }	{ 2543 1800 }	{ 718 579 }	{ 4231 3136 }	{ 789 751 }	{ 352 300 }	{ 216 238 }	{ 176 180 }	{ 5784 4605 }	{ 536 507 }	{ 318 322 }	{ 444 396 }	{ 628 498 }	{ 1405 1239 }	{ 1888 1483 }	{ 2186 1968 }	{ 2802 2629 }	{ 3697 3807 }	{ 3106 3670 }	{ 903 1367 }	
No. III.	SOUTH MIDLAND*.	39630	3311	974	1333	5613	1142	542	372	280	7954	706	376	553	671	1489	1921	2506	3509	4947	4552	1446	
		{ M. F. }	{ 15542 1406 }	{ 531 443 }	{ 729 604 }	{ 3165 2453 }	{ 598 544 }	{ 311 231 }	{ 197 175 }	{ 146 134 }	{ 4417 3537 }	{ 363 343 }	{ 196 180 }	{ 276 277 }	{ 353 318 }	{ 761 728 }	{ 1028 893 }	{ 1328 1178 }	{ 1852 1657 }	{ 2380 2367 }	{ 2015 2537 }	{ 573 873 }	
		{ P. M. F. }	{ 15542 1406 }	{ 531 443 }	{ 729 604 }	{ 3165 2453 }	{ 598 544 }	{ 311 231 }	{ 197 175 }	{ 146 134 }	{ 4417 3537 }	{ 363 343 }	{ 196 180 }	{ 276 277 }	{ 353 318 }	{ 761 728 }	{ 1028 893 }	{ 1328 1178 }	{ 1852 1657 }	{ 2380 2367 }	{ 2015 2537 }	{ 573 873 }	
No. IV.	EASTERN.	27723	3143	954	1322	5419	1288	515	314	248	7784	680	373	451	580	1392	1671	2119	2906	4161	4150	1461	
		{ M. F. }	{ 14154 13574 }	{ 1800 1343 }	{ 531 423 }	{ 740 582 }	{ 3071 2348 }	{ 681 607 }	{ 273 242 }	{ 164 150 }	{ 120 128 }	{ 4309 3475 }	{ 344 336 }	{ 174 199 }	{ 233 218 }	{ 314 266 }	{ 731 661 }	{ 872 799 }	{ 1137 982 }	{ 1529 1377 }	{ 2037 2124 }	{ 1880 2270 }	{ 594 867 }
		{ P. M. F. }	{ 14154 13574 }	{ 1800 1343 }	{ 531 423 }	{ 740 582 }	{ 3071 2348 }	{ 681 607 }	{ 273 242 }	{ 164 150 }	{ 120 128 }	{ 4309 3475 }	{ 344 336 }	{ 174 199 }	{ 233 218 }	{ 314 266 }	{ 731 661 }	{ 872 799 }	{ 1137 982 }	{ 1529 1377 }	{ 2037 2124 }	{ 1880 2270 }	{ 594 867 }
No. V.	SOUTH WESTERN.	27669	2441	698	945	4084	740	322	297	188	5541	547	335	546	649	1429	1731	2285	3314	4942	4711	1639	
		{ M. F. }	{ 13798 13871 }	{ 1407 1034 }	{ 378 320 }	{ 534 411 }	{ 2319 1765 }	{ 382 358 }	{ 162 160 }	{ 102 105 }	{ 100 88 }	{ 3065 2476 }	{ 270 277 }	{ 167 168 }	{ 281 265 }	{ 345 304 }	{ 731 698 }	{ 929 802 }	{ 1225 1060 }	{ 1712 1602 }	{ 2338 2604 }	{ 2081 2630 }	{ 654 935 }
		{ P. M. F. }	{ 13798 13871 }	{ 1407 1034 }	{ 378 320 }	{ 534 411 }	{ 2319 1765 }	{ 382 358 }	{ 162 160 }	{ 102 105 }	{ 100 88 }	{ 3065 2476 }	{ 270 277 }	{ 167 168 }	{ 281 265 }	{ 345 304 }	{ 731 698 }	{ 929 802 }	{ 1225 1060 }	{ 1712 1602 }	{ 2338 2604 }	{ 2081 2630 }	{ 654 935 }
No. VI.	WEST MIDLAND.	53463	7240	2664	3192	13096	3048	1138	734	600	18616	1389	729	1000	1132	3023	3804	5007	6634	8664	6667	1798	
		{ M. F. }	{ 30145 28323 }	{ 4138 3102 }	{ 1420 1244 }	{ 1696 1496 }	{ 7254 5842 }	{ 1564 1484 }	{ 572 566 }	{ 368 366 }	{ 281 319 }	{ 10039 8577 }	{ 674 715 }	{ 368 361 }	{ 487 513 }	{ 579 553 }	{ 1587 1441 }	{ 1994 1810 }	{ 2755 2252 }	{ 3624 3010 }	{ 4346 4318 }	{ 2996 3671 }	{ 696 1102 }
		{ P. M. F. }	{ 30145 28323 }	{ 4138 3102 }	{ 1420 1244 }	{ 1696 1496 }	{ 7254 5842 }	{ 1564 1484 }	{ 572 566 }	{ 368 366 }	{ 281 319 }	{ 10039 8577 }	{ 674 715 }	{ 368 361 }	{ 487 513 }	{ 579 553 }	{ 1587 1441 }	{ 1994 1810 }	{ 2755 2252 }	{ 3624 3010 }	{ 4346 4318 }	{ 2996 3671 }	{ 696 1102 }
No. VII.	NORTH MIDLAND.	32013	4172	1500	1963	7640	1614	541	377	286	10458	802	424	558	698	1610	1829	2589	3491	4606	3895	1053	
		{ M. F. }	{ 18644 15369 }	{ 2423 1749 }	{ 847 653 }	{ 1080 883 }	{ 4350 3290 }	{ 818 796 }	{ 281 260 }	{ 207 170 }	{ 143 143 }	{ 5799 4659 }	{ 382 420 }	{ 218 206 }	{ 286 272 }	{ 345 353 }	{ 798 812 }	{ 931 898 }	{ 1394 1195 }	{ 1894 1597 }	{ 2299 2307 }	{ 1879 2016 }	{ 419 634 }
		{ P. M. F. }	{ 18644 15369 }	{ 2423 1749 }	{ 847 653 }	{ 1080 883 }	{ 4350 3290 }	{ 818 796 }	{ 281 260 }	{ 207 170 }	{ 143 143 }	{ 5799 4659 }	{ 382 420 }	{ 218 206 }	{ 286 272 }	{ 345 353 }	{ 798 812 }	{ 931 898 }	{ 1394 1195 }	{ 1894 1597 }	{ 2299 2307 }	{ 1879 2016 }	{ 419 634 }

* On 1st April, 1908, the boundary between these divisions was altered, see page 499. The figures are shown as if the change had taken place at the beginning of the year.

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

No.	REGISTRATION DIVISIONS.	TOTAL DEATHS.	AGES AT DEATH.																			85 and up- wards.
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
VIII.	NORTH WESTERN ..	{ P. 93983 M. 43187 F. 45796	10851	4497	6342	21690	6269	2414	1441	989	32803	2415	1297	1660	2061	5371	7173	9209	11874	12335	6614	1171
			6212	2482	3372	12066	3300	1217	704	496	17783	1194	617	842	1029	2749	3827	4939	6208	5883	2713	403
IX.	YORKSHIRE ..	{ P. 61049 M. 31998 F. 29051	7208	2734	4042	13984	4030	1423	868	601	20906	1453	791	1112	1453	3158	4094	5321	7400	8655	5498	1208
			4253	1519	2171	7943	2161	720	451	295	11570	688	376	575	727	1634	2210	2851	4026	4382	2467	492
X.	NORTHERN ..	{ P. 38664 M. 20410 F. 18254	5697	2125	3002	10824	2857	994	574	399	15643	966	513	801	893	2078	2424	2982	4006	4632	3007	704
			3240	1192	1582	6014	1473	506	282	194	8469	476	240	433	454	1057	1301	1607	2249	2418	1440	266
XI.	WELSH ..	{ P. 36861 M. 19218 F. 17643	4958	1968	2526	9452	2095	744	490	350	13131	857	584	747	950	2155	2385	2958	4017	4859	3337	881
			2757	1113	1375	5245	1073	384	244	180	7126	450	279	385	480	1055	1243	1635	2199	2431	1555	380
			2201	855	1151	4207	1022	360	246	170	6005	407	305	362	470	1100	1142	1323	1818	2428	1782	501

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																			
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
No. 1	I.—LONDON. LONDON* .. { P. M. F.	67123 34841 32282	7223 4178 3045	2806 1561 1245	4051 2197 1854	14080 7936 6144	3944 2056 1888	1564 802 762	922 480 442	599 319 280	21109 11593 9516	1397 682 715	857 434 423	1074 566 508	1417 745 672	3700 2058 1642	5391 2993 2398	6863 3842 3021	8078 4381 3697	8897 4334 4563	6490 2652 3838	1850 561 1289
2	II.—SOUTH EASTERN. SURREY .. { P. M. F.	10572 5453 5119	963 586 377	326 192 134	411 245 166	1700 1023 677	376 193 183	171 96 75	127 56 71	86 42 44	2460 1410 1050	241 137 104	139 80 59	169 88 81	248 124 124	607 301 306	850 487 363	1012 526 486	1374 714 660	1685 849 836	1354 587 767	433 150 283
3	KENT .. { P. M. F.	12629 6541 6088	1211 700 511	373 198 175	520 288 232	2104 1186 918	483 259 224	197 102 95	121 55 66	96 47 49	3001 1649 1352	322 165 157	223 119 104	271 144 127	334 200 134	711 382 329	888 467 421	1072 558 514	1435 750 685	1929 983 946	1830 879 951	613 245 368
4	SUSSEX .. { P. M. F.	8169 4105 4064	688 385 303	170 100 70	261 149 112	1119 634 485	220 112 108	92 53 39	60 29 31	57 31 26	1548 859 689	142 74 68	84 34 50	121 62 59	184 97 87	439 225 214	554 301 253	765 383 382	1024 544 480	1471 690 781	1352 626 726	485 210 275
5	HAMP- SHIRE .. { P. M. F.	11101 5745 5356	1143 678 465	338 179 159	397 208 189	1878 1065 813	353 180 173	141 70 71	112 57 55	96 42 54	2580 1414 1166	259 124 135	148 61 87	207 114 93	283 168 115	708 398 310	849 510 339	969 528 441	1259 654 605	1729 852 877	1584 709 875	526 213 313
6	BERK- SHIRE .. { P. M. F.	3797 1933 1864	338 194 144	90 49 41	138 80 58	566 323 243	108 45 63	51 31 20	34 19 15	21 14 7	780 432 348	79 36 43	46 24 22	72 36 36	77 39 38	179 99 80	230 123 107	336 191 145	439 240 199	690 323 367	656 305 351	213 85 128
7	III.—SOUTH MIDLAND. MIDDLE- SEX* .. { P. M. F.	11822 5983 5839	1447 825 622	495 265 230	675 353 322	2617 1443 1174	587 316 271	273 161 112	174 99 75	135 68 67	3786 2087 1699	303 167 141	146 80 66	179 85 94	229 108 121	634 325 309	795 416 379	1045 563 482	1314 723 591	1576 740 836	1398 542 856	412 147 265
8	HERTFORD- SHIRE .. { P. M. F.	3405 1709 1696	309 171 138	77 44 33	113 57 56	499 272 227	77 45 32	44 29 15	37 14 23	24 14 10	681 374 307	56 28 28	34 20 14	61 30 31	83 48 35	205 101 104	244 132 112	282 144 138	406 194 212	604 303 301	573 261 312	176 74 102

* On 1st April, 1908, the boundary between London and Middlesex was altered, see page 499. The figures are shown as if the change had taken place at the beginning of the year.

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.													85 and up-wards.						
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
III.—SOUTH MIDLAND— <i>continued.</i>																						
No. 9	BUCKING- HAMSHIRE { P. { M. { F. {	2272 1189 1083	225 139 86	58 30 28	79 47 32	362 216 146	58 31 27	27 17 10	25 14 11	18 13 5	490 291 199	58 28 30	29 15 14	35 22 13	57 34 23	91 51 40	140 75 65	155 94 61	253 139 114	414 186 228	405 191 214	145 63 82
10	OXFORD- SHIRE .. { P. { M. { F. {	2600 1313 1287	213 120 93	66 36 30	76 46 30	355 202 153	72 27 45	22 12 10	21 12 9	14 6 8	484 259 225	37 24 13	39 19 20	49 25 24	61 27 34	106 51 55	139 66 73	206 114 92	322 173 149	514 256 258	481 231 250	162 68 94
11	NORTH- AMPTON- SHIRE .. { P. { M. { F. {	4546 2330 2216	483 283 200	118 63 55	163 103 60	764 449 315	144 76 68	73 42 31	49 27 22	41 15 26	1071 609 462	94 41 53	65 33 32	113 58 55	120 72 48	226 120 106	278 160 118	383 183 200	535 267 268	761 377 384	681 315 366	219 95 124
12	HUNTING- DONSHIRE { P. { M. { F. {	631 297 334	52 28 24	18 6 12	20 10 10	90 44 46	19 14 5	11 5 6	3 — 3	3 2 1	126 65 61	15 5 10	6 1 5	15 8 7	10 5 5	23 10 13	30 17 13	26 15 11	65 37 28	139 59 80	127 63 64	49 12 37
13	BEDFORD- SHIRE .. { P. { M. { F. {	2423 1223 1200	271 161 110	69 46 23	74 37 37	414 244 170	61 31 30	45 25 20	21 13 8	15 10 5	556 323 233	62 35 27	26 14 12	45 18 27	42 22 20	93 50 43	141 78 63	198 97 101	276 135 141	458 210 248	413 192 221	113 49 64
14	CAM- BRIDGE- SHIRE .. { P. { M. { F. {	2931 1498 1433	311 178 133	73 41 32	133 76 57	517 295 222	124 58 66	47 20 27	42 18 24	30 18 12	760 409 351	76 35 41	31 14 17	56 30 26	69 37 32	111 53 58	154 84 70	211 118 93	338 184 154	481 249 232	474 220 254	170 65 105
IV.—EASTERN.																						
15	ESSEX .. { P. { M. { F. {	15381 7868 7513	1861 1042 819	640 352 288	820 455 365	3321 1849 1472	889 479 410	360 190 170	216 105 111	168 84 84	4954 2707 2247	436 218 218	209 99 110	268 149 119	326 187 139	800 421 379	995 513 482	1286 697 589	1646 843 803	2038 1001 1037	1860 819 1041	563 214 349
16	SUFFOLK .. { P. { M. { F. {	5436 2773 2663	523 309 214	121 71 50	206 120 86	850 500 350	178 96 82	55 28 27	50 30 20	41 17 24	1174 671 503	100 56 44	66 34 32	86 40 46	113 57 56	282 139 143	317 180 137	387 200 187	567 295 272	945 455 490	1031 483 548	368 163 205

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																				
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
No. 17	IV.—EASTERN <i>continued.</i> NORFOLK .. { P. M. F. }	6911 3513 3398	759 449 310	193 108 85	296 165 131	1248 722 526	221 106 115	100 55 45	48 29 19	39 19 20	1656 931 725	144 70 74	98 41 57	97 44 53	141 70 71	310 171 139	359 179 180	446 240 206	693 391 302	1178 581 597	1259 578 681	530 217 313
18	V.—SOUTH WESTERN. WILT- SHIRE .. { P. M. F. }	3542 1766 1776	333 197 136	89 44 45	100 57 43	522 298 224	108 57 51	37 19 18	25 10 15	20 9 11	712 393 319	66 35 31	36 22 14	70 38 32	60 28 32	166 77 89	209 99 110	269 132 137	457 248 209	669 313 356	600 282 318	228 99 129
19	DORSET- SHIRE .. { P. M. F. }	2695 1366 1329	213 118 100	47 22 25	88 48 40	353 188 165	69 35 34	29 20 9	24 13 11	20 10 10	495 266 229	65 22 43	42 22 20	60 38 22	69 40 29	131 78 53	183 95 88	204 108 96	317 156 161	493 256 237	465 222 243	171 63 108
20	DEVON- SHIRE .. { P. M. F. }	10194 5122 5072	903 508 395	309 179 130	375 295 170	1587 892 695	267 133 134	138 57 81	80 43 37	70 38 32	2142 1163 979	209 103 106	135 68 67	195 100 95	247 129 118	562 289 273	693 373 320	877 491 386	1175 608 567	1713 818 895	1667 733 934	579 247 332
21	CORN- WALL .. { P. M. F. }	4718 2361 2357	455 268 187	133 66 67	164 99 65	752 433 319	133 73 60	46 27 19	29 16 13	34 20 14	994 569 425	80 49 31	46 21 25	112 54 58	109 71 38	230 123 107	268 155 113	390 211 179	558 277 281	862 391 471	803 331 472	266 109 157
22	SOMERSET- SHIRE .. { P. M. F. }	6520 3183 3337	532 316 216	129 67 53	218 125 93	870 508 362	163 84 79	72 39 33	49 20 29	44 23 21	1198 674 524	127 61 66	76 34 42	109 51 58	164 77 87	340 164 176	378 207 171	545 283 262	807 423 384	1205 560 645	1176 513 663	395 136 259
23	VI.—WEST MIDLAND. GLOUCES- TERSHIRE. { P. M. F. }	9340 4666 4674	953 566 387	316 175 141	407 215 192	1676 956 720	369 185 184	142 75 67	100 54 46	89 38 51	2376 1308 1068	198 106 92	112 64 48	180 88 92	198 93 105	482 260 222	560 271 289	785 442 343	1107 552 555	1513 735 778	1347 574 773	482 173 309
24	HEREFORD- SHIRE .. { P. M. F. }	1623 868 755	106 60 46	38 21 17	37 22 15	181 103 78	52 24 28	19 10 9	12 7 5	13 6 7	277 150 127	38 17 21	13 6 7	19 8 11	22 12 10	66 27 39	103 59 44	136 82 54	229 140 89	316 174 142	308 153 155	96 40 56

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.												85 and up- wards.							
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
No. 25	WEST MIDLAND— <i>continued.</i> SHROPSHIRE .. { P. 3873 M. 1991 F. 1882	383 204 179	111 60 51	142 73 69	636 337 299	126 68 58	39 26 13	41 21 20	33 16 17	875 463 407	82 42 40	51 21 30	79 40 39	72 41 31	212 98 114	199 101 98	282 153 129	439 246 193	708 369 339	671 324 347	203 88 115
26	STAFFORD- SHIRE .. { P. 20947 M. 10878 F. 10069	3041 1696 1345	1170 612 558	1331 712 619	5542 3020 2522	1290 657 633	484 225 259	284 137 147	220 100 120	7820 4139 3681	531 258 273	274 141 133	328 163 165	399 198 201	1047 545 502	1382 730 652	1760 965 795	2243 1283 990	2865 1449 1416	1906 855 1051	392 152 240
27	WORCES- TERSHIRE .. { P. 7440 M. 3789 F. 3651	854 508 346	284 168 116	308 173 135	1446 849 597	308 164 144	131 65 66	77 42 35	71 32 39	2033 1152 881	161 71 90	86 38 48	138 64 74	152 77 75	366 185 181	472 235 237	648 332 316	906 487 419	1204 605 599	998 436 562	276 107 169
28	WARWICK- SHIRE .. { P. 15245 M. 7953 F. 7292	1903 1104 799	745 384 361	967 501 466	3615 1989 1626	903 466 437	323 171 152	220 107 113	174 89 85	5235 2822 2413	379 180 199	193 98 95	256 124 132	289 158 131	855 472 383	1088 598 490	1396 781 615	1710 916 794	2058 1014 1044	1437 654 783	349 136 213
29	VII.—NORTH MIDLAND LEICESTERSHIRE .. { P. 6468 M. 3271 F. 3197	785 456 329	291 170 121	377 199 178	1453 825 628	359 181 178	124 60 64	95 48 47	54 21 33	2085 1135 950	166 92 74	77 41 36	122 55 67	162 80 82	354 188 166	391 185 206	533 279 254	679 372 307	868 405 463	807 366 441	224 73 151
30	RUTLAND- SHIRE .. { P. 292 M. 154 F. 138	21 13 8	5 2 3	11 6 5	37 21 16	4 2 2	4 4 —	1 — 1	2 1 1	48 28 20	3 1 2	1 — 1	7 5 2	2 1 1	9 3 6	18 9 9	17 11 6	34 15 19	64 34 30	65 38 27	24 9 15
31	LINCOLN- SHIRE .. { P. 7624 M. 3978 F. 3646	846 501 345	324 189 135	410 231 179	1580 921 659	289 154 135	93 48 45	64 37 27	62 33 29	2088 1193 895	166 79 87	117 57 60	142 73 69	190 93 97	360 175 185	406 208 198	612 321 291	812 449 363	1229 636 593	1116 542 574	386 152 234
32	NOTTING- HAMSHIRE .. { P. 10082 M. 5263 F. 4814	1520 882 638	537 240 247	710 382 328	2767 1654 1213	563 283 280	183 96 87	117 62 55	93 46 47	3723 2041 1682	272 119 153	145 69 76	170 98 72	192 94 98	470 229 241	571 292 279	814 430 384	1062 561 501	1312 680 632	1104 546 558	247 109 138

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.													85 and upwards.						
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
No. 33	NORTH MIDLAND— <i>continued.</i> DERBYSHIRE .. VIII.—NORTH WESTERN.	{ P. M. F. } 7547 3973 3574	1000	343	460	1803	399	137	100	75	2514	195	84	117	152	417	443	613	904	1133	803	172
			571 429	196 147	262 198	1029 774	198 201	73 64	60 40	42 33	1402 1112	91 104	51 33	55 62	77 75	203 214	237 206	353 260	497 407	544 589	387 416	76 96
No. 34	CHESHIRE .. IX.—YORKSHIRE.	{ P. M. F. } 12421 6184 6237	1342	568	711	2621	709	291	177	119	3917	288	168	216	239	727	868	1083	1529	1895	1234	257
			733 609	307 261	351 360	1391 1230	374 335	143 148	87 90	52 67	2047 1870	137 151	79 89	105 111	108 131	367 360	466 402	562 521	767 762	924 971	527 707	95 162
No. 35	LANCASHIRE .. X.—NORTHUMB- ERLAND	{ P. M. F. } 81562 43003 39559	9509	3929	5631	19069	5569	2123	1264	870	28886	2127	1129	1444	1822	4644	6305	8126	10345	10440	5380	914
			5479 4030	2175 1754	3021 2610	10675 8394	2926 2634	1074 1049	617 647	444 426	15736 13150	1057 1070	538 591	737 707	921 901	2382 2262	3361 2944	4377 3749	5441 4904	4959 5481	2186 3194	308 606
No. 36	WEST RIDING .. EAST RIDING (WITH YORK)	{ P. M. F. } 46704 24371 22333	5482	2054	3129	10665	3100	1081	652	463	15961	1102	591	854	1127	2382	3173	4185	5861	6723	3990	755
			3212 2270	1147 907	1688 1461	6027 4638	1672 1428	566 515	340 312	221 212	8826 7135	525 577	277 314	431 423	580 547	1217 1165	1715 1458	2220 1965	3185 2676	3357 3366	1744 2246	294 461
No. 37	NORTH RIDING .. DURHAM .. X.—NORTHERN.	{ P. M. F. } 7655 4124 3531	908	361	499	1768	427	152	87	68	2502	179	113	138	180	416	502	630	855	1089	817	234
			567 341	197 164	283 216	1047 721	229 198	70 82	48 39	36 32	1430 1072	83 96	59 54	71 67	78 102	212 204	258 244	362 268	466 389	597 492	395 422	113 121
No. 38	NORTH RIDING .. DURHAM .. X.—NORTHERN.	{ P. M. F. } 6690 3503 3187	818	319	414	1551	503	190	129	70	2443	172	87	120	146	360	419	506	684	843	691	219
			474 344	175 144	220 194	869 682	260 243	84 106	63 66	38 32	1314 1129	80 92	40 47	73 47	69 77	205 155	237 182	269 237	375 309	428 415	328 363	85 134
No. 39	DURHAM .. NORTHUMB- ERLAND	{ P. M. F. } 22414 11937 10477	3509	1361	1944	6814	1847	652	354	246	9913	585	279	451	522	1161	1400	1596	2213	2468	1512	314
			1399 1510	766 595	1016 928	3781 3033	965 882	327 325	177 177	122 124	5372 4541	284 301	127 152	249 202	272 250	574 587	731 669	864 732	1236 977	1332 1136	773 739	123 191
No. 40	NORTHUMB- ERLAND	{ P. M. F. } 11178 5881 5297	1613	566	798	2977	789	266	174	114	4320	272	154	237	247	646	766	934	1180	1331	876	215
			910 703	317 249	433 365	1660 1317	391 395	132 134	84 90	53 61	2323 1997	142 130	78 76	130 107	118 129	355 291	422 344	507 427	685 495	671 660	373 503	77 138

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																	85 and up-wards.		
No.			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
41	X.—NORTHERN —continued. CUMBER- LAND	4239 2159 2080	500 288 212	180 98 82	226 116 110	906 502 404	207 105 102	66 39 27	41 18 23	35 17 18	1255 681 574	88 39 49	67 29 38	102 49 53	113 58 55	237 112 125	221 121 100	377 199 178	511 275 236	660 324 336	479 225 254	129 47 82
42	WESTMOR- LAND	833 433 400	75 43 32	18 11 7	34 17 17	127 71 56	14 9 5	10 8 2	5 3 2	4 2 2	160 93 67	21 11 10	13 6 7	11 5 6	11 6 5	34 16 18	47 27 20	75 37 38	102 53 49	173 91 82	140 69 71	46 19 27
43	XI.—WELSH. MON- MOUTH- SHIRE	6142 3257 2885	914 483 431	329 174 155	513 280 233	1756 937 819	429 225 204	130 70 60	86 43 43	69 33 36	2470 1308 1162	139 79 60	88 45 43	122 62 60	152 84 68	357 191 166	411 230 181	477 273 204	641 371 270	689 342 347	473 228 245	123 44 79
44	SOUTH WALES	22929 12050 10879	3253 1817 1436	1374 787 587	1743 950 793	6370 3554 2816	1405 713 692	494 256 238	335 166 169	226 118 108	8830 4807 4023	530 278 252	379 177 202	472 254 218	600 301 299	1381 690 691	1515 794 721	1832 1015 817	2414 1330 1084	2780 1400 1380	1752 815 937	444 189 255
45	NORTH WALES	7790 3911 3879	791 457 334	265 152 113	270 145 125	1326 754 572	261 135 126	120 58 62	69 35 34	55 29 26	1831 1011 820	188 93 95	117 57 60	153 69 84	198 95 103	417 174 243	459 219 240	649 347 302	962 498 464	1390 689 701	1112 512 600	314 147 167
46	SOUTH WALES. GLAMOR- GANSHIRE	16731 8981 7750	2611 1448 1163	1172 671 501	1443 786 657	5226 2905 2321	1173 600 573	392 197 195	272 131 141	181 97 84	7244 3930 3314	406 219 187	268 131 137	315 185 130	443 231 212	1029 532 497	1174 631 543	1352 780 572	1666 944 722	1743 907 836	893 408 485	198 83 115
—	CARMAR- THEN- SHIRE	2293 1182 1111	298 176 122	91 52 39	158 88 70	547 316 231	111 52 59	58 35 23	29 17 12	17 9 8	762 429 333	47 26 21	44 20 24	54 26 28	59 24 35	138 59 79	134 64 70	158 81 77	265 152 113	331 155 176	242 123 119	59 23 36
—	PEM- BROKE- SHIRE	1289 642 647	121 65 56	33 19 14	52 29 23	206 113 93	43 26 17	18 12 6	7 4 3	11 5 6	285 160 125	25 11 14	26 10 16	40 21 19	38 18 20	71 33 38	73 40 33	115 55 60	139 70 69	242 108 134	182 94 88	53 22 31

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1908—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																				
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1--	2--	3--	4--	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and up-wards.	
No.																							
—																							
SOUTH WALES																							
—	—continued.																						
—	CARDIGANSHIRE { P. M. F. }																						
—	BRECKNOCKSHIRE { P. M. F. }																						
—	RADNORSHIRE { P. M. F. }																						
45	NORTH WALES.																						
—	MONTGOMERYSHIRE { P. M. F. }																						
—	FLINTSHIRE { P. M. F. }																						
—	DENBIGHSHIRE { P. M. F. }																						
—	MERIONETHSHIRE { P. M. F. }																						
—	CARNARVONSHIRE { P. M. F. }																						
—	ANGLESEY { P. M. F. }																						

1908.

CAUSES OF DEATH AT DIFFERENT PERIODS
OF LIFE IN ENGLAND AND WALES
AND IN LONDON.

CAUSES OF DEATH IN REGISTRATION
COUNTIES.

DEATHS FROM SEVERAL CAUSES IN
REGISTRATION DIVISIONS, COUNTIES, AND
DISTRICTS.

VIOLENT DEATHS.

ENGLAND AND WALES—SUMMARY of CAUSES of DEATH, 1908—MALES.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Total under																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		0-6 Months.	6-12 Months.	1-12 Months.	1-24 Months.	1-36 Months.	1-48 Months.	1-60 Months.	1-72 Months.	1-84 Months.	1-96 Months.	1-108 Months.	1-120 Months.	1-132 Months.		1-144 Months.	1-156 Months.	1-168 Months.	1-180 Months.	1-192 Months.	1-204 Months.	1-216 Months.	1-228 Months.	1-240 Months.	1-252 Months.	1-264 Months.	1-276 Months.	1-288 Months.	1-300 Months.	1-312 Months.	1-324 Months.	1-336 Months.	1-348 Months.	1-360 Months.	1-372 Months.	1-384 Months.	1-396 Months.	1-408 Months.	1-420 Months.	1-432 Months.	1-444 Months.	1-456 Months.	1-468 Months.	1-480 Months.	1-492 Months.	1-504 Months.	1-516 Months.	1-528 Months.	1-540 Months.	1-552 Months.	1-564 Months.	1-576 Months.	1-588 Months.	1-600 Months.	1-612 Months.	1-624 Months.	1-636 Months.	1-648 Months.	1-660 Months.	1-672 Months.	1-684 Months.	1-696 Months.	1-708 Months.	1-720 Months.	1-732 Months.	1-744 Months.	1-756 Months.	1-768 Months.	1-780 Months.	1-792 Months.	1-804 Months.	1-816 Months.	1-828 Months.	1-840 Months.	1-852 Months.	1-864 Months.	1-876 Months.	1-888 Months.	1-900 Months.	1-912 Months.	1-924 Months.	1-936 Months.	1-948 Months.	1-960 Months.	1-972 Months.	1-984 Months.	1-996 Months.	1-1008 Months.	1-1020 Months.	1-1032 Months.	1-1044 Months.	1-1056 Months.	1-1068 Months.	1-1080 Months.	1-1092 Months.	1-1104 Months.	1-1116 Months.	1-1128 Months.	1-1140 Months.	1-1152 Months.	1-1164 Months.	1-1176 Months.	1-1188 Months.	1-1200 Months.	1-1212 Months.	1-1224 Months.	1-1236 Months.	1-1248 Months.	1-1260 Months.	1-1272 Months.	1-1284 Months.	1-1296 Months.	1-1308 Months.	1-1320 Months.	1-1332 Months.	1-1344 Months.	1-1356 Months.	1-1368 Months.	1-1380 Months.	1-1392 Months.	1-1404 Months.	1-1416 Months.	1-1428 Months.	1-1440 Months.	1-1452 Months.	1-1464 Months.	1-1476 Months.	1-1488 Months.	1-1500 Months.	1-1512 Months.	1-1524 Months.	1-1536 Months.	1-1548 Months.	1-1560 Months.	1-1572 Months.	1-1584 Months.	1-1596 Months.	1-1608 Months.	1-1620 Months.	1-1632 Months.	1-1644 Months.	1-1656 Months.	1-1668 Months.	1-1680 Months.	1-1692 Months.	1-1704 Months.	1-1716 Months.	1-1728 Months.	1-1740 Months.	1-1752 Months.	1-1764 Months.	1-1776 Months.	1-1788 Months.	1-1800 Months.	1-1812 Months.	1-1824 Months.	1-1836 Months.	1-1848 Months.	1-1860 Months.	1-1872 Months.	1-1884 Months.	1-1896 Months.	1-1908 Months.	1-1920 Months.	1-1932 Months.	1-1944 Months.	1-1956 Months.	1-1968 Months.	1-1980 Months.	1-1992 Months.	1-2004 Months.	1-2016 Months.	1-2028 Months.	1-2040 Months.	1-2052 Months.	1-2064 Months.	1-2076 Months.	1-2088 Months.	1-2100 Months.	1-2112 Months.	1-2124 Months.	1-2136 Months.	1-2148 Months.	1-2160 Months.	1-2172 Months.	1-2184 Months.	1-2196 Months.	1-2208 Months.	1-2220 Months.	1-2232 Months.	1-2244 Months.	1-2256 Months.	1-2268 Months.	1-2280 Months.	1-2292 Months.	1-2304 Months.	1-2316 Months.	1-2328 Months.	1-2340 Months.	1-2352 Months.	1-2364 Months.	1-2376 Months.	1-2388 Months.	1-2400 Months.	1-2412 Months.	1-2424 Months.	1-2436 Months.	1-2448 Months.	1-2460 Months.	1-2472 Months.	1-2484 Months.	1-2496 Months.	1-2508 Months.	1-2520 Months.	1-2532 Months.	1-2544 Months.	1-2556 Months.	1-2568 Months.	1-2580 Months.	1-2592 Months.	1-2604 Months.	1-2616 Months.	1-2628 Months.	1-2640 Months.	1-2652 Months.	1-2664 Months.	1-2676 Months.	1-2688 Months.	1-2700 Months.	1-2712 Months.	1-2724 Months.	1-2736 Months.	1-2748 Months.	1-2760 Months.	1-2772 Months.	1-2784 Months.	1-2796 Months.	1-2808 Months.	1-2820 Months.	1-2832 Months.	1-2844 Months.	1-2856 Months.	1-2868 Months.	1-2880 Months.	1-2892 Months.	1-2904 Months.	1-2916 Months.	1-2928 Months.	1-2940 Months.	1-2952 Months.	1-2964 Months.	1-2976 Months.	1-2988 Months.	1-3000 Months.	1-3012 Months.	1-3024 Months.	1-3036 Months.	1-3048 Months.	1-3060 Months.	1-3072 Months.	1-3084 Months.	1-3096 Months.	1-3108 Months.	1-3120 Months.	1-3132 Months.	1-3144 Months.	1-3156 Months.	1-3168 Months.	1-3180 Months.	1-3192 Months.	1-3204 Months.	1-3216 Months.	1-3228 Months.	1-3240 Months.	1-3252 Months.	1-3264 Months.	1-3276 Months.	1-3288 Months.	1-3300 Months.	1-3312 Months.	1-3324 Months.	1-3336 Months.	1-3348 Months.	1-3360 Months.	1-3372 Months.	1-3384 Months.	1-3396 Months.	1-3408 Months.	1-3420 Months.	1-3432 Months.	1-3444 Months.	1-3456 Months.	1-3468 Months.	1-3480 Months.	1-3492 Months.	1-3504 Months.	1-3516 Months.	1-3528 Months.	1-3540 Months.	1-3552 Months.	1-3564 Months.	1-3576 Months.	1-3588 Months.	1-3600 Months.	1-3612 Months.	1-3624 Months.	1-3636 Months.	1-3648 Months.	1-3660 Months.	1-3672 Months.	1-3684 Months.	1-3696 Months.	1-3708 Months.	1-3720 Months.	1-3732 Months.	1-3744 Months.	1-3756 Months.	1-3768 Months.	1-3780 Months.	1-3792 Months.	1-3804 Months.	1-3816 Months.	1-3828 Months.	1-3840 Months.	1-3852 Months.	1-3864 Months.	1-3876 Months.	1-3888 Months.	1-3900 Months.	1-3912 Months.	1-3924 Months.	1-3936 Months.	1-3948 Months.	1-3960 Months.	1-3972 Months.	1-3984 Months.	1-3996 Months.	1-4008 Months.	1-4020 Months.	1-4032 Months.	1-4044 Months.	1-4056 Months.	1-4068 Months.	1-4080 Months.	1-4092 Months.	1-4104 Months.	1-4116 Months.	1-4128 Months.	1-4140 Months.	1-4152 Months.	1-4164 Months.	1-4176 Months.	1-4188 Months.	1-4200 Months.	1-4212 Months.	1-4224 Months.	1-4236 Months.	1-4248 Months.	1-4260 Months.	1-4272 Months.	1-4284 Months.	1-4296 Months.	1-4308 Months.	1-4320 Months.	1-4332 Months.	1-4344 Months.	1-4356 Months.	1-4368 Months.	1-4380 Months.	1-4392 Months.	1-4404 Months.	1-4416 Months.	1-4428 Months.	1-4440 Months.	1-4452 Months.	1-4464 Months.	1-4476 Months.	1-4488 Months.	1-4500 Months.	1-4512 Months.	1-4524 Months.	1-4536 Months.	1-4548 Months.	1-4560 Months.	1-4572 Months.	1-4584 Months.	1-4596 Months.	1-4608 Months.	1-4620 Months.	1-4632 Months.	1-4644 Months.	1-4656 Months.	1-4668 Months.	1-4680 Months.	1-4692 Months.	1-4704 Months.	1-4716 Months.	1-4728 Months.	1-4740 Months.	1-4752 Months.	1-4764 Months.	1-4776 Months.	1-4788 Months.	1-4800 Months.	1-4812 Months.	1-4824 Months.	1-4836 Months.	1-4848 Months.	1-4860 Months.	1-4872 Months.	1-4884 Months.	1-4896 Months.	1-4908 Months.	1-4920 Months.	1-4932 Months.	1-4944 Months.	1-4956 Months.	1-4968 Months.	1-4980 Months.	1-4992 Months.	1-5004 Months.	1-5016 Months.	1-5028 Months.	1-5040 Months.	1-5052 Months.	1-5064 Months.	1-5076 Months.	1-5088 Months.	1-5100 Months.	1-5112 Months.	1-5124 Months.	1-5136 Months.	1-5148 Months.	1-5160 Months.	1-5172 Months.	1-5184 Months.	1-5196 Months.	1-5208 Months.	1-5220 Months.	1-5232 Months.	1-5244 Months.	1-5256 Months.	1-5268 Months.	1-5280 Months.	1-5292 Months.	1-5304 Months.	1-5316 Months.	1-5328 Months.	1-5340 Months.	1-5352 Months.	1-5364 Months.	1-5376 Months.	1-5388 Months.	1-5400 Months.	1-5412 Months.	1-5424 Months.	1-5436 Months.	1-5448 Months.	1-5460 Months.	1-5472 Months.	1-5484 Months.	1-5496 Months.	1-5508 Months.	1-5520 Months.	1-5532 Months.	1-5544 Months.	1-5556 Months.	1-5568 Months.	1-5580 Months.	1-5592 Months.	1-5604 Months.	1-5616 Months.	1-5628 Months.	1-5640 Months.	1-5652 Months.	1-5664 Months.	1-5676 Months.	1-5688 Months.	1-5700 Months.	1-5712 Months.	1-5724 Months.	1-5736 Months.	1-5748 Months.	1-5760 Months.	1-5772 Months.	1-5784 Months.	1-5796 Months.	1-5808 Months.	1-5820 Months.	1-5832 Months.	1-5844 Months.	1-5856 Months.	1-5868 Months.	1-5880 Months.	1-5892 Months.	1-5904 Months.	1-5916 Months.	1-5928 Months.	1-5940 Months.	1-5952 Months.	1-5964 Months.	1-5976 Months.	1-5988 Months.	1-6000 Months.	1-6012 Months.	1-6024 Months.	1-6036 Months.	1-6048 Months.	1-6060 Months.	1-6072 Months.	1-6084 Months.	1-6096 Months.	1-6108 Months.	1-6120 Months.	1-6132 Months.	1-6144 Months.	1-6156 Months.	1-6168 Months.	1-6180 Months.	1-6192 Months.	1-6204 Months.	1-6216 Months.	1-6228 Months.	1-6240 Months.	1-6252 Months.	1-6264 Months.	1-6276 Months.	1-6288 Months.	1-6300 Months.	1-6312 Months.	1-6324 Months.	1-6336 Months.	1-6348 Months.	1-6360 Months.	1-6372 Months.	1-6384 Months.	1-6396 Months.	1-6408 Months.	1-6420 Months.	1-6432 Months.	1-6444 Months.	1-6456 Months.	1-6468 Months.	1-6480 Months.	1-6492 Months.	1-6504 Months.	1-6516 Months.	1-6528 Months.	1-6540 Months.	1-6552 Months.	1-6564 Months.	1-6576 Months.	1-6588 Months.	1-6600 Months.	1-6612 Months.	1-6624 Months.	1-6636 Months.	1-6648 Months.	1-6660 Months.	1-6672 Months.	1-6684 Months.	1-6696 Months.	1-6708 Months.	1-6720 Months.	1-6732 Months.	1-6744 Months.	1-6756 Months.	1-6768 Months.	1-6780 Months.	1-6792 Months.	1-6804 Months.	1-6816 Months.	1-6828 Months.	1-6840 Months.	1-6852 Months.	1-6864 Months.	1-6876 Months.	1-6888 Months.	1-6900 Months.	1-6912 Months.	1-6924 Months.	1-6936 Months.	1-6948 Months.	1-6960 Months.	1-6972 Months.	1-6984 Months.	1-6996 Months.	1-7008 Months.	1-7020 Months.	1-7032 Months.	1-7044 Months.	1-7056 Months.	1-7068 Months.	1-7080 Months.	1-7092 Months.	1-7104 Months.	1-7116 Months.	1-7128 Months.	1-7140 Months.	1-7152 Months.	1-7164 Months.	1-7176 Months.	1-7188 Months.	1-7200 Months.	1-7212 Months.	1-7224 Months.	1-7236 Months.	1-7248 Months.	1-7260 Months.	1-7272 Months.	1-7284 Months.	1-7296 Months.	1-7308 Months.	1-7320 Months.	1-7332 Months.	1-7344 Months.	1-7356 Months.	1-7368 Months.	1-7380 Months.	1-7392 Months.	1-7404 Months.	1-7416 Months.	1-7428 Months.	1-7440 Months.	1-7452 Months.	1-7464 Months.	1-7476 Months.	1-7488 Months.	1-7500 Months.	1-7512 Months.	1-7524 Months.	1-7536 Months.	1-7548 Months.	1-7560 Months.	1-7572 Months.	1-7584 Months.	1-7596 Months.	1-7608 Months.	1-7620 Months.	1-7632 Months.	1-7644 Months.	1-7656 Months.	1-7668 Months.	1-7680 Months.	1-7692 Months.	1-7704 Months.	1-7716 Months.	1-7728 Months.	1-7740 Months.	1-7752 Months.	1-7764 Months.	1-7776 Months.	1-7788 Months.	1-7800 Months.	1-7812 Months.	1-7824 Months.	1-7836 Months.	1-7848 Months.	1-7860 Months.	1-7872 Months.	1-7884 Months.	1-7896 Months.	1-7908 Months.	1-7920 Months.	1-7932 Months.	1-7944 Months.	1-7956 Months.	1-7968 Months.	1-7980 Months.	1-7992 Months.	1-8004 Months.	1-8016 Months.	1-8028 Months.	1-8040 Months.	1-8052 Months.	1-8064 Months.	1-8076 Months.	1-8088 Months.	1-8100 Months.	1-8112 Months.	1-8124 Months.	1-8136 Months.	1-8148 Months.	1-8160 Months.	1-8172 Months.	1-8184 Months.	1-8196 Months.	1-8208 Months.	1-8220 Months.	1-8232 Months.	1-8244 Months.	1-8256 Months.	1-8268 Months.	1-8280 Months.	1-8292 Months.	1-8304 Months.	1-8316 Months.	1-8328 Months.	1-8340 Months.	1-8352 Months.	1-8364 Months.	1-8376 Months.	1-8388 Months.	1-8400 Months.	1-8412 Months.	1-8424 Months.	1-8436 Months.	1-8448 Months.	1-8460 Months.	1-8472 Months.	1-8484 Months.	1-8496 Months.	1-8508 Months.	1-8520 Months.	1-8532 Months.	1-8544 Months.	1-8556 Months.	1-8568 Months.	1-8580 Months.	1-8592 Months.	1-8604 Months.	1-8616 Months.	1-8628 Months.	1-8640 Months.	1-8652 Months.	1-8664 Months.	1-8676 Months.	1-8688 Months.	1-8700 Months.	1-8712 Months.	1-8724 Months.	1-8736 Months.	1-8748 Months.	1-8760 Months.	1-8772 Months.	1-8784 Months.	1-8796 Months.	1-8808 Months.	1-8820 Months.	1-8832 Months.	1-8844 Months.	1-8856 Months.	1-8868 Months.	1-8880 Months.	1-8892 Months.	1-8904 Months.	1-8916 Months.	1-8928 Months.	1-8940 Months.	1-8952 Months.	1-8964 Months.	1-8976 Months.	1-8988 Months.	1-9000 Months.	1-9012 Months.	1-9024 Months.	1-9036 Months.	1-9048 Months.	1-9060 Months.	1-9072 Months.	1-9084 Months.	1-9096 Months.	1-9108 Months.	1-9120 Months.	1-9132 Months.	1-9144 Months.	1-9156 Months.	1-9168 Months.	1-9180 Months.	1-9192 Months.	1-9204 Months.	1-9216 Months.	1-9228 Months.	1-9240 Months.	1-9252 Months.	1-9264 Months.	1-9276 Months.	1-9288 Months.	1-9300 Months.	1-9312 Months.	1-9324 Months.	1-9336 Months.	1-9348 Months.	1-9360 Months.	1-9372 Months.	1-9384 Months.	1-9396 Months.	1-9408 Months.	1-9420 Months.	1-9432 Months.	1-9444 Months.	1-9456 Months.	1-9468 Months.	1-9480 Months.	1-9492 Months.	1-9504 Months.	1-9516 Months.	1-9528 Months.	1-9540 Months.	1-9552 Months.	1-9564 Months.	1-9576 Months.	1-9588 Months.	1-9600 Months.	1-9612 Months.	1-9624 Months.	1-9636 Months.	1-9648 Months.	1-9660 Months.	1-9672 Months.	1-9684 Months.	1-9696 Months.	1-9708 Months.	1-9720 Months.	1-9732 Months.	1-9744 Months.	1-9756 Months.	1-9768 Months.	1-9780 Months.	1-9792 Months.	1-9804 Months.	1-9816 Months.	1-9828 Months.	1-9840 Months.	1-9852 Months.	1-9864 Months.	1-9876 Months.	1-9888 Months.	1-9900 Months.	1-9912 Months.	1-9924 Months.	1-9936 Months.	1-9948 Months.	1-9960 Months.	1-9972 Months.	1-9984 Months.	1-9996 Months.	1-10008 Months.	1-10020 Months.	1-10032 Months.	1-10044 Months.	1-10056 Months.	1-10068 Months.	1-10080 Months.	1-10092 Months.	1-10104 Months.	1-10116 Months.	1-10128 Months.	1-10140 Months.	1-10152 Months.	1-10164 Months.	1-10176 Months.	1-10188 Months.	1-10200 Months.	1-10212 Months.	1-10224 Months.	1-10236 Months.	1-10248 Months.	1-10260 Months.	1-10272 Months.	1-10284 Months.	1-10296 Months.	1-10308 Months.	1-10320 Months.	1-10332 Months.	1-10344 Months.	1-10356 Months.	1-10368 Months.	1-10380 Months.	1-10392 Months.	1-10404 Months.	1-10416 Months.	1-10428 Months.	1-10440 Months.	1-10452 Months.	1-10464 Months.	1-10476 Months.	1-10488 Months.	1-10500 Months.	1-10512 Months.	1-10524 Months.	1-10536 Months.	1-10548 Months.	1-10560 Months.	1-10572 Months.	1-10584 Months.	1-10596 Months.	1-10608 Months.	1-10620 Months.	1-10632 Months.	1-10644 Months.	1-10656 Months.	1-10668 Months.	1-10680 Months.	1-10692 Months.	1-10704 Months.	1-10716 Months.	1-10728 Months.	1-10740 Months.	1-10752 Months.	1-10764 Months.	1-10776 Months.	1-10788 Months.	1-10800 Months.	1-10812 Months.	1-10824 Months.	1-10836 Months.	1-10848 Months.	1-10860 Months.	1-10872 Months.	1-10884 Months.	1-10896 Months.	1-10908 Months.	1-10920 Months.	1-10932 Months.	1-10944 Months.	1-10956 Months.	1-10968 Months.	1-10980 Months.	1-10992 Months.	1-11004 Months.	1-11016 Months.	1-11028 Months.	1-11040 Months.	1-11052 Months.	1-11064 Months.	1-11076 Months.	1-11088 Months.	1-11100 Months.	1-11112 Months.	1-11124 Months.	1-11136 Months.	1-11148 Months.	1-11160 Months.	1-11172 Months.	1-11184 Months.	1-11196 Months.	1-11208 Months.	1-11220 Months.	1-11232 Months.	1-11244 Months.	1-11256 Months.	1-11268 Months.	1-11280 Months.	1-11292 Months.	1-11304 Months.	1-11316 Months.	1-11328 Months.	1-11340 Months.	1-11352 Months.	1-11364 Months.	1-11376 Months.	1-11388 Months.	1-11400 Months.	1-11412 Months.	1-11424 Months.	1-11436 Months.	1-11448 Months.	1-11460 Months.	1-11472 Months.	1-11484 Months.	1-11496 Months.	1-11508 Months.	1-11520 Months.	1-11532 Months.	1-11544 Months.	1-11556 Months.	1-11568 Months.	1-11580 Months.	1-11592 Months.	1-11604 Months.	1-11616 Months.	1-11628 Months.	1-11640 Months.	1-11652 Months.	1-11664 Months.	1-11676 Months.	1-11688 Months.	1-11700 Months.	1-11712 Months.	1-11724 Months.	1-11736 Months.	1-11748 Months.	1-11760 Months.	1-11772 Months.	1-11784 Months.	1-11796 Months.	1-11808 Months.	1-11820 Months.	1-11832 Months.	1-11844 Months.	1-11856 Months.	1-11868 Months.	1-11880 Months.	1-11892 Months.	1-11904 Months.	1-11916 Months.	1-11928 Months.	1-11940 Months.	1-11952 Months.	1-11964 Months.	1-11976 Months.	1-11988 Months.	1-12000 Months.	1-12012 Months.	1-12024 Months.	1-12036 Months.	1-12048 Months.	1-12060 Months.	1-12072 Months.	1-12084 Months.	1-12096 Months.	1-12108 Months.	1-12120 Months.	1-12132 Months.	1-12144 Months.	1-12156 Months.	1-12168 Months.

* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

ENGLAND AND WALES.—SUMMARY OF CAUSES OF DEATH, 1908—FEMALES.

FEMALES.		AGES AT DEATH.												All Ages.	
CAUSES OF DEATH.															

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908.—MALES.

Note.—The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.											Total under 5 Years.	Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.	Total under 12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
Small-pox { Vaccinated ... Not vaccinated ... Doubtful ...	— — 7	— — —	— — 1	— — 1	— 1 4	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	
Cow-pox and other effects of Vaccination.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	43	1	6	13	20	15	2	3	1	41	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbili) ...	4135	38	56	864	958	1685	660	355	209	3867	—	11	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
German Measles ...	11	2	—	1	3	3	1	1	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	1401	2	5	55	62	150	206	211	175	804	—	89	48	27	29	14	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ...	8	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	4842	90	61	92	243	83	29	21	20	396	—	51	102	127	340	490	634	883	966	641	154	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough ...	4339	454	580	1202	2236	1248	429	208	111	4232	—	2	1	—	—	2	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps ...	49	2	—	—	2	7	2	5	1	17	—	6	2	3	4	2	3	3	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	2729	13	11	108	132	308	326	389	412	1567	—	168	30	13	18	11	5	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	67	—	7	9	16	6	4	11	2	39	—	4	6	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain) ...	10	1	—	2	3	—	—	—	1	4	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	1617	—	3	—	3	4	11	23	13	54	—	76	174	218	450	291	149	80	22	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	159	49	27	10	86	6	8	3	1	104	—	4	1	1	8	12	6	9	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea.	5443	1066	1501	1741	4308	859	127	26	9	5329	—	15	8	7	5	7	14	18	24	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) ...	4173	879	1065	1043	2987	624	91	19	13	3734	—	11	1	2	7	23	33	70	126	120	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery ...	139	2	7	5	14	2	2	1	1	20	—	2	2	4	18	26	17	19	22	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 296.

* Called Simple Continued Fever previous to 1901.

† *i.e.*, deaths stated to be so caused.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908—FEMALES.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.			
		AGES AT DEATH.																															
		AGES AT DEATH.																															
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... effects of ... Vaccination.	— — 5 9	— — — 2	— — — 5	— — — 1	— — — 8	— — — 1	— — — 1	— — — 1	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9	— — — 9
Cow-pox and other effects of Vaccination.	— —<																																

Note.—For continuation of this Table, see page 297.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908—MALES—continued from page 294.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—
Tetanus	...	139	42	—	—	42	1	—	3	49	10	8	11	4	15	11	16	11	4	—	—
Malaria	...	49	—	—	—	—	—	1	—	1	—	1	1	2	9	10	12	9	3	1	—
Rabies, Hydrophobia	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	...	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	...	12	—	—	—	—	—	—	—	—	—	—	3	—	4	—	2	—	2	—	—
Syphilis	...	939	425	143	69	647	30	12	4	694	2	4	4	14	43	60	58	38	18	3	1
Gonorrhoea	...	10	—	—	—	—	—	—	—	—	—	—	1	2	1	1	2	2	1	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis	...	251	—	—	—	—	1	1	—	4	9	16	18	30	57	45	47	16	7	2	—
Lobar	...	3030	14	35	115	164	132	53	35	413	61	35	97	128	370	485	542	470	319	100	10
Broncho-	...	10270	1003	1122	2421	4546	2379	695	291	8084	218	42	34	41	112	197	299	426	469	300	48
Epidemic	...	3	—	—	—	—	754	309	168	2657	251	130	268	—	—	1	—	1	—	1	—
Not defined	...	10368	346	269	684	1299	5	1	1	114	5	6	13	335	863	1226	1337	1453	1195	555	98
Erysipelas	...	443	77	17	11	105	8	2	2	62	15	7	10	7	19	43	53	71	62	42	8
Septicæmia, Septic Intoxication (not Puerperal).	...	251	23	13	10	46	—	—	—	—	—	—	—	12	24	30	34	29	19	8	1
Pyæmia (not Puerperal)	...	84	11	1	4	16	—	1	2	19	2	7	7	3	16	10	5	11	3	—	—
Phlegmon, Carbuncle (not Anthrax)	...	436	38	9	10	57	12	4	1	76	9	9	12	15	25	35	47	89	76	40	3
Phagedæna	...	10	1	—	—	1	—	—	1	2	—	1	1	—	1	1	2	2	—	—	—
Other Infective Processes	...	131	1	—	—	1	4	2	3	11	5	6	8	6	16	22	30	14	11	2	—

Note.—For continuation of this Table, see page 298.

Note.—For continuation of this Table, see page 299.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908—MALES—continued from page 296.

MALES.	ALL AGES.	AGES AT DEATH.													85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis).	11756	9	37	104	150	153	93	62	41	499	162	168	599	1130	2626	2713	2091	1281	425	61	1
Phthisis (not otherwise defined) ...	10667	6	7	26	39	52	17	21	16	145	78	131	609	1061	2562	2422	1983	1200	411	61	4
Tuberculous Meningitis ...	3057	79	198	505	782	594	334	226	166	2102	473	188	96	63	59	42	23	8	2	1	—
Tuberculous Peritonitis ...	1924	113	231	289	633	373	124	76	58	1264	167	96	72	62	83	83	51	32	12	2	—
Tabes Mesenterica ...	554	79	129	125	333	114	41	16	10	514	21	7	2	—	4	1	4	—	1	—	—
Lupus... ..	18	—	—	—	—	—	1	—	—	1	—	2	1	2	3	2	2	1	1	3	—
Tubercle of other Organs ...	978	2	13	22	37	31	21	15	20	124	80	86	90	104	163	122	88	65	43	12	1
General Tuberculosis ...	2209	102	173	222	497	295	136	70	55	1053	166	112	128	131	221	167	119	81	30	1	—
Scrophula	19	—	—	3	3	2	2	—	—	7	—	3	—	—	2	2	1	2	2	—	—
Parasitic Diseases	130	93	13	4	110	3	1	1	1	116	2	—	1	—	2	2	1	3	1	2	—
Starvation	11	2	—	2	4	—	—	—	—	4	—	—	—	—	—	1	2	1	2	—	1
Scurvy	25	2	2	4	8	4	2	2	—	16	2	1	—	—	2	1	—	2	1	—	—
Alcoholism, Delirium Tremens ...	1112	—	—	—	—	—	—	—	—	—	—	—	1	7	147	320	328	218	79	9	3
Opium, Morphia-habit	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Industrial Poisoning :—	102	—	—	—	—	—	—	—	—	—	—	—	3	3	9	28	35	18	6	—	—
By Lead... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Phosphorus... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Metals...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

Note.—For continuation of this Table, see page 300.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis). <i>Phthisis</i> (not otherwise defined) ...	8436	5	25	90	120	138	74	43	40	415	199	343	784	1013	2103	1657	1065	560	249	45	3
Tuberculous Meningitis ...	2811	38	164	394	596	548	312	213	163	1832	489	199	102	50	72	38	24	3	1	1	—
Tuberculous Peritonitis ...	1859	95	181	247	523	316	100	58	45	1042	167	102	108	90	129	98	57	46	14	6	—
<i>Tuberc Mesenterica</i> ...	440	41	84	104	229	107	36	13	10	395	20	14	4	1	3	1	1	1	—	—	—
Lupus... ..	38	—	—	—	—	—	—	—	—	—	—	—	4	1	5	9	7	1	7	4	—
Tubercle of other Organs ...	646	3	4	10	17	18	11	10	13	69	56	72	63	43	97	93	54	50	37	12	—
General Tuberculosis ...	2022	58	125	188	371	254	98	74	60	857	196	147	153	107	180	155	99	76	36	16	—
<i>Scrofula</i>	6	1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1	2	—
Parasitic Diseases	116	64	12	7	83	3	2	2	—	90	2	1	1	2	2	3	4	4	4	3	—
Starvation	4	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—
Scurvy	25	—	3	4	7	11	1	—	—	19	—	—	—	1	—	4	—	1	—	—	—
Alcoholism, Delirium Tremens ...	825	—	—	—	—	—	—	—	—	—	—	—	—	1	67	249	281	156	58	12	1
Opium, Morphia-habit	7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	1	2	—	—
Industrial Poisoning :— By Lead	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
” Phosphorus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Metals ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 301.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908—MALES—continued from page 298.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards.				
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Rheumatic Fever, Acute Rheumatism.	871	2	—	—	4	6	1	5	11	13	36	107	152	106	67	128	96	98	46	27	6	2
Rheumatism of Heart	156	—	—	—	—	—	—	—	—	2	2	4	9	16	9	8	15	25	29	33	6	—
Chronic Rheumatism	195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	8	11	39	84	47	4
Rheumatoid Arthritis, Rheumatic Gout.	245	—	—	—	—	—	—	—	—	—	—	1	—	—	1	4	13	33	58	85	47	3
Gout	333	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	12	48	79	129	58	5
Carcinoma	7476	—	—	—	—	—	—	—	—	—	1	1	2	6	20	101	469	1429	2322	2184	851	90
Sarcoma	1054	3	4	6	13	13	18	12	5	61	31	28	43	53	124	145	178	199	142	45	5	
Cancer, Malignant Disease (not otherwise defined).	5371	—	—	—	—	—	1	1	1	—	2	3	2	6	15	92	311	987	1626	1631	636	60
Rickets	697	21	55	184	260	313	1	23	2	2	679	11	2	1	3	—	1	—	—	—	—	—
Purpura	148	16	7	7	30	11	6	2	2	2	51	11	4	8	9	7	8	12	14	15	9	—
Hæmophilia, Hæmorrhagic Diathesis	57	20	1	1	22	3	3	5	1	1	34	3	7	1	3	1	4	3	—	1	—	—
Anæmia, Leucocythæmia	968	13	7	14	34	17	18	5	3	3	77	29	12	23	21	76	138	196	216	153	27	—
Diabetes Mellitus	1842	1	—	—	1	1	2	1	1	1	6	23	37	64	61	144	161	258	481	455	139	13
Premature Birth	10553	10425	113	15	10553	—	—	—	—	—	10553	—	—	—	—	—	—	—	—	—	—	—
Congenital Hydrocephalus	223	58	28	59	145	31	15	5	5	5	201	12	5	5	—	—	—	—	—	—	—	—
Other Congenital Defects	2661	2245	167	110	2522	42	17	12	6	6	2599	27	13	10	7	1	—	1	3	—	—	—
Injury at Birth	585	584	1	—	585	—	—	—	—	—	585	—	—	—	—	—	—	—	—	—	—	—
Atelectasis	916	916	—	—	916	—	—	—	—	—	916	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	447	260	131	56	447	—	—	—	—	—	447	—	—	—	—	—	—	—	—	—	—	—
Teething	1078	4	108	542	654	381	43	—	—	—	1078	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 302.

FEMALES.	ALL AGES.	AGES AT DEATH.												85 and upwards.							
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
Rheumatic Fever, Acute Rheumatism.	934	1	1	4	6	3	5	7	10	31	126	134	110	79	139	128	101	49	32	5	—
<i>Rheumatism of Heart</i> ...	207	—	—	—	—	—	—	—	—	—	8	12	11	5	18	20	25	43	37	26	2
Chronic Rheumatism ...	249	—	—	—	—	—	—	—	—	—	—	—	—	1	4	10	17	50	85	68	14
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	715	—	—	—	—	—	—	—	—	—	—	1	—	2	12	19	74	178	247	166	16
Gout ...	83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	14	31	26	4
Carcinoma ...	10907	—	—	—	—	—	—	1	—	1	—	1	5	22	210	1214	2318	2974	2767	1219	176
Sarcoma ...	842	—	4	2	8	12	9	11	5	45	22	17	29	42	77	100	161	168	119	50	12
Cancer, Malignant Disease (not otherwise defined).	7067	—	—	—	—	—	1	1	1	3	4	4	9	19	148	629	1461	1944	1910	851	85
Rickets ...	492	15	31	122	168	205	73	17	9	472	12	—	5	—	3	—	—	—	—	—	—
Purpura ...	145	20	4	9	33	2	2	2	3	42	8	14	7	7	9	9	8	22	14	4	1
Hæmophilia, Hæmorrhagic Diathesis	24	13	1	1	15	1	—	—	1	17	1	1	1	2	—	2	—	—	—	—	—
Anæmia, Leucocythæmia ...	1207	7	6	6	19	19	6	8	7	59	17	18	36	54	147	173	241	259	174	29	—
Diabetes Mellitus ..	1768	—	—	—	—	4	3	2	4	13	20	39	48	70	158	147	233	440	455	133	12
Premature Birth ...	8118	8001	99	18	8118	—	—	—	—	8118	—	—	—	—	—	—	—	—	—	—	—
Congenital Hydrocephalus...	156	56	27	26	109	24	5	2	4	144	7	5	—	—	—	—	—	—	—	—	—
Other Congenital Defects ...	2075	1661	168	109	1938	46	20	15	8	2027	14	12	5	10	5	1	1	—	—	—	—
Injury at Birth ...	357	356	—	—	356	1	—	—	—	357	—	—	—	—	—	—	—	—	—	—	—
Atelectasis ...	681	681	—	—	681	—	—	—	—	681	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk ...	331	191	94	46	331	—	—	—	—	331	—	—	—	—	—	—	—	—	—	—	—
<i>Teething</i> ...	905	2	82	458	542	330	31	2	—	905	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 303.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908—MALES—continued from page 300.

CAUSES OF DEATH.	AGES AT DEATH.													ALL AGES.						
	0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
Meningitis, Inflammation of Brain	164	277	511	952	544	239	147	95	1977	281	144	112	60	115	113	83	68	46	14	3
Softening of Brain ...	—	—	—	—	1	—	—	—	1	1	2	4	2	13	41	112	268	444	260	35
General Paralysis of Insane	—	—	—	—	—	—	—	—	—	—	3	10	15	188	573	526	252	115	28	3
Insanity (not Puerperal) ...	—	—	—	—	2	1	1	1	5	9	7	16	8	37	49	95	189	267	219	40
Chorea	—	—	—	—	—	—	—	—	2	9	10	8	4	—	2	3	—	3	—	—
Epilepsy	18	4	17	39	14	16	14	9	92	47	60	106	108	207	183	183	174	141	70	11
Convulsions ...	3905	1129	810	5844	449	158	55	28	6534	30	2	—	—	1	—	—	1	—	—	—
Laryngismus Stridulus	36	30	60	126	44	20	11	12	213	18	—	—	—	—	—	—	—	—	—	—
Locomotor Ataxy ...	—	—	—	—	12	12	12	7	55	9	12	1	—	13	76	127	147	96	17	—
Paraplegia, Diseases of Cord	—	—	—	—	—	—	—	—	—	9	12	28	27	63	108	201	263	234	102	8
Neuritis, Peripheral, Poly-Neuritis	—	—	—	—	—	—	—	—	—	1	—	1	—	6	30	35	41	15	3	—
Brain Tumour (Not Specific)	371	1	1	3	6	—	5	9	23	29	13	17	16	47	77	67	58	19	4	1
Other Diseases of Nervous System	1291	17	32	60	21	8	8	6	103	16	16	20	16	37	50	105	223	420	246	39
Otitis, Mastoid Disease	578	11	65	108	54	23	24	18	227	55	51	45	50	60	30	22	18	13	6	1
Epistaxis, Diseases of Nose	38	6	3	11	1	1	1	1	15	1	1	2	5	3	1	1	5	3	1	—
Ophthalmia, Diseases of Eye	23	8	4	14	—	—	—	1	15	—	1	1	—	2	—	—	1	3	—	—
Valvular Disease, Endocarditis (not Infective).	7611	—	1	2	9	7	9	9	36	86	154	237	192	457	780	1198	1745	1799	838	89
Pericarditis ...	237	1	2	5	2	4	5	2	18	26	22	22	6	21	27	33	34	17	11	—
Hypertrophy of Heart	181	—	—	—	—	—	—	—	—	1	1	4	—	10	24	27	32	57	24	1
Angina Pectoris	617	—	—	—	—	—	—	—	—	—	—	—	2	10	45	96	178	206	71	9
Dilatation of Heart...	1670	—	—	—	3	1	—	1	5	2	2	5	8	47	89	198	465	542	265	42
Fatty Degeneration of Heart	1133	—	—	—	—	—	—	—	—	—	—	—	1	18	67	155	336	387	144	25
Syncope, Heart Disease (not specified).	12469	—	4	5	6	6	8	8	33	83	107	169	149	448	923	1701	3205	3648	1769	234

Note.—For continuation of this Table, see page 304.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													75— 85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	
Meningitis, Inflammation of Brain	2500	102	194	450	746	386	191	116	100	1539	266	144	95	59	101	93	91	45	42	22	3
Softening of Brain ...	1147	—	—	—	—	—	—	—	—	—	1	—	3	1	11	36	106	249	380	314	46
General Paralysis of Insane	504	—	—	—	—	—	—	—	—	—	—	3	4	6	62	123	138	82	61	24	1
Insanity (not Puerperal) ...	1227	—	—	2	2	2	2	2	1	9	17	5	8	13	55	112	154	206	331	244	73
Chorea ...	91	—	—	—	—	—	—	—	2	7	13	19	20	6	3	5	4	2	7	4	1
Epilepsy ...	1304	14	7	11	32	15	15	10	8	80	29	53	85	105	215	202	175	154	140	57	9
Convulsions ...	4936	2700	928	636	4264	403	159	51	24	4901	31	—	—	—	2	1	—	—	—	1	—
Laryngismus Stridulus ...	112	21	8	27	56	21	8	13	6	104	8	—	—	—	—	—	—	—	—	—	—
Locomotor Ataxy ...	106	—	—	—	—	—	—	—	—	—	—	—	—	—	5	13	29	41	12	6	—
Paraplegia, Diseases of Cord	1008	3	8	8	19	13	10	10	10	62	22	13	16	9	67	124	159	205	211	102	18
Neuritis, Peripheral, Poly-Neuritis	264	—	—	—	—	—	—	—	1	1	1	—	—	1	20	63	92	51	25	9	1
Brain Tumour (not Specific) ...	366	—	1	—	1	5	3	2	5	16	24	17	18	26	37	82	74	47	19	6	—
Other Diseases of Nervous System	1286	12	7	16	35	14	3	6	6	64	6	8	13	12	40	76	118	215	411	279	44
Otitis, Mastoid Disease ...	455	7	19	40	66	47	10	17	13	153	79	59	40	35	34	13	11	22	7	2	—
Epistaxis, Diseases of Nose ...	35	8	1	1	10	1	—	—	1	12	2	1	3	1	2	1	—	3	4	4	2
Ophthalmia, Diseases of Eye ...	19	9	—	—	9	—	—	—	1	10	—	1	—	—	—	—	1	2	3	2	—
Valvular Disease, Endocarditis (not Infective).	8752	—	—	—	—	2	8	4	6	20	146	237	237	263	594	880	1246	1661	2219	1095	154
Pericarditis ...	195	—	—	4	4	2	4	4	5	19	25	25	13	12	13	16	24	17	22	9	—
Hypertrophy of Heart ...	85	—	—	—	—	—	—	—	—	—	—	1	1	—	2	2	15	24	26	13	1
Angina Pectoris ...	312	—	—	—	—	—	—	—	—	—	—	—	—	—	10	11	33	94	104	55	5
Dilatation of Heart ...	1685	—	—	—	—	1	1	—	—	2	6	5	4	5	39	82	152	400	568	365	57
Fatty Degeneration of Heart	1417	—	—	—	—	—	—	—	—	—	—	—	3	5	23	97	184	413	433	230	29
Syncope, Heart Disease (not specified).	13527	—	—	3	3	14	3	8	13	41	89	162	166	181	527	975	1803	3097	3980	2155	351

Note.—For continuation of this Table, see page 305.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908.—MALES—continued from page 302.

MALES.	ALL AGES.	AGES AT DEATH.																			
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Cerebral Hæmorrhage, Cerebral Embolism.	7891	3	3	—	6	4	2	2	1	15	5	9	21	26	119	336	896	1925	2669	1595	275
Apoplexy, Hemiplegia	3696	—	—	—	—	3	1	1	—	5	3	—	5	8	43	131	391	872	1299	797	142
Aneurysm	867	—	—	—	—	—	—	—	—	—	—	—	1	2	62	187	238	215	131	30	1
Senile Gangrene	804	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	73	304	338	88
Embolism, Thrombosis (not Cerebral).	192	1	1	1	3	1	1	2	1	8	1	3	4	4	6	27	39	43	36	17	4
Phlebitis	40	—	—	—	—	—	—	—	—	—	1	2	—	2	—	3	9	8	7	6	2
Varicose Veins	20	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	5	3	5	1	—
Other Diseases of Blood Vessels	1604	1	—	—	1	—	—	—	—	1	1	1	2	—	12	41	105	326	592	432	91
Laryngitis	512	17	17	47	81	78	72	55	55	341	85	13	3	4	7	18	11	12	8	9	1
Membranous Laryngitis (not Diphtheritic).	15	—	1	1	2	2	2	4	1	11	4	—	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous).	167	4	5	11	20	38	21	34	23	136	30	1	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	24	1	1	3	5	3	—	1	1	10	3	—	—	—	—	4	4	2	1	—	—
Bronchitis	18859	1956	1254	1670	4880	1181	293	135	66	6555	89	25	23	43	143	415	1085	2646	4125	3039	671
Emphysema, Asthma	985	1	1	2	4	2	5	1	2	14	3	2	1	7	35	73	157	264	290	124	15
Pleurisy	709	2	3	14	19	52	13	14	11	109	27	10	15	31	66	90	103	120	90	42	6
Fibroid Disease of Lung	415	—	—	1	1	—	—	—	—	1	—	1	1	2	28	67	112	110	75	15	3
Other Diseases of Respiratory System.	1345	129	76	81	286	67	18	10	7	388	16	7	10	16	60	80	109	166	224	195	74

Note.—For continuation of this Table, see page 306.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards.				
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-		45-	55-	65-	75-
Cerebral Hemorrhage, Cerebral Embolism.	9529	—	1	2	3	6	5	1	2	17	4	14	19	25	112	401	1153	2137	2991	2193	463	
Apoplexy, Hemiplegia	4473	—	1	1	2	1	1	1	—	5	6	1	4	11	39	161	522	980	1453	1090	201	
Aneurysm	192	—	—	—	—	—	—	—	—	—	—	—	2	3	6	24	33	48	45	26	4	
Senile Gangrene	652	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	68	184	286	110	
Embolic, Thrombosis (not Cerebral).	281	1	—	2	3	1	1	—	—	5	4	3	5	15	34	51	47	46	38	27	6	
Phlebitis	85	—	—	—	—	—	—	—	1	1	—	—	1	3	9	13	18	15	18	6	1	
Varicose Veins	67	—	—	—	—	—	—	—	—	—	—	—	—	—	5	8	13	15	17	7	2	
Other Diseases of Blood Vessels	943	—	—	3	3	—	—	3	—	6	1	—	1	1	4	15	44	140	305	319	107	
Laryngitis	454	15	9	43	67	81	53	56	43	300	96	7	2	4	6	11	7	7	5	6	3	
Membranous Laryngitis (not Diphtheritic).	16	1	1	2	4	—	1	7	1	13	1	—	—	—	1	—	1	—	—	—	—	
Croup (not Spasmodic nor Membranous).	153	1	—	13	14	32	31	26	26	129	22	2	—	—	—	—	—	—	—	—	—	
Other Diseases of Larynx and Trachea.	14	1	—	1	2	2	—	4	1	9	—	—	—	—	2	—	—	2	—	—	1	
Bronchitis	19843	1497	996	1388	3881	1095	291	113	61	5441	80	22	35	26	117	374	969	2504	4856	4206	1213	
Emphysema, Asthma	685	1	2	—	3	2	1	—	5	11	4	4	1	10	27	44	111	164	192	101	16	
Pleurisy	533	7	2	13	22	27	19	11	5	84	10	2	14	19	34	64	63	77	90	62	14	
Fibroid Disease of Lung	164	—	—	—	—	—	—	—	—	—	—	—	5	—	6	18	42	55	28	9	1	
Other Diseases of Respiratory System.	1262	105	61	57	223	61	23	9	9	325	12	13	16	11	35	52	76	116	211	272	123	

Note.—For continuation of this Table, see page 307.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908—MALES—continued from page 304.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.											Total under 1 Year.	0—5 Months.			Total under 5 Years.	5—15—20—25—35—45—55—65—75—85 and upwards.									
			3—6 Months.			6—12 Months.	1—2—3—4—			Total under 5 Years.	5—10—15—				20—	25—	35—		45—	55—	65—	75—	85 and upwards.					
			0—3 Months.	3—6 Months.	6—12 Months.		1—	2—	3—		4—	5—	10—					15—						20—	25—	35—	45—	55—
Tonsillitis, Quinsy	200	4	3	10	17	9	16	17	20	79	41	13	7	6	16	9	12	5	8	12	55—	65—	75—	85 and upwards.			
Diseases of Mouth, Pharynx, Esophagus (not Specific).	...	236	84	9	19	112	28	10	6	4	160	7	1	1	2	8	4	16	15	12	4	35—	45—	55—	65—	75—	85 and upwards.	
Gastric Ulcer	...	674	—	1	2	3	1	1	—	—	5	4	8	36	81	137	171	139	60	27	2	2	2	2	2	2	2	
Gastritis, Gastric Catarrh...	...	1630	449	264	174	887	114	27	15	10	1053	20	6	9	11	24	42	117	152	105	16	16	16	16	16	16	16	
Other Diseases of Stomach (not Malignant).	...	269	34	22	13	69	14	1	4	1	89	4	2	2	4	15	17	33	41	31	25	6	6	6	6	6		
Ulceration of Intestines	462	3	3	2	8	2	2	—	—	12	5	4	11	28	74	100	88	81	42	16	1	1	1	1	1		
Enteritis (not Epidemic)	2332	606	515	486	1607	248	43	25	15	1938	26	6	6	12	28	34	44	66	106	53	13	13	13	13	13		
Gastro-enteritis	1877	486	471	431	1388	240	36	15	11	1690	28	6	4	7	7	14	31	26	43	18	3	3	3	3	3		
Appendicitis, Perityphlitis	...	1236	1	—	1	2	3	6	17	18	46	179	184	159	122	166	127	112	78	48	14	1	1	1	1	1		
Hernia	652	26	19	5	50	11	3	2	1	67	—	1	9	16	23	46	67	117	185	105	16	16	16	16	16		
Intestinal Obstruction	1301	57	93	123	273	34	25	13	9	354	36	31	27	27	63	87	110	183	250	116	17	17	17	17	17		
Other Diseases of Intestines	...	149	2	4	3	9	4	3	2	1	19	1	4	5	3	11	11	18	29	28	18	2	2	2	2	2		
Peritonitis (not Puerperal)	...	345	23	8	13	44	9	9	8	5	75	24	24	22	10	29	33	31	29	45	21	2	2	2	2	2		
Cirrhosis of Liver	2060	—	1	—	1	—	1	1	—	3	2	1	7	5	65	288	608	642	357	78	4	4	4	4	4		
Other Diseases of Liver and Gall Bladder.	...	746	1	2	—	3	4	8	4	3	22	16	5	9	11	56	81	103	168	173	86	16	16	16	16	16		
Other Diseases of Digestive System	...	210	7	5	7	19	9	5	—	2	35	—	1	3	2	16	16	21	42	47	25	2	2	2	2	2		
Diseases of Spleen	22	—	—	—	—	—	—	—	—	—	1	2	—	1	3	4	3	4	3	1	—	—	—	—	—		
Other Diseases of Lymphatic System.	...	241	6	12	16	34	8	7	4	7	60	32	17	13	15	20	17	25	26	11	5	—	—	—	—	—		
Diseases of Thyroid Body	93	—	1	—	1	3	2	2	—	8	3	2	10	3	7	11	18	17	11	3	—	—	—	—	—		
Diseases of Supra Renal Capsules	...	97	—	—	—	—	1	—	—	—	1	—	3	3	6	14	21	17	21	9	2	—	—	—	—	—		
Acute Nephritis, Uræmia	1975	31	26	34	91	65	30	32	23	241	98	51	48	64	182	246	275	337	294	121	18	18	18	18	18		
Chronic Bright's Disease, Albuminuria.	...	5374	1	1	3	5	10	5	6	2	28	31	34	45	71	257	521	1003	1518	1324	505	37	37	37	37	37		
Calculus (not Biliary)	161	—	1	1	2	—	1	2	2	7	3	—	3	5	15	17	18	27	41	22	3	3	3	3	3		
Diseases of Bladder and of Prostate	...	2256	—	—	2	4	—	—	1	1	8	6	1	1	2	13	34	85	315	858	771	162	162	162	162	162		
Other Diseases of Urinary System	...	486	—	—	—	—	1	—	—	—	1	2	2	6	8	27	65	94	121	114	41	5	5	5	5	5		

Note—For continuation of this Table, see page 308.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	Total under 1 Year.	Months.						Total under 5 Years.	AGES AT DEATH.										85 and upwards.			
			0—3 Months.			3—6 Months.			6—12 Months.			1—	2—	3—			4—	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—									
			0—3	3—6	6—12	1—	2—	3—	4—	5—	10—																		15—	20—	25—	35—	45—		55—	65—	75—
Tonsillitis, Quinsy Pharynx, Diseases of Mouth, Esophagus (not Specific).	163 276	3	2	2	7	8	11	16	7	49	52	10	5	7	11	13	5	7	7	6	11	13	4	—	—	—	—	—	—	—	—	—	—	—		
Gastric Ulcer Gastritis, Gastric Catarrh ...	1039 1833	—	—	1	1	—	—	1	—	2	6	14	79	168	234	210	132	104	104	63	25	184	37	35	8	2	2	2	2	2	2	2	2	2	2	
Other Diseases of Stomach (not Malignant).	... Other Diseases of Stomach (not Malignant).	239	22	15	8	45	4	1	4	2	56	4	—	5	3	11	17	30	33	33	37	35	35	35	35	8	8	8	8	8	8	8	8	8	8		
Ulceration of Intestines Enteritis (not Epidemic) ...	282 2112	1	1	2	4	1	2	1	1	9	9	5	11	15	45	45	60	36	36	34	11	11	11	11	2	2	2	2	2	2	2	2	2	2	2	
Gastro-enteritis Appendicitis, Perityphlitis ...	1618 900	283	386	383	1052	231	38	15	19	1355	17	11	7	4	21	21	29	42	42	118	78	36	36	36	7	7	7	7	7	7	7	7	7	7	7	
Hernia Intestinal Obstruction ...	758 1352	1	—	2	3	—	—	1	—	4	1	—	—	—	12	12	148	209	209	204	98	98	98	98	12	12	12	12	12	12	12	12	12	12	12	
Other Diseases of Intestines Peritonitis (not Puerperal) ...	120 368	3	5	6	14	2	11	—	—	178	32	15	20	21	56	88	164	222	222	311	205	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
Cirrhosis of Liver Other Diseases of Liver and Gall Bladder.	1611 1148	—	—	—	—	2	3	—	—	57	51	18	14	22	32	38	34	35	35	37	27	27	27	27	8	8	8	8	8	8	8	8	8	8	8	
Other Diseases of Digestive System	...	217	2	2	3	7	8	2	1	1	19	3	—	—	4	14	17	31	40	40	48	34	34	34	34	7	7	7	7	7	7	7	7	7	7	7	
Diseases of Spleen Other Diseases of Lymphatic System.	17 156	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diseases of Thyroid Body Diseases of Supra Renal Capsules	456 121	—	—	1	1	1	—	2	1	5	1	6	18	29	61	77	101	72	72	70	13	5	5	5	3	3	3	3	3	3	3	3	3	3	3	
Acute Nephritis, Uræmia Chronic Bright's Disease, Albuminuria.	1723 4688	17	13	24	54	52	31	25	28	190	71	51	63	76	199	251	266	244	244	206	91	91	91	15	15	15	15	15	15	15	15	15	15	15	15	15
Calculus (not Biliary) Diseases of Bladder and of Prostate	74 249	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Urinary System	...	124	—	1	2	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Note.—For continuation of this Table, see page 309.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1908.—MALES—continued from page 306

MALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.								
		1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—																	65—	75—	85 and upwards.					
<i>Ovarian Tumour</i> (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Uterine Tumour</i> (not Malignant)...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Uterus and Vagina.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Disorders of Menstruation...	41	4	2	2	8	1	1	1	1	12	1	—	1	—	3	1	2	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Abortion, Miscarriage ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerperal Mania ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerperal Convulsions ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Placenta Prævia, Flooding ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Accidents of Pregnancy and Childbirth.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Caries, Necrosis ...	198	—	2	1	3	2	4	1	2	12	12	11	16	17	25	22	28	23	25	6	25	6	10	13	25	16	13	23	20	11	35	10	44	12	3	1	2
Arthritis, Periostitis ...	164	6	2	12	20	9	3	3	2	32	32	32	12	2	4	3	6	20	16	6	13	3	8	11	28	6	13	20	11	35	10	44	12	3	1	2	
Other Diseases of Locomotor System	147	4	4	1	9	3	5	5	5	27	25	25	10	5	6	13	8	11	13	8	13	8	4	11	28	6	13	20	11	35	10	44	12	3	1	2	
Ulcer, Bed-sore ...	129	—	—	2	2	1	—	—	—	3	—	1	1	—	1	4	9	19	35	6	19	4	5	12	9	5	10	5	5	6	12	44	12	3	1	2	
Eczema ...	169	68	28	29	125	2	12	1	1	140	—	—	—	—	1	2	4	5	10	4	5	2	7	9	4	5	10	5	5	6	12	44	12	3	1	2	
Pemphigus ...	135	106	4	3	113	68	2	1	—	116	—	—	—	1	1	2	1	5	6	1	3	2	7	9	4	5	10	5	5	6	12	44	12	3	1	2	
Other Diseases of the Skin ...	111	55	8	5	68	2	1	—	—	76	—	1	2	—	2	1	3	6	12	3	6	2	7	9	4	5	10	5	5	6	12	44	12	3	1	2	
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Note.—For continuation of this Table, see page 310.

FEMALES. CAUSES OF DEATH.	ALT. AGES.	AGES AT DEATH.															Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.					
		Months.					Total under 1 Year.					Total under 5 Years.																						Total under 1 Year.				
		0—3	3—6	6—12	Months.	1 Year.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—																		45—	55—	65—	75—	85 and upwards.
<i>Ovarian Tumour</i> (not Malignant) Other Diseases of Ovary ... <i>Uterine Tumour</i> (not Malignant)... Other Diseases of Uterus and Vagina. Disorders of Menstruation... Other Diseases of Generative and Mammary Organs.	292 31 358 287 36 14	— — — 1 — 4	— — — — — —	— — — 2 — —	— — 3 — 4	— — — 6 — —	— — — 2 — —	— — — — — —	— — — 1 — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —										
Abortion, Miscarriage ... Puerperal Mania ... Puerperal Convulsions ... Placenta Prævia, Flooding ... Other Accidents of Pregnancy and Childbirth.	83 57 426 560 840	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —									
Caries, Necrosis ... Arthritis, Periostitis ... Other Diseases of Locomotor System	150 88 116	— 5 3	2 2 2	3 5 2	5 12 7	3 4 3	4 2 3	— 4 3	— 2 2	12 24 18	11 10 19	13 7 9	9 5 4	13 4 5	17 3 10	14 1 7	16 4 11	17 8 15	14 13 10	11 9 8	3 — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —							
Ulcer, Bed-sore ... Eczema ... Pemphigus ... Other Disease of the Skin ...	307 117 114 108	4 44 74 34	— 21 1 4	— 13 5 5	4 78 80 43	2 8 7 4	2 2 — 3	— — 1 —	— — 1 1	8 88 89 51	— — 1 2	— — 1 1	— — 1 2	2 — 4 1	— — 1 5	11 4 1 4	24 4 5 7	49 4 3 8	97 10 6 9	85 6 1 10	31 1 1 8	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —								
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						

Note.—For continuation of this Table, see page 311.

ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1908—MALES—continued from page 308.

MALES.	CAUSES OF DEATH.	All Ages.	AGES AT DEATH.													85 and upwards.						
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-		25-	35-	45-	55-	65-	75-
CAUSES ILL-DEFINED OR NOT SPECIFIED.																						
Atrophy, Debility	8460	5982	1318	733	8033	321	54	22	2	8432	3	1	—	—	1	6	13	3	—	—	
Old Age	14058	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	239	3394	7418	3007	
Dropsy, Ascites, Anasarca	36	3	1	1	5	1	—	—	—	6	—	—	—	—	—	2	4	6	11	6	
Tumour	32	—	—	—	—	—	1	2	—	3	—	2	—	1	3	5	5	7	1	1	
Abscess	208	44	11	12	67	12	1	1	4	85	5	3	—	4	7	22	21	27	17	1	
Hæmorrhage	19	—	—	—	—	—	—	—	—	—	—	—	—	1	2	6	5	—	1	—	
Sudden Death (cause unascertained)	...	4	1	1	—	2	—	—	—	—	2	—	—	—	—	—	1	—	1	—	—	
Other ill-defined causes	402	66	14	25	105	18	5	5	2	135	7	3	3	9	12	60	63	72	13	4	
Causes not specified	88	27	4	2	33	—	—	—	—	33	—	2	—	—	5	12	12	8	10	2	
VIOLENT DEATHS.																						
In Mines and Quarries	1147	—	—	—	—	—	—	—	—	—	—	—	—	—	277	163	98	29	2	—	
Vehicles and Horses	2131	—	1	6	7	26	33	42	33	141	153	107	130	175	324	302	264	153	62	11	
Ships, Boats, and Docks (not Drowning).	(not Drowning).	275	—	—	—	—	—	—	1	—	1	—	1	21	28	75	46	31	16	—	—	
Building Operations	227	—	—	—	—	—	—	—	—	—	—	—	8	18	37	48	50	14	2	—	
Machinery	217	—	—	—	—	—	—	—	1	1	4	14	34	16	43	31	21	8	1	—	
Weapons and Implements	91	—	—	—	—	—	—	—	—	1	2	5	16	7	22	17	6	7	—	—	
Burns and Scalds	1067	4	6	54	64	179	238	155	82	718	108	14	15	8	36	38	28	27	25	7	
Poisons, Poisonous Vapours	362	5	5	15	25	20	10	9	5	69	15	12	14	19	42	53	43	24	11	2	
Drowning	2063	11	1	1	13	38	46	44	37	178	200	136	164	176	302	293	195	103	25	4	
Suffocation	936	568	179	50	797	25	5	3	3	833	11	12	2	4	12	17	15	15	5	1	
Falls	1392	3	11	13	27	25	27	17	22	118	52	34	26	30	99	185	233	215	204	59	
Weather Agencies	176	—	1	1	2	2	3	1	1	9	3	2	7	7	19	29	32	33	10	3	
Otherwise or not stated	924	110	4	7	121	14	11	7	14	167	48	38	67	50	102	130	112	62	24	6	
Battle	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Homicide	152	—	—	—	41	4	4	4	—	53	10	4	2	6	17	22	9	2	3	—	
Suicide	2844	33	3	5	—	—	—	—	—	—	2	10	57	136	442	679	567	292	67	—	
Execution	12	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																			
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
CAUSES ILL-DEFINED OR NOT SPECIFIED.																						
Atrophy, Debility	...	6460	4283	1093	668	6044	305	50	11	10	6420	2	3	—	—	1	2	14	16	2	—	—
Old Age	...	18837	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	309	3871	9642	5015
Dropsy, Ascites, Anasarca	...	39	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4	3	10	13	5
Tumour	...	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	11	12	11	—
Abscess	...	170	26	10	10	46	8	5	3	1	63	8	2	3	1	7	7	9	15	32	17	4
Hæmorrhage	...	16	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	4	3	3	1
Sudden Death (cause unascertained)	...	11	1	—	1	2	—	1	—	—	3	—	—	—	—	1	1	1	—	2	3	1
Other ill-defined causes	...	277	50	7	11	68	13	5	1	1	88	10	2	2	1	10	21	24	48	47	19	5
Causes not specified	...	50	25	1	3	29	—	1	1	—	31	1	—	1	—	—	2	2	—	5	6	2
VIOLENT DEATHS.																						
In Mines and Quarries	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles and Horses	...	356	—	—	3	3	19	20	23	9	74	53	22	15	10	19	23	35	35	45	24	1
Ships, Boats, and Docks (not Drowning).	...	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—
Building Operations	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machinery	...	10	—	—	—	—	—	—	—	—	—	2	3	2	1	2	1	—	1	—	—	—
Weapons and Implements	...	10	—	—	—	—	—	—	—	—	—	1	3	—	1	47	49	64	99	80	68	22
Burns and Scalds	...	1583	6	11	56	73	152	190	161	142	718	273	75	54	34	36	27	36	10	7	6	—
Poisons, Poisonous Vapours	...	188	—	—	3	3	9	2	3	4	21	16	7	8	14	36	52	68	30	22	3	1
Drowning	...	400	—	—	2	11	16	21	14	10	72	26	18	26	27	55	52	14	13	10	5	1
Suffocation	...	890	561	183	52	796	15	5	7	4	827	12	1	—	—	4	48	113	144	300	344	148
Falls	...	1238	3	3	7	13	19	21	9	7	69	26	12	5	4	25	4	10	10	8	3	1
Weather Agencies	...	58	2	2	1	5	4	1	1	1	12	5	1	—	2	2	4	10	10	8	3	1
Otherwise, or not stated	...	280	90	2	8	100	15	5	6	3	129	19	12	4	5	11	14	8	25	27	19	7
Battle	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide	...	159	—	5	9	40	8	1	1	3	53	10	5	9	13	31	17	9	7	2	3	—
Suicide	...	934	—	—	—	—	—	—	—	—	—	—	3	79	182	194	208	128	73	17	—	2
Execution	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

SUPPLEMENTARY TABLE.—ENGLAND AND WALES, 1908.—DEATHS certified as from INFECTIVE PROCESSES.*—FEMALES.

FEMALES. CAUSES OF DEATH.	AGES AT DEATH.																			
	ALL AGES.																			
	0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
{ Brain ... Middle Ear ... Blood Vessels ... Larynx ... Pleura ... Lung ... Tonsil ... Mouth and Pharynx ... Stomach and Intestines... Peritoneum ... Liver ... Kidney ... Bladder and Prostate ... Uterus and Ovary ... Bone ... Joints ... Other parts of the body...	2	3	7	12	5	4	2	—	23	11	13	15	12	18	12	10	9	6	1	—
	5	15	25	45	38	7	12	10	112	72	56	38	32	32	12	10	18	6	—	—
	—	—	4	4	—	1	—	1	6	—	2	1	2	5	7	11	18	18	10	2
	—	2	10	12	14	16	7	2	51	7	1	8	10	13	19	11	16	8	1	—
	7	4	7	18	19	14	10	5	66	19	10	8	6	28	27	23	13	14	3	—
	—	—	1	1	3	4	3	2	13	16	4	1	6	6	2	4	2	1	—	—
	6	4	4	14	7	10	7	5	43	16	1	—	4	11	8	7	5	5	1	—
	1	5	10	16	5	4	12	15	52	115	93	113	143	191	176	163	105	87	32	4
	—	—	—	2	—	—	—	—	2	11	4	2	—	3	4	4	2	—	2	—
	—	—	—	—	1	—	1	—	2	2	1	1	—	15	14	44	34	31	10	3
	—	—	—	—	—	—	—	—	—	—	2	3	5	12	4	12	8	12	2	—
	—	—	—	—	—	—	1	—	1	1	1	2	2	7	7	15	10	7	—	—
{ Ulcer ... Abscess ... Pelvic Cellulitis ... Others ...	—	—	—	—	1	1	—	—	11	13	10	3	4	92	96	54	16	8	2	3
	1	1	2	8	2	2	1	1	13	9	6	3	2	3	4	4	7	5	1	—
	—	—	3	—	3	—	1	1	11	1	3	3	2	3	—	1	3	6	1	—
	18	3	4	18	6	—	1	3	28	1	3	3	2	6	9	5	2	9	3	—
{ Ulcer ... Abscess ... Pelvic Cellulitis ... Others ...	—	—	—	—	1	1	—	—	2	—	—	—	2	—	5	6	21	23	9	1
	26	10	10	46	8	5	3	1	63	8	2	3	3	7	7	9	15	32	17	4
	—	—	—	—	—	—	—	—	—	1	—	1	1	3	4	2	1	2	2	—
	3	—	4	7	—	3	—	—	10	1	2	1	1	4	11	8	1	9	2	—
Total ...	66	50	94	210	118	72	63	47	510	308	211	210	257	461	429	403	308	290	99	17

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and Diarrhoea (all forms) are excluded from this Table.

LONDON.*—SUMMARY of CAUSES of DEATH, 1908.—MALES.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards				
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—		
ALL CAUSES
A.†—GENERAL DISEASES
B.†—DISEASES OF PARTICULAR ORGANS:—																								
I. DISEASES OF NERVOUS SYSTEM ..																								
II.	"	"	ORGANS OF SPECIAL SENSE..
III.	"	"	HEART
IV.	"	"	BLOOD VESSELS
V.	"	"	RESPIRATORY SYSTEM
VI.	"	"	DIGESTIVE SYSTEM
VII.	"	"	LYMPH. & DUCTLESS GLANDS
VIII.	"	"	URINARY SYSTEM
IX.	"	"	GENERATIVE SYSTEM
X.	"	"	PREGNANCY AND CHILD BIRTH
XI.	"	"	LOCOMOTOR SYSTEM
XII.	"	"	THE SKIN
C.†—OTHER SPECIFIED DISEASES ..																								
D.†—CAUSES ILL-DEFINED OR NOT SPECIFIED.																								
E.†—VIOLENT DEATHS ..																								

* On 1st April, 1908, the boundary between London and Middlesex was altered; see page 499.

† The grouping in this Summary is for convenience of tabling merely; it must not be regarded as a classification.

LONDON.*—SUMMARY of CAUSES of DEATH, 1908.—FEMALES.

FEMALES. CAUSES OF DEATH.		ALL AGES.		AGES AT DEATH.															Total under 5 Years	Total under 1 Year.	0—12 Months.				Total under 5 Years	5—10—15—20—25—35—45—55—65—75—85 and upwards.																																																																																																																																																																																																																																																																																																								
				0—3 Months.	3—6 Months.	6—12 Months.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.			1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.		1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.	1—2—3—4—

* On 1st April, 1908, the boundary between London and Middlesex was altered; see page 499.

† The grouping in this Summary is for convenience of tabling merely; it must not be regarded as a classification.

LONDON.—CAUSES OF DEATH at different Periods of Life, 1908—MALES.

Note.—The figures in this Table differ in some cases from those published in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.											Total under 1 Year.	AGES AT DEATH.											Total under 5 Years.	AGES AT DEATH.											Total under 85 and upwards.
			0-3 Months.	3-6 Months.	6-12 Months.	1-2	2-3	4	5	10	15	20	25		35	45	55	65	75	85 and upwards.																		
{ Small-pox { Cow-pox and other effects of Vaccination. Chicken-pox ... Measles (Morbilli) ... German Measles ... Scarlet Fever ... Typhus ... Plague ... Relapsing Fever ... Influenza ... Whooping-cough ... Mumps ... Diphtheria ... Cerebro-spinal Fever ... Pyæmia* (origin uncertain) Enteric Fever ...	{ Vaccinated ... Not Vaccinated ... Doubtful ... of ...	11 769 3 237 — — — — 584 424 5 352 17 140	1 9 1 — — — — 7 29 1 4 — — —	7 58 1 2 — — — 2 58 1 2 — — —	10 127 — — — — — — — — — — — —	6 324 2 24 — — — — 6 130 2 68 2 —	123 34 — — — — — — 4 44 — 57 1 — —	2 73 — 47 — — — — 3 22 — 49 1 — — —	38 30 — 30 — — — — 1 9 — 45 — — — 2	11 734 3 144 — — — — 33 419 3 251 13 — 4	30 57 — — 5 5 81 3 7	2 14 9 — 5 — 13 1 11	1 9 3 — 11 — 3 — 16	1 1 — — 10 — 1 — 13	1 — — — 47 — 1 — 38	1 — — 3 — 80 — — — 32	— — 2 — 84 — 1 — 13	— — — — 129 — 1 — 5	— — — — 113 — — — 1	— — — — 55 — — — —	— — — — 12 — — — —	— — — — 7																
	Asiatic Cholera ... Diarrhoea due to Food† ... Infective Enteritis, Epidemic Diarrhoea. Diarrhoea (not otherwise defined) Dysentery ...	— 30 824 546 15	— 9 148 121 —	5 225 157 2	— 294 143 1	— — — —	— 122 79 —	3 15 6 —	1 5 2 —	1 1 1 —	18 810 509 3	1 4 1 —	— 2 — —	1 — — —	— — — —	— — — —	— 4 1 —	— 2 3 3 3	— — 1 4 1	— — 2 — 12 1	— — — — 9 —	— — — — 7																

Note.—The figures in this Table differ in some cases from those published in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (see Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		0—3 Months.	3—6 Months.	6—12 Months.	1—5 Months.	5—9 Months.	9—12 Months.	1—12 Months.	1—12 Months.	1—12 Months.	1—12 Months.	1—12 Months.	1—12 Months.																		
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of effects of Vaccination.	— — — 2	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1	— — — 1		
Cow-pox ...	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	739	—	—	138	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
German Measles ...	233	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	729	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	557	—	—	168	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps ...	346	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain) ...	80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic ...	698	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) ...	443	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 319.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

LONDON.—CAUSES of DEATH at different Periods of Life, 1908—MALES—continued from page 316.

MALES.	ALL AGES.	AGES AT DEATH.											85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		0—3 Months.			3—6 Months.			6—12 Months.			Total under 1 Year.			1—		2—		3—		4—		Total under 5 Years.		5—		10—		15—		20—		25—		35—		45—		55—		65—		75—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

Note.—For continuation of this Table, see page 320.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards.				
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
		Months.	Months.	Months.	1 Year.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Tetanus	4	2	—	2	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—	
Malaria	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Anthrax (Splemic Fever) ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Syphilis	151	76	29	17	122	5	—	—	127	—	—	3	1	4	2	7	3	4	—	—	
Gonorrhœa	4	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	
Puerperal Septicæmia, Puerperal Septic Intoxication.	119	—	—	—	—	—	—	—	—	—	—	3	23	57	36	—	—	—	—	—	
Puerperal Pyæmia	6	—	—	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—	—	
Phlegmasia Alba Dolens	10	—	—	—	—	—	—	—	—	—	—	—	—	6	4	—	—	—	—	—	
Puerperal Fever (not otherwise defined).	13	—	—	—	—	—	—	—	—	—	—	—	2	7	4	—	—	—	—	—	
Infective Endocarditis	79	—	—	—	—	—	—	—	1	3	4	14	19	18	10	5	3	1	1	—	
{ Lobar	309	2	5	10	17	9	5	9	5	45	5	3	10	25	46	43	39	58	24	5	
{ Broncho-	1348	112	111	285	508	315	109	36	16	984	9	4	3	10	23	50	49	95	70	22	
{ Epidemic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
{ Not defined	1216	45	45	86	176	100	44	20	10	350	19	23	26	60	100	123	158	179	116	28	
Erysipelas	81	9	7	8	24	1	—	—	—	34	1	3	2	6	4	9	8	9	12	2	
Septicæmia, Septic Intoxication (not Puerperal).	26	—	4	1	5	—	—	—	—	5	1	1	1	4	2	3	3	2	1	—	
Pyæmia (not Puerperal)	8	1	2	—	3	1	—	—	—	4	—	1	1	1	—	—	—	—	—	1	
Phlegmon, Carbuncle (not Anthrax)	42	5	1	4	10	4	—	—	—	14	2	1	1	2	1	2	7	2	8	2	
Phagedæna	5	1	—	1	2	—	—	—	—	2	—	—	1	—	—	—	2	—	—	—	
Other Infective Processes ...	13	—	—	1	1	—	1	—	—	2	1	—	2	—	3	4	—	1	—	—	

Note.—For continuation of this Table, see page 321.

LONDON.—CAUSES of DEATH at different Periods of Life, 1908—MALES—continued from page 318.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.														Total under 5 Years.	Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.	85 and upwards.
		1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—						
		1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—						
Pulmonary Tuberculosis (Tuber- culous Phthisis).	2796	1	8	37	46	34	16	15	12	123	22	19	108	208	545	726	568	335	121	21	—
Phthisis (not otherwise defined) ...	1111	—	3	1	4	7	2	2	3	18	2	6	39	100	250	246	234	149	57	9	—
Tuberculous Meningitis ...	524	14	27	80	121	124	74	39	41	399	73	20	7	6	11	5	2	—	—	—	—
Tuberculous Peritonitis ...	227	20	35	26	81	48	13	8	6	156	21	12	6	5	7	8	4	5	3	—	—
Tubes Mesenterica ...	33	9	6	7	22	4	3	1	2	32	1	—	—	—	—	—	—	—	—	—	—
Lupus ...	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—
Tubercle of other organs ...	166	2	1	2	5	4	7	2	3	21	16	15	11	17	27	18	15	14	10	2	—
General Tuberculosis ...	369	18	31	56	105	73	24	24	14	240	22	14	12	9	25	14	17	10	6	—	—
Scrofula ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	4	4	—	—	4	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
Starvation ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Scurvy ...	3	—	—	—	—	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	199	—	—	—	—	—	—	—	—	—	—	—	1	3	31	53	54	47	9	1	—
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	12	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	5	3	1	—	—
“ Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
“ Arsenic and other Metals	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

Note.—For continuation of this Table, see page 322.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis).	1493	1	7	15	23	27	13	9	10	82	25	43	97	153	328	360	223	122	51	8	1
Phthisis (not otherwise defined) ...	846	—	3	—	3	1	2	1	2	9	7	23	59	96	205	173	151	73	41	8	1
Tuberculous Meningitis ...	481	6	33	82	121	113	61	44	29	368	65	20	7	7	11	1	2	—	—	—	—
Tuberculous Peritonitis ...	197	16	21	25	62	34	15	7	2	120	14	11	13	8	8	10	7	4	2	—	—
Tabes Mesenterica ...	30	3	4	7	14	9	4	—	—	27	2	1	—	—	—	—	—	—	—	—	—
Lupus ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Tubercle of other Organs ...	88	—	2	—	2	2	3	3	—	10	9	10	5	5	13	14	12	6	2	2	—
General Tuberculosis ...	321	8	25	36	69	56	19	16	20	180	29	25	14	4	17	20	9	10	9	4	—
Scrophula ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	15	8	2	1	11	—	—	—	—	11	—	1	—	1	—	—	1	—	1	—	—
Starvation ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy ...	4	—	1	—	1	2	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—
Alcoholism, Delirium Tremens ...	192	—	—	—	—	—	—	—	—	—	—	—	—	—	16	58	70	31	12	5	—
Opium, Morphia-habit ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Industrial Poisoning :—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Arsenic and other Metals ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 323.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.														Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—																		35—	45—	55—	65—	75—	85 and upwards.
Rheumatic Fever, Acute Rheumatism.	120	—	—	1	1	—	—	1	1	1	—	—	—	—	4	18	20	12	9	15	16	14	6	—	6	—	—	—	—	—									
Rheumatism of Heart	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	4	4	1	1	7	—	—	—	—	—	—								
Chronic Rheumatism	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	8	7	—	—	—	—	—	—								
Rheumatoid Arthritis, Rheumatic Gout.	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	7	20	28	22	—	—	—	—	—	—								
Gout ...	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	3	8	—	—	—	—	—	—								
Carcinoma ...	1713	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	40	215	371	471	413	180	20	—	—	—	—	—	—							
Sarcoma ...	142	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	11	19	28	27	18	5	4	—	—	—	—	—	—							
Cancer, Malignant Disease (not otherwise defined).	937	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	31	95	198	281	219	91	15	—	—	—	—	—	—							
Rickets	52	4	1	17	1	21	5	5	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Purpura	20	2	2	1	1	—	5	1	—	1	—	—	—	—	—	—	—	—	1	—	2	—	4	2	—	—	—	—	—	—	—	—							
Hæmophilia, Hæmorrhagic Diathesis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Anæmia, Leucocythæmia ...	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Diabetes Mellitus ...	214	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Premature Birth	983	968	14	1	—	—	983	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Congenital Hydrocephalus	22	3	4	5	12	6	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Other Congenital Defects ...	263	210	25	14	249	8	249	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—							
Injury at Birth	69	69	—	—	69	—	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Atelectasis	105	105	—	—	105	—	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Want of Breast Milk	36	21	10	5	36	—	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Teething	54	—	5	27	32	21	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							

Note.—For continuation of this Table, see page 325.

LONDON.—CAUSES of DEATH at different Periods of Life, 1908--MALES—continued from page 322.

MALES.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—																		35—	45—
Meningitis, Inflammation of Brain	314	24	39	71	134	43	19	10	4	210	14	15	12	8	14	21	12	5	2	1	12	11	36	5	—	20	16	14	5	—	1	—	
Softening of Brain...	86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
General Paralysis of Insane	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Insanity (not Puerperal) ...	117	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Chorea ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Epilepsy ...	119	—	—	1	1	1	2	1	—	5	3	3	6	7	23	15	20	16	14	5	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions ...	422	276	65	39	380	27	7	3	3	420	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Laryngismus Stridulus	31	6	3	9	18	8	3	—	1	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Locomotor Ataxy ...	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Paraplegia, Diseases of Cord	130	—	—	—	—	3	2	1	—	6	—	1	3	3	7	16	22	24	15	3	1	27	22	37	4	2	24	15	25	8	—		
Neuritis, Peripheral, Poly-Neuritis	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Brain Tumour (Not Specific)	51	—	—	—	—	—	—	—	—	1	4	3	—	3	8	9	12	6	4	—	—	8	3	4	6	2	37	4	—	1	—		
Other Diseases of Nervous System	147	5	3	3	11	5	3	1	1	21	1	3	1	1	4	4	8	23	45	35	—	—	—	—	—	—	—	—	—	—	—	—	
Otitis, Mastoid Disease ...	90	2	2	10	14	9	1	4	2	30	9	11	11	9	6	5	4	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
Epistaxis, Diseases of Nose	5	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
Ophthalmia, Diseases of Eye	4	1	1	1	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Valvular Disease, Endocarditis (not Infective).	1056	—	1	1	2	2	1	2	1	8	17	30	43	31	76	149	178	218	209	91	—	—	—	—	—	—	—	—	—	—	—	—	
Pericarditis ...	58	—	1	—	1	2	3	1	—	7	4	5	7	1	5	6	6	9	5	3	—	—	—	—	—	—	—	—	—	—	—	—	
Hypertrophy of Heart	45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	7	10	13	5	—	—	—	—	—	—	—	—	—	—	—	—	
Angina Pectoris ...	70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	17	18	22	5	—	—	—	—	—	—	—	—	—	—	—	—	
Dilatation of Heart	240	—	—	—	—	1	—	—	—	1	—	1	—	1	6	16	39	59	77	35	—	—	—	—	—	—	—	—	—	—	—	—	
Fatty Degeneration of Heart	198	—	—	—	—	—	—	—	—	—	—	—	—	—	3	16	27	62	68	19	—	—	—	—	—	—	—	—	—	—	—	—	
Syncope, Heart Disease (not specified).	962	—	—	1	1	—	1	—	1	3	7	8	22	19	37	88	129	225	273	134	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 326.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																	
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.																																											
229	Meningitis, Inflammation of Brain	96	33	18	11	5	163	18	10	6	3	6	7	9	2	4	25	35	45	55	65	75	85 and upwards.																										
83	Softening of Brain ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
37	General Paralysis of Insane	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
152	Insanity (not Puerperal) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
10	Chorea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
106	Epilepsy ..	2	—	3	1	1	7	2	2	5	7	3	2	5	20	14	13	11	—	—	—	—	—																										
300	Convulsions ..	191	45	38	274	14	9	2	1	12	299	—	—	—	—	—	—	—	—	—	—	—	—																										
12	Laryngismus Stridulus ..	4	1	1	6	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
12	Locomotor Ataxy ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
106	Paraplegia, Diseases of Cord	3	—	—	3	1	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—																										
36	Neuritis, Peripheral, Poly-Neuritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
58	Brain Tumour (not Specific)	—	—	—	—	4	1	—	—	—	5	4	1	2	6	6	7	8	2	2	3	1	—																										
131	Other Diseases of Nervous System	4	1	3	8	—	—	—	—	1	9	1	1	2	1	4	7	11	19	39	31	6	—																										
93	Otitis, Mastoid Disease ..	12	2	8	12	5	1	2	4	24	16	17	7	10	11	1	—	—	—	—	—	—	—																										
4	Epistaxis, Diseases of Nose	1	—	1	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—																										
2	Ophthalmia, Diseases of Eye	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—																										
1212	Valvular Disease, Endocarditis (not Infective).	—	—	—	—	2	—	—	—	2	30	41	54	41	90	136	177	212	261	147	21	—																											
37	Pericarditis ..	3	—	3	3	1	2	1	2	7	6	4	3	3	2	3	5	2	2	6	—	—	—																										
24	Hypertrophy of Heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
30	Angina Pectoris ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
230	Dilatation of Heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
217	Fatty Degeneration of Heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										
1238	Syncope, Heart Disease (not specified).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																										

Note.—For continuation of this Table, see page 327.

FEMALES.	ALL AGES.	AGES AT DEATH.															85 and upwards.			
		AGES AT DEATH.																		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—
Cerebral Hæmorrhage, Cerebral Embolism.	1109	—	1	—	1	1	—	—	2	1	2	—	6	15	54	126	249	327	255	72
Apoplexy, Hemiplegia	342	—	—	—	—	—	—	—	—	—	—	1	—	3	11	36	75	100	94	22
Aneurysm	57	—	—	—	—	—	—	—	—	1	—	—	—	2	6	16	17	12	1	2
Senile Gangrene	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	17	37	17
Embolism, Thrombosis (not Cerebral).	34	1	—	1	2	—	—	—	2	—	—	1	2	2	9	4	6	3	5	—
Phlebitis	10	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	3	2	—
Varicose Veins	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Other Diseases of Blood Vessels	141	—	2	2	2	—	—	1	—	3	1	—	1	1	3	7	15	46	37	27
Laryngitis	31	1	1	6	8	10	2	2	—	22	3	1	1	—	2	—	—	1	—	—
Membranous Laryngitis (not Diphtheritic).	2	—	1	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous).	9	1	—	1	2	3	2	1	1	9	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	4	—	—	—	—	1	—	1	—	2	—	—	—	1	—	—	—	—	—	1
Bronchitis	2736	157	78	107	342	106	20	9	8	485	5	2	5	4	15	162	374	721	685	223
Emphysema, Asthma	103	—	—	—	—	—	—	—	—	—	—	—	—	1	3	8	38	25	21	4
Pleurisy	82	2	—	2	4	9	9	1	—	23	5	—	—	2	4	10	5	10	11	2
Fibroid Disease of Lung	26	—	—	—	—	—	—	—	—	—	—	—	1	1	3	7	9	3	2	—
Other Diseases of Respiratory System.	198	19	11	8	38	4	5	2	3	52	2	2	2	5	2	15	12	23	54	27

Note.—For continuation of this Table, see page 329.

LONDON.—CAUSES of DEATH at different Periods of Life, 1908—MALES—continued from page 326.

MALES.	ALL AGES.	AGES AT DEATH.												85 and upwards							
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
Tonsillitis, Quinsy ...	24	—	—	1	1	3	—	1	2	7	5	2	1	1	3	—	3	1	1	1	—
Diseases of Mouth, Pharynx, Esophagus (not Specific).	31	11	1	3	15	5	1	1	1	23	—	—	—	—	1	1	1	1	2	—	
Gastric Ulcer ...	107	—	—	—	—	—	—	—	—	—	1	1	—	1	13	31	35	17	8	—	
Gastritis, Gastric Catarrh ...	100	37	17	10	64	2	2	—	—	68	1	—	—	1	2	2	1	7	12	6	
Other Diseases of Stomach (not Malignant)	37	11	5	3	19	1	1	—	—	21	—	—	—	—	3	2	3	2	1	5	
Ulceration of Intestines ...	88	1	1	—	2	1	—	—	—	3	—	—	—	4	14	21	21	13	11	1	
Enteritis (not Epidemic) ...	304	82	64	71	217	35	7	2	1	262	5	—	—	—	3	6	3	8	11	6	
Gastro-enteritis ...	245	63	62	62	187	36	4	2	—	229	1	—	—	1	—	2	2	4	1	4	
Appendicitis, Perityphlitis ...	225	—	—	1	1	—	2	4	7	14	33	32	16	26	27	33	21	16	6	1	
Hernia ...	92	—	5	—	9	2	—	—	—	11	—	7	2	3	2	6	12	19	23	2	
Intestinal Obstruction ...	216	8	25	28	61	8	4	1	1	75	—	1	1	7	5	10	11	35	36	13	
Other Diseases of Intestines	23	—	1	—	1	1	—	—	—	2	1	1	1	2	3	—	3	5	4	1	
Peritonitis (not Puerperal)	28	3	—	2	5	—	1	1	1	8	—	1	1	2	3	2	5	1	2	1	
Cirrhosis of Liver ...	306	—	1	—	1	—	1	—	—	2	—	1	4	11	11	41	97	94	48	8	
Other Diseases of Liver and Gall Bladder.	105	—	—	—	—	—	—	—	—	—	2	—	2	4	13	16	16	16	22	10	
Other Diseases of Digestive System	26	2	2	2	6	2	1	—	1	10	—	—	—	—	1	2	2	6	1	4	
Diseases of Spleen ...	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	
Other Diseases of Lymphatic System.	48	2	2	5	9	2	1	—	2	14	2	6	3	4	4	4	6	4	1	—	
Diseases of Thyroid Body ...	6	—	—	—	—	1	—	—	—	1	—	—	—	1	—	1	1	2	—	—	
Diseases of Supra Renal Capsules	16	—	—	—	—	1	—	—	—	1	—	1	—	1	2	4	2	1	3	1	
Acute Nephritis, Uræmia ...	237	1	1	2	4	5	4	3	1	17	3	5	3	7	27	24	37	42	55	15	
Chronic Bright's Disease, Albuminuria.	959	—	1	—	1	1	—	1	—	3	4	4	13	12	49	101	218	258	213	78	
Calculus (not Biliary) ...	29	—	—	—	—	—	—	1	—	1	1	—	—	2	3	4	3	4	8	3	
Diseases of Bladder and of Prostate	304	1	—	—	1	—	—	—	—	2	1	—	—	—	4	4	15	48	109	106	
Other Diseases of Urinary System	99	—	—	—	—	1	—	—	—	1	1	—	2	2	3	13	17	27	23	9	

Note.—For continuation of this Table, see page 330.

FEMALES.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	6—12 Months.	3—6 Months.	0—3 Months.
		AGES AT DEATH.																
		1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—				
Tonsillitis, Quinsy ...	25	2	3	2	—	9	6	2	1	2	1	1	1	1	1	—	—	
Diseases of Mouth, Pharynx, Esophagus (not Specific).	28	3	1	2	—	16	1	1	—	—	2	1	2	2	2	1	—	
Gastric Ulcer ...	143	—	—	1	—	1	1	—	12	16	31	29	32	11	8	2	—	
Gastritis, Gastric Catarrh...	134	—	3	2	1	61	2	—	1	—	4	8	10	7	18	15	8	
Other Diseases of Stomach (not Malignant).	27	—	—	—	—	6	—	—	1	—	3	4	5	1	2	5	—	
Ulceration of Intestines ...	60	—	—	—	—	3	2	—	1	6	9	9	11	8	9	2	—	
Enteritis (not Epidemic) ...	277	34	9	1	—	219	3	—	—	1	5	7	9	6	13	8	6	
Gastro-enteritis ...	230	37	6	1	—	197	1	2	1	1	3	1	2	6	10	5	1	
Appendicitis, Perityphlitis ...	135	—	—	1	—	2	19	10	14	14	15	21	18	12	7	3	—	
Hernia ...	122	—	—	1	—	1	—	—	—	—	4	8	26	37	26	20	8	
Intestinal Obstruction ...	194	1	1	—	—	23	5	1	3	3	9	14	26	26	37	39	1	
Other Diseases of Intestines	16	—	—	—	—	1	—	—	—	—	1	3	2	3	2	3	—	
Peritonitis (not Puerperal)	49	—	1	3	3	10	11	—	1	5	5	5	2	5	3	2	—	
Cirrhosis of Liver ...	295	1	2	—	—	3	2	3	1	2	11	66	81	73	38	14	1	
Other Diseases of Liver and Gall Bladder.	149	—	—	1	—	1	—	1	1	1	4	13	32	48	25	19	4	
Other Diseases of Digestive System	33	1	—	—	—	1	1	—	—	2	2	2	7	4	8	5	1	
Diseases of Spleen ...	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Other Diseases of Lymphatic System.	28	2	4	2	—	14	1	1	—	1	4	1	1	2	2	1	—	
Diseases of Thyroid Body ...	50	—	—	—	—	—	—	—	2	3	8	10	5	8	9	5	—	
Diseases of Supra Renal Capsules	13	—	—	—	—	—	—	—	—	1	2	3	2	1	2	2	—	
Acute Nephritis, Uræmia ...	194	3	3	2	2	17	8	8	4	3	18	34	42	25	21	13	1	
Chronic Bright's Disease, Albuminuria.	787	—	—	—	—	2	—	7	7	10	25	100	161	187	190	85	13	
Calculus (not Biliary) ...	18	—	—	—	—	—	—	1	—	—	3	1	4	4	3	2	—	
Diseases of Bladder and of Prostate	40	—	—	—	—	—	—	—	—	—	1	5	4	6	11	8	5	
Other Diseases of Urinary System	18	—	—	—	—	1	—	—	—	—	4	2	3	2	—	6	—	

Note.—For continuation of this Table, see page 331.

LONDON.—CAUSES of DEATH at different Periods of Life, 1908—MALES—continued from page 328.

MALES.	CAUSES OF DEATH.	AGES AT DEATH.																			ALL AGES.
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
Ovarian Tumour (not Malignant) Other Diseases of Ovary ... Uterine Tumour (not Malignant) ... Other Diseases of Uterus and Vagina.	Disorders of Menstruation...	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—
	Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage ... Puerperal Mania ... Puerperal Convulsions ... Placenta Prævia, Flooding ... Other Accidents of Pregnancy and Childbirth.		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis ... Arthritis, Periostitis ... Other Diseases of Locomotor System		—	1	1	2	1	1	1	—	5	3	4	4	1	3	3	3	2	1	1	—
		3	—	1	4	—	1	1	1	7	2	7	1	—	—	—	—	1	1	1	—
		—	—	—	—	2	1	2	1	6	4	7	3	—	1	2	2	2	3	1	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer, Bed-sore ... Eczema ... Pemphigus ... Other Diseases of the Skin		—	—	2	2	—	—	—	—	2	—	—	1	—	—	1	—	—	5	3	2
		8	6	2	16	—	—	—	—	16	—	—	—	—	—	1	—	2	1	1	—
		17	1	—	18	—	—	—	—	18	—	—	—	—	—	—	—	1	—	—	—
		6	1	—	7	—	1	—	—	8	—	1	—	—	—	—	—	—	2	—	—
OTHER SPECIFIED DISEASES		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table see page 332.

LONDON.--CAUSES OF DEATH at different Periods of Life, 1908--FEMALES--continued from page 329.

FEMALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—10—15—20—25—35—45—55—65—75—85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
CAUSES OF DEATH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

Note.—For continuation of this Table, see page 333.

LONDON.—CAUSES of DEATH at different Periods of Life, 1908--FEMALES--continued from page 331.

FEMALES.	CAUSES OF DEATH.	All Ages.	AGES AT DEATH.															Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	1—2	2—3	3—4	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75																	
CAUSES ILL-DEFINED OR NOT SPECIFIED.																																		
	<i>Atrophy, Debility</i> ...	615	369	140	77	586	25	2	1	614	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Old Age</i> ...	1730	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Dropsy, Ascites, Anasarca</i> ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Tumour</i> ...	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Abscess</i> ...	26	4	—	2	6	2	1	—	9	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Hæmorrhage</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Sudden Death (cause unascertained)</i>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Other ill-defined causes</i> ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Causes not specified</i> ...	2	1	—	1	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
VIOLENT DEATHS.																																		
	<i>In Mines and Quarries</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Vehicles and Horses</i> ...	79	—	—	1	1	4	7	4	20	6	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Ships, Boats, and Docks (not Drowning).</i>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Building Operations</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Machinery</i> ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Weapons and Implements</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Burns and Scalds</i> ...	189	1	—	10	11	16	27	14	90	7	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Poisons, Poisonous Vapours</i>	40	—	—	1	1	2	—	2	5	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Drowning</i> ...	38	1	—	—	1	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Suffocation</i> ...	228	151	47	19	217	6	—	—	225	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Falls</i> ...	234	—	2	3	5	7	3	1	19	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Weather Agencies</i> ...	3	—	1	—	—	—	—	—	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Otherwise or not stated</i>	50	22	1	3	26	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Battle</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Homicide</i> ...	24	6	—	—	6	1	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Suicide</i> ...	132	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Execution</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

SUPPLEMENTARY TABLE.—LONDON, 1908.—DEATHS certified as from INFECTIVE PROCESSES.*—MALES.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	AGES AT DEATH.												85 and upwards.
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	5-	10-	15-	20-		25-	35-	45-	55-	65-	75-							
Infective Diseases of	Brain ...	60	2	3	7	12	5	3	1	16	3	5	6	6	10	8	5	1	1	2	—							
	Middle Ear ...	74	—	—	7	7	7	2	2	17	8	9	12	8	7	4	4	2	1	1	—							
	Blood Vessels ...	8	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—							
	Larynx ...	1	—	—	—	—	—	—	—	31	—	—	—	—	—	—	—	—	—	—	—							
	Pleura ...	65	—	1	3	4	14	7	4	41	2	2	1	2	8	6	5	7	—	1	—							
	Lung ...	96	3	3	8	14	16	5	5	7	9	9	8	8	14	10	10	2	1	1	—							
	Tonsil ...	10	—	—	1	1	1	—	—	3	—	—	1	1	3	1	1	—	—	—	—							
	Mouth and Pharynx ...	11	—	1	1	2	3	—	—	6	—	—	1	1	1	1	1	—	—	—	—							
	Stomach and Intestines...	338	1	3	7	11	1	3	7	29	30	34	15	26	40	55	46	38	18	5	2							
	Peritoneum ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—							
	Liver ...	26	—	—	—	—	—	—	—	—	—	—	2	2	6	7	3	1	2	—	—							
	Infective Processes	Kidney ...	19	—	—	—	—	—	—	—	1	—	—	1	2	2	2	2	4	5	2	—						
Bladder and Prostate ...		44	—	—	—	—	—	1	—	—	—	—	—	2	4	6	7	14	9	1	1							
Bone ...		28	—	1	1	1	3	1	—	6	4	8	4	—	1	1	—	1	3	—	—							
Joints ...		15	2	—	1	3	—	1	—	4	2	5	1	—	—	1	—	—	1	1	—							
Other parts of the body...		20	1	3	—	4	1	1	—	7	—	—	—	—	2	1	4	3	1	1	—							
Infective Processes	Ulcer ...	3	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—							
	Abscess ...	26	7	2	1	10	2	—	1	13	2	2	—	—	—	1	2	4	1	1	—							
	Others ...	14	—	—	—	—	—	2	—	2	—	—	1	—	3	5	2	—	—	—	—							
Total ...		859	16	17	37	70	46	26	18	18	178	58	68	47	93	106	100	93	45	18	4							

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and all forms of Diarrhoea are excluded from this Table.

SUPPLEMENTARY TABLE.—LONDON, 1908.—DEATHS certified as from INFECTIVE PROCESSES.*—FEMALES.

FEMALES.	CAUSE OF DEATH.	AGES AT DEATH.												ALL AGES.						
		Total under 5 Years.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	5-	10-	15-	20-		25-	35-	45-	55-	65-	75-
Infectives Disease of	Brain	22	3	6	5	4	2	1	15	2	1	6	2	4	1	1	2	—	—	—
	Middle Ear	80	2	3	10	1	1	—	4	15	—	—	10	1	—	—	—	—	—	—
	Blood Vessels	16	—	—	3	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—
	Larynx	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	Pleura	30	—	2	8	8	5	1	22	2	—	—	1	7	8	3	3	1	—	—
	Lung	53	3	3	1	2	2	—	6	3	—	—	4	—	2	—	2	—	—	—
	Tonsil	15	—	1	1	1	1	—	2	1	—	—	—	1	—	1	1	—	—	—
	Mouth and Pharynx	12	—	—	—	—	—	—	5	9	1	2	2	—	2	2	1	1	—	—
	Stomach and Intestines...	231	2	—	3	2	—	—	5	20	17	25	24	42	46	22	15	5	—	1
	Peritoneum	5	—	—	1	—	—	—	1	2	—	—	2	3	—	—	7	1	—	—
	Liver	34	—	—	—	—	—	—	—	1	—	—	—	—	9	—	—	—	—	—
	Kidney	14	—	—	—	—	—	—	—	1	2	—	3	—	3	—	—	1	—	—
Infective Processes	Bladder and Prostate	12	—	—	—	—	—	—	—	—	—	—	2	—	4	—	2	—	—	—
	Uterus and Ovary	69	1	1	1	1	1	—	4	2	—	4	23	23	12	2	3	—	—	—
	Bone	15	—	1	2	—	—	—	2	2	—	1	1	1	1	1	—	—	—	—
	Joints	8	—	1	1	—	—	—	2	2	—	—	—	—	1	—	—	—	—	—
	Other parts of the body...	18	—	—	6	—	—	—	—	2	—	—	2	3	1	1	3	—	—	—
	Ulcer	13	—	—	—	—	—	—	—	—	—	—	—	—	2	4	4	1	—	—
Total	Abscess	26	—	2	6	—	2	—	9	1	2	—	—	3	1	1	4	3	—	—
	Pelvic Cellulitis...	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	Others	9	—	1	1	—	1	—	2	—	—	—	—	2	3	—	1	—	—	—
Total		689	13	26	50	21	25	12	5	39	30	51	82	98	98	56	50	14	2	—

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and all forms of Diarrhoea are excluded from this Table.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1908.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.†		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.†		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
ALL CAUSES	268714	251742	34841	32282	5453	5119	6541	6088	4105	4064	5745	5356	1933	1864
A.*—GENERAL DISEASES	124054	113414	18438	15976	2554	2335	2898	2662	1768	1776	2542	2317	779	756
B.*—DISEASES OF PARTICULAR ORGANS:—														
I. DISEASES OF NERVOUS SYSTEM	18456	14851	1601	1272	506	321	445	358	278	223	368	256	123	92
II. " " ORGANS OF SPECIAL SENSE.. ..	639	509	99	99	16	10	9	8	7	2	13	8	8	3
III. " " HEART	23918	25973	2629	2988	525	582	644	737	457	496	604	637	197	229
IV. " " BLOOD VESSELS	15114	16222	1613	1771	388	399	398	449	287	296	380	353	144	183
V. " " RESPIRATORY SYSTEM	23031	23124	2953	3191	324	421	446	465	252	301	406	450	144	179
VI. " " DIGESTIVE SYSTEM	14379	14036	1957	1917	306	289	361	339	207	239	282	287	109	96
VII. " " LYMPH: & DUCTLESS GLANDS	453	750	74	92	14	14	11	17	6	16	7	27	2	3
VIII. " " URINARY SYSTEM	10252	6858	1628	1057	263	181	303	171	214	118	282	172	91	59
IX. " " GENERATIVE SYSTEM	41	1018	5	182	—	22	—	30	—	21	—	26	—	12
X. " " PREGNANCY AND CHILD BIRTH	—	1966	—	180	—	28	—	38	—	28	—	38	—	11
XI. " " LOCOMOTOR SYSTEM	509	354	80	53	11	7	15	10	4	6	9	8	6	2
XII. " " THE SKIN	544	646	67	99	10	12	13	19	5	10	18	15	6	1
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	23307	25912	1822	2386	282	370	623	660	412	429	529	619	223	209
E.*—VIOLENT DEATHS	14017	6109	1875	1019	254	128	375	125	208	103	305	143	101	29

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.
† On 1st April, 1908, the boundary between London and Middlesex was altered; see page 499. The deaths are shown as if the change had taken place at the beginning of the year.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1908—*continued*.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.												Cambridge- shire.	
		Middlesex.†		Hertford- shire.		Buckingham- shire.		Oxfordshire.		Northampton- shire.		Hunting- donshire.		Bedford- shire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	5983	5839	1709	1696	1189	1083	1313	1287	2339	2216	297	334	1223	1200
A.*—GENERAL DISEASES	3050	2802	708	671	498	448	481	520	1008	941	126	139	469	475
B.*—DISEASES OF PARTICULAR ORGANS:—															
I. DISEASES OF NERVOUS SYSTEM	398	373	161	114	67	59	91	69	155	118	17	16	109	68
II. " " ORGANS OF SPECIAL SENSE..	..	16	4	6	3	1	2	6	2	4	6	—	2	3	1
III. " " HEART	485	534	190	224	140	135	148	144	231	263	27	37	110	161
IV. " " BLOOD VESSELS	291	349	129	139	73	68	109	121	157	161	21	36	90	102
V. " " RESPIRATORY SYSTEM..	..	494	537	137	158	101	104	95	128	192	201	25	30	95	115
VI. " " DIGESTIVE SYSTEM	323	300	71	89	58	59	81	71	102	98	14	10	72	55
VII. " " LYMPH : & DUCTLESS GLANDS	..	10	10	4	5	6	4	3	3	5	7	1	4	2	5
VIII. " " URINARY SYSTEM	207	158	62	49	45	32	62	34	81	52	8	11	48	33
IX. " " GENERATIVE SYSTEM	—	15	—	2	—	4	1	6	—	5	—	3	—	6
X. " " PREGNANCY AND CHILD BIRTH	..	—	50	—	12	—	7	—	5	—	10	—	1	—	5
XI. " " LOCOMOTOR SYSTEM	5	10	3	1	1	—	1	2	2	2	—	1	1	3
XII. " " THE SKIN	21	18	3	8	4	3	1	3	3	8	1	1	1	4
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.		407	518	153	186	143	143	158	143	251	292	36	37	158	147
E.*—VIOLENT DEATHS	276	161	82	35	52	15	76	36	139	52	21	6	65	20

* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

† See note † on preceding page.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
ALL CAUSES	7868	7513	2773	2663	3513	3398	1766	1776	1366	1329	5122	5072	2361	2357	3183	3337
A.*—GENERAL DISEASES	3855	3498	1124	1044	1446	1393	666	646	560	481	2080	2128	919	866	1235	1242
B.*—DISEASES OF PARTICULAR ORGANS:—																
I. DISEASES OF NERVOUS SYSTEM	475	416	169	159	219	191	96	99	75	71	358	292	150	127	184	167
II. " " ORGANS OF SPECIAL SENSE ..	16	11	4	6	9	5	3	2	2	2	9	8	5	7	5	5
III. " " HEART.. .. .	607	762	274	347	346	357	219	257	164	201	583	578	271	335	405	457
IV. " " BLOOD VESSELS	436	433	184	190	259	288	152	141	104	117	359	394	136	214	236	286
V. " " RESPIRATORY SYSTEM	662	714	219	217	259	299	162	147	89	97	463	436	213	158	241	287
VI. " " DIGESTIVE SYSTEM	380	396	126	123	143	116	92	98	66	74	284	281	120	120	199	198
VII. " " LYMPH: & DUCTLESS GLANDS ..	15	26	6	6	7	10	1	6	2	3	13	23	7	11	4	13
VIII. " " URINARY SYSTEM.. .. .	262	180	106	77	153	67	61	54	75	37	212	117	112	69	155	84
IX. " " GENERATIVE SYSTEM	1	20	—	7	3	19	—	6	—	3	—	28	—	8	2	18
X. " " PREGNANCY AND CHILDBIRTH ..	—	49	—	22	—	16	—	17	—	9	—	28	—	22	—	25
XI. " " LOCOMOTOR SYSTEM	15	5	6	1	8	5	4	1	—	3	9	7	6	1	6	8
XII. " " THE SKIN	22	27	12	5	7	9	6	4	4	10	15	18	1	14	3	10
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	741	809	401	395	496	568	235	258	151	197	478	647	307	371	339	452
E.*—VIOLENT DEATHS.. .. .	381	167	142	64	158	55	69	40	74	24	259	87	114	34	169	85

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1908—*continued*.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N.W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		North- berland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	5268	4814	3973	3574	6184	6237	42003	39559	24371	22333	4124	3531	3503	3187	11937	10477	5881	5297
A.*—GENERAL DISEASES	2368	2198	1673	1533	2902	2750	20296	18191	11537	10378	1786	1647	1696	1548	5541	5028	2665	2423
B.*—DISEASES OF PARTICULAR ORGANS :—																		
I. DISEASES OF NERVOUS SYSTEM	372	298	280	231	429	377	2954	2409	1733	1347	307	222	242	179	1015	761	501	369
II. " " ORGANS OF SPECIAL SENSE.. .. .	10	13	12	4	14	8	96	84	61	52	9	5	7	4	18	24	21	10
III. " " HEART	441	464	363	400	609	669	3268	3776	2170	2346	384	346	302	286	966	853	533	530
IV. " " BLOOD VESSELS	313	280	223	232	369	436	2111	2355	1516	1524	238	193	191	210	594	582	290	281
V. " " RESPIRATORY SYSTEM	468	460	380	334	457	552	4083	4218	2279	2058	344	300	252	229	1060	987	415	426
VI. " " DIGESTIVE SYSTEM	262	276	224	200	306	332	2324	2283	1192	1140	221	182	202	188	553	543	360	343
VII. " " LYMPH : & DUCTLESS GLANDS	4	12	7	14	11	27	62	100	35	69	7	10	5	8	13	23	8	13
VIII. " " URINARY SYSTEM	172	128	149	98	248	171	1475	1088	849	634	148	92	99	62	265	199	235	159
IX. " " GENERATIVE SYSTEM	—	19	—	14	1	17	3	153	—	82	2	12	1	11	5	32	1	24
X. " " PREGNANCY AND CHILD BIRTH	—	32	—	39	—	44	—	319	—	205	—	40	—	20	—	118	—	45
XI. " " LOCOMOTOR SYSTEM	4	9	10	3	7	3	69	56	57	34	10	3	9	5	17	12	8	3
XII. " " THE SKIN	8	7	8	10	8	14	81	70	37	50	14	8	8	12	22	12	9	7
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	538	486	441	392	522	664	3119	3426	1697	1894	424	375	327	358	1237	1124	502	554
E.*—VIOLENT DEATHS	308	132	203	70	301	173	2062	1031	1208	520	230	96	162	67	631	179	333	110

* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.						PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Carmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	2159	2080	433	400	3257	2885	12050	10879	8981	7750	1182	1111	642	647	645	797	469	456
A.*—GENERAL DISEASES	944	904	181	164	1457	1289	5303	4946	4066	3640	486	503	234	234	294	311	171	201
B.*—DISEASES OF PARTICULAR ORGANS:— I. DISEASES OF NERVOUS SYSTEM.. .. .	137	98	23	20	273	219	1150	916	874	708	128	86	41	39	47	40	46	35
II. " " ORGANS OF SPECIAL SENSE	7	5	—	1	9	6	22	21	16	18	5	1	1	1	—	—	—	1
III. " " HEART.. .. .	242	216	64	74	251	231	969	1019	663	617	105	123	83	100	64	113	44	52
IV. " " BLOOD VESSELS	108	157	27	23	142	162	573	637	387	401	55	82	49	45	44	67	30	32
V. " " RESPIRATORY SYSTEM	172	169	33	24	315	261	964	847	719	609	89	67	46	61	53	63	47	43
VI. " " DIGESTIVE SYSTEM	121	117	20	14	219	221	714	657	562	501	63	63	37	35	29	38	18	17
VII. " " LYMPH; & DUCTLESS GLANDS	3	8	1	2	7	4	11	32	6	23	3	2	1	2	—	5	1	—
VIII. " " URINARY SYSTEM.. .. .	57	43	21	7	90	49	391	259	247	168	59	31	35	17	27	27	18	10
IX. " " GENERATIVE SYSTEM	1	9	—	3	—	8	5	36	3	22	1	6	1	4	—	3	—	—
X. " " PREGNANCY AND CHILDBIRTH	—	23	—	1	—	35	—	130	—	98	—	14	—	8	—	4	—	6
XI. " " LOCOMOTOR SYSTEM	7	3	—	1	4	2	23	15	13	12	6	—	2	1	1	1	—	1
XII. " " THE SKIN	3	10	—	1	6	4	26	25	19	23	3	—	1	1	1	1	2	—
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	229	280	42	52	270	330	1037	1123	707	747	109	117	76	87	59	109	64	49
E.*—VIOLENT DEATHS	128	38	21	13	214	64	862	216	699	163	70	16	35	12	26	15	28	9

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued.

PART OF DIVISION XL. MONMOUTHSHIRE AND WALES.																	
CAUSES OF DEATH.	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire		Carnarvon-shire.		Anglesey.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
ALL CAUSES	131	118	3911	3879	461	452	516	524	1092	1045	499	467	1082	1098	261	293	
A.*—GENERAL DISEASES	52	57	1665	1625	175	165	231	201	488	473	217	180	453	494	101	112	
B.*—DISEASES OF PARTICULAR ORGANS:—																	
I. DISEASES OF NERVOUS SYSTEM.. .. .	14	8	303	258	29	28	29	31	97	78	38	38	84	53	26	30	
II. " " ORGANS OF SPECIAL SENSE ..	—	—	5	5	—	—	—	1	2	2	1	1	1	1	1	—	
III. " " HEART.. .. .	10	14	426	471	51	66	46	59	106	122	62	67	132	126	29	31	
IV. " " BLOOD VESSELS	8	10	264	315	18	37	37	43	75	80	24	40	74	81	36	34	
V. " " RESPIRATORY SYSTEM	10	4	305	296	47	36	53	55	86	71	49	39	59	81	11	14	
VI. " " DIGESTIVE SYSTEM	5	3	206	207	28	16	30	35	56	46	25	31	62	66	5	13	
VII. " " LYMPH: & DUCTLESS GLANDS	—	—	6	8	1	—	—	2	1	2	1	—	3	3	—	1	
VIII. " " URINARY SYSTEM	5	6	196	126	25	14	13	9	38	33	28	18	72	43	20	9	
IX. " " GENERATIVE SYSTEM	—	1	—	11	—	—	—	2	—	4	—	1	—	3	—	1	
X. " " PREGNANCY AND CHILD BIRTH	—	—	—	42	—	5	—	5	—	15	—	3	—	12	—	2	
XI. " " LOCOMOTOR SYSTEM	1	—	7	5	—	—	1	—	2	2	1	1	3	2	—	—	
XII. " " THE SKIN	—	—	8	10	—	—	2	1	3	5	—	1	3	3	—	—	
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	22	14	341	431	69	74	48	71	90	91	31	44	80	111	23	40	
E.*—VIOLENT DEATHS.. .. .	4	1	179	69	18	11	26	9	48	21	22	3	56	19	9	6	

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.†		DIVISION II. SOUTH EASTERN COUNTIES.									
			London.‡		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not vaccinated ... Doubtful ... effects of ... of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	43	50	11	4	2	—	1	3	—	—	—	—	—	—
Measles (Morbilli) ...	4135	3876	769	739	95	93	60	72	26	18	40	39	17	10
German Measles ...	11	11	3	3	1	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	1401	1426	237	233	25	22	35	20	6	9	12	14	7	7
Typhus ...	8	5	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	4842	5270	584	729	126	150	154	161	104	142	84	125	70	49
Whooping-cough ...	4339	5512	424	557	69	68	82	83	40	47	86	129	24	36
Mumps ...	49	64	5	11	1	4	2	—	—	1	—	3	—	—
Diphtheria ...	2729	2840	352	346	77	76	62	65	32	22	71	89	21	29
Cerebro-spinal Fever ...	67	49	17	18	1	—	1	—	—	—	2	2	—	—
Pyrexia* (origin uncertain) ...	10	16	—	2	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	1617	1034	140	80	12	7	52	31	12	8	35	19	9	8
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	159	137	30	22	6	6	6	—	3	4	2	—	1	—
Infective Enteritis, Epidemic	5443	4729	824	698	58	37	68	75	10	22	52	39	10	11
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	4173	3555	546	443	60	33	85	58	35	32	55	44	15	11
Dysentery ...	139	107	15	3	30	18	5	11	4	—	3	1	3	1

Note.—For continuation of this Table, see page 350.

* Called Simple Continued Fever previous to 1901.

† See Note † on page 336.

+ i.e., deaths stated to be so caused.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.†		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of ...	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	1	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	—	2	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	112	110	10	4	6	2	2	12	3	1	9	8
German Measles ...	—	—	—	—	—	1	—	—	—	—	—	—
Scarlet Fever ...	82	79	6	8	10	6	1	8	6	4	2	2
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	142	153	42	45	32	44	29	52	43	9	17	31
Whooping-cough ...	74	88	22	23	23	22	17	55	70	10	20	18
Mumps ...	1	—	—	1	—	—	—	1	1	—	1	—
Diphtheria ...	93	97	24	13	17	13	13	14	15	2	15	21
Cerebro-spinal Fever ...	2	—	—	—	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain) ...	1	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	27	21	5	2	—	2	3	4	10	—	3	2
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	12	5	1	2	—	1	—	—	1	—	2	—
Infective Enteritis, Epidemic ...	126	114	12	5	5	4	4	7	7	—	8	7
Diarrhoea. ...	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) ...	90	89	11	6	10	2	18	13	28	4	10	6
Dysentery ...	8	12	1	2	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 351.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

‡ See Note † on page 336.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	1	2	1	—	—	1	1	1	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	210	192	28	27	43	33	10	9	7	6	26	26	1	4	37	35
German Measles ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	72	64	4	6	5	6	6	6	8	7	7	5	9	9	3	4
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	159	159	55	74	86	80	40	35	40	20	103	149	34	47	70	91
Whooping-cough ...	100	127	31	42	71	94	21	26	24	23	78	89	36	58	12	27
Mumps ...	—	6	—	1	1	—	—	—	2	—	—	—	1	1	—	—
Diphtheria ...	123	133	24	19	38	46	10	20	14	21	42	45	21	7	14	22
Cerebro-spinal Fever ...	2	1	—	—	—	—	—	—	1	—	1	—	1	—	3	—
Pyrexia* (origin uncertain)	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Enteric Fever ...	39	29	16	10	36	29	4	4	3	2	21	26	5	6	5	1
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	5	—	—	—	5	—	1	1	1	—	2	1	—	1	2	1
Infective Enteritis, Epidemic Diarrhoea.	203	188	9	15	21	19	1	4	2	3	56	44	10	4	12	12
Diarrhoea (not otherwise defined)	96	86	19	20	30	31	6	8	12	7	53	35	18	22	31	20
Dysentery ...	10	5	1	—	2	—	1	5	1	2	2	5	2	—	1	7

Note.—For continuation of this Table, see page 352.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.			
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Leicester-shire.		Rutland-shire.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	58	48	3	6	21	20	103	90	29	47	97	101	—	8
German Measles ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	9	8	2	—	8	10	73	86	23	48	16	20	1	12
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	68	89	21	29	67	75	215	190	92	137	47	46	3	91
Whooping-cough ...	80	106	4	7	26	14	163	235	54	253	47	57	1	81
Mumps ...	1	1	—	—	—	—	1	2	1	1	1	—	—	1
Diphtheria ...	61	52	8	9	15	18	118	129	38	95	21	31	1	42
Cerebro-spinal Fever ...	—	1	—	—	—	—	1	1	—	—	—	1	—	—
Pyrexia* (origin uncertain) ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	20	5	2	—	3	1	70	48	12	26	17	5	1	21
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	1	2	1	2	4	2	11	7	—	6	2	5	—	—
Infective Enteritis, Epidemic ...	50	35	3	4	2	4	229	196	37	222	56	46	1	29
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) ...	45	57	3	7	18	13	270	221	58	96	34	47	—	54
Dysentery ...	—	2	1	—	—	—	8	4	—	3	—	—	—	1

Note.—For continuation of this Table, see page 353.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumber-land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	50	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—
German Measles ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	15	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	85	68	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough ...	81	112	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	46	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	38	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic	124	89	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	96	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery ...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 354.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	—	3	—	—	1	—	1	2	1	1	—	1	3	1	—	—	—	5
Measles (Morbilli) ...	5	4	1	4	42	39	275	230	221	195	44	28	—	—	4	1	—	1
German Measles ...	—	—	1	—	—	—	—	2	—	1	—	—	—	—	1	—	—	1
Scarlet Fever ...	5	8	—	2	8	13	34	29	32	26	—	1	1	—	—	—	—	—
Typhus ...	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	37	56	9	11	68	57	244	206	163	118	21	29	11	11	31	33	13	11
Whooping-cough ...	57	64	13	10	99	117	220	272	185	229	16	13	5	5	9	8	2	13
Mumps ...	—	—	—	1	1	1	2	3	1	2	1	1	—	—	1	—	—	—
Diphtheria ...	20	23	3	2	33	28	96	122	76	87	8	3	7	4	1	5	1	9
Cerebro-spinal Fever ...	1	—	—	—	—	—	20	14	19	13	1	1	—	—	—	—	—	—
Pyrexia* (origin uncertain)	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever ...	19	17	—	1	32	14	70	31	57	19	3	4	2	1	2	1	6	5
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	2	—	—	—	1	1	4	6	3	6	—	—	—	—	1	—	—	—
Infective Enteritis, Epidemic	10	7	—	—	47	46	305	239	296	230	6	1	1	5	1	2	1	1
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	22	19	3	3	39	36	188	184	165	158	9	13	5	6	7	4	2	2
Dysentery ...	—	—	—	—	2	—	3	—	1	—	1	—	1	—	—	—	—	—

Note.—For continuation of this Table, see page 355.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued.

CAUSES OF DEATH.		PART OF DIVISION XL. MONMOUTHSHIRE AND WALES.															
		Radnorshire.		North Wales.		Montgomery- shire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox	Vaccinated ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Not Vaccinated ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Doubtful ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox	and other effects	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli)	...	—	—	18	18	1	5	9	10	2	—	—	—	5	3	1	—
German Measles	...	—	—	13	6	—	—	1	1	5	—	—	—	3	—	—	—
Scarlet Fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	...	5	4	140	157	15	16	11	24	40	43	20	17	43	42	11	15
Whooping-cough	...	3	4	100	115	7	7	18	19	37	48	—	9	31	26	7	6
Mumps	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	...	3	4	35	48	1	1	10	13	9	16	3	4	10	14	2	—
Cerebro-spinal Fever	...	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Pyrexia* (origin uncertain)	...	—	—	1	10	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	...	—	1	9	—	—	—	4	2	2	5	1	2	—	1	1	—
Asiatic Cholera	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food†	...	—	—	2	1	—	—	—	—	—	—	—	—	—	1	—	—
Infective Enteritis, Epidemic	...	—	—	19	17	—	—	1	—	12	11	2	2	3	1	1	3
Diarrhoea.	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	...	—	1	29	27	—	3	6	2	6	13	1	2	16	7	—	—
Dysentery	...	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—

Note.—For continuation of this Table, see page 356.

* Called Simple Continued Fever previous to 1901.

† *i.e.*, deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 343.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Tetanus	139	41	21	4	1	1	8	4	1	1	6	1	1	2
Malaria	49	7	4	1	2	—	1	1	—	—	7	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	7	—	7	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	12	1	—	1	—	—	—	—	—	—	1	—	—	—
Syphilis	939	763	200	151	26	19	19	24	4	5	29	17	9	4
Gonorrhœa	10	25	5	4	—	—	—	1	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	1030	—	119	—	16	—	25	—	14	—	19	—	6
Puerperal Pyæmia	—	92	—	6	—	—	—	1	—	—	—	—	—	1
Phlegmasia Alba Dolens	—	83	—	10	—	—	—	2	—	2	—	2	—	—
Puerperal Fever (not otherwise defined).	—	190	—	13	—	4	—	5	—	2	—	5	—	—
Infective Endocarditis	251	270	91	79	8	11	9	8	5	7	7	5	1	1
{ Lobar	3030	1788	465	309	71	52	50	32	24	20	40	33	7	8
{ Broncho-	10270	8764	1491	1348	215	153	195	170	104	123	143	128	44	56
{ Epidemic	3	1	—	—	—	1	—	—	—	—	—	—	—	—
{ Not defined	10368	7555	1578	1216	201	177	200	142	156	123	181	145	44	51
Erysipelas	443	393	77	81	7	8	10	6	6	8	9	3	5	5
Septicæmia, Septic Intoxication (not Puerperal).	251	165	51	26	6	7	7	4	7	1	7	8	1	—
Pyæmia (not Puerperal)	84	60	21	8	2	—	3	1	3	1	1	4	1	—
Phlegmon Carbuncle (not Anthrax)	436	261	82	42	15	4	9	4	6	4	11	11	2	3
Phagedæna	10	21	2	5	—	—	—	—	—	—	—	1	—	—
Other Infective Processes	131	67	14	13	1	2	2	1	1	2	5	—	1	—

Note.—For continuation of this Table, see page 357.

* See Note † on page 336.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.											
		Middlesex.*		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	...	7	2	1	—	2	—	1	2	1	—	1	—
Malaria	...	2	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	...	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	...	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	...	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	...	20	11	4	4	—	1	2	3	—	—	—	—
Gonorrhoea	...	1	—	—	1	—	—	—	—	7	4	—	3
Puerperal Septicæmia, Puerperal Septic Intoxication.	...	—	18	—	8	—	7	—	6	—	—	—	2
Puerperal Pyæmia	...	—	5	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	...	—	4	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	...	—	3	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis	...	4	8	2	2	—	1	1	5	3	4	2	1
{ Lobar	...	53	38	20	15	5	6	3	3	16	6	8	6
{ Broncho-	...	256	214	43	28	31	28	26	25	75	45	28	38
Pneumonia	...	—	—	—	—	—	—	—	—	—	—	—	26
{ Epidemic	...	260	198	55	39	52	26	46	47	64	49	21	—
{ Not defined	...	10	11	2	3	4	—	1	4	4	7	3	43
Erysipelas	...	6	2	1	1	—	2	2	2	—	1	1	35
Septicæmia, Septic Intoxication (not Puerperal).	...	—	—	—	—	—	—	—	—	—	—	—	1
Pyæmia (not Puerperal)	...	1	2	—	—	—	1	1	1	—	—	—	1
Phlegmon, Carbuncle (not Anthrax)	...	14	5	2	1	—	1	3	2	3	—	4	2
Phagedæna	...	—	—	—	—	—	—	—	—	—	—	1	1
Other Infective Processes	...	—	1	—	2	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 358.

* See Note † on page 336.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	2	—	—	—	1	—	4	1	1	—	4	—	2	1	—	—	1	—
Malaria	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Syphilis	18	12	—	—	5	1	39	40	6	6	37	17	8	10	—	—	13	15
Gonorrhoea	1	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	12	—	3	—	4	—	31	—	12	—	22	—	10	—	—	—	13
Puerperal Pyæmia	—	3	—	—	—	1	—	5	—	2	—	—	—	3	—	—	—	3
Phlegmasia Alba Dolens	—	1	—	—	—	1	—	1	—	—	—	2	—	2	—	—	—	1
Puerperal Fever (not otherwise defined).	—	3	—	—	—	1	—	9	—	4	—	4	—	2	—	—	—	1
Infective Endocarditis	9	8	1	—	4	4	7	5	2	4	3	2	6	1	—	—	1	1
Pneumonia { Lobar Broncho- Epidemic Not defined	31	21	7	2	9	10	64	38	38	24	68	42	25	12	—	—	25	12
	168	148	17	9	63	61	414	336	111	107	308	261	106	84	4	3	85	80
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	156	128	25	24	66	48	393	314	134	103	286	231	95	67	2	5	109	89
Septicæmia, Septic Intoxication (not Puerperal).	6	3	2	—	—	4	22	19	5	3	13	11	7	4	1	1	1	6
	3	2	1	—	3	2	5	3	3	1	5	6	6	4	—	—	3	3
Pyæmia (not Puerperal)	3	—	—	—	2	—	2	2	1	1	1	1	1	1	—	—	—	1
Phlegmon, Carbuncle (not Anthrax)	9	7	4	—	2	2	12	8	9	5	17	6	3	3	—	—	6	3
Phagedæna	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—
Other Infective Processes	—	2	—	—	1	—	1	2	2	1	3	1	4	—	—	—	4	1

Note.—For continuation of this Table, see page 360.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 347.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottingham- shire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus
Malaria
Rabies, Hydrophobia
Glanders
Anthrax (Splenic Fever)
Syphilis
Gonorrhoea
Puerperal Septicæmia, Puerperal Septic Intoxication
Puerperal Pyæmia
Phlegmasia Alba Dolens
Puerperal Fever (not otherwise defined).
Infective Endocarditis
Lobar
Broncho-
Epidemic
Not defined
Pneumonia
Erysipelas
Septicæmia, Septic Intoxication (not Puerperal).
Pyæmia (not Puerperal)
Phlegmon, Carbuncle (not Anthrax)
Phagedæna
Other Infective Processes

Note.—For continuation of this Table, see page 361.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 348.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	1	—	—	—	—	1	6	2	4	2	1	—	1	—	—	—	—	—
Malaria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	5	5	1	—	7	4	28	28	24	25	1	1	2	—	1	—	—	1
Gonorrhoea	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	12	—	—	—	16	—	57	—	45	—	4	—	5	—	1	—	—
Puerperal Pyæmia	—	1	—	—	—	2	—	7	—	5	—	—	—	—	—	—	—	1
Phlegmasia Alba Dolens	—	1	—	—	—	1	—	7	—	7	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	—	3	—	—	—	7	—	21	—	17	—	2	—	—	—	—	—	2
Infective Endocarditis	1	2	1	—	1	—	3	7	2	3	—	2	—	—	—	1	—	1
Lobar	37	13	6	2	58	37	130	59	100	45	15	7	2	2	5	1	8	4
Broncho-	67	70	6	11	191	171	549	463	444	375	42	39	21	10	14	17	24	22
Epidemic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not defined	111	80	17	9	211	112	498	316	393	224	44	37	19	19	25	16	16	14
Erysipelas	3	3	—	—	6	6	13	20	11	14	2	1	—	—	—	2	—	3
Septicæmia, Septic Intoxication (not Puerperal).	2	1	1	—	4	1	3	6	3	4	—	—	—	—	—	1	—	—
Pyæmia (not Puerperal)	2	—	—	—	—	2	1	3	1	2	—	1	—	—	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	5	1	—	2	—	1	13	9	8	4	3	—	—	—	1	2	—	1
Phagedæna	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Other Infective Processes	—	—	—	—	1	—	8	1	7	—	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 362.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 349.

CAUSES OF DEATH.		PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
		Radnorshire.		North Wales.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	...	—	—	3	—	—	—	—	—	1	—	—	—
Malaria	...	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	...	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	...	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	...	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	...	—	1	3	4	—	—	—	—	2	1	1	—
Gonorrhoea	...	—	—	—	1	—	—	—	—	—	—	—	1
Puerperal Septicæmia, Puerperal Septic Intoxication.	...	—	2	—	17	—	—	4	—	—	—	—	—
Puerperal Pyæmia	...	—	1	—	2	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	...	—	—	—	1	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	...	—	—	—	2	—	—	—	—	—	—	—	—
Infective Endocarditis	...	—	—	4	2	—	—	2	—	1	—	—	—
{ Lobar	...	—	—	30	25	—	4	5	—	10	—	—	—
{ Broncho-	...	4	87	95	87	—	12	9	—	25	—	—	—
Pneumonia	...	—	—	—	—	—	—	—	—	—	—	—	—
{ Epidemic	...	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined	...	1	6	145	81	—	23	8	—	56	—	—	—
Erysipelas	...	—	—	2	4	—	—	2	—	—	—	—	—
Septicæmia, Septic Intoxication (not Puerperal).	...	—	1	3	6	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	...	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	...	1	—	9	8	—	1	—	—	3	—	—	—
Phagedæna	...	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	...	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 363.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Pulmonary Tuberculosis (Tuber- culous Phthisis).	11756	8436	2796	1493	264	228	316	255	151	134	349	231	83	62
<i>Phthisis</i> (not otherwise defined) ...	10667	8640	1111	846	204	174	255	209	220	149	230	167	64	67
Tuberculous Meningitis ...	3057	2811	524	481	61	50	60	63	38	48	58	58	13	11
Tuberculous Peritonitis ...	1924	1859	227	197	30	35	46	40	30	24	27	43	7	6
<i>Tubes Mesenterica</i> ...	554	440	33	30	9	—	13	6	7	8	7	4	1	1
Lupus ...	18	38	3	2	—	—	—	1	—	1	1	3	—	1
Tubercle of other Organs ...	978	646	166	88	24	10	40	23	16	20	27	18	7	5
General Tuberculosis ...	2209	2022	369	321	34	31	67	52	33	28	54	46	10	10
<i>Scrofula</i> ...	19	6	—	—	—	1	1	1	1	—	—	—	—	—
Parasitic Diseases ...	130	116	4	15	5	—	1	4	—	1	2	1	—	1
Starvation ...	11	4	1	—	—	—	1	—	—	—	—	1	—	—
Scurvy ...	25	25	3	4	1	1	—	—	1	—	—	—	1	—
Alcoholism, Delirium Tremens ...	1112	825	199	192	20	14	26	16	22	18	22	27	6	4
Opium, Morphia-habit ...	3	7	—	1	1	—	—	—	1	—	—	—	—	—
Industrial Poisoning :—														
By Lead ...	102	3	12	—	1	—	—	—	3	—	—	—	—	—
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Metals ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 364. * See Note † on page 336.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 351.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.*		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	281	194	89	83	36	30	33	38	75	68	5	8
Phthisis (not otherwise defined) ...	236	206	46	43	53	39	69	35	120	107	14	10
Tuberculous Meningitis ...	77	63	11	16	6	4	9	14	35	21	—	3
Tuberculous Peritonitis ...	29	30	10	14	5	2	8	5	13	11	—	1
Tabes Mesenterica ...	6	9	1	—	—	—	—	—	2	3	—	—
Lupus ...	1	—	—	1	1	—	—	—	—	—	—	—
Tubercle of other organs ...	16	10	11	2	8	1	5	4	9	8	4	—
General Tuberculosis ...	44	43	14	7	10	6	8	8	9	12	5	4
Scrophula ...	—	1	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	3	2	—	1	3	—	—	1	1	1	2	—
Starvation ...	2	—	—	—	—	—	—	—	—	—	—	—
Scurvy ...	2	—	—	—	—	1	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	20	20	8	7	5	6	2	3	3	5	1	3
Opium, Morphia-habit	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	1	—	—	—	1	—	—	—	—	—	—	—
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 365. * See Note † on page 336.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Dorsetshire.		Devonshire.		Cornwall.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis). <i>Phthisis</i> (not otherwise defined) ...	349	261	83	77	103	95	41	40	202	202	112	71
Tuberculous Meningitis ...	111	85	25	21	23	21	9	10	52	41	20	11
Tuberculous Peritonitis ...	43	51	8	10	22	26	7	2	20	28	17	15
<i>Tuberc Mesenterica</i> ...	18	13	—	1	10	1	—	1	5	1	2	1
Lupus ...	—	1	—	1	—	1	—	—	—	4	—	1
Tubercle of other Organs ...	29	25	6	10	9	9	9	2	28	19	11	8
General Tuberculosis ...	66	48	26	26	26	20	10	9	42	47	20	14
<i>Scrofula</i> ...	1	1	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	3	1	1	2	4	3	—	—	1	3	—	—
Starvation ...	—	—	1	—	—	—	—	—	—	—	—	—
Scurvy ...	—	1	—	—	1	—	—	—	1	—	—	1
Alcoholism, Delirium Tremens ...	12	22	9	3	12	9	—	1	16	12	1	2
Opium, Morphia-habit ...	—	—	—	—	—	1	—	—	—	—	—	—
Industrial Poisoning :—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	3	—	—	—	1	—	—	—	2	—	1	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals ...	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 366.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 353.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis). <i>Phthisis</i> (not otherwise defined) ...	221	182	36	35	58	52	396	284	134	113	268	175	157	121	3	4	85	111
... Tuberculosis Meningitis	144	133	27	20	78	65	400	299	143	110	487	265	127	123	3	2	176	143
... Tuberculous Peritonitis	53	48	6	3	13	18	109	120	28	29	85	66	33	38	1	—	52	37
... <i>Tuberc Mesenterica</i> ...	19	22	5	8	12	14	100	114	41	23	44	40	21	28	—	1	22	28
... <i>Lupus</i> ...	3	4	—	2	3	—	28	21	11	8	8	8	7	2	2	—	5	9
... Tubercle of other organs	—	—	—	1	—	—	—	2	1	—	—	3	—	—	—	—	—	1
... General Tuberculosis	24	22	1	1	9	3	26	12	10	5	22	12	13	12	—	—	17	10
... <i>Scrofula</i> ...	21	29	5	2	10	17	83	95	30	21	56	46	26	25	—	—	27	30
... Parasitic Diseases ...	2	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—
... Starvation ...	1	1	—	2	—	—	8	2	1	1	2	1	2	1	—	—	7	2
... Scurvy ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
... Alcoholism, Delirium Tremens ...	10	9	3	—	9	4	44	23	15	12	35	22	18	7	1	—	13	13
Opium, Morphia-habit, Industrial Poisoning :—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
By Lead ...	2	—	2	—	1	—	11	3	4	—	3	—	2	—	—	—	—	—
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 367.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Derbyshire.		Nottinghamshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.		Females.		Males.		Females.		Males.		Females.		Males.		Females.		Males.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuber- culous Phthisis).	211	130	87	86	196	154	1904	1307	1059	720	118	113	112	78	193	212	216	161
<i>Phthisis</i> (not otherwise defined) ...	155	155	174	94	256	205	1760	1307	919	701	188	159	107	118	510	474	260	220
Tuberculous Meningitis ...	67	50	50	38	64	83	466	479	266	232	48	33	35	54	145	139	99	73
Tuberculous Peritonitis ...	43	39	33	36	63	62	330	307	227	223	23	23	29	26	131	100	71	52
<i>Tabes Mesenterica</i> ...	11	8	8	9	17	15	91	100	79	34	5	3	7	8	63	55	17	22
Lupus ...	—	—	—	—	—	1	3	5	1	4	1	1	1	—	—	2	—	—
Tubercle of other Organs ...	19	12	7	8	33	14	127	85	92	58	10	13	5	9	32	21	21	25
General Tuberculosis ...	25	34	36	34	44	60	342	316	190	175	45	25	38	33	109	93	45	43
<i>Scrophula</i> ...	3	—	—	—	1	—	2	—	3	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	3	3	4	—	6	4	22	30	18	11	3	—	4	2	4	5	1	2
Starvation ...	—	1	—	—	—	—	2	1	—	1	—	—	1	—	—	—	—	—
Scurvy ...	—	2	—	—	2	1	1	3	3	3	1	1	—	1	1	—	—	—
Alcoholism, Delirium Tremens ...	14	17	8	11	27	21	245	140	98	66	17	11	14	1	39	21	17	16
Opium, Morphia-habit ...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—
Industrial Poisoning:—																		
By Lead ...	2	—	1	—	2	—	17	—	4	—	1	—	1	—	3	—	4	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 368

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 355.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	66	41	8	7	80	80	398	372	268	230	41	54	26	30	50	39	10	14
Phthisis (not otherwise defined) ...	88	100	19	19	74	88	427	474	296	312	51	60	29	36	31	38	14	25
Tuberculous Meningitis ...	33	20	1	2	32	24	123	125	88	92	19	19	7	5	6	7	2	1
Tuberculous Peritonitis ...	16	16	2	1	17	13	68	72	52	52	8	8	3	6	3	3	2	1
Tabes Mesenterica ...	7	8	1	—	8	8	38	25	29	25	4	—	3	—	1	—	1	—
Lupus ...	—	—	—	—	2	—	2	1	1	—	—	—	—	—	1	1	—	—
Tubercle of other Organs ...	5	5	—	2	10	3	27	20	18	14	1	1	1	1	5	3	1	1
General Tuberculosis ...	18	14	3	2	21	14	106	87	70	48	17	17	5	7	9	9	4	6
Scrophula ...	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	—	1	—	—	3	—	4	5	3	4	—	—	1	—	—	1	—	—
Starvation ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	3	7	6	1	14	6	45	28	37	26	4	—	—	1	2	—	1	1
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	2	—	—	—	2	—	7	—	6	—	1	—	—	—	—	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 369.

PART OF DIVISION XI.
MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	Radnorshire.		North Wales.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	3	5	103	114	15	17	9	12	24	31	20	8	32	40	3	6
Phthisis (not otherwise defined) ...	6	3	215	213	27	24	40	25	40	40	35	28	60	76	13	20
Tuberculous Meningitis ...	1	1	47	41	8	2	9	4	12	9	6	7	7	15	5	4
Tuberculous Peritonitis ...	—	2	25	30	5	3	2	1	10	7	3	3	3	16	2	—
Tabes Mesenterica ...	—	—	11	5	—	—	2	—	5	1	2	—	2	4	—	—
Lupus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tubercle of other organs ...	1	—	18	16	3	2	1	4	6	3	1	—	7	6	—	1
General Tuberculosis ...	1	—	38	37	1	3	2	3	8	10	2	3	18	12	7	6
Scrofula ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Starvation ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	1	—	11	11	1	2	4	1	2	6	—	1	4	1	—	—
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning :—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 370.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 357.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.						Berkshire.	
	Males.	Females.	London.*		Surrey		Kent.		Sussex.		Hampshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	871	934	107	120	18	17	23	16	21	19	17	14
<i>Rheumatism of Heart</i> ...	156	207	24	28	2	2	2	2	2	6	7	3
Chronic Rheumatism ...	195	249	11	20	2	3	3	6	1	1	1	3
Rheumatoid Arthritis, <i>Rheumatic Gout.</i>	245	715	29	81	6	22	8	28	6	14	8	13
Gout ...	333	83	65	15	13	1	21	4	13	1	12	2
Carcinoma ...	7476	10907	1333	1713	196	306	234	349	168	230	178	283
Sarcoma ...	1054	842	170	142	21	25	43	18	28	18	19	19
Cancer, Malignant Disease (not otherwise defined).	5371	7067	750	937	115	144	170	191	132	189	154	159
Rickets ...	697	492	89	52	8	10	12	6	8	4	17	8
Purpura ...	148	145	18	20	3	7	9	5	6	3	5	6
Hæmophilia, Hæmorrhagic Diathesis	57	24	7	1	2	2	2	—	—	—	1	—
Anæmia, Leucocythæmia ...	968	1207	92	105	12	14	19	30	15	30	28	16
Diabetes Mellitus ...	1842	1768	224	214	55	36	49	63	38	51	54	56
Premature Birth ...	10553	8118	1252	983	203	157	225	167	141	109	267	147
Congenital Hydrocephalus	223	156	28	22	5	4	4	6	2	2	3	4
Other Congenital Defects ...	2661	2075	356	263	53	36	71	36	40	30	57	45
Injury at Birth ...	585	357	86	69	15	6	12	9	8	8	12	11
Atelectasis ...	916	681	150	105	17	8	10	25	9	7	14	14
Want of Breast Milk	447	331	65	36	23	14	12	4	5	1	6	11
Teething ...	1078	905	67	54	13	6	16	15	13	5	14	18

Note.—For continuation of this Table, see page 371.

* See Note † on page 336.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.*		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	31	21	4	3	3	3	2	2	10	12	2	1
Rheumatism of Heart	4	4	1	2	2	1	2	—	—	1	—	1
Chronic Rheumatism	5	1	1	2	1	2	1	—	2	1	1	1
Rheumatoid Arthritis, <i>Rheumatic Gout.</i>	6	21	3	7	2	3	—	8	—	10	2	2
Gout	11	2	4	1	1	1	3	—	4	1	2	—
Carcinoma	211	283	70	105	29	64	50	84	86	127	13	18
Sarcoma	24	17	7	4	7	7	4	5	8	8	—	1
Cancer, Malignant Disease (not otherwise defined).	102	170	49	59	30	35	34	52	73	97	12	15
Rickets	18	8	2	2	3	4	1	6	9	6	—	1
Purpura	3	3	2	1	—	—	—	—	2	1	—	1
Hæmophilia, Hæmorrhagic Diathesis	—	1	1	—	—	—	—	—	—	—	—	—
Anæmia, Leucocythæmia	18	19	6	9	7	1	6	6	13	13	3	3
Diabetes Mellitus	52	48	16	13	8	8	12	19	26	14	—	2
Premature Birth	291	211	60	52	49	39	35	35	105	78	12	10
Congenital Hydrocephalus	6	1	2	1	—	—	1	—	2	1	—	—
Other Congenital Defects	63	57	12	17	9	10	10	6	24	21	—	1
Injury at Birth	26	10	4	2	6	—	2	2	5	2	—	—
Atelectasis	27	18	5	—	7	2	3	3	5	6	1	—
Want of Breast Milk	13	19	2	1	1	4	2	—	5	4	—	—
Teething	17	17	3	1	7	5	3	1	6	2	1	1

Note.—For continuation of this Table, see page 372.

* See Note † on page 336.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 359.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	25	27	13	6	11	3	8	8	5	5	18	16
Rheumatism of Heart	4	7	3	1	1	3	2	—	2	3	2	3
Chronic Rheumatism	2	10	3	1	4	—	2	2	—	1	5	7
Rheumatoid Arthritis, Rheumatic Gout.	5	22	5	14	5	6	4	8	1	5	2	45
Gout	11	2	—	1	6	1	5	1	4	1	12	1
Carcinoma	236	351	95	129	104	177	53	80	52	51	152	264
Sarcoma	32	26	13	17	23	15	10	5	4	3	18	21
Cancer, Malignant Disease (not otherwise defined).	145	214	75	106	106	130	43	66	49	50	130	158
Rickets	25	19	8	3	5	4	3	3	3	1	7	13
Purpura	8	6	2	—	3	5	—	1	1	2	4	1
Hæmophilia, Hæmorrhagic Diathesis	3	1	1	1	3	1	—	—	1	—	1	—
Anæmia, Leucocythæmia	25	24	11	11	10	15	10	7	3	5	19	24
Diabetes Mellitus	44	47	38	17	31	24	19	12	17	18	35	42
Premature Birth	341	269	108	83	169	110	74	46	36	36	149	118
Congenital Hydrocephalus	4	5	4	1	4	3	—	2	2	—	4	3
Other Congenital Defects	91	82	29	17	23	19	11	13	13	18	55	41
Injury at Birth	8	3	4	—	7	8	1	5	1	—	11	5
Atelectasis	21	16	3	3	9	2	1	4	1	4	15	11
Want of Breast Milk	20	22	—	2	1	2	1	—	3	3	6	8
Teething	30	15	9	9	23	16	6	3	5	6	11	3

Note.—For continuation of this Table, see page 373.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 360.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	17	14	2	1	1	5	36	42	9	19	25	28	5	10	—	1	9	10
<i>Rheumatism of Heart</i> ...	4	—	—	—	3	—	2	4	1	4	1	4	—	5	—	—	2	2
Chronic Rheumatism ...	5	2	—	—	4	—	10	8	4	2	7	10	1	3	—	—	7	5
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	8	14	1	5	2	8	7	9	7	10	7	19	3	9	—	2	5	12
Gout ...	6	3	2	—	4	—	10	4	11	7	11	4	5	2	—	—	5	1
Carcinoma ...	142	256	27	41	61	113	208	290	102	193	241	313	100	138	3	9	95	165
Sarcoma ...	15	25	7	1	6	5	26	18	23	13	36	24	13	18	1	1	14	11
Cancer, Malignant Disease (not otherwise defined).	107	127	33	23	48	52	181	243	76	108	120	150	70	108	3	5	118	150
Rickets ...	9	9	5	1	1	1	27	18	6	5	18	8	9	13	2	—	20	6
Purpura ...	3	1	—	2	—	2	4	8	4	1	5	5	—	—	—	—	1	3
Hæmophilia, Hæmorrhagic Diathesis	1	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	1	1
Anæmia, Leucocythæmia ...	11	19	4	3	7	16	29	36	15	21	21	39	13	13	—	—	15	21
Diabetes Mellitus ...	41	44	10	5	12	17	53	43	33	29	47	54	25	25	—	1	51	24
Premature Birth ...	180	126	24	16	65	66	481	358	169	118	346	253	153	119	5	2	162	117
Congenital Hydrocephalus	4	1	1	1	2	—	12	7	3	2	3	2	1	3	—	—	4	—
Other Congenital Defects ...	56	38	6	3	15	16	88	98	41	32	63	58	36	20	1	2	46	29
Injury at Birth ...	8	3	1	—	3	3	19	20	11	3	12	7	8	7	—	—	6	6
Atelectasis ...	19	8	—	1	6	4	37	33	9	11	26	21	10	10	—	—	16	10
Want of Breast Milk	4	2	3	3	4	2	23	14	2	2	5	8	4	1	1	—	4	4
<i>Teething</i> ...	9	6	1	1	—	1	51	50	10	8	24	28	9	11	—	—	21	19

Note.—For continuation of this Table, see page 374.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 361.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumberland.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Rheumatic Fever, Acute Rheumatism.	19	10	17	21	25	139	152	64	98	11	12	7	30	37	15	20
<i>Rheumatism of Heart</i> ...	3	3	—	5	5	28	46	17	23	1	—	6	4	6	2	2
Chronic Rheumatism ...	4	—	5	2	8	26	58	17	18	2	—	7	12	11	6	7
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	2	8	8	7	9	26	92	21	59	2	7	10	8	17	3	12
Gout ...	5	9	—	—	2	23	7	15	7	5	—	2	3	—	4	4
Carcinoma ...	139	96	144	183	272	945	1343	526	903	100	157	101	181	304	145	204
Sarcoma ...	31	16	11	27	26	136	120	102	83	9	15	8	30	14	16	19
Cancer, Malignant Disease (not otherwise defined).	81	68	98	102	163	573	836	455	679	97	115	103	195	192	105	118
Rickets ...	9	13	11	13	7	84	74	120	69	11	8	11	40	25	13	14
Purpura ...	—	3	2	1	3	21	16	11	8	—	6	—	9	6	4	4
Hæmophilia, Hæmorrhagic Diathesis	—	2	1	1	—	7	4	7	5	2	—	1	2	1	1	—
Anæmia, Leucocythæmia ...	31	16	25	35	44	163	213	114	123	11	17	23	35	42	21	16
Diabetes Mellitus ...	35	28	26	56	39	247	256	158	153	18	29	20	51	49	28	36
Premature Birth ...	274	171	154	236	203	1552	1256	967	711	172	104	117	562	468	288	211
Congenital Hydrocephalus	6	3	2	6	6	24	19	29	18	1	2	1	11	9	6	4
Other Congenital Defects ...	50	45	31	77	56	371	321	264	195	33	28	30	112	87	67	47
Injury at Birth ...	7	8	6	12	5	86	42	47	38	6	4	3	62	28	15	6
Atelectasis ...	25	16	18	19	8	131	92	105	73	26	10	7	57	49	13	17
Want of Breast Milk	13	8	7	12	10	71	40	54	45	8	3	1	19	10	3	1
Teething ...	30	27	16	22	19	219	184	121	106	32	20	19	81	79	27	19

Note.—For continuation of this Table, see page 375.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	9	11	3	2	22	13	51	51	39	40	7	5	1	2	1	3	3	—
<i>Rheumatism of Heart</i> ...	—	2	—	1	1	1	6	12	4	7	1	2	1	1	—	—	—	1
Chronic Rheumatism ...	2	2	1	1	3	1	10	15	4	8	1	2	1	2	4	2	—	1
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	1	4	—	1	3	6	5	20	3	12	—	3	2	1	—	1	—	2
Gout ...	—	—	—	—	2	—	5	—	3	—	2	—	—	—	—	—	—	—
Carcinoma ...	51	86	17	28	44	65	244	305	161	210	23	24	22	21	18	25	18	20
Sarcoma ...	2	8	2	1	5	4	27	16	17	12	2	1	4	—	4	2	—	1
Cancer, Malignant Disease (not otherwise defined).	52	64	10	13	47	58	194	260	112	146	20	36	16	22	29	47	11	5
Rickets ...	6	3	—	—	4	1	23	23	16	17	2	5	1	—	3	1	1	—
Purpura ...	1	2	—	—	2	—	3	6	2	4	—	1	—	—	—	1	—	—
Hæmophilia, Hæmorrhagic Diathesis	—	—	—	—	—	1	4	1	4	1	—	—	—	—	—	—	—	—
Anæmia, Leucoeythæmia ...	9	14	1	2	11	11	45	80	34	53	3	10	2	6	2	5	4	5
Diabetes Mellitus ...	13	16	8	4	15	11	55	49	36	34	9	5	4	2	4	5	—	1
Premature Birth ...	76	52	25	11	110	116	386	325	310	267	29	25	13	13	12	8	15	9
Congenital Hydrocephalus	4	2	—	—	—	2	11	8	9	8	1	—	—	—	—	—	1	—
Other Congenital Defects ...	28	14	5	5	35	25	122	83	97	57	10	6	7	4	2	9	3	—
Injury at Birth ...	12	4	—	—	4	3	16	9	15	5	1	1	—	1	—	1	—	—
Atelectasis ...	13	5	1	—	6	5	37	34	33	28	1	2	2	—	1	2	—	2
Want of Breast Milk	1	3	—	—	5	2	20	21	16	17	2	2	1	1	—	1	—	—
<i>Teething</i> ...	12	7	5	3	15	15	76	70	62	53	7	14	1	—	2	1	3	1

Note.—For continuation of this Table, see page 376.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	3016	2500	314	229	51	29	61	57	34	30	49	37	13	10
Softening of Brain ...	1183	1147	86	83	32	35	36	34	22	17	38	27	10	7
General Paralysis of Insane	1713	504	87	37	140	38	75	20	38	11	66	13	29	8
Insanity (not Puerperal) ...	941	1227	117	152	27	41	16	23	61	44	8	16	2	10
Chorea ...	41	91	3	10	1	—	3	2	—	1	—	2	—	—
Epilepsy ...	1382	1304	119	106	67	41	45	38	19	26	37	33	13	9
Convulsions ...	6568	4936	422	300	81	49	97	95	39	26	80	60	27	20
Laryngismus Stridulus ...	231	112	31	12	8	3	4	3	2	2	3	1	2	1
Locomotor Ataxy ...	477	106	85	12	20	1	12	—	7	2	21	2	1	3
Paraplegia, Diseases of Cord ...	1110	1008	130	106	19	21	30	32	18	18	28	24	14	13
Neuritis, Peripheral, Poly-Neuritis	132	264	9	36	4	8	7	4	3	1	1	1	—	1
Brain Tumour (not Specific) ...	371	366	51	58	8	16	10	8	4	5	6	6	3	4
Other Diseases of Nervous System	1291	1286	147	131	48	49	49	42	31	40	31	34	9	6
Otitis, Mastoid Disease ...	578	455	90	93	13	9	9	7	7	2	13	8	6	3
Epistaxis, Diseases of Nose ...	38	35	5	4	2	—	—	1	—	—	—	—	1	—
Ophthalmia, Diseases of Eye ...	23	19	4	2	1	1	—	—	—	—	—	—	1	—
Valvular Disease, Endocarditis (not Infective).	7611	8752	1056	1212	214	237	196	252	138	169	194	217	58	57
Pericarditis ...	237	195	58	37	6	5	7	3	2	2	10	5	2	1
Hypertrophy of Heart ...	181	85	45	24	5	3	11	4	4	3	5	5	—	—
Angina Pectoris ...	617	312	70	30	14	6	20	12	18	5	12	6	6	6
Dilatation of Heart...	1670	1685	240	230	40	37	51	54	30	31	44	46	14	22
Fatty Degeneration of Heart	1133	1417	198	217	35	56	35	44	24	35	35	47	5	12
Syncope, Heart Disease (not specified).	12469	13527	962	1238	211	238	324	368	241	251	304	311	112	131

Note.—For continuation of this Table, see page 373.

* See Note † on page 336.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 365.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.													
	Middlesex.*		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	62	45	14	7	11	5	11	7	20	24	2	2	15	6
Softening of Brain ...	26	35	23	18	1	9	7	5	13	4	2	10	10	14
General Paralysis of Insane	60	15	35	5	9	1	2	2	11	5	—	1	4	4
Insanity (not Puerperal) ...	40	75	9	6	6	10	17	17	5	7	3	5	8	6
Chorea ...	1	2	—	—	—	—	—	—	—	2	—	—	—	1
Epilepsy ...	23	38	12	15	3	10	6	4	12	13	4	6	7	9
Convulsions ...	100	82	32	30	18	9	20	10	40	28	2	1	18	15
Laryngismus Stridulus ...	2	3	1	1	—	1	—	—	—	—	—	—	—	—
Locomotor Ataxy ...	5	4	4	—	1	1	4	—	2	1	1	1	5	—
Paraplegia, Diseases of Cord	39	23	13	16	7	4	11	12	16	7	1	7	12	6
Neuritis, Peripheral. Poly-Neuritis	3	7	—	2	—	—	1	4	7	1	—	—	1	2
Brain Tumour (not Specific) ...	6	5	4	4	2	1	6	4	7	5	—	3	3	4
Other Diseases of Nervous System	31	39	14	10	9	8	6	4	29	21	2	5	8	8
Otitis, Mastoid Disease ...	16	4	5	1	1	1	6	2	4	6	—	2	5	—
Epistaxis, Diseases of Nose	—	—	—	2	—	—	—	—	—	—	—	—	—	1
Ophthalmia, Diseases of Eye	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	165	203	72	93	38	36	44	47	63	70	7	12	26	52
Pericarditis ...	7	7	—	2	—	—	—	2	5	1	—	—	—	2
Hypertrophy of Heart ...	8	4	—	1	3	—	—	—	3	—	—	—	2	1
Angina Pectoris ...	15	6	2	1	2	1	7	2	8	4	—	1	3	—
Dilatation of Heart...	31	41	8	11	11	13	12	11	10	10	2	1	7	7
Fatty Degeneration of Heart	57	61	4	15	5	13	9	3	8	13	—	—	4	10
Syncope, Heart Disease (not specified).	202	212	104	101	81	72	76	79	134	165	18	24	69	70

Note.—For continuation of this Table, see page 379.

* See Note † on page 336.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	55	60	16	17	14	19	10	12	5	12	51	37	12	11	29	24
Softening of Brain ...	28	38	11	10	22	24	10	8	8	8	32	39	8	17	18	13
General Paralysis of Insane	94	17	16	6	34	8	15	5	10	2	40	11	6	4	11	1
Insanity (not Puerperal) ...	17	26	15	17	17	13	5	9	3	2	11	21	8	8	7	18
Chorea	—	3	—	2	1	—	—	—	—	1	2	—	—	3	2	1
Epilepsy	37	56	8	22	19	18	14	15	6	8	38	26	18	20	19	25
Convulsions ...	145	117	41	35	54	47	20	12	24	14	89	80	49	27	50	30
Laryngismus Stridulus	1	2	2	—	1	2	1	—	1	1	10	1	4	4	3	—
Locomotor Ataxy ...	10	5	5	2	8	—	1	—	5	—	14	3	7	2	4	1
Paraplegia, Diseases of Cord	40	39	18	21	15	13	4	10	5	9	38	28	16	16	19	21
Neuritis, Peripheral, Poly-Neuritis	5	12	4	1	1	1	1	3	1	—	1	7	1	2	2	4
Brain Tumour (not Specific)	11	5	4	6	3	7	—	3	1	3	7	10	6	2	4	8
Other Diseases of Nervous System	32	36	29	20	30	39	15	22	6	11	25	29	15	11	16	21
Otitis, Mastoid Disease	14	11	3	5	8	4	2	1	2	2	9	6	5	6	4	5
Epistaxis, Diseases of Nose	—	—	1	—	1	1	—	—	—	—	—	2	—	—	1	—
Ophthalmia, Diseases of Eye	2	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—
Valvular Disease, Endocarditis (not Infective).	201	256	82	99	115	118	62	69	46	56	187	179	87	109	109	120
Pericarditis ...	9	9	2	2	4	—	1	1	—	1	10	4	2	1	2	3
Hypertrophy of Heart	5	1	3	—	2	—	5	1	2	—	2	2	3	—	4	1
Angina Pectoris	15	8	10	6	12	7	7	1	2	3	18	8	12	6	7	7
Dilatation of Heart...	31	44	15	14	13	10	13	22	6	6	44	28	10	20	36	28
Fatty Degeneration of Heart	26	48	14	18	11	18	9	7	3	10	39	56	16	20	33	27
Syncope. Heart Disease (not specified).	320	396	148	208	189	204	122	156	105	125	283	301	141	179	214	271

Note.—For continuation of this Table, see page 380.

CAUSES OF DEATH IN REGISTRATION COUNTIES, 1908—continued from page 367.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	44	34	7	3	15	9	170	128	33	30	98	96	42	35	—	2	33	37
Softening of Brain ...	37	28	5	2	6	10	40	56	19	19	25	35	11	9	—	1	32	26
General Paralysis of Insane	30	4	3	1	9	2	68	26	21	9	50	14	10	3	1	—	24	10
Insanity (not Puerperal) ..	37	34	2	1	8	2	80	90	7	6	43	49	8	7	—	1	10	20
Chorea ...	1	3	—	—	1	—	3	—	1	2	2	2	—	1	—	—	—	3
Epilepsy ...	35	37	5	7	13	10	44	60	23	27	42	35	21	17	—	1	31	23
Convulsions ...	81	50	18	10	42	39	295	293	57	53	155	120	97	85	2	1	117	64
Laryngismus Stridulus ...	3	2	—	—	—	1	3	4	3	1	6	1	3	—	—	—	3	3
Locomotor Ataxy ...	12	3	2	1	2	—	14	2	4	2	8	1	5	1	1	—	4	3
Paraplegia, Diseases of Cord	19	25	11	6	12	7	35	28	19	17	32	25	12	10	1	1	19	14
Neuritis, Peripheral, Poly-Neuritis	1	5	—	—	1	2	5	13	4	1	8	6	1	1	—	—	1	4
Brain Tumour (not Specific)	7	7	4	1	3	2	13	12	5	7	7	17	5	9	—	—	10	5
Other Diseases of Nervous System	26	33	5	8	5	9	45	45	27	16	36	31	21	12	1	—	21	20
Otitis, Mastoid Disease ...	10	12	2	3	—	2	27	17	7	5	22	15	6	1	—	—	12	7
Epistaxis, Diseases of Nose	—	2	—	—	—	—	2	1	2	—	2	3	3	—	—	—	1	1
Ophthalmia, Diseases of Eye	—	—	—	—	—	1	3	—	—	—	—	—	2	—	—	—	1	—
Valvular Disease, Endocarditis (not Infective).	170	176	35	24	61	64	196	252	87	118	188	194	90	112	6	9	132	129
Pericarditis ...	5	7	1	—	3	1	10	9	1	1	7	8	—	2	1	—	5	3
Hypertrophy of Heart	2	2	3	1	1	2	5	2	2	—	3	4	3	1	—	—	1	3
Angina Pectoris	11	8	1	—	4	3	19	8	5	4	6	7	4	5	—	—	12	2
Dilatation of Heart	23	33	11	10	19	17	76	51	23	17	33	54	22	17	—	1	20	25
Fatty Degeneration of Heart	31	31	6	6	5	11	28	30	25	26	15	31	14	16	3	1	23	15
Syncope, Heart Disease (not specified).	278	297	74	68	137	149	546	546	226	257	378	438	168	158	12	14	248	209

Note.—For continuation of this Table, see page 381.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	65	49	41	39	62	64	617	520	298	268	47	47	186	170	97	56
Softening of Brain...	15	18	14	14	31	30	176	182	127	94	27	23	45	37	21	31
General Paralysis of Insane	28	8	16	3	44	18	267	65	133	44	29	18	58	21	46	12
Insanity (not Puerperal) ...	11	24	9	10	13	20	108	174	83	88	6	10	27	35	4	11
Chorea ...	—	4	—	2	1	2	4	16	9	9	1	1	1	9	—	1
Epilepsy ...	25	23	18	21	44	39	194	161	112	88	23	20	53	43	41	28
Convulsions ...	172	120	127	103	141	119	1101	822	705	492	112	59	500	348	228	177
Laryngismus Stridulus ...	4	2	3	2	5	3	41	26	34	14	3	1	19	6	4	—
Locomotor Ataxy ...	9	3	8	5	11	4	64	16	30	13	13	—	18	1	8	—
Paraplegia, Diseases of Cord	16	10	14	11	26	29	161	171	80	69	9	14	42	37	17	14
Neuritis, Peripheral, Poly-Neuritis	1	8	1	4	6	8	22	56	8	26	1	2	9	11	10	8
Brain Tumour (Not Specific) ...	4	7	8	5	9	8	61	59	29	22	5	3	11	14	7	3
Other Diseases of Nervous System	22	22	21	12	36	33	138	141	85	120	31	24	46	29	18	28
Otitis, Mastoid Disease ...	9	12	11	4	14	7	84	78	55	44	8	5	16	21	20	9
Epistaxis, Diseases of Nose	1	1	1	—	—	1	7	4	4	4	1	—	2	3	1	—
Ophthalmia, Diseases of Eye	—	—	—	—	—	—	5	2	2	4	—	—	—	—	—	1
Valvular Disease, Endocarditis (not Infective).	155	163	104	135	154	216	1001	1228	746	926	120	126	284	271	204	206
Pericarditis ...	4	5	2	2	5	7	20	29	19	8	5	6	4	8	6	2
Hypertrophy of Heart ...	2	2	1	—	5	2	20	10	4	3	1	1	6	1	—	1
Angina Pectoris ...	5	5	11	1	19	8	91	51	66	39	10	—	18	6	16	6
Dilatation of Heart ...	15	24	28	13	63	43	301	329	148	143	16	25	45	35	28	30
Fatty Degeneration of Heart	25	17	7	11	35	34	103	147	102	100	27	22	22	43	11	18
Syncope, Heart Disease (not specified).	235	248	210	238	328	359	1732	1982	1085	1127	205	166	587	489	268	267

Note.—For continuation of this Table, see page 382.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 369.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Cardmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	33	22	4	2	31	22	138	108	108	89	15	6	5	3	4	4	6	9
Softening of Brain ...	9	7	7	2	17	8	30	24	17	15	3	2	3	2	2	1	3	1
General Paralysis of Insane	4	3	1	—	9	4	54	18	44	11	2	1	1	—	1	3	6	1
Insanity (not Puerperal) ...	4	6	—	1	6	11	51	74	48	64	—	4	—	1	1	5	1	—
Chorea ...	—	—	—	—	1	—	1	4	—	3	—	—	—	1	1	—	—	—
Epilepsy ...	11	9	2	2	24	17	60	65	35	43	10	7	6	4	4	3	4	7
Convulsions ...	48	30	4	9	145	126	687	519	532	421	86	53	20	18	23	15	20	11
Laryngismus Stridulus ...	3	—	—	—	7	—	5	7	3	6	2	—	—	1	—	—	—	—
Locomotor Ataxy ...	1	3	—	—	5	1	19	5	15	4	1	—	—	1	2	—	1	—
Paraplegia, Diseases of Cord ...	7	7	2	3	11	12	42	34	32	19	3	3	—	3	5	2	2	7
Neuritis, Peripheral, Poly-Neuritis	—	1	—	—	1	2	5	5	5	3	—	—	—	1	—	1	—	—
Brain Tumour (not Specific) ...	3	2	1	1	4	2	16	15	12	9	3	4	1	1	—	1	—	—
Other Diseases of Nervous System	14	8	2	—	12	14	42	38	23	21	3	6	5	3	4	5	3	2
Otitis, Mastoid Disease ...	7	5	—	—	9	5	22	18	16	15	5	1	1	1	—	—	—	1
Epistaxis, Diseases of Nose ...	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye ...	—	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	65	70	15	22	80	74	254	290	175	190	28	32	14	20	17	33	15	14
Pericarditis ...	—	2	1	—	2	3	5	2	5	—	—	1	—	—	—	1	—	—
Hypertrophy of Heart ...	1	—	—	—	2	—	5	—	3	—	2	—	—	—	—	—	—	—
Angina Pectoris ...	3	3	3	1	8	3	18	10	12	4	2	2	4	2	—	—	—	2
Dilatation of Heart...	4	8	5	5	9	7	64	49	44	35	9	7	4	3	5	3	2	—
Fatty Degeneration of Heart	9	8	3	4	5	10	27	48	22	32	3	2	—	5	—	6	2	—
Syncope, Heart Disease (not specified).	160	125	37	42	145	134	596	620	402	356	61	79	61	70	42	70	25	36

Note.—For continuation of this Table, see page 383.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Radnorshire.		North Wales.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	—	—	34	30	2	3	5	2	10	8	5	4
Softening of Brain ...	2	3	16	28	2	5	—	2	7	10	3	6
General Paralysis of Insane	—	2	5	3	—	1	—	—	1	1	1	1
Insanity (not Puerperal) ...	1	—	14	17	—	3	—	—	10	7	2	2
Chorea	—	—	1	—	—	—	—	—	1	—	—	—
Epilepsy	1	1	12	16	2	2	—	2	4	7	2	2
Convulsions ...	6	1	158	116	15	7	20	16	48	30	18	29
Laryngismus Stridulus	—	—	2	—	1	—	—	—	—	—	—	—
Locomotor Ataxy ...	—	—	6	1	—	—	1	—	—	—	—	—
Paraplegia, Diseases of Cord	—	—	17	13	3	2	2	3	6	3	—	3
Neuritis, Peripheral, Poly-Neuritis	—	—	1	1	—	—	—	1	—	—	2	1
Brain Tumour (not Specific) ...	—	—	4	3	—	1	—	1	1	—	—	—
Other Diseases of Nervous System	4	1	33	30	4	4	1	2	9	12	3	5
Otitis, Mastoid Disease	—	—	5	3	—	—	—	—	2	2	1	1
Epistaxis, Diseases of Nose	—	—	—	1	—	—	—	1	—	—	—	—
Ophthalmia, Diseases of Eye	—	—	—	1	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	5	1	128	141	9	19	15	18	33	34	21	22
Pericarditis ...	—	—	2	2	—	—	—	—	—	1	—	1
Hypertrophy of Heart	—	—	2	—	—	—	1	—	—	—	—	—
Angina Pectoris	—	—	11	7	2	—	—	—	6	5	1	2
Dilatation of Heart	—	1	20	30	4	7	—	4	3	2	6	5
Fatty Degeneration of Heart	—	3	20	17	3	2	4	—	1	8	4	3
Syncope, Heart Disease (not specified).	5	9	243	274	33	38	24	37	63	72	30	34

Note.—For continuation of this Table, see page 384.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 371.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage. Cerebral Embolism.	7891	9529	869	1109	182	224	191	267	130	187	181	194	73	112
Apoplexy, Hemiplegia	3696	4473	229	342	45	65	96	113	64	60	73	98	20	44
Aneurysm	867	192	209	57	34	7	21	5	20	1	56	5	11	—
Senile Gangrene	804	652	76	74	22	25	23	19	19	11	20	13	11	8
Embolism, Thrombosis (not Cerebral).	192	281	18	34	3	8	7	12	3	8	9	5	3	3
Phlebitis	40	85	6	10	1	2	2	3	4	3	—	4	—	—
Varicose Veins	20	67	1	4	—	—	1	3	—	—	1	1	—	1
Other Diseases of Blood Vessels	1604	943	205	141	101	68	57	27	47	26	40	33	26	15
Laryngitis	512	454	44	31	8	11	8	11	4	2	19	9	2	3
Membranous Laryngitis (not Diphtheritic).	15	16	2	2	—	—	—	—	—	1	—	—	1	—
Croup (not Spasmodic nor Membranous).	167	153	5	9	4	1	4	3	1	—	1	1	1	—
Other Diseases of Larynx and Trachea.	24	14	6	4	—	—	—	1	1	1	2	—	—	—
Bronchitis	18859	19843	2428	2736	258	334	358	401	190	242	312	380	119	153
Emphysema, Asthma	985	685	132	103	21	25	34	13	18	8	21	20	4	7
Pleurisy	709	533	131	82	8	12	13	5	7	8	15	11	6	5
Fibroid Disease of Lung	415	164	24	26	4	6	4	4	4	2	5	4	—	3
Other Diseases of Respiratory System.	1345	1262	181	198	21	32	25	27	27	37	31	25	11	8

Note.—For continuation of this Table, see page 385.

* See Note † on page 336.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex*.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hemorrhage, Cerebral Embolism.	158	210	54	81	33	40	63	74	84	109	9	19
Apoplexy, Hemiplegia	64	79	33	38	24	17	15	29	40	33	6	6
Aneurysm	26	6	10	1	3	—	5	—	3	2	1	1
Senile Gangrene	11	13	11	7	6	3	7	8	13	11	2	1
Embolism, Thrombosis (not Cerebral).	3	11	2	1	1	3	5	1	1	1	—	4
Phlebitis	1	3	—	2	1	1	—	1	1	—	—	—
Varicose Veins	—	2	—	2	—	—	—	1	1	—	—	—
Other Diseases of Blood Vessels	28	25	19	7	5	4	14	7	14	5	3	5
Laryngitis	21	10	6	4	2	3	2	1	1	3	1	—
Membranous Laryngitis (not Diphtheritic).	—	1	—	—	—	—	1	—	1	—	—	—
Croup (not Spasmodic nor Membranous).	7	2	2	—	1	—	1	2	3	2	3	2
Other Diseases of Larynx and Trachea.	—	1	—	—	—	—	—	—	—	—	—	—
Bronchitis	386	442	108	134	79	90	83	110	165	172	77	98
Emphysema, Asthma	25	24	3	4	7	7	1	3	11	6	2	1
Pleurisy	20	18	2	5	4	3	3	7	3	7	3	3
Fibroid Disease of Lung	5	2	2	3	1	—	—	—	—	3	1	1
Other Diseases of Respiratory System.	30	37	14	8	7	1	4	5	8	8	5	4

Note.—For continuation of this Table, see page 386.

* See Note † on page 336.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	165	212	37	44	74	83	256	313	145	156	234	268	102	115	8	4	132	151
<i>Apoplexy, Hemiplegia</i>	64	82	18	15	28	43	160	165	66	75	97	109	42	85	8	4	74	93
Aneurysm ...	21	2	3	1	1	—	18	1	—	1	14	4	10	—	1	—	18	4
Senile Gangrene ...	14	16	3	2	10	3	25	19	14	10	21	17	9	10	1	2	22	6
Embolism, Thrombosis (not Cerebral)	2	5	—	3	2	1	9	3	2	1	9	5	—	2	—	—	2	1
Phlebitis ...	1	2	—	1	1	—	—	—	—	—	—	—	—	1	—	—	1	1
Varicose Veins ...	—	2	—	—	—	1	1	2	2	1	—	2	1	1	—	—	1	—
Other Diseases of Blood Vessels ...	21	27	12	6	21	10	25	21	18	12	24	8	15	6	2	—	16	11
Laryngitis ...	1	5	1	1	4	3	18	19	3	7	10	13	3	3	—	—	7	4
<i>Membranous Laryngitis</i> (not Diphtheritic).	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1
<i>Croup</i> (not Spasmodic nor Membranous).	2	3	1	—	2	1	11	9	1	2	3	3	4	3	—	—	1	2
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
Bronchitis ...	321	370	59	43	123	112	1051	877	270	294	616	614	198	240	13	7	226	259
Emphysema, Asthma ...	29	15	2	5	7	6	39	17	10	6	38	18	6	9	1	1	19	5
Pleurisy ...	19	9	3	1	5	2	17	13	12	4	28	16	4	1	1	—	9	4
Fibroid Disease of Lung ...	8	3	—	—	2	1	24	6	3	4	11	3	—	2	—	—	5	5
Other Diseases of Respiratory System.	44	36	4	1	13	9	41	25	15	9	40	42	10	10	—	—	22	22

Note.—For continuation of this Table, see page 388.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 375.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottingham- shire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Cerebral Hæmorrhage, Cerebral Embolism.	150	160	117	129	201	255	1182	1363	766	848	115	122	98	126	289	326	146	147
Apoplexy, Hemiplegia	94	84	55	73	89	125	526	718	419	484	68	55	53	53	207	204	83	91
Aneurysm	16	2	11	1	17	7	79	22	54	12	18	5	12	1	24	3	7	4
Senile Gangrene	25	15	9	7	20	11	94	80	81	55	15	3	8	11	24	21	13	11
Embolic, Thrombosis (not Cerebral).	5	3	2	3	3	3	25	43	15	27	4	—	2	—	3	3	3	6
Phlebitis	3	—	1	1	2	4	3	15	5	6	—	1	—	1	1	2	—	—
Varicose Veins	—	1	2	1	—	2	3	8	—	7	—	3	—	3	3	3	1	2
Other Diseases of Blood Vessels	20	15	26	17	37	29	199	106	176	85	18	4	18	15	43	20	37	20
Laryngitis	12	6	7	4	8	9	94	89	45	48	5	5	8	7	39	42	11	9
Membranous Laryngitis (not Diphtheritic).	1	—	—	—	1	1	1	5	2	1	—	—	1	—	—	1	2	—
Croup (not Spasmodic nor Membranous).	—	4	2	1	5	4	33	28	13	11	1	5	5	6	17	18	3	5
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	5	1	1	1	—	—	—	—	3	1	1	1
Bronchitis	396	412	322	302	383	476	3443	3691	1917	1807	279	248	180	182	862	825	330	363
Emphysema, Asthma	18	13	18	11	15	15	106	76	84	60	14	9	14	5	37	35	23	15
Pleurisy	10	5	12	3	8	13	131	82	57	46	12	9	15	13	22	18	14	10
Fibroid Disease of Lung	6	2	8	3	3	4	55	28	81	11	4	1	8	—	17	2	7	3
Other Diseases of Respiratory System.	25	18	11	10	34	30	215	218	79	73	29	23	21	16	63	45	24	20

Note.—For continuation of this Table, see page 389.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	48	79	14	17	63	82	296	368	196	226	35	50	24	22	16	39	20	25
<i>Apoplexy, Hemiplegia</i> ...	31	63	7	4	57	63	180	199	131	133	16	24	9	13	14	22	8	4
Aneurysm ...	6	1	1	—	3	1	24	8	19	6	—	1	2	—	2	—	1	1
Senile Gangrene ...	9	5	2	1	6	4	20	26	12	13	1	2	5	5	2	3	—	2
Embolism, Thrombosis (not Cerebral).	2	4	1	—	4	5	11	16	7	11	2	2	1	2	1	1	—	—
Phlebitis ...	—	—	—	—	1	—	1	2	1	2	—	—	—	—	—	—	—	—
Varicose Veins ...	—	—	—	—	—	1	—	5	—	4	—	1	—	—	—	—	—	—
Other Diseases of Blood Vessels ...	12	5	2	1	8	6	41	13	21	6	1	2	8	3	9	2	1	—
Laryngitis ...	6	4	1	—	5	4	25	30	18	26	3	1	1	—	1	—	1	3
<i>Membranous Laryngitis</i> (not Diphtheritic).	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	3	8	—	—	1	3	10	5	5	3	2	—	1	1	2	—	—	1
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—
Bronchitis ...	135	128	27	15	248	226	784	716	597	523	71	58	35	51	37	50	36	32
Emphysema, Asthma ...	5	4	3	2	17	4	54	31	40	26	7	—	1	1	6	3	—	—
Pleurisy ...	2	6	1	4	10	7	24	22	16	9	2	5	1	1	2	4	3	2
Fibroid Disease of Lung ...	15	4	—	—	3	—	22	9	12	1	1	—	4	4	3	3	1	1
Other Diseases of Respiratory System.	6	15	1	3	31	16	45	32	31	20	3	3	3	2	2	3	6	4

Note.—For continuation of this Table, see page 390.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 377.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Radnorshire.		North Wales.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hemorrhage, Cerebral Embolism.	5	6	132	161	8	25	20	18	33	41	15	21
Apoplexy, Hemiplegia	2	3	83	114	7	10	12	22	26	24	4	12
Aneurysm	—	—	6	—	—	—	1	—	—	—	1	—
Senile Gangrene	—	1	10	14	2	1	2	1	3	6	—	—
Embolism, Thrombosis (not Cerebral).	—	—	2	5	—	—	—	—	2	—	—	2
Phlebitis	—	—	—	2	—	—	—	—	—	—	—	1
Varicose Veins	—	—	—	1	—	—	—	—	—	—	—	1
Other Diseases of Blood Vessels	1	—	31	18	1	1	2	2	11	8	4	4
Laryngitis	1	—	8	5	—	—	2	—	3	1	—	—
Membranous Laryngitis (not Diphtheritic).	—	—	1	—	—	—	—	—	1	—	—	—
Croup (not Spasmodic nor Membranous).	—	—	4	3	1	1	1	—	—	2	—	—
Other Diseases of Larynx and Trachea.	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	8	2	218	236	38	29	39	47	60	55	31	65
Emphysema, Asthma	—	1	17	13	3	1	3	3	3	2	4	4
Pleurisy	—	1	16	10	—	1	2	3	7	2	5	3
Fibroid Disease of Lung	1	—	16	3	2	1	—	—	6	—	6	1
Other Diseases of Respiratory System.	—	—	24	26	3	3	6	2	6	9	2	5

Note.—For continuation of this Table, see page 391.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	200	163	24	25	3	4	5	3	—	5	7	4	2	3
Diseases of Mouth, Pharynx, Esophagus (not Specific).	236	276	31	28	7	4	2	7	4	7	3	7	4	2
Gastric Ulcer ...	674	1039	107	143	23	28	14	29	14	21	13	20	4	6
Gastritis, Gastric Catarrh ...	1630	1833	100	134	38	42	33	35	22	22	18	34	12	13
Other Diseases of Stomach (not Malignant).	269	239	37	27	3	5	3	6	2	6	6	6	5	2
Ulceration of Intestines ...	462	282	88	60	6	10	4	10	9	7	13	7	2	2
Enteritis (not Epidemic) ...	2332	2112	304	277	28	26	58	43	20	20	38	32	16	7
Gastro-enteritis ...	1877	1618	245	230	38	22	47	30	20	12	30	27	7	7
Appendicitis, Perityphlitis ...	1236	900	225	135	32	25	33	25	19	29	29	20	13	11
Hernia ...	652	758	92	122	11	17	18	21	13	14	16	21	7	9
Intestinal Obstruction ...	1301	1352	216	194	26	29	32	29	23	21	38	28	6	9
Other Diseases of Intestines ...	149	120	23	16	8	2	11	9	—	5	3	3	—	3
Peritonitis (not Puerperal) ...	345	368	28	49	4	8	2	5	4	5	7	9	4	2
Cirrhosis of Liver ...	2060	1611	306	295	53	39	63	49	42	39	40	30	21	13
Other Diseases of Liver and Gall Bladder.	746	1148	105	149	22	25	27	31	11	20	15	36	4	6
Other Diseases of Digestive System	210	217	26	33	4	3	9	7	4	6	6	3	2	1
Diseases of Spleen ...	22	17	4	1	—	—	1	2	—	3	1	2	1	—
Other Diseases of Lymphatic System.	241	156	48	28	9	3	7	4	4	4	3	6	—	1
Diseases of Thyroid Body ...	93	456	6	50	3	10	2	9	1	5	2	10	—	2
Diseases of Supra Renal Capsules	97	121	16	13	2	1	1	2	1	4	1	9	1	—
Acute Nephritis, Uræmia ...	1975	1723	237	194	42	40	39	31	24	21	35	29	11	6
Chronic Bright's Disease, Albuminuria.	5374	4688	959	787	147	132	152	129	118	85	168	132	54	50
Calculus (not Biliary) ...	161	74	29	18	3	1	4	2	2	3	4	2	1	2
Diseases of Bladder and of Prostate.	2256	249	304	40	61	4	87	6	62	6	55	6	19	—
Other Diseases of Urinary System	486	124	99	18	10	4	21	3	8	3	20	3	6	1

Note.—For continuation of this Table, see page 392.

* See Note † on page 336.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 379.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.*		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	6	3	1	—	1	—	2	—	2	1	—	—
Diseases of Mouth, Pharynx, Oesophagus (not Specific).	6	6	4	1	—	1	2	1	—	—	—	—
Gastric Ulcer	21	25	1	12	1	3	5	7	11	8	1	2
Gastritis, Gastric Catarrh ...	39	33	4	11	14	7	3	6	5	6	15	11
Other Diseases of Stomach (not Malignant).	9	7	1	4	2	2	2	3	3	1	2	2
Ulceration of Intestines ...	5	5	3	4	—	3	3	1	6	2	—	1
Enteritis (not Epidemic) ...	55	31	7	8	7	5	10	8	15	1	1	8
Gastro-enteritis	42	38	1	6	10	7	7	9	5	2	4	7
Appendicitis, Perityphlitis...	28	20	9	5	3	5	5	7	12	1	10	5
Hernia	7	10	7	3	2	1	5	4	5	—	5	—
Intestinal Obstruction ...	21	29	10	17	7	10	11	11	8	—	8	13
Other Diseases of Intestines	2	3	—	2	—	—	—	—	—	—	—	1
Peritonitis (not Puerperal) ...	10	8	1	1	—	1	1	1	3	—	3	2
Cirrhosis of Liver	52	53	16	9	10	9	20	9	20	15	20	11
Other Diseases of Liver and Gall Bladder.	16	26	2	5	1	3	3	4	7	8	1	11
Other Diseases of Digestive System	4	3	4	1	—	2	2	—	—	—	1	—
Diseases of Spleen	1	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System.	8	2	3	2	4	2	1	—	3	1	—	3
Diseases of Thyroid Body ...	1	7	—	2	1	1	—	2	2	—	1	2
Diseases of Supra Renal Capsules	—	1	1	1	1	1	2	1	—	1	2	—
Acute Nephritis, Uræmia ...	35	37	12	8	9	6	6	6	14	11	9	10
Chronic Bright's Disease, Albuminuria.	119	110	39	35	22	24	36	28	34	37	27	29
Calculus (not Biliary) ...	4	2	—	2	1	1	3	—	1	—	—	—
Diseases of Bladder and of Prostate	42	7	8	1	13	1	11	—	25	1	17	2
Other Diseases of Urinary System	7	2	3	3	—	—	6	—	7	2	3	1

Note.—For continuation of this Table, see page 393.

* See Note † on page 336.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.			
	Essex.		Suffolk.		Norfolk.		Wiltshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	4	3	1	3	2	1	1	1
Diseases of Mouth, Pharynx, Esophagus (not Specific).	6	8	2	2	10	7	—	4
Gastric Ulcer ...	16	29	5	16	12	7	8	8
Gastritis, Gastric Catarrh...	32	35	17	15	11	13	17	13
Other Diseases of Stomach (not Malignant).	7	7	2	3	4	4	3	2
Ulceration of Intestines ...	10	12	4	3	2	2	2	4
Enteritis (not Epidemic) ...	65	54	18	10	14	9	11	10
Gastro-enteritis ...	61	64	5	9	10	7	6	6
Appendicitis, Perityphlitis ...	27	12	8	3	13	6	7	3
Hernia ...	13	17	9	11	10	9	3	6
Intestinal Obstruction ...	31	44	16	20	17	11	15	11
Other Diseases of Intestines ...	2	2	1	—	1	3	1	1
Peritonitis (not Puerperal) ...	10	11	2	4	2	4	2	2
Cirrhosis of Liver ...	66	59	23	12	25	14	11	15
Other Diseases of Liver and Gall Bladder.	24	36	13	10	9	19	3	10
Other Diseases of Digestive System	6	3	—	2	1	—	2	2
Diseases of Spleen ...	1	—	1	—	1	—	—	—
Other Diseases of Lymphatic System.	11	2	1	1	4	—	—	1
Diseases of Thyroid Body ...	2	18	4	5	—	9	1	3
Diseases of Supra Renal Capsules	1	6	—	—	2	1	—	2
Acute Nephritis, Uræmia ...	44	39	14	13	18	9	12	11
Chronic Bright's Disease, Albu- minuria.	150	130	54	60	64	51	32	40
Calculus (not Biliary) ...	3	5	2	—	11	2	2	—
Diseases of Bladder and of Prostate	56	3	32	3	52	4	14	1
Other Diseases of Urinary System	9	3	4	1	8	1	1	2

Note.—For continuation of this Table, see page 394.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 381.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	3	2	—	1	1	1	11	8	4	2	6	8	3	5	—	—	3	5
Diseases of Mouth, Pharynx, Esophagus (not Specific).	2	3	—	1	1	—	7	16	2	2	2	3	3	6	—	—	4	10
Gastric Ulcer	12	26	3	1	1	8	24	37	9	18	15	27	7	18	2	—	3	12
Gastritis, Gastric Catarrh... ..	25	36	3	4	11	17	81	70	23	37	57	45	14	22	—	—	32	31
Other Diseases of Stomach (not Malignant).	5	5	3	1	—	—	6	6	4	—	12	5	5	9	—	—	5	5
Ulceration of Intestines	4	5	—	—	6	2	4	7	6	3	18	4	7	5	—	—	11	1
Enteritis (not Epidemic)	32	19	7	6	14	14	88	100	64	43	92	92	31	21	2	—	25	32
Gastro-enteritis	19	19	3	4	7	8	72	80	38	22	60	35	25	21	—	—	23	15
Appendicitis, Perityphlitis	33	20	5	3	6	9	44	42	14	14	47	39	15	7	2	—	15	12
Hernia	19	13	7	1	6	7	23	36	8	12	23	21	6	8	—	1	12	10
Intestinal Obstruction	29	28	2	7	9	10	46	55	14	17	39	38	19	10	—	—	25	21
Other Diseases of Intestines	—	2	—	—	1	—	1	3	1	—	3	—	2	2	—	—	3	2
Peritonitis (not Puerperal)	6	11	1	1	3	—	14	14	7	5	9	13	7	5	2	2	5	9
Cirrhosis of Liver	25	30	6	2	20	4	85	73	33	25	66	75	26	20	1	—	18	17
Other Diseases of Liver and Gall Bladder.	9	15	3	3	11	8	18	33	20	18	20	31	7	21	—	—	14	14
Other Diseases of Digestive System	12	6	1	—	1	—	11	10	2	1	6	5	5	6	—	—	6	6
Diseases of Spleen	2	1	—	—	1	—	—	1	—	1	1	—	—	—	—	—	2	1
Other Diseases of Lymphatic System.	7	2	—	—	3	—	10	5	2	2	3	5	3	2	—	2	3	4
Diseases of Thyroid Body	1	10	1	3	1	8	7	12	2	9	3	11	1	6	—	1	2	8
Diseases of Supra Renal Capsules	1	2	—	—	1	2	2	3	3	2	4	1	3	1	—	—	—	5
Acute Nephritis, Uræmia	26	34	1	5	11	15	101	78	23	14	60	48	26	15	—	—	37	21
Chronic Bright's Disease, Albu- minuria.	122	134	23	13	49	38	123	115	99	74	150	118	50	46	4	3	67	55
Calculus (not Biliary)	1	2	—	—	2	—	12	3	1	3	7	2	5	2	—	—	2	1
Diseases of Bladder and of Prostate	42	4	11	1	25	2	61	5	36	5	49	6	37	—	3	—	44	4
Other Diseases of Urinary System	7	2	2	1	2	—	9	6	2	3	14	8	11	1	—	—	14	2

Note.—For continuation of this Table, see page 395.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumberland.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Tonsillitis, Quinsy ...	1	2	3	3	18	8	2	2	3	2	3	2	11	4	5	4
Diseases of Mouth, Pharynx, Oesophagus (not specific).	1	6	2	7	57	25	3	3		1	2	1	10	7	5	2
Gastric Ulcer ...	11	14	8	25	159	81	11	15	11	14	28	15	24	28	16	15
Gastritis, Gastric Catarrh ...	45	32	24	51	352	136	19	13	19	33	101	33	72	101	34	41
Other Diseases of Stomach (not Malignant).	5	3	5	5	26	15	1	1	1	5	11	5	8	11	5	6
Ulceration of Intestines ...	8	4	2	8	28	22	7	2	7	2	9	2	15	11	13	5
Enteritis (not Epidemic) ...	48	56	36	60	402	188	20	28	20	41	27	27	104	113	78	86
Gastro-enteritis ...	38	49	28	27	322	107	54	36	54	28	21	21	123	77	40	38
Appendicitis, Perityphlitis ...	20	18	13	19	172	76	17	14	17	11	12	12	29	16	40	27
Hernia ...	11	13	9	16	89	62	12	7	12	11	6	6	18	25	13	15
Intestinal Obstruction ...	20	22	21	26	195	127	20	17	20	10	16	16	36	40	38	28
Other Diseases of Intestines ...	2	5	4	3	15	8	1	1	1	4	1	1	8	1	5	6
Peritonitis (not Puerperal) ...	3	5	7	12	60	32	8	6	8	4	7	7	13	12	8	8
Cirrhosis of Liver ...	39	23	49	35	296	113	20	20	20	29	21	21	56	55	38	29
Other Diseases of Liver and Gall Bladder.	9	17	14	28	174	125	21	15	21	9	17	17	23	35	19	29
Other Diseases of Digestive System	1	7	4	7	32	15	5	2	5	4	3	3	3	7	3	4
Diseases of Spleen ...	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System.	3	4	3	3	26	11	3	3	3	2	3	3	4	6	3	1
Diseases of Thyroid Body ...	—	5	1	21	56	49	2	4	2	2	5	5	6	16	1	11
Diseases of Supra Renal Capsules	1	3	3	3	15	9	2	3	2	1	—	—	3	1	4	1
Acute Nephritis, Uræmia ...	30	31	31	36	355	167	20	24	20	20	16	16	80	76	57	54
Chronic Bright's Disease, Albuminuria	92	91	73	125	667	435	78	60	78	40	41	41	124	114	120	98
Calculus (not Biliary) ...	4	2	1	1	5	3	3	1	3	1	—	—	1	—	6	—
Diseases of Bladder and of Prostate	35	3	34	3	270	19	35	3	35	34	5	5	50	8	44	5
Other Diseases of Urinary System	11	1	10	6	56	10	12	4	12	3	—	—	10	1	8	2

Note.—For continuation of this Table, see page 396.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 383.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	1	3	—	—	2	—	6	7	5	4	—	—	—	—
Diseases of Mouth, Pharynx, Esophagus (not Specific).	1	2	—	—	1	4	11	14	6	9	5	—	—	—
Gastric Ulcer ...	7	13	—	3	11	13	29	57	16	40	1	3	1	3
Gastritis, Gastric Catarrh...	18	23	—	2	43	45	151	135	134	115	6	4	2	1
Other Diseases of Stomach (not Malignant).	1	5	—	—	—	3	18	14	16	13	1	—	—	1
Ulceration of Intestines ...	5	2	4	—	1	2	15	8	12	4	—	1	—	—
Enteritis (not Epidemic) ...	16	15	1	1	28	32	118	98	105	82	6	7	1	2
Gastro-enteritis ...	14	15	3	1	62	58	130	122	93	89	20	21	10	2
Appendicitis, Perityphlitis ...	17	9	3	—	11	5	33	21	27	15	4	2	1	—
Hernia ...	7	3	2	—	5	6	25	22	17	17	3	1	3	1
Intestinal Obstruction ...	13	7	3	2	8	16	71	54	50	41	9	4	4	2
Other Diseases of Intestines	3	1	—	—	—	1	1	5	1	2	—	—	—	—
Peritonitis (not Puerperal)	1	1	1	1	5	6	23	17	22	14	1	1	—	1
Cirrhosis of Liver ...	13	9	—	1	28	15	51	39	34	29	4	1	2	—
Other Diseases of Liver and Gall Bladder.	4	9	—	1	11	14	27	34	19	21	3	3	7	4
Other Diseases of Digestive System	—	4	1	—	3	1	5	10	5	6	—	1	—	—
Diseases of Spleen ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Diseases of Lymphatic System.	—	—	—	—	—	2	7	3	4	2	2	—	1	—
Diseases of Thyroid Body ...	2	8	1	2	—	1	3	22	1	17	1	2	—	—
Diseases of Supra Renal Capsules	1	—	—	—	1	1	1	6	1	4	—	—	—	—
Acute Nephritis, Uræmia ...	9	6	3	—	27	22	119	74	85	59	14	5	11	6
Chronic Bright's Disease, Albuminuria.	26	33	12	7	48	25	179	169	107	101	32	23	13	19
Calculus (not Biliary) ...	2	—	—	—	1	—	2	3	2	1	—	—	—	2
Diseases of Bladder and of Prostate	19	4	6	—	11	1	81	8	44	3	13	3	10	1
Other Diseases of Urinary System	1	—	—	—	3	1	10	5	9	4	—	—	1	—

Note.—For continuation of this Table, see page 397.

PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.																
CAUSES OF DEATH.	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	—	—	5	6	—	—	—	2	2	—	—	—	2	4	—	—
Diseases of Mouth, Pharynx, Esophagus (not Specific).	—	—	4	4	—	1	—	1	1	1	—	—	2	1	—	—
Gastric Ulcer ...	1	—	12	18	4	3	2	1	1	2	3	4	2	6	—	2
Gastritis, Gastric Catarrh...	1	—	36	30	—	1	2	7	14	8	3	4	16	9	1	1
Other Diseases of Stomach (not Malignant).	—	—	9	7	1	1	3	2	3	1	1	1	1	2	—	—
Ulceration of Intestines ...	—	—	6	7	—	—	—	2	1	1	3	1	2	3	—	—
Enteritis (not Epidemic) ...	1	—	22	20	4	3	6	2	6	9	2	3	4	3	—	—
Gastro-enteritis ...	—	2	26	27	2	1	7	3	3	1	3	10	11	11	—	1
Appendicitis, Perityphlitis	—	—	20	16	—	—	4	3	7	6	2	1	5	3	2	3
Hernia ...	—	—	8	9	3	2	2	1	2	3	—	1	1	1	—	1
Intestinal Obstruction ...	—	—	15	21	1	2	—	2	5	2	—	4	8	8	—	3
Other Diseases of Intestines	—	—	4	2	2	—	1	—	—	1	1	—	—	1	—	—
Peritonitis (not Puerperal)	—	—	7	1	—	—	—	—	—	—	2	—	—	1	—	—
Cirrhosis of Liver ...	—	1	19	17	6	1	1	5	5	7	1	—	4	4	2	—
Other Diseases of Liver and Gall Bladder.	2	—	11	16	4	1	2	3	2	3	1	2	2	5	—	2
Other Diseases of Digestive System	—	—	2	6	1	—	—	1	—	1	—	—	1	4	—	—
Diseases of Spleen ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System.	—	—	2	1	—	—	—	1	1	—	—	—	1	—	—	—
Diseases of Thyroid Body ...	—	—	3	7	1	—	—	1	—	2	1	—	1	3	—	1
Diseases of Supra Renal Capsules	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Acute Nephritis, Uræmia ...	1	—	39	35	6	4	5	6	10	8	3	4	13	9	2	4
Chronic Bright's Disease, Albuminuria.	4	5	101	82	14	10	2	2	17	21	20	13	35	31	13	5
Calculus (not Biliary) ...	—	1	1	1	—	—	—	—	1	—	—	—	—	1	—	—
Diseases of Bladder and of Prostate	—	—	52	7	4	—	5	1	9	4	5	1	24	1	5	—
Other Diseases of Urinary System	—	—	3	1	1	—	1	—	1	—	—	—	—	1	—	—

Note.—For continuation of this Table, see page 398.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 385.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		

Note.—For continuation of this Table, see page 399.

* See Note † on page 336.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 387.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	5	—	3	—	4	—	3	—	1	—	10	—	4	—	4
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
<i>Uterine Tumour</i> (not Malignant)...	—	9	—	2	—	9	—	2	—	2	—	11	—	1	—	10
Other Diseases of Uterus and Vagina.	—	6	—	2	—	5	—	1	—	—	—	7	—	3	—	3
Disorders of Menstruation...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs ...	1	—	—	—	3	1	—	—	—	—	—	—	—	—	2	—
Abortion, Miscarriage	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania ...	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	1
Puerperal Convulsions ...	—	9	—	7	—	2	—	3	—	1	—	6	—	9	—	6
Placenta Prævia, Flooding	—	16	—	9	—	6	—	6	—	2	—	6	—	4	—	7
Other Accidents of Pregnancy and Childbirth.	—	21	—	4	—	8	—	8	—	6	—	14	—	9	—	11
Caries, Necrosis	7	—	2	—	3	2	3	—	—	3	4	3	2	—	3	3
Arthritis, Periostitis	2	—	1	—	2	2	—	—	—	—	5	1	2	1	1	1
Other Diseases of Locomotor System	6	5	3	1	3	1	1	1	—	—	—	3	2	—	2	4
Ulcer, Bed-sore	8	11	4	3	—	4	2	1	1	6	6	5	1	7	2	8
Eczema	5	7	4	1	4	3	3	1	2	1	4	3	1	5	1	1
Penphigus	6	6	1	—	2	1	—	1	—	1	4	6	—	—	—	—
Other Diseases of the Skin	3	3	3	1	1	1	1	1	1	2	1	4	—	2	—	1
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 401.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	7	—	2	—	1	—	7	—	4	—	9	—	—	—	—	—	6
Other Diseases of Ovary ...	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	11	—	—	—	6	—	13	—	—	—	6	—	—	—	—	—	6
Other Diseases of Uterus and Vagina.	—	2	—	—	—	2	—	7	—	—	—	9	—	—	—	—	—	7
Disorders of Menstruation ...	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	2
Other Diseases of Generative and Mammary Organs.	1	1	—	—	—	—	4	1	1	—	2	1	1	—	1	—	—	—
Abortion, Miscariage ...	—	2	—	—	—	2	—	7	—	—	—	4	—	—	—	—	—	1
Puerperal Mania ...	—	1	—	—	—	1	—	3	—	—	—	2	—	—	—	—	—	1
Puerperal Convulsions ...	—	2	—	1	—	7	—	13	—	—	—	7	—	—	—	—	—	2
Placenta Prævia, Flooding ...	—	5	—	2	—	6	—	24	—	—	—	21	—	—	—	—	—	10
Other Accidents of Pregnancy and Childbirth.	—	17	—	—	—	3	—	29	—	—	—	26	—	—	—	—	—	12
Caries, Necrosis ...	8	5	—	—	1	1	6	2	3	7	8	7	3	1	3	—	2	2
Arthritis, Periostitis ...	5	1	1	—	3	—	4	4	3	9	9	4	3	—	1	—	1	—
Other Diseases of Locomotor System	3	1	—	—	1	1	7	6	2	4	4	6	2	3	3	—	3	3
Ulcer, Bed-sore ...	—	6	2	—	—	4	6	15	2	6	3	10	—	3	—	4	7	7
Eczema ...	5	—	—	—	—	1	10	11	—	2	5	3	2	3	—	2	1	1
Pemphigus ...	5	2	—	1	1	—	6	3	3	3	3	4	2	—	2	2	—	—
Other Diseases of the Skin	3	—	—	—	—	—	6	5	2	4	4	1	—	—	—	1	—	4
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 402.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 389.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Derbyshire.		Nottinghamshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Ovarian Tumour (not Malignant)	—	7	—	4	—	7	—	42	—	24	—	3	—	3	—	7
Other Diseases of Ovary ...	—	2	—	1	—	1	—	8	—	4	—	—	—	—	—	—
Uterine Tumour (not Malignant)...	—	5	—	6	—	9	—	49	—	18	—	5	—	3	—	9
Other Diseases of Uterus and Vagina.	—	5	—	2	—	—	—	44	—	32	—	4	—	4	—	8
Disorders of Menstruation ...	—	—	—	1	—	—	—	9	—	4	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	1	—	3	1	—	—	2	—	1	—	1	—
Abortion, Miscarriage ...	—	1	—	2	—	—	—	9	—	10	—	1	—	1	—	2
Puerperal Mania ...	—	—	—	—	—	1	—	9	—	5	—	—	—	—	—	2
Puerperal Convulsions ...	—	6	—	9	—	14	—	73	—	59	—	5	—	4	—	7
Placenta Prævia, Flooding ...	—	7	—	15	—	11	—	97	—	51	—	14	—	31	—	13
Other Accidents of Pregnancy and Childbirth.	—	18	—	13	—	17	—	131	—	80	—	20	—	27	—	21
Caries, Necrosis ...	—	3	—	5	3	2	25	30	26	17	6	—	—	5	4	3
Arthritis, Periostitis ...	2	4	1	2	3	—	30	18	22	8	2	2	2	3	3	—
Other Diseases of Locomotor System	2	2	4	1	1	1	14	8	9	9	2	1	3	7	1	—
Ulcer, Bed-sore ...	2	2	1	2	4	4	17	28	7	18	4	—	1	7	2	3
Eczema ...	4	2	5	4	2	1	29	12	10	9	3	2	1	3	4	1
Penphigus ...	1	2	—	2	1	2	19	14	11	13	3	4	6	1	1	1
Other Diseases of the Skin ...	1	1	2	2	1	7	16	16	9	10	4	2	—	1	2	2
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 403.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumberland.		Westmorland.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	3	—	2	—	2	—	8	—	5	—	—	1	—	—	1	—	—
Other Diseases of Ovary ...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	3	—	—	—	2	—	11	—	3	—	—	4	—	—	2	—	—
Other Diseases of Uterus and Vagina.	—	1	—	—	—	2	—	10	—	9	—	—	—	—	—	—	—	—
Disorders of Menstruation ...	1	—	—	1	—	1	—	4	—	3	—	—	1	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	5	3	—	2	1	—	—	—	—	—	—	—
Abortion, Miscarriage ...	—	1	—	—	—	—	—	7	—	6	—	—	—	—	—	—	—	—
Puerperal Mania ...	—	2	—	—	—	1	—	3	—	2	—	1	—	—	—	—	—	—
Puerperal Convulsions ...	—	6	—	—	—	4	—	29	—	22	—	4	—	—	—	1	—	—
Placenta Prævia, Flooding ...	—	6	—	—	—	16	—	33	—	26	—	—	3	—	—	1	—	—
Other Accidents of Pregnancy and Childbirth.	—	8	—	1	—	14	—	58	—	42	—	—	6	—	—	2	—	5
Caries, Necrosis ...	3	2	—	1	—	1	9	3	6	1	2	—	—	1	—	1	—	—
Arthritis, Periostitis ...	—	—	—	—	—	—	8	4	3	4	3	—	—	—	—	—	—	—
Other Diseases of Locomotor System	4	1	—	—	3	1	6	8	4	7	1	—	—	1	—	—	—	1
Ulcer, Bed-sore ...	—	6	—	1	—	2	4	14	2	12	1	—	—	1	—	1	—	—
Eczema ...	2	2	—	—	2	2	5	4	5	4	—	—	—	—	—	—	—	—
Pemphigus ...	—	—	—	—	—	—	8	5	6	5	1	—	—	—	1	—	—	—
Other Diseases of the Skin ...	1	2	—	—	1	—	9	2	6	2	1	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 404.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 391.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Radnorshire.		North Wales.		Montgomery- shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	—	—	3	—	—	—	—	—	1	—	—
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	—	—	4	—	—	2	—	—	1	—	—
Other Diseases of Uterus and Vagina.	—	1	—	4	—	—	—	—	—	2	—	—
Disorders of Menstruation...	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage ...	—	—	—	2	—	—	—	—	—	1	—	—
Puerperal Mania ...	—	—	—	3	—	1	—	—	—	1	—	—
Puerperal Convulsions ...	—	—	—	6	—	—	1	—	—	—	—	—
Placenta Prævia, Flooding ...	—	—	—	5	—	—	—	—	—	3	—	—
Other Accidents of Pregnancy and Childbirth.	—	—	—	26	—	4	—	—	—	6	—	—
Caries, Necrosis ...	—	—	3	3	—	—	—	—	1	—	—	—
Arthritis, Periostitis ...	1	—	2	1	—	—	—	—	—	—	—	—
Other Diseases of Locomotor System	—	—	2	1	—	—	—	—	1	—	—	—
Ulcer, Bed-sore ...	—	—	2	5	—	—	1	—	2	—	—	—
Eczema ...	—	—	3	1	—	—	—	—	—	—	—	—
Pemphigus ...	—	—	2	1	—	—	—	—	—	—	—	—
Other Diseases of the Skin ...	—	—	1	3	—	—	—	—	—	2	—	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 405.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.*		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.*		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.														
<i>Atrophy, Debility</i> ...	8460	6460	845	615	89	63	142	112	100	66	122	105	54	31
<i>Old Age</i> ...	14058	18837	937	1730	191	302	445	524	301	351	394	504	156	177
<i>Dropsy, Ascites, Anasarca</i> ...	36	39	5	4	1	—	—	1	1	—	2	—	1	—
<i>Tumour</i> ...	32	52	5	8	—	1	—	1	—	5	1	2	1	—
<i>Abscess</i> ...	208	170	26	26	1	2	4	1	4	4	2	3	—	—
<i>Hæmorrhage</i> ...	19	16	—	—	—	1	—	—	2	—	1	—	1	—
<i>Sudden Death (cause unascertained)</i>	4	11	—	—	—	—	—	—	—	—	—	—	—	—
<i>Other ill-defined causes</i> ...	402	277	—	1	—	1	22	17	1	1	4	4	8	1
<i>Causes not specified...</i>	88	50	4	2	—	—	9	4	3	2	3	1	2	—
VIOLENT DEATHS.														
<i>In Mines and Quarries</i> ...	1147	—	—	—	1	—	4	—	—	—	1	—	—	1
<i>Vehicles and Horses</i> ...	2131	356	346	79	55	7	46	4	23	7	48	14	17	—
<i>Ships, Boats, and Docks (not Drowning).</i>	275	3	31	—	—	—	13	—	2	—	22	—	—	—
<i>Building Operations</i> ...	227	—	51	—	4	—	6	—	3	—	2	—	2	—
<i>Machinery</i> ...	217	10	25	2	—	—	4	—	2	1	5	—	1	—
<i>Weapons and Implements</i> ...	91	10	4	—	—	—	4	—	2	—	1	—	1	—
<i>Burns and Scalds</i> ...	1067	1583	131	189	12	19	15	32	8	16	16	24	7	7
<i>Poisons, Poisonous Vapours</i>	362	188	80	40	6	8	15	1	7	5	13	7	—	—
<i>Drowning</i> ...	2063	400	194	38	38	11	85	13	31	4	50	12	24	3
<i>Suffocation</i> ...	936	890	220	228	17	12	19	8	15	13	19	26	4	5
<i>Falls</i> ...	1392	1238	228	234	22	30	27	21	14	26	22	25	7	7
<i>Weather Agencies</i> ...	176	58	6	3	6	3	8	3	2	—	4	2	3	—
<i>Otherwise, or not stated</i> ...	924	280	99	50	22	4	28	11	10	2	18	3	8	1
<i>Battle</i> ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—
<i>Homicide</i> ...	152	159	28	24	6	5	2	4	4	10	6	5	—	—
<i>Suicide</i> ...	2844	934	432	132	63	29	98	28	85	19	78	25	27	5
<i>Execution</i> ...	12	—	—	—	—	—	1	—	—	—	—	—	—	—

* See Note † on page 336.

CAUSES of DEATH in REGISTRATION COUNTIES, 1908—continued from page 393.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.*		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.												
Atrophy, Debility ...	140	122	34	31	31	14	24	19	67	41	8	6
Old Age ...	258	386	112	152	112	127	121	121	177	236	26	31
Dropsy, Ascites, Anasarca ...	—	1	—	—	—	1	2	—	—	2	—	—
Tumour ...	1	1	—	1	—	—	—	—	—	—	—	—
Abscess ...	4	8	1	2	—	1	2	—	5	4	4	—
Hæmorrhage ...	1	—	—	—	—	—	—	—	—	—	—	—
Sudden Death (cause unascertained)	—	—	—	—	—	—	6	1	1	8	1	—
Other ill-defined causes ...	2	—	4	—	—	—	3	—	1	1	—	—
Causes not specified ...	1	—	1	—	—	—	—	—	1	—	1	—
VIOLENT DEATHS.												
In Mines and Quarries ...	1	—	—	—	1	—	2	—	1	—	—	—
Vehicles and Horses ...	53	9	21	—	14	—	10	—	22	3	5	—
Ships, Boats, and Docks (not Drowning).	—	—	1	—	—	—	—	—	—	—	—	—
Building Operations ...	1	—	1	—	—	—	1	—	—	—	—	—
Machinery ...	1	—	1	—	—	—	—	—	—	—	—	—
Weapons and Implements ...	2	—	—	—	—	—	—	—	1	—	—	—
Burns and Scalds ...	15	31	9	8	3	3	3	5	4	11	2	—
Poisons, Poisonous Vapours ...	11	3	1	3	1	—	3	—	5	2	—	—
Drowning ...	39	9	15	5	8	2	21	6	21	2	1	1
Suffocation ...	32	25	5	4	2	3	1	4	7	5	1	1
Falls ...	18	27	4	7	7	5	2	8	15	12	3	2
Weather Agencies ...	5	2	3	—	1	—	3	—	3	2	1	—
Otherwise or not stated	19	17	4	—	1	—	8	1	20	5	4	—
Battle ...	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	1	5	1	—	1	—	1	4	1	1	—	—
Suicide ...	78	33	16	8	12	2	21	8	39	9	2	2
Execution ...	—	—	—	—	—	—	—	—	—	—	—	—

* See Note † on page 336.

[illegible]

CAUSES OF DEATH in REGISTRATION COUNTIES, 1908—continued from page 395.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.																		
Atrophy, Debility ...	125	82	16	13	53	32	537	463	134	93	350	271	131	86	2	2	142	93
Old Age ...	302	446	75	93	188	196	677	875	245	326	399	523	211	297	26	19	314	360
Dropsy, Ascites, Anasarca...	—	1	—	—	—	—	4	2	—	—	—	—	1	—	—	1	1	2
Tumour ...	2	1	—	—	1	—	—	—	—	1	1	8	—	—	—	—	—	—
Abscess ...	1	—	—	1	—	1	3	9	5	1	4	—	—	2	—	—	5	2
Hæmorrhage ...	2	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Sudden Death (cause unascertained)	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other ill-defined causes ...	2	—	3	3	15	17	16	16	5	1	5	1	1	1	1	1	7	5
Causes not specified ...	2	2	—	—	2	—	3	—	2	1	4	1	—	2	—	—	—	1
VIOLENT DEATHS.																		
In Mines and Quarries ...	5	—	—	—	8	—	102	—	9	—	17	—	7	—	—	—	1	—
Vehicles and Horses ...	36	8	7	1	28	1	62	13	31	3	66	11	21	5	2	—	35	9
Ships, Boats, and Docks (not Drowning).	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	7	2
Building Operations ...	5	—	1	—	—	—	6	—	1	—	9	—	—	—	—	—	1	—
Machinery ...	4	—	1	—	1	—	4	—	1	—	9	—	2	—	—	—	3	—
Weapons and Implements ...	2	—	—	1	1	—	—	—	2	—	2	1	2	—	1	—	—	—
Burns and Scalds ...	16	27	3	5	8	17	56	90	12	15	49	58	16	12	1	1	23	19
Poisons, Poisonous Vapours	8	7	1	1	2	—	10	1	6	—	7	1	3	6	1	1	1	1
Drowning ...	39	8	6	2	23	8	67	18	32	10	31	11	24	5	1	—	52	6
Suffocation ...	10	15	—	3	4	4	40	33	11	15	54	52	9	9	—	—	11	4
Falls ...	26	29	5	—	11	7	51	40	18	11	43	31	23	12	—	1	18	14
Weather Agencies ...	2	—	1	1	1	—	10	1	1	3	3	2	1	—	1	—	1	—
Otherwise or not stated ...	22	4	4	2	18	1	46	20	20	3	18	9	13	1	1	13	—	3
Battle...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	1	2	—	—	—	1	5	4	—	4	5	4	6	2	—	—	1	1
Suicide ...	52	19	5	7	31	7	98	38	37	21	88	19	41	20	—	—	32	9
Execution ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.																
<i>Atrophy, Debility</i> ...	240	175	146	93	173	161	1376	998	678	486	146	80	130	110	236	222
<i>Old Age</i> ...	287	303	276	289	340	496	1576	2285	984	1378	271	289	179	241	258	325
<i>Dropsy, Ascites, Anasarca</i> ...	1	—	1	1	—	—	2	4	2	3	1	1	1	1	2	1
<i>Tumour</i> ...	1	2	—	1	—	—	6	6	2	4	1	—	—	—	1	—
<i>Abscess</i> ...	6	4	5	5	5	7	34	22	14	12	3	3	5	2	1	2
<i>Hæmorrhage</i> ...	—	—	2	—	—	—	—	6	—	1	—	—	—	—	1	—
<i>Sudden Death (cause unascertained)</i> ...	—	—	—	—	—	—	—	1	—	1	—	—	1	—	1	—
<i>Other ill-defined causes</i> ...	3	2	11	3	2	—	123	101	14	9	2	2	12	4	2	3
<i>Causes not specified</i> ...	—	—	—	—	1	—	2	3	3	—	—	—	1	—	1	1
VIOLENT DEATHS.																
<i>In Mines and Quarries</i> ...	47	—	25	—	2	—	153	—	152	—	—	—	7	—	56	—
<i>Vehicles and Horses</i> ...	46	10	35	6	56	9	260	46	176	32	27	3	25	1	28	4
<i>Ships, Boats, and Docks (not Drowning).</i>	—	—	—	—	13	—	48	1	3	—	10	—	8	—	11	—
<i>Building Operations</i> ...	6	—	1	—	8	—	50	—	18	—	8	—	4	—	2	—
<i>Machinery</i> ...	2	1	6	—	11	1	54	1	29	1	5	—	3	—	2	—
<i>Weapons and Implements</i> ...	1	—	1	—	2	1	6	1	1	1	1	—	1	—	—	—
<i>Burns and Scalds</i> ...	30	43	17	20	23	45	184	323	112	147	15	24	19	23	27	45
<i>Poisons, Poisonous Vapours</i> ...	2	3	1	—	7	2	59	27	20	20	5	4	5	3	5	3
<i>Drowning</i> ...	45	7	33	9	59	19	294	60	152	28	57	3	21	3	48	4
<i>Suffocation</i> ...	18	19	5	6	20	18	160	152	64	66	19	17	6	6	12	11
<i>Falls</i> ...	25	19	22	11	26	33	249	217	156	113	17	19	16	15	13	18
<i>Weather Agencies</i> ...	5	2	4	2	3	—	13	11	12	6	3	1	4	1	5	1
<i>Otherwise or not stated</i> ...	16	5	9	3	14	7	117	33	48	19	12	5	13	—	68	11
Battle ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	1	1	2	1	2	4	22	19	16	13	3	3	3	1	4	2
Suicide ...	64	22	42	12	54	34	391	140	239	74	47	17	27	14	52	11
Execution ...	—	—	—	—	1	—	2	—	1	—	1	—	—	—	—	—

DEATHS from SEVERAL CAUSES, and INQUEST CASES in the Year 1908, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

REGISTRATION DIVISIONS.		CAUSES OF DEATH. (See Note.)																				Inquests.	
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> ,* of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberc. Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.		Bronchitis.
ENGLAND AND WALES.																							
DIV. I.	Persons ..	520456																					36620
	Males	268714																					265166
	Females	251742																					135449
DIV. II.	Persons ..	67123																					6975
	Males	34841																					29954
	Females	32282																					15132
DIV. III.	Persons ..	46268																					3372
	Males	23777																					24959
	Females	22491																					12852
DIV. IV.	Persons ..	30630																					2031
	Males	15542																					16284
	Females	15088																					8241
DIV. V.	Persons ..	27728																					1706
	Males	14154																					14660
	Females	13574																					7402
DIV. VI.	Persons ..	27669																					1880
	Males	13798																					16026
	Females	13871																					7893

NOTE.—The Total Deaths in each Registration Division, County, District, and sub-district will be found at pp. 148-209. For Tables showing in greater detail the causes of death of Males and Females in England and Wales, in London and in Counties, see pp. 292-405.

* Called Simple Continued Fever previous to 1901.

† On 1st April, 1908, the boundary between these divisions was altered, see page 499. The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION DIVISIONS.		CAUSES OF DEATH.																				Inquests.				
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberculosis Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, <i>Rheumatism of Heart</i> .	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
DIV. VI.	W. MIDLAND.																									
	Persons	58468	497	353	—	1206	1209	678	1	235	2056	1954	2171	578	442	96	575	3454	280	222	4265	4750	332	2274	30849	3808
	Males	30145	257	171	—	586	525	336	—	139	1088	1113	1279	294	221	53	303	1459	163	101	2358	2446	—	1544	15715	
	Females	28323	240	182	—	620	675	342	1	96	968	841	892	284	221	43	272	1995	117	121	1907	2310	332	730	15134	
DIV. VII.	N. MIDLAND.																									
	Persons	32013	392	138	—	588	511	347	4	165	971	995	1152	366	251	61	339	2060	155	125	2204	2375	235	1231	17347	2031
	Males	16644	199	68	—	302	215	167	1	108	526	543	635	203	119	33	173	848	87	51	1231	1155	—	885	9094	
	Females	15369	193	70	—	286	296	180	3	57	445	452	517	163	132	28	166	1212	68	74	973	1220	235	346	8253	
DIV. VIII.	N. WESTERN.																									
	Persons	93983	1829	845	10	1465	1829	973	9	664	4300	3561	3528	1092	762	223	1033	4726	463	421	8606	7993	633	3567	45449	5877
	Males	48187	940	405	5	690	841	488	4	398	2284	2100	2016	530	393	108	552	1966	265	193	4949	3826	—	2363	22870	
	Females	45796	889	440	5	775	988	485	5	266	2016	1461	1512	562	369	115	481	2760	198	228	3657	4167	633	1204	22579	
DIV. IX.	YORKSHIRE.																									
	Persons	61049	1259	205	—	1021	1170	571	1	398	2825	2200	2192	668	551	136	704	3630	290	254	5075	4613	435	2283	30562	4313
	Males	31998	635	96	—	509	502	276	1	243	1536	1289	1214	349	279	91	386	1466	168	108	2922	2376	—	1600	15948	
	Females	29051	624	109	—	512	668	295	—	155	1289	911	978	319	272	45	318	2164	122	146	2153	2237	435	683	14614	
DIV. X.	NORTHERN.																									
	Persons	38664	399	112	—	507	1152	400	3	281	1754	904	1690	512	389	173	441	1857	162	144	3354	2685	303	1453	19989	2136
	Males	20410	208	55	—	240	484	198	—	182	927	483	877	278	220	88	234	806	90	63	1957	1354	—	1113	10553	
	Females	18254	191	57	—	267	668	202	3	99	827	421	813	234	169	85	207	1051	72	81	1397	1331	303	340	9436	
DIV. XI.	WELSH.																									
	Persons	36861	622	103	3	872	923	362	2	166	1193	1147	1491	392	225	95	404	1788	154	189	3259	2428	347	1604	19087	2491
	Males	19218	335	55	3	452	419	164	2	111	640	581	716	202	110	57	225	810	77	97	1908	1250	—	1255	9749	
	Females	17643	287	48	—	420	504	198	—	55	558	566	775	190	115	38	179	978	77	92	1351	1178	347	349	9338	

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—*continued*.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																									
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever. Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		
1	I.—LONDON.*																											
	LONDON.*																											
	Persons	67123	1508	470	—	1313	981	698	2	220	2581	4289	1957	1005	424	63	949	5045	592	279	6407	5164	328	2894	29954	6975		
2	II.—SOUTH-EASTERN.																											
	SURREY.																											
	Persons	10572	188	47	—	276	137	153	—	19	248	492	378	111	65	9	100	807	71	39	870	592	50	382	5538	802		
3																												
	KENT.																											
	Persons	12629	132	55	—	315	165	127	—	83	308	571	464	123	86	19	185	1005	64	43	789	759	71	500	6762	812		
4																												
	SUSSEX.																											
	Persons	8169	44	15	—	246	87	54	—	20	110	285	369	86	54	15	99	765	51	48	550	432	46	311	4482	572		
5																												
	HAMPSHIRE.																											
	Persons	11101	79	26	—	209	215	160	—	54	196	580	397	116	70	11	149	812	72	41	670	692	64	448	6040	967		
											</																	

* On 1st of April, 1908, the boundary between London and Middlesex was altered, see page 499. The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																		Inquests.						
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubæ Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
6	II.—STH. EASTERN —continued. BERKSHIRE. Persons Males Females	3797 1933 1864	— — —	27 17 10	14 7 7	— — —	119 70 49	60 24 36	50 21 29	— — —	17 9 8	52 29 23	145 83 62	131 64 67	24 13 11	13 7 6	2 1 1	33 17 16	309 140 169	20 11 9	14 7 7	210 95 115	272 119 153	18 — 18	130 101 29	2137 1098 1039	219
7	III.—STH. MIDLAND. MIDDLESEX.* Persons Males Females	11822 5983 5839	— — —	222 112 110	161 82 79	— — —	295 142 153	162 74 88	190 93 97	1 1 —	48 27 21	456 236 220	475 281 194	442 236 206	140 77 63	59 29 30	15 6 9	115 61 54	807 337 470	64 35 29	60 35 25	1019 569 450	828 386 442	80 — 80	437 276 161	5746 2888 2858	950
8	HERTFORDSH. Persons Males Females	3405 1709 1696	— — —	14 10 4	14 6 8	— — —	87 42 45	45 22 23	37 24 13	— — —	7 5 2	40 25 15	172 89 83	89 46 43	27 11 16	24 10 14	1 1 —	35 25 10	294 126 168	16 7 9	10 5 5	200 118 82	242 108 134	20 — 20	117 82 35	1914 947 967	192
9	BUCKINGHAMSH. Persons Males Females	2272 1189 1083	— — —	8 6 2	16 10 6	— — —	76 32 44	45 23 22	30 17 13	— — —	2 — 2	22 15 7	66 36 30	92 53 39	10 6 4	7 5 2	— — —	26 19 7	172 66 106	10 5 5	9 5 4	148 88 60	169 79 90	14 — 14	67 52 15	1283 672 611	138
10	OXFORDSHIRE. Persons Males Females	2600 1313 1287	— — —	2 2 —	3 1 2	— — —	47 29 18	41 17 24	25 13 12	— — —	4 3 1	44 22 22	71 33 38	104 69 35	23 9 14	13 8 5	— — —	25 13 12	229 88 141	23 9 14	6 4 2	150 75 75	193 83 110	11 — 11	112 76 36	1474 759 715	163

* On 1st April, 1908, the boundary between London and Middlesex was altered, see page 499. The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties and Districts—*continued*.

REGISTRATION COUNTIES.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous <i>Phthisis</i> .	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberculosis Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
11	III.—STH. MIDLAND — <i>continued</i> . NORTHAMPTNS. Persons Males Females	— — —	15 12 3	14 8 6	— — —	95 52 43	125 55 70	29 14 15	— — —	14 4 10	56 35 21	143 75 68	227 120 107	56 35 21	56 35 21	24 13 11	5 2 3	38 18 20	399 167 232	25 12 13	23 10 13	255 155 100	337 165 172	22 — 22	191 139 52	2453 1239 1214	274
12	HUNTINGDONS. Persons Males Females	— — —	1 — 1	6 2 4	— — —	14 5 9	15 5 10	5 3 2	— — —	2 2 —	6 4 2	13 5 8	24 14 10	3 — 3	3 — 3	1 — 1	— — —	13 9 4	59 25 34	2 — 2	4 2 2	49 24 25	45 17 28	2 — 2	27 21 6	340 159 181	41
13	BEDFORDSH. Persons Males Females	— — —	17 9 8	4 2 2	— — —	48 17 31	38 20 18	36 15 21	— — —	5 3 2	33 20 13	78 43 35	89 47 42	13 11 2	13 11 2	11 5 6	5 1 4	18 5 13	193 79 114	15 10 5	14 4 10	114 57 57	175 77 98	7 — 7	85 65 20	1425 733 692	140
14	CAMBRIDGESH. Persons Males Females	— — —	62 41 21	5 4 1	— — —	71 35 36	86 39 47	45 20 25	— — —	11 3 8	25 15 10	88 52 36	108 60 48	22 11 11	22 11 11	15 3 12	2 1 1	36 18 18	248 120 128	12 6 6	14 5 9	159 92 67	172 67 105	10 — 10	91 62 29	1649 844 805	133
15	IV.—EASTERN. ESSEX. Persons Males Females	— — —	402 210 192	136 72 64	— — —	318 159 159	227 100 127	256 123 133	1 — 1	68 39 29	593 314 279	610 349 261	564 327 237	196 111 85	196 111 85	94 43 51	31 18 13	171 96 75	1004 413 591	87 53 34	63 29 34	1151 684 467	1160 556 604	103 — 103	548 381 167	7598 3791 3807	1006
16	SUFFOLK. Persons Males Females	— — —	55 28 27	10 4 6	— — —	129 55 74	73 31 42	43 24 19	— — —	26 16 10	64 29 35	160 83 77	262 147 115	46 25 21	46 25 21	18 8 10	1 — 1	69 32 37	435 183 252	32 20 12	23 16 7	285 173 112	372 132 190	29 — 29	206 142 64	3098 1575 1523	308

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phtis.	Phtis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tabs Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
17	IV.—EASTERN— <i>continued.</i> NORFOLK. Persons Males Females 6911 3513 3398	—	76	11	—	166	165	84	—	65	108	198	295	44	48	11	65	555	36	18	292	461	36	213	3964	392
		—	43	5	—	86	71	38	—	36	58	103	146	23	22	10	35	233	27	12	163	208	—	158	2036	
		—	33	6	—	80	94	46	—	29	50	95	149	21	26	1	30	322	9	6	129	253	36	55	1928	
18	V.—STH. WESTERN. WILTSHIRE. Persons Males Females 3542 1766 1776	—	19	12	—	75	47	30	—	8	27	108	131	25	14	4	32	257	19	18	217	247	24	109	2119	223
		—	10	6	—	40	21	10	—	4	9	61	80	17	10	3	20	106	8	10	106	129	—	69	1047	
		—	9	6	—	35	26	20	—	4	18	47	51	8	4	1	12	151	11	8	111	118	24	40	1072	
19	DORSETSHIRE. Persons Males Females 2695 1366 1329	—	13	15	—	60	52	35	—	5	28	81	100	19	9	1	30	209	13	13	152	127	12	98	1623	152
		—	7	8	—	40	24	14	—	3	16	41	54	9	7	—	19	105	7	7	100	60	—	74	771	
		—	6	7	—	20	28	21	—	2	12	40	46	10	2	1	11	104	6	6	52	67	12	24	852	
20	DEVONSHIRE. Persons Males Females 10194 5122 5072	—	52	12	—	252	137	87	—	47	198	404	412	93	48	6	140	743	58	39	659	717	54	346	5660	705
		—	26	7	—	103	78	42	—	21	113	202	210	52	20	5	70	300	35	20	372	354	—	259	2833	
		—	26	5	—	149	89	45	—	26	85	202	202	41	28	1	70	443	23	19	287	363	54	87	2827	
21	CORNWALL. Persons Males Females 4718 2361 2357	—	5	18	—	81	94	28	1	11	57	183	215	31	32	3	54	329	19	18	255	258	30	148	2848	323
		—	1	9	—	34	36	21	—	5	30	112	126	20	17	2	31	114	8	7	140	129	—	114	1405	
		—	4	9	—	47	58	7	1	6	27	71	89	11	15	1	23	215	11	11	115	129	30	34	1443	
22	SOMERSETSH. Persons Males Females 6520 3183 3337	—	72	7	—	161	39	36	1	6	86	219	233	47	34	6	58	526	38	17	415	444	45	254	3776	477
		—	37	3	—	70	12	14	1	5	46	123	111	30	15	5	27	233	18	13	221	193	—	169	1837	
		—	35	4	—	91	27	22	—	1	40	96	122	17	19	1	31	293	20	4	194	251	45	85	1939	

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- cous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Typhus Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Heart. Rheumatism of	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
23	VI.—WEST MID- LAND.																									771
	GLoucesters.																									
	Persons ..	9340	106	17	—	157	186	113	1	25	192	403	277	101	41	7	93	672	52	35	652	691	46	352	5116	
	Males ..	4666	58	9	—	88	80	61	—	20	96	221	144	53	19	3	47	264	30	21	355	321	—	233	2563	
	Females ..	4674	48	8	—	89	106	52	1	5	96	182	133	48	22	4	51	408	22	14	297	370	46	119	2553	
24	HEREFORDSH.																									96
	Persons ..	1623	9	2	—	50	11	17	—	2	21	71	47	9	13	2	10	132	8	3	84	102	—	57	967	
	Males ..	868	3	2	—	21	4	8	—	2	8	36	27	6	5	—	6	67	8	2	49	59	—	34	521	
	Females ..	755	6	—	—	29	7	9	—	—	13	35	20	3	8	2	4	65	—	1	35	43	6	23	446	
25	SHROPSHIRE.																									263
	Persons ..	3873	41	18	—	142	40	33	—	4	43	110	143	31	26	3	39	285	24	9	257	235	26	182	2182	
	Males ..	1991	21	8	—	67	26	15	—	3	24	58	78	13	12	3	19	115	12	4	138	123	—	136	1116	
	Females ..	1882	20	10	—	75	14	18	—	1	19	52	65	18	14	—	20	170	12	5	119	112	26	46	1066	
26	STAFFORDSH.																									1434
	Persons ..	20947	193	159	—	405	398	247	—	113	946	680	699	229	214	49	219	966	89	84	1559	1928	122	815	10828	
	Males ..	10878	103	73	—	215	163	118	—	70	513	396	400	109	100	28	110	415	49	38	871	1031	—	557	5494	
	Females ..	10069	90	86	—	190	235	129	—	48	428	284	299	120	114	21	109	551	40	46	688	877	122	258	5334	
27	WORCESTERSH.																									414
	Persons ..	7440	58	53	—	192	114	77	—	28	180	247	253	57	64	19	68	515	37	33	517	564	44	266	4054	
	Males ..	3789	29	23	—	92	54	38	—	12	95	134	143	28	41	11	41	201	22	10	283	270	—	181	2081	
	Females ..	3651	29	30	—	100	60	39	—	16	85	113	110	29	23	8	27	314	15	23	234	294	44	85	1973	
28	WARWICKSH.																									830
	Persons ..	15245	90	104	—	260	451	191	—	58	674	443	752	151	84	16	141	884	70	58	1196	1230	88	602	7702	
	Males ..	7953	43	56	—	123	198	96	—	32	347	268	487	85	44	8	80	397	42	26	662	616	—	403	3940	
	Females ..	7292	47	48	—	137	253	95	—	26	327	175	265	66	40	8	61	487	28	32	534	614	88	199	3762	

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		CAUSES OF DEATH.																				ALL CAUSES.				
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
29	VII.—N. MIDLAND. LEICESTERSH. Persons Males Females	— — —	198 97 101	36 16 20	— — —	93 47 46	104 47 57	52 21 31	1 1 —	22 17 5	190 92 98	278 157 121	250 127 123	71 33 38	49 21 28	9 7 2	76 39 37	447 183 264	40 27 13	20 5 15	389 226 163	438 198 240	42 — 42	240 168 72	3423 1742 1681	478
30	RUTLANDSH. Persons Males Females	— — —	— — —	1 1 —	— — —	6 3 3	4 1 3	1 — 1	— — —	1 1 —	1 — 1	7 3 4	5 3 2	1 1 —	1 — 1	2 2 —	— — —	22 7 15	2 1 1	1 — 1	14 6 8	20 13 7	2 — 2	10 7 3	191 105 86	18
31	LINCOLNSH. Persons Males Females	1 1 —	25 17 8	28 16 12	— — —	177 86 91	134 53 81	83 41 42	1 — 1	48 27 21	183 99 84	196 85 111	319 176 143	89 52 37	50 22 28	14 5 9	85 44 41	553 227 326	31 16 15	23 11 12	400 219 181	485 226 259	44 — 44	268 199 69	4387 2356 2031	451
32	NOTTINGHAMSH. Persons Males Females	— — —	83 50 33	36 15 21	— — —	153 85 68	193 81 112	98 46 52	1 — 1	58 38 20	402 226 176	341 211 130	310 155 155	117 67 50	82 43 39	19 11 8	93 47 46	695 251 354	47 23 21	51 22 29	856 458 396	808 396 412	69 — 69	440 308 132	5220 2732 2488	620
33	DERBYSHIRE. Persons Males Females VIII.—N. WESTERN.	— — — —	86 35 51	37 20 17	— — —	159 81 78	76 33 43	113 59 54	1 — 1	36 25 11	195 109 86	173 87 86	268 174 94	88 50 38	69 33 36	17 8 9	85 43 42	433 180 253	35 17 18	30 13 17	545 322 223	624 322 302	78 — 78	273 203 70	4126 2159 1967	464
34	CHESHIRE. Persons Males Females	1 — 1	260 125 135	101 48 53	— — —	219 110 109	243 119 124	126 59 67	4 1 3	59 33 26	415 217 198	350 196 154	461 256 205	147 64 83	125 63 62	32 17 15	153 78 75	773 312 461	56 37 19	56 26 30	1019 578 441	859 383 476	71 — 71	474 301 173	6417 3161 3256	867

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	CAUSES OF DEATH.																			Inquests.																								
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis Mesenterica.	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.																			
35	VIII.—NORTH WEST- TERN—continued. LANCASHIRE. Persons Males Females.. ..																			81562 42003 39559	1 1569 815 754	744 357 387	10 1246 5 580 5 666	1586 722 864	847 429 418	5 847 3 429 2 418	5 3 2	605 365 240	3885 2067 1818	3211 1904 1307	3067 1760 1307	945 466 479	637 330 307	191 91 100	880 474 406	3953 1654 2299	407 228 179	365 167 198	7587 4371 3216	7134 3443 3691	562 — 562	3093 2062 1031	39032 19709 19323	5010
36	IX.—YORKSHIRE WEST RIDING. Persons Males Females.. ..																			46704 24371 22333	6 958 494 464	184 87 97	— — — — — — — — —	794 390 404	979 418 561	385 195 190	— — — — — — — — —	318 193 125	2054 1114 940	1779 1059 720	1620 919 701	498 266 232	450 227 223	113 79 34	523 286 237	2748 1083 1665	226 132 94	202 81 121	3849 2207 1642	3724 1917 1807	342 — 342	1728 1208 520	23224 12012 11212	3206
37	E. RIDING (WITH YORK). Persons Males Females.. ..																			7655 4124 3531	127 63 64	9 5 4	— — — — — — — — —	114 58 56	97 40 57	82 33 49	— — — — — — — — —	42 22 20	437 223 214	231 118 113	347 188 159	81 48 33	46 23 23	8 5 3	95 56 39	493 206 287	33 19 14	24 12 12	514 297 217	527 279 248	61 — 61	326 230 96	3961 2199 1762	680
38	NORTH RIDING. Persons Males Females.. ..																			6690 3503 3187	174 78 96	12 4 8	— — — — — — — — —	113 61 52	94 44 50	104 48 56	1 1 1 1 1 1 — — —	38 28 10	334 199 135	190 112 78	225 107 118	89 35 54	55 29 26	15 7 8	86 44 42	389 177 212	31 17 14	28 15 13	712 418 294	362 180 182	32 — 32	229 162 67	3377 1737 1640	427
39	X.—NORTHERN. DURHAM. Persons Males Females.. ..																			22414 11937 10477	318 170 148	82 43 39	— — — — — — — — —	255 132 123	718 285 433	244 121 123	2 — 2 — — — — — —	194 134 60	1227 660 567	405 193 212	984 510 474	284 145 139	231 131 100	118 63 55	257 141 116	916 406 510	94 50 44	77 34 43	1989 1168 821	1687 862 825	182 — 182	810 631 179	11340 6058 5282	1158

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberculosis Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
40	X.—NORTHERN—cont.																										
	NORTHUMBRL.	11178																									
	Persons ..	5881	67	15	—	139	290	108	1	50	431	377	480	172	123	39	134	607	44	39	936	693	80	443	5880	730	
	Males ..	5297	32	7	—	62	129	54	—	29	230	216	260	99	71	17	66	266	25	17	545	330	—	333	3093		
	Females..		35	8	—	77	161	54	1	21	231	161	220	73	52	22	68	341	19	22	391	363	80	110	2787		
41	CUMBERLAND.																										
	Persons ..	4239	9	13	—	93	121	43	—	36	60	107	188	53	32	15	43	263	20	22	378	263	40	166	2274	202	
	Males ..	2159	5	5	—	37	57	20	—	19	34	66	88	33	16	7	24	105	13	9	215	135	—	128	1143		
	Females..	2080	4	8	—	56	64	23	—	17	26	41	100	20	16	8	19	158	7	13	163	128	40	38	1131		
42	WESTMORL.																										
	Persons ..	833	5	2	—	20	23	5	—	1	6	15	38	3	3	1	7	71	4	6	51	42	1	34	495	46	
	Males ..	433	1	—	—	9	13	3	—	—	3	8	19	1	2	—	3	29	2	3	29	27	—	21	259		
	Females..	400	4	2	—	11	10	2	—	1	3	7	19	2	1	—	4	42	2	3	22	15	1	13	236		
43	XI.—WELSH.																										
	MONMOUTHSH.																										
	Persons ..	6142	81	21	2	125	216	61	—	46	172	160	162	56	30	16	50	223	26	37	780	474	61	278	3065	399	
	Males ..	3257	42	8	—	68	99	33	—	32	89	80	74	32	17	8	33	96	16	23	460	248	—	214	1583		
	Females..	2885	39	13	—	57	117	28	—	14	83	80	88	24	13	8	17	127	10	14	320	226	61	64	1482		
44	SOUTH WALES.																										
	Persons ..	22929	505	63	1	450	492	218	1	101	929	770	901	248	140	63	245	1046	88	120	2015	1500	222	1078	11733	1754	
	Males ..	12050	275	34	1	244	220	96	1	70	500	398	427	123	68	38	136	465	41	57	1177	784	—	862	6033		
	Females..	10879	230	29	—	206	272	122	—	31	429	372	474	125	72	25	109	581	47	63	838	716	222	216	5700		
45	NORTH WALES.																										
	Persons ..	7790	36	19	—	297	215	83	1	19	97	217	428	88	55	16	109	519	43	32	464	454	64	248	4289	338	
	Males ..	3911	18	13	—	140	100	35	1	9	51	103	215	47	25	11	56	249	20	17	271	218	—	179	2133		
	Females..	3879	18	6	—	157	115	48	—	10	46	114	213	41	30	5	53	270	20	15	193	236	64	69	2156		

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis Mesenterica.	All other Tuber- culous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
SOUTH WALES.	16731 8981 7750	—	416	58	1	281	414	163	1	76	859	498	608	180	104	54	152	658	59	90	1581	1120	172	862	8324	1446
		—	221	32	1	163	185	76	1	57	465	268	296	88	52	29	90	290	32	43	937	597	—	699	4359	
		—	195	26	—	118	229	87	—	19	394	230	312	92	52	25	62	368	27	47	644	523	172	163	3965	
CARMARTHENSH.	2293 1182 1111	—	72	1	—	50	29	21	—	7	30	95	111	38	16	4	36	106	11	15	184	129	29	86	1232	114
		—	44	—	—	21	16	8	—	3	16	41	51	19	8	4	18	45	6	8	101	71	—	70	632	
		—	28	—	—	29	13	13	—	4	14	54	60	19	8	—	18	61	5	7	83	58	20	16	600	
PEMBROKESHIRE.	1289 642 647	—	4	2	—	22	10	11	—	3	18	56	65	12	9	3	14	85	2	5	73	86	13	47	749	71
		—	3	1	—	11	5	7	—	2	7	26	29	7	3	3	6	42	—	2	42	35	—	35	376	
		—	1	1	—	11	5	4	—	1	11	30	36	5	6	—	8	43	2	3	31	51	13	12	373	
CARDIGANSHIRE.	1442 645 797	—	5	1	—	64	17	6	—	3	15	89	69	13	6	1	28	125	9	4	78	87	5	41	776	58
		—	4	1	—	31	9	1	—	2	9	50	31	6	3	3	1	15	51	2	1	44	37	321		
		—	1	—	—	33	8	5	—	1	6	39	38	7	3	—	13	74	7	3	34	50	5	15	455	
BRECKNOCKSHIRE.	925 469 456	—	8	1	—	24	15	10	—	11	6	24	39	3	3	1	12	55	5	4	88	68	9	37	502	56
		—	3	—	—	13	2	1	—	6	3	10	14	2	2	1	5	29	—	3	48	36	—	28	263	
		—	5	1	—	11	13	9	—	5	3	14	25	1	1	—	7	26	5	1	40	32	9	9	239	
RADNORSHIRE.	249 131 118	—	—	—	—	9	7	7	—	1	1	8	9	2	2	—	3	17	2	2	11	10	3	5	150	9
		—	—	—	—	5	3	3	—	—	—	3	6	1	—	—	2	8	1	—	5	8	—	4	82	
		—	—	—	—	4	4	4	—	1	—	5	3	—	2	—	—	9	2	—	6	2	3	1	68	

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES	CAUSES OF DEATH.																	Inquests.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tabs Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		
NORTH WALES. MONTGOMERYSH. Persons Males Females FLINTSHIRE. Persons Males Females DENBIGHSHIRE. Persons Males Females MERIONETHSHIRE. Persons Males Females CARNARVONSHIRE. Persons Males Females ANGLESEY. Persons Males Females	913 461 452 1040 516 524 2137 1092 1045 966 499 467 2130 1082 1098 554 261 293	—	6	—	—	31	14	2	—	—	3	32	51	10	3	—	9	66	4	2	39	67	5	29	535	43		
		—	1	—	—	15	7	1	—	—	—	15	27	8	5	—	4	26	3	—	—	23	38	18	—	270	52	
		—	5	—	—	16	7	1	—	—	3	17	24	2	3	—	5	40	1	—	16	29	11	265	—	557	93	
		19	—	2	—	11	37	23	1	6	9	21	65	13	3	2	—	10	44	9	1	61	86	9	35	549	52	
		9	10	1	—	24	19	13	—	4	2	7	12	25	4	1	—	7	24	20	5	39	39	—	26	257	—	582
		—	—	—	—	43	48	16	—	5	—	24	31	40	9	7	1	13	77	7	7	61	55	23	21	557	—	557
Persons Males Females Persons Males Females Persons Males Females Persons Males Females Persons Males Females	2137 1092 1045 966 499 467 2130 1082 1098 554 261 293	—	—	8	—	83	85	25	—	7	45	55	80	21	17	6	27	155	14	9	152	115	23	69	1139	93		
		2	—	5	—	40	37	9	—	2	21	24	40	12	10	5	14	78	7	7	91	60	—	48	582	—	582	
		—	—	3	—	43	48	16	—	5	24	31	40	9	7	1	13	77	7	7	61	55	23	21	557	—	557	
		2	—	5	—	40	37	9	—	2	21	24	40	12	10	5	14	78	7	7	91	60	—	48	582	—	582	
		—	—	3	—	43	48	16	—	5	24	31	40	12	10	5	14	78	7	7	91	60	—	48	582	—	582	
		—	—	3	—	43	48	16	—	5	24	31	40	12	10	5	14	78	7	7	91	60	—	48	582	—	582	
Persons Males Females Persons Males Females Persons Males Females Persons Males Females	2137 1092 1045 966 499 467 2130 1082 1098 554 261 293	—	—	6	—	37	9	7	—	3	7	28	63	13	6	2	6	78	4	6	60	62	6	25	538	36		
		—	—	4	—	20	—	3	—	1	3	20	35	6	3	2	3	43	43	1	2	41	31	—	22	262	—	262
		—	—	2	—	17	9	4	—	2	4	8	28	7	3	—	3	38	38	3	4	19	31	6	3	276	—	276
		—	—	4	—	20	—	3	—	1	3	20	35	6	3	2	3	43	43	1	2	41	31	—	22	262	—	262
		—	—	2	—	17	9	4	—	2	4	8	28	7	3	—	3	38	38	3	4	19	31	6	3	276	—	276
		—	—	4	—	20	—	3	—	1	3	20	35	6	3	2	3	43	43	1	2	41	31	—	22	262	—	262
Persons Males Females Persons Males Females Persons Males Females Persons Males Females	2137 1092 1045 966 499 467 2130 1082 1098 554 261 293	—	8	3	—	85	57	24	—	2	29	72	136	22	19	6	43	140	7	12	120	106	18	75	1196	96		
		5	—	—	—	43	31	10	—	1	19	32	60	7	3	2	25	65	65	3	7	66	41	—	56	603	—	603
		3	—	—	—	42	26	14	—	1	10	40	76	15	16	4	18	75	75	4	5	54	65	18	19	593	—	593
		3	—	—	—	42	26	14	—	1	10	40	76	15	16	4	18	75	75	4	5	54	65	18	19	593	—	593
		3	—	—	—	42	26	14	—	1	10	40	76	15	16	4	18	75	75	4	5	54	65	18	19	593	—	593
		3	—	—	—	42	26	14	—	1	10	40	76	15	16	4	18	75	75	4	5	54	65	18	19	593	—	593
Persons Males Females Persons Males Females Persons Males Females Persons Males Females	2137 1092 1045 966 499 467 2130 1082 1098 554 261 293	—	1	—	—	26	13	2	—	1	4	9	33	9	2	—	14	36	2	2	32	18	15	3	15	332	18	
		1	—	—	—	11	7	2	—	1	1	3	13	5	2	—	7	16	16	2	2	11	9	—	9	159	—	159
		—	—	—	—	15	6	—	—	—	3	6	20	4	—	—	7	20	20	—	—	21	9	3	6	173	—	173
		—	—	—	—	15	6	—	—	—	3	6	20	4	—	—	7	20	20	—	—	21	9	3	6	173	—	173
		—	—	—	—	15	6	—	—	—	3	6	20	4	—	—	7	20	20	—	—	21	9	3	6	173	—	173
		—	—	—	—	15	6	—	—	—	3	6	20	4	—	—	7	20	20	—	—	21	9	3	6	173	—	173

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts.
I.—LONDON.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
No.		2045	37	—	—	65	11	10	—	5	64	84	64	23	12	2	22	204	25	11	169	159	14	113	951	218
1a	1.-LONDON.	2721	37	—	—	85	6	2	—	4	89	209	95	37	12	1	42	269	23	11	231	237	10	64	1260	173
1b	PADDINGTON ..	1982	14	—	—	27	18	4	—	6	75	86	54	23	7	1	17	118	14	8	173	122	7	100	850	198
2	*FUL- (HAMMERSMITH) ..	1626	72	—	—	36	31	94	—	20	104	109	74	24	6	4	17	93	14	8	197	145	13	61	794	155
3	HAM (FULHAM) ..	1647	13	—	—	33	21	4	—	4	53	150	37	24	15	—	33	199	14	3	175	123	4	46	680	121
4	CHELSEA ..	222	21	—	—	44	5	6	—	5	55	49	42	24	6	2	34	186	28	10	154	93	12	119	750	197
5	ST. GEORGE HANR. SQ. ..	1682	2	—	—	3	1	—	—	—	31	3	5	16	—	—	2	21	11	1	23	107	—	11	135	37
6	WESTMINSTER ..	974	20	—	—	37	12	4	—	3	31	43	39	8	7	—	21	286	11	4	136	107	17	80	807	176
7	ST. MARYLEBONE ..	3607	9	—	—	38	7	42	—	6	10	104	40	49	2	—	7	105	7	4	64	43	10	29	390	58
8	HAMPSTEAD ..	4448	43	—	—	75	55	13	—	11	77	238	137	47	20	1	56	335	47	15	406	249	14	175	1590	403
9	ST. PANCRAS ..	3680	77	—	—	84	57	21	—	11	104	372	132	36	34	8	52	353	35	15	462	388	16	132	2031	394
10	ISLINGTON ..	284	87	—	—	72	46	72	—	18	166	246	92	1	30	7	55	301	21	14	288	305	21	166	1586	440
11	*HACKNEY ..	531	5	—	—	14	2	—	—	—	4	10	15	1	1	—	1	16	12	2	27	20	4	14	148	37
12	ST. GILES ..	1691	—	—	—	3	1	—	—	4	10	15	3	17	8	—	11	67	13	—	44	17	5	32	280	65
13	STRAND ..	963	42	—	—	21	52	9	—	7	131	85	50	67	27	3	34	72	16	13	175	111	8	78	699	207
14	HOLBORN ..	1886	7	—	—	11	3	8	—	8	24	30	20	21	8	—	18	100	15	15	96	41	4	120	425	186
15	LONDON CITY ..	2208	45	—	—	24	21	3	—	2	86	179	63	28	10	1	19	84	14	14	190	184	3	100	820	303
16	SHOREDITCH ..	2298	100	—	—	31	41	9	—	5	139	213	26	55	14	1	53	109	22	7	205	194	10	92	882	270
17	BETHNAL GREEN ..	670	51	—	—	10	12	20	—	11	56	144	23	49	13	2	32	172	52	11	270	109	20	162	1079	344
18	WHITECHAPEL ..	1082	63	—	—	21	8	1	—	2	47	45	19	12	3	—	14	19	19	5	55	66	33	33	251	100
19	ST. GEORGE IN THE EAST ..	1427	70	—	—	6	105	19	—	3	112	39	20	55	5	—	16	20	5	5	127	50	—	57	369	147
20	STEPNEY ..	2778	64	—	—	23	39	3	—	1	46	101	39	15	9	—	11	68	6	6	187	147	3	44	614	156
21	MILE END OLD TOWN ..	2913	100	—	—	40	47	10	—	13	172	200	63	37	17	3	27	159	16	8	220	301	7	174	1163	437
22	POPLAR ..	1917	75	—	—	49	61	20	—	4	181	96	100	42	44	4	80	140	36	19	373	205	21	178	1210	374
23	SOUTHWARE ..		89	—	—	29	19	3	—	6	91	166	49	32	44	1	34	86	12	8	208	209	9	86	734	215
	ST. OLAVE (BERMONDSEY) ..																									

* 2.—The District of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

† On 1st April, 1908, the boundary between HACKNEY (10) and EDMONTON (129) registration districts was altered, see page 499. The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
I.—LONDON—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.				
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
No.																										
24	1.—LONDON—cont.	4605								16	168	319	128	50	25	4	63	387	45	17	442	309	31	146	2158	353
25	LAMBETH ..	5390	97	34	—	67	45	54	—	5	155	267	216	65	27	4	63	386	27	23	527	385	27	138	2642	441
26	WANDSWORTH ..	3861	93	67	—	118	95	60	—	5	105	340	117	38	20	—	30	289	32	20	356	353	16	112	1805	293
27	CAMBERWELL ..	2689	67	1	—	100	49	6	—	24	104	146	98	36	12	2	31	162	19	14	215	234	4	110	1203	219
28	GREENWICH ..	3881	50	56	—	56	49	64	—	6	60	93	41	27	11	3	24	143	11	10	110	141	8	51	923	122
29	LEWISHAM..	1942	51	75	—	41	31	82	—	5	60	108	56	30	10	2	30	96	12	6	102	107	7	71	725	136
	WOOLWICH ..	1623	10	47	—	50	31	58	—																	

II.—SOUTH EASTERN COUNTIES.

30	2.—SURREY.	1471	17	17	—	27	7	26	—	6	37	74	73	11	5	—	18	94	11	8	164	65	4	40	787	66
31	EPSOM ..	466	1	4	—	14	16	3	—	—	9	18	4	9	5	—	2	39	4	2	37	26	3	26	244	49
32	CHELTSEY ..	882	—	3	—	12	11	13	—	3	31	41	47	8	7	—	11	63	—	2	64	43	8	31	487	54
33	GUILDFORD ..	774	—	4	—	20	8	—	—	—	37	26	32	9	1	1	5	56	5	3	67	27	5	33	404	46
34	FARNHAM ..	250	—	—	—	10	2	—	—	—	3	6	16	4	1	2	2	22	20	1	19	11	1	9	139	13
35	HAMBLEDON ..	224	—	—	—	2	2	—	—	—	1	13	16	1	1	—	1	9	2	—	8	18	—	16	125	13
36	DORKING ..	513	—	—	—	18	5	9	—	—	2	36	23	5	4	—	11	60	—	2	22	36	1	8	282	33
37	REIGATE ..	544	—	—	—	15	10	7	—	—	4	24	24	3	3	—	8	46	4	12	42	27	6	100	297	21
38	GODSTONE ..	2956	128	1	—	76	36	43	—	6	72	163	74	35	16	2	24	209	23	12	256	174	10	8	1488	262
39	CROYDON ..	1806	28	4	—	65	27	33	—	3	28	86	48	21	9	3	13	143	15	5	143	121	6	55	950	144
40	KINGSTON ..	686	2	1	—	17	13	1	—	—	24	23	21	5	7	—	5	55	2	2	48	44	6	55	355	101
41	3.—KENT.																									
42	BROMLEY ..	982	18	5	—	42	11	12	—	5	16	38	24	9	6	3	7	118	5	4	71	63	7	30	487	69
43	DARTFORD..	1334	42	13	—	27	10	18	—	12	33	58	69	13	14	1	24	82	8	1	96	79	7	44	681	98
44	GRAVESEND ..	389	—	—	—	10	3	1	—	—	12	14	16	4	4	1	4	29	29	5	29	27	2	25	201	39
	STROOD ..	523	4	3	—	13	15	8	—	3	30	8	26	3	2	1	6	34	1	1	29	24	2	24	283	36

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																		ALL CAUSES.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
No.	3.—KENT—cont.	32	1405	327	359	915	909	139	157	103	252	137	248	374	337	299	345	300	988	407	623	678	67	138	815	313	614
45	HOO
46	MEDWAY
47	MALLING
48	SEVENOAKS
49	TONBRIDGE
50	MAIDSTONE
51	HOLLINGBOURN
52	CRANBROOK
53	TENTERDEN
54	WEST ASHFORD
55	EAST ASHFORD
56	BRIDGE
57	CANTERBURY
58	BLEAN
59	FAVERSHAM
60	MILTON
61	SHEPPEY
62	THANET
63	EASTRY
64	DOVER
65	ELHAM
66	ROMNEY MARSH
67	4.—SUSSEX.
68	RYE
69	HASTINGS
70	BATTLE
	EASTBOURNE

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
 II.—SOUTH EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Malaria.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
4.—SUSSEX—cont.																											
No. 71	HAILSHAM ..	295	—	—	—	15	10	—	—	—	—	5	16	3	2	—	—	5	17	1	4	35	16	4	8	149	15
72	TICEHURST ..	177	—	—	—	6	—	—	—	—	—	8	4	1	2	—	—	3	9	1	2	5	4	4	4	114	11
73	UCKFIELD ..	273	—	—	—	14	—	—	—	—	—	11	14	—	1	—	—	2	24	2	—	16	8	9	9	156	17
74	EAST GRINSTEAD ..	187	—	—	—	9	4	—	—	—	—	4	15	—	1	—	—	—	17	—	—	14	16	4	4	102	20
75	UCKFIELD ..	271	—	—	—	19	3	1	—	—	—	4	26	2	1	—	—	5	23	5	—	20	18	12	13	144	196
76a	LEWES ..	338	—	2	—	10	2	2	—	—	—	3	4	4	3	—	—	—	28	8	—	12	7	1	10	65	15
76b	NEWHAVEN ..	128	—	—	—	1	2	3	—	—	—	29	95	5	16	—	—	—	8	11	—	143	102	7	65	854	146
77	BRIGHTON ..	1617	—	—	—	50	16	3	—	—	—	52	46	10	4	—	—	20	128	8	—	67	42	6	47	600	89
78	STEYNING ..	1134	—	—	—	28	4	9	—	—	—	12	12	5	6	—	—	20	139	2	—	25	23	1	13	219	23
79	HORSHAM ..	350	—	—	—	1	1	2	—	—	—	3	5	1	—	—	—	2	17	8	—	5	5	5	5	59	5
80	PETWORTH ..	102	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	1	8	—	—	3	5	3	3	52	6
81	THAKEHAM ..	82	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	1	4	—	—	36	26	4	25	327	38
82	EAST PRESTON ..	594	—	—	—	21	10	7	—	—	—	5	9	6	1	—	—	4	67	3	—	6	12	9	9	143	13
83	WESTHAMPTON ..	228	—	—	—	7	3	1	—	—	—	10	8	3	1	—	—	2	21	2	—	14	4	7	7	180	13
84	CHICHESTER ..	263	—	—	—	4	3	1	—	—	—	12	4	1	4	—	—	2	22	1	—	9	11	5	5	92	12
85	MIDHURST ..	159	—	—	—	2	3	—	—	—	—	4	2	1	—	—	—	1	13	—	—	4	11	2	2	44	17
86	WESTBOURNE ..	91	—	—	—	6	3	1	—	—	—	—	—	—	—	—	—	—	13	—	—	4	11	—	—	—	—
5.—HAMPSHIRE.																											
87	HAVANT ..	162	—	—	—	14	1	3	—	—	—	6	4	4	—	—	—	1	14	1	—	9	10	—	10	83	18
88	PORTSMOUTH ..	2976	—	13	7	42	55	48	—	26	49	169	115	37	25	—	—	38	188	13	15	186	225	18	120	1585	297
89	ALVERSTOKE ..	381	—	3	1	4	10	1	—	4	13	24	10	7	5	—	—	8	25	3	—	42	24	3	15	178	30
90	FAREHAM ..	346	—	1	1	9	11	5	—	2	16	24	15	1	1	—	—	5	10	3	—	23	12	1	15	206	23
91	ISLE OF WIGHT ..	1153	—	7	1	35	20	18	—	8	16	70	35	9	8	—	—	17	100	7	4	52	53	3	64	626	98
92	LYMINGTON ..	182	—	—	—	—	—	—	—	—	1	9	4	2	2	—	—	2	19	3	—	10	11	6	7	109	12
93	CHRISTCHURCH ..	1104	—	11	2	34	17	13	—	2	9	96	56	11	5	—	—	16	113	10	5	66	42	1	40	550	71
94	RINGWOOD ..	87	—	—	—	—	—	7	—	—	2	5	3	—	—	—	—	—	13	—	—	2	7	4	2	44	4
95	FORDINGBRIDGE ..	92	—	—	—	2	13	2	—	—	1	2	3	1	—	—	2	—	8	—	—	3	4	—	4	47	8

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
 II.—SOUTH EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
No.																											
5.—HAMPSHIRE																											
---continued.																											
96	NEW FOREST ..	188	—	—	—	4	1	3	—	—	1	5	7	4	—	—	2	15	—	1	13	10	—	—	9	112	14
97	SOUTHAMPTON ..	901	—	—	—	8	30	21	—	6	25	37	31	9	—	—	16	48	—	4	40	71	—	6	57	486	153
98	SOUTH STONEHAM	1203	—	9	—	9	22	3	—	—	46	60	40	11	—	—	15	89	—	10	97	80	—	9	32	616	93
99	ROMSEY ..	112	—	—	—	5	1	1	—	—	—	4	1	2	—	—	1	8	7	2	3	6	—	—	2	66	7
100	STOCKBRIDGE ..	89	—	—	—	1	2	1	—	—	—	1	6	—	—	—	—	—	8	—	9	4	—	—	2	60	3
101	*WINCHES- TER { CHESTER HURSLEY	411	—	2	—	4	4	2	—	—	10	11	14	7	1	1	7	—	33	5	23	30	—	6	17	234	30
102	DROXFORD ..	42	1	—	—	1	1	2	—	—	1	2	—	—	—	—	—	—	7	1	1	1	—	—	2	22	3
103	CATHERINGTON ..	143	—	—	—	1	—	2	—	—	1	7	3	1	—	—	5	—	7	—	11	5	—	—	2	94	6
104	PETERSFIELD ..	34	1	—	—	2	—	1	—	—	1	—	2	—	—	—	1	—	1	—	—	4	—	—	2	18	2
105	ALRESFORD ..	142	—	—	—	5	—	2	—	—	—	6	3	—	—	—	—	—	21	—	—	5	—	—	1	85	3
106	ALTON ..	76	—	—	—	1	1	1	—	—	—	1	3	—	—	—	—	—	4	—	9	5	—	—	3	48	5
107	HARTLEY WINTNEY ..	248	2	—	—	4	2	12	—	—	7	12	14	3	2	—	2	20	20	1	15	11	—	—	6	143	7
108	BASINGSTOKE ..	340	—	—	—	6	14	2	—	1	9	12	8	2	4	—	3	20	26	3	21	20	—	4	13	200	10
109	WHITCHURCH ..	269	—	—	—	9	2	7	—	—	3	7	12	—	2	—	1	16	17	1	16	17	—	1	3	162	24
110	ANDOVER ..	72	—	—	—	5	—	—	—	—	—	—	5	—	—	—	—	1	1	1	5	9	—	—	2	42	4
111	KINGSCLERE ..	248	1	—	—	3	3	5	—	—	—	18	3	—	3	—	—	1	12	1	4	7	—	—	6	153	20
		100	—	—	—	—	2	—	—	—	—	2	—	—	—	—	1	—	3	—	4	7	—	—	—	71	14
6.—BERKSHIRE.																											
112	NEWBURY ..	273	3	—	—	8	4	2	—	1	2	9	10	1	1	—	—	—	19	2	1	7	23	—	2	178	7
113	HUNGERFORD ..	232	1	—	—	5	1	5	—	—	—	6	7	—	2	—	4	—	25	1	11	7	—	—	10	145	17
114	FARINGDON ..	183	—	—	—	10	—	3	—	—	—	6	4	1	1	—	2	14	14	—	9	10	—	—	9	108	11
115	ABINGDON ..	220	—	—	—	4	—	—	—	—	2	4	11	—	—	—	2	18	18	—	6	27	—	—	9	131	21
116	WANTAGE ..	156	—	—	—	3	1	1	—	3	1	4	5	2	—	—	1	12	12	—	8	11	—	—	6	98	10
117	WALLINGFORD ..	223	—	—	—	4	—	7	—	—	4	3	13	3	—	—	1	—	12	—	16	11	—	—	2	131	9

* 101.—The District of WINCHESTER comprises the two Poor Law Unions of WINCHESTER and HURSLEY

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
II.—SOUTH EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.

* 127.—The District of HENDON comprises the Poor Law Union of HENDON and the Poor Law Parish of WILLESDEN.

† On 1st April, 1908, the boundary between EDMONTON (129) and HACKNEY (10) registration districts was altered, see page 499. The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
III.—SOUTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.																		
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.									
8.—HERTFORDSH.																																					
—continued.																																					
No.	*ROYSTON { BUNTINGFORD																		81																		
132	HITCHIN																		217																		
133	HERTFORD																		248																		
134	HATFIELD { HATFIELD																		72																		
135	WELWYN																		32																		
136	ST. ALBANS																		582																		
137	WATFORD																		768																		
138	HEMEL HEMPSTEAD ..																		240																		
139	BERKHAMPTON																		219																		
9.—BUCKINGHMS.																																					
AMERSHAM																			290																		
140	ETON																		422																		
141	WYCOMBE																		605																		
142	AYLESBURY																		431																		
143	WINSLOW																		88																		
144	NEWPORT PAGNELL ..																		313																		
145	BUCKINGHAM																		123																		
146																																					
10.—OXFORDSH.																																					
HENLEY																			287																		
147	THAME																		172																		
148	HEADINGTON																		708																		
149	OXFORD																		263																		
150																																					

* 132.—The District of ROYSTON comprises the two Poor Law Unions of BUNTINGFORD and ROYSTON.
† 135.—The District of HATFIELD comprises the two Poor Law Unions of HATFIELD and WELWYN.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
 III.—SOUTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																												
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubercle Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.				
10.—OXFORDSH. —continued.				173	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
No. 151	BICESTER	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
152	WOODSTOCK	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
153	WITNEY	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
154	CHIPPING NORTON	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
155	BANBURY	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11.—NORTHAMPTONSHIRE.				139	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
156	BRACKLEY..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	TOWCESTER	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
158	POTTERS PURDY	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
159	HARDINGSTONE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
160	NORTHAMPTON	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
161	DAVENTRY..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
162	BRIXWORTH	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163	WELLINGBOROUGH	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
164	KETTERING	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
165	THRAPSTON	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
166	OUNLE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
167	PETERBOROUGH	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12.—HUNTINGDONSHIRE.				251	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
168	HUNTINGDON	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
169	ST. IVES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
170	ST. NEOTS	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
 III.—SOUTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.				
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
13.—BEDFORDSH.		695	1	1	—	14	4	13	—	1	6	13	26	7	2	2	4	64	3	3	34	36	1	25	435	45
171 BEDFORD	452	10	—	—	12	18	9	—	3	2	19	24	1	2	—	4	23	3	3	27	35	1	10	246	22
172 BIGGLESWADE	315	2	—	—	6	7	5	—	—	3	7	13	1	1	—	5	35	2	2	9	29	2	16	167	17
173 AMPHILL																									
174 WOBURN (<i>Dissolved 1899</i>)																									
175 LEIGHTON BUZZARD	223	—	1	—	11	2	1	—	—	1	6	4	—	—	—	—	10	2	3	11	18	1	13	139	19
176 LUTON	738	4	1	—	5	7	8	—	1	21	33	22	4	5	2	5	61	5	3	33	57	2	21	438	37
14.—CAMBRIDGE-SHIRE.		111	—	—	—	9	2	—	—	—	—	3	9	—	1	—	1	10	1	—	6	11	1	3	54	2
177 CAXTON	482	4	—	—	11	7	6	—	4	2	27	19	2	1	1	5	42	3	2	38	25	1	15	261	20
178 CHESTERTON	654	34	—	—	9	31	9	—	1	5	17	25	9	5	—	9	61	2	7	46	37	1	21	330	40
179 CAMBRIDGE	158	1	—	—	4	8	3	—	—	2	3	5	—	1	—	2	12	1	—	3	9	—	7	97	8
180 LINCOLN	393	6	1	—	16	6	—	—	1	4	12	14	—	2	—	9	34	1	3	23	23	—	7	221	9
181 NEWMARKET	282	9	1	—	2	11	7	—	2	1	8	7	—	1	—	—	19	1	—	10	6	—	8	178	11
182 ELY	217	6	—	—	1	11	1	—	1	1	—	9	1	—	—	—	14	1	—	8	4	—	8	148	13
183 NORTH WITCHFORD	98	—	—	—	1	—	14	—	1	1	1	6	2	—	—	5	9	3	7	34	—	3	46	4	
184 WHITTLESEY		11	1	—	18	10	7	—	2	6	17	14	6	1	1	4	47	3	2	18	34	1	19	314	26
185 WISBECH	536																								
15.—ESSEX.		8080	314	93	—	143	110	141	1	43	431	361	267	116	52	18	83	479	46	34	697	637	57	280	3677	666
186 *WEST HAM..	..	412	6	11	—	15	2	19	—	—	6	10	17	5	6	—	5	28	2	4	20	20	3	16	217	24
187 EPPING	141	1	2	—	7	—	1	—	—	1	6	—	1	—	—	1	7	—	1	9	10	—	8	86	8
188 ONGAR	1683	25	16	—	32	15	40	—	5	81	72	74	32	11	6	29	119	12	5	167	100	5	52	785	83
189 *ROMFORD																									

IV.—EASTERN COUNTIES.

* 186, 189.—On 1st April, 1908, the boundary between these Registration Districts was altered, see page 500. The deaths are included in the figures for the districts in which they were registered.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
No.																											
190	15.—ESSEX—cont.																										
191	ORSETT ..																										
192	BILLERICAY ..																										
193	CHELMSFORD ..																										
194	ROCHFORD ..																										
195	MALDON ..																										
196	TENDRING ..																										
197	COLCHESTER ..																										
198	LEXDEN ..																										
199	HALSTEAD ..																										
200	BRAINTREE ..																										
201	DUNMOW ..																										
202	SAFFRON WALDEN ..																										
203	16.—SUFFOLK.																										
204	RISBRIDGE ..																										
205	SUDBURY ..																										
206	COSFORD ..																										
207	†THINGOE (Dissolved 1st April 1908).																										
208	BURY ST. EDMUNDS ..																										
209	MILDENHALL ..																										
210	STOW ..																										
211	HARTSMERE ..																										
212	HOXNE (Dissolved July 1907).																										
213	BOSMERE ..																										

† 205.—On 1st April, 1908, THINGOE (205) and BURY ST. EDMUNDS (206) Registration Districts were united and called BURY ST. EDMUNDS (205), see page 501. The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																	Inquests.						
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	<i>Phtisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberc. Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
				16.—SUFFOLK																							
				—continued.																							
No.		194	2	—	—	1	3	6	—	2	—	5	9	1	1	—	—	1	12	3	1	8	16	—	8	115	12
212	SAMFORD ..	1097	16	1	—	26	12	9	—	—	31	40	64	12	3	—	20	89	11	2	3	93	76	7	45	80	
213	IPSWICH ..	420	—	—	—	8	4	10	—	—	1	5	22	1	3	—	9	27	2	2	2	15	29	2	10	19	
214	WOODBIDGE ..	293	—	—	—	15	5	1	—	2	2	8	19	5	—	—	2	22	1	1	2	14	20	—	11	166	
215	PLOMESGATE ..	351	—	—	—	10	10	—	—	1	3	8	17	5	1	—	8	27	2	2	2	18	27	—	17	190	
216	BLYTHING ..	194	—	—	—	7	2	—	—	—	2	1	9	3	1	—	—	15	—	—	1	9	10	—	8	124	
217	WANGFORD ..	626	—	3	—	9	15	4	—	20	9	10	38	8	1	—	6	45	4	4	—	43	38	6	22	345	
218	MUTFORD ..																										
				17.—NORFOLK.																							
No.		819	4	1	—	30	6	6	—	5	28	32	18	4	10	2	12	39	4	4	4	24	47	4	29	510	
219	YARMOUTH ..	136	—	—	—	6	4	4	—	3	2	1	1	—	—	2	3	7	1	1	1	2	8	1	6	84	
220	FLEGG ..	223	—	—	—	15	4	1	—	—	1	4	13	—	—	—	1	17	2	2	3	9	14	—	13	137	
221	SMALLBURGH ..	324	—	—	—	3	5	11	—	—	—	6	18	—	2	1	2	25	2	2	—	19	18	—	9	183	
222	ERPINGHAM ..	241	—	—	—	1	7	2	—	—	—	9	9	1	1	—	—	18	2	2	—	6	14	—	4	156	
223	AYLSHAM ..	194	—	—	—	1	16	3	—	1	—	5	11	2	1	—	—	14	1	1	—	3	6	—	8	126	
224	*ST. FAITH'S ..	1750	—	—	—	29	29	30	—	37	49	55	84	18	19	2	22	149	10	10	3	98	130	8	50	924	
225	*NORWICH ..	173	1	—	—	3	8	1	—	3	5	8	3	2	—	—	—	11	1	1	—	9	17	—	3	99	
226	FOREHOE ..	123	—	—	—	2	—	1	—	1	—	4	3	1	—	1	—	13	3	3	—	3	15	—	5	73	
227	HENSTEAD ..	243	—	—	—	2	6	1	—	2	—	4	24	—	4	—	6	16	3	3	—	6	10	—	5	148	
228	BLOFIELD ..	157	—	—	—	6	3	2	—	—	—	4	7	1	1	—	—	11	11	2	—	3	15	—	2	95	
229	LODDON ..	300	—	—	—	12	4	—	—	1	2	14	6	5	—	—	1	25	4	4	—	11	19	—	10	181	
230	DEPWADE ..		2	—	—																						
231	GUILTCROSS (Dissolved 1902).																										
232	WAYLAND ..	192	2	—	—	12	4	1	—	1	1	7	5	—	—	—	2	24	—	—	1	4	16	—	5	106	
233	MITFORD ..	333	—	—	—	7	14	1	—	3	1	8	17	2	4	—	1	36	3	—	—	20	18	1	13	183	
234	WALSINGHAM ..	242	—	—	—	4	4	3	—	1	1	9	7	—	1	—	2	20	—	—	—	17	20	1	6	145	

* 224, 225.—On 1st May, 1908, the boundary between these districts was altered, see page 501. The deaths are included in the figures for the district in which they were registered.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
IV.—EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																				Inquests.				
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
17. NORFOLK— <i>continued.</i>		244	7	—	7	9	9	—	1	2	2	5	12	1	—	—	—	2	22	—	—	1	11	14	1	7	142	11
235	DOCKING ..	176	4	—	1	9	9	—	2	—	—	10	1	1	—	—	—	—	15	—	—	—	8	21	1	6	109	9
236	FREEBRIDGE LYNN ..	317	40	—	2	11	5	—	3	4	5	9	11	3	—	—	1	—	31	—	—	—	11	8	1	10	149	14
237	KING'S LYNN ..	258	6	4	3	9	2	—	1	—	—	12	1	1	4	—	—	2	23	—	—	—	20	20	—	10	141	14
238	DOWNHAM ..	158	2	—	2	15	9	—	—	—	—	6	12	—	—	—	—	3	10	—	—	6	19	19	4	4	90	5
239	SWAFFHAM ..	308	8	2	5	16	2	—	—	—	—	2	18	—	—	—	—	—	29	—	—	1	11	20	3	8	183	13
240	THETFORD ..																											

V.—SOUTH WESTERN COUNTIES.

18.—WILTSHIRE.																										
No. 742	—	2	4	—	5	7	3	—	2	4	40	30	3	3	2	—	10	57	1	4	61	55	8	27	414	51
241	—	1	—	—	8	—	1	—	—	3	3	5	—	1	—	—	2	10	10	—	4	10	—	1	96	8
242	—	—	—	—	2	3	—	—	1	2	1	12	2	—	—	—	2	11	11	—	6	12	—	5	95	13
243	—	—	—	—	2	2	—	—	—	2	6	7	—	—	—	—	1	23	8	—	16	15	—	6	169	16
244	—	—	—	—	2	8	—	—	—	—	3	6	—	—	—	—	1	9	—	1	4	16	—	4	76	11
245	—	—	—	—	2	—	1	—	—	—	3	1	—	—	—	—	1	8	—	—	7	5	—	5	77	10
246	—	—	—	—	3	—	1	—	2	—	8	25	—	—	—	—	1	19	—	—	37	22	—	10	197	18
247	—	—	—	—	4	—	10	—	2	2	6	9	3	—	—	—	1	18	—	—	15	23	—	7	160	13
248	—	3	—	—	6	—	1	—	—	1	5	2	—	—	—	—	1	13	—	—	2	12	—	5	62	8
249	—	1	—	—	4	—	1	—	1	—	3	2	—	—	—	—	1	11	—	—	8	10	—	2	66	7
250	—	—	—	—	3	—	—	—	—	—	3	1	—	—	—	—	—	12	—	—	5	6	—	2	114	5
251	—	—	—	—	2	1	—	—	—	1	2	5	—	—	—	—	—	11	—	—	9	6	—	6	101	17
252	—	2	3	—	9	6	—	—	—	—	5	6	—	—	—	—	—	12	—	—	7	8	—	4	64	23
253	—	4	3	—	2	3	—	—	—	4	10	3	—	—	—	—	—	25	—	—	17	24	—	15	222	4
254	—	—	—	—	3	4	—	—	—	—	2	9	—	—	—	—	—	14	—	—	7	8	—	3	82	7
255	—	—	—	—	1	3	—	—	—	—	2	6	—	—	—	—	—	8	—	—	11	10	—	4	67	5
256	—	—	—	—	3	1	—	—	—	—	3	3	—	—	—	—	—	1	—	—	1	2	—	3	57	
257	—	—	—	—	1	—	—	—	—	—	3	1	—	—	—	—	—	1	—	—	1	2	—	3		

Deaths from several Causes, and Inquest Cases in the Year 1908 in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																		Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
19.—DORSET-SHIRE.																												
No.		174																										
258	SHAFTESBURY ..	114																										
259	STURMINSTER ..	147																										
260	BLANDFORD ..	214																										
261	WIMBORNE ..	528																										
262	POOLE ..	207																										
263	WAREHAM ..	523																										
264	WEYMOUTH ..	276																										
265	*DORCH.—(DORCHESTER	58																										
266	ESTER—(CERNE ..	146																										
267	SHERBORNE ..	135																										
268	BEAMINSTER ..	173																										
	BRIDPORT ..																											
20.—DEVON-SHIRE.																												
269	AXMINSTER ..	222																										
270	HONITON ..	283																										
271	ST. THOMAS ..	945																										
272	EXETER ..	681																										
273	NEWTON ABBOT..	1320																										
274	TOTNES ..	599																										
275	KINGSBRIDGE ..	228																										
276	PLYMPTON ST. MARY	292																										
277	PLYMOUTH ..	1868																										
278	EAST STONEHOUSE	295																										
279	DEVONPORT ..	1089																										

* 265.—The District of DORCHESTER comprises the two Poor Law Unions of DORCHESTER and CERNE.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																										
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberc Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.		
20.—DEVON-SHIRE—continued.																													
No. 280	358	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
281	224	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
282	182	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
283	331	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
284	178	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
285	530	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
286	176	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
287	279	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
288	114	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21.—CORNWALL.																													
289	97	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290	103	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
291	180	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
292	291	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
293	327	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
294	346	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
295	195	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
296	451	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
297	522	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
298	346	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
299	314	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300	798	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
301	729	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
302	19	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATHS.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
22.—SOMERSET-SHIRE.																											
No.																											
303	WILLITON ..	239	9	5	1	8	10	..	2	6	16	..	1	12	18	2	8	142	10
304	DULVERTON ..	57	8	2	1	..	3	1	4	3	1	33	1	
305	WELLINGTON ..	245	11	1	16	13	30	1	3	1	22	7	22	..	9	33	19
306	TAUNTON ..	661	..	1	..	21	3	2	1	..	10	28	13	7	1	6	52	8	1	34	41	1	25	370	51
307	BRIDGWATER ..	475	..	1	..	5	1	2	2	13	15	5	3	5	38	3	..	27	37	2	21	279	34
308	LANGPORT ..	157	4	..	1	..	1	8	4	18	2	3	..	15	15	11	2	5	95	9
309	CHARD ..	333	13	5	4	11	6	1	1	26	23	2	5	28	19	1	13	192	19
310	YEOVIL ..	339	..	1	..	7	..	3	4	9	8	4	3	2	23	4	8	2	14	127	22
311	WINCANTON ..	201	5	1	6	7	2	2	20	15	1	..	8	16	5	12	159	12
312	FROME ..	250	..	1	..	9	2	1	1	8	4	1	1	15	20	8	15	..	8	125	14
313	SHEPTON MALLET ..	208	5	..	1	1	8	4	1	1	15	1	1	16	23	..	12	227	23
314	WELLS ..	372	9	..	2	..	1	2	16	8	8	1	2	29	3	1	28	51	..	12	403	48
315	AXBRIDGE ..	705	..	1	..	16	3	4	8	19	43	..	5	4	69	1	..	45	27	1	28	178	31
316	CLUTTON ..	329	6	1	1	9	8	30	14	2	19	108	3	..	29	75	2	48	624	107
317	BATH..	1153	..	1	..	26	4	6	..	1	11	47	18	2	4	..	19	32	12	2	4	34	46	11	11	269	37
318	KEYNSHAM ..	477	7	13	11	..	2	9	15	15	2	1	..	3	32	23	..	1	23	9	..	9	206	18
319	LONG ASHTON ..	319	..	1	..	4	2	1	3	8	15	2	3	1	1	3	23	23	9	..	9	206	18

VI.—WEST MIDLAND COUNTIES.

23.—GLOUCESTER-SHIRE.																											
No.		5151	—	97	10	—	83	129	67	—	10	138	251	152	67	23	5	53	325	25	19	446	427	24	182	2618	458
320	BRISTOL																									
321	BARTON REGIS (<i>Dissolved</i> 1905).	..																									
322	CHIPPING SODBURY ..	265	—	1	2	—	6	2	2	—	—	1	7	7	3	2	1	2	23	—	1	16	25	—	13	151	18

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																									
ALL CAUSES.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
23.—GLOUCESTERSHIRE—cont.																											
No	THORNBURY ..	253									4	9	12	3	1			23			1	12	20	1	14	143	32
323	DURSLEY ..	152							1			3	3	1	3			3	13		3	5	8		4	97	11
324	WESTBURY ON SEVERN ..	310		1				10			4	5	8	3				15	15	2	1	19	17	1	10	194	22
325	NEWENT ..	84										3	3	1				8	7			5	4	1	1	57	8
326	GLOUCESTER ..	929								6		39	27	7				12	36	15		53	70	4	47	509	65
327	WHEATENHURST ..	76						13			27	2	2	1				5	5	1		4	5	—	2	50	7
328	STROUD ..	507										28	17	5				1	29	1	2	28	30	4	30	294	41
329	TETBURY ..	66									3	5	6	2				3	12	2	1	6	3	2	8	154	13
330	CIRENCESTER ..	260						2				5	5					5	107		3	5	3	1	1	75	5
331	NORTHLEACH ..	107										7	4					5	9		1	4	6	1	1	76	12
332	STOW ON THE WOLD ..	115		1								2	3	1				8	13			4	4	4	4	84	11
333	WINCHCOMB ..	134						4			11	5	4	7	1			8	80	5	1	32	38	4	21	469	46
334	CHELTONHAM ..	755						4		3		27	25	1				4	13			10	14	1	12	102	15
335	TEWKESBURY ..	176		1				1		1	1	8	3	1				4									
336																											
24.—HEREFORDSHIRE.																											
337	LEDDBURY ..	186								1	1	12	8		1			1	26			10	9	1	6	101	10
338	ROSS ..	208						9			3	4	10	5				1	14	2		10	12	1	8	125	13
339	HEREFORD {	539						4			10	33	18	1	7	1		4	37	4	1	30	34	—	28	305	44
	DORE ..	103										2	5	1					6	1		6	5	1	1	72	7
340	WEOLBY ..	112									2	5	1						12			8	8	—	3	62	2
341	BROMYARD ..	127								1		6	1						13	1		9	7	—	8	79	4
342	LEOMINSTER ..	211						3			4	5	1	1					13			18	1	2	3	131	11
343	KINGTON ..	137									1	4	3	1	5	1		3	11			5	9	—	3	92	5

* 339.—The District of HEREFORD comprises the two Poor Law Unions of HEREFORD and DORE.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																	Inquests.							
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea, and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
25.—SHROPSHIRE.																												
No.																												
344	LUDLOW	239	8	1	—	2	—	1	—	—	—	8	11	1	—	—	1	14	1	14	1	18	10	—	11	151	12	
345	CLUN	124	1	—	—	6	—	—	—	—	—	3	4	—	—	—	—	7	7	7	7	3	—	3	85	8		
346	CHURCH STRETTON ..	68	—	—	—	3	—	—	—	—	—	1	3	—	—	—	—	5	8	8	6	6	2	—	4	41	10	
347	CLEOBURY MORTIMER ..	141	—	—	—	3	—	—	—	—	—	6	4	—	—	—	—	13	13	13	10	14	—	7	123	14		
348	BRIDGNORTH	216	1	—	—	8	—	—	—	—	—	10	7	1	—	—	2	27	27	27	27	30	2	5	89	26		
349	SHIFNAL	152	6	—	—	11	3	3	—	—	—	—	45	4	2	—	6	12	40	4	—	56	48	6	15	186	72	
350	MADLEY	357	—	—	—	38	11	11	—	2	—	17	17	5	8	—	10	64	30	6	—	30	26	2	55	458	72	
351	ATOHAM	859	—	—	—	11	2	2	—	—	—	16	6	3	3	1	4	15	15	1	—	12	16	—	8	215	13	
352	OSWESTRY	393	1	—	—	7	2	1	—	—	—	5	6	—	—	—	3	9	40	3	—	6	6	—	6	132	11	
353	ELLESMERE	213	1	—	—	8	2	—	—	—	—	3	5	—	—	—	2	1	15	1	—	4	5	—	8	86	9	
354	WEM	140	1	1	—	6	2	—	—	—	—	8	3	—	—	—	2	14	9	—	—	4	5	—	6	102	12	
355	WHITCHURCH	166	1	3	—	3	2	—	—	—	—	8	7	—	—	—	—	15	14	1	—	12	8	—	5	117	14	
356	MARKET DRAYTON ..	191	—	—	—	3	1	4	—	—	—	8	20	2	2	—	—	26	26	1	—	37	26	—	18	206	34	
357	WELLINGTON	396	—	—	—	15	7	—	—	—	—	5	7	6	—	—	6	13	28	1	—	10	15	—	13	—	—	
358	NEWPORT	218	2	1	—	7	8	—	—	1	2	9	7	3	—	—	—	13	13	3	—	10	15	—	13	120	19	
26.—STAFFORDSHIRE.																												
359	STAFFORD	630	—	4	—	1	1	2	—	1	9	53	27	11	3	2	13	29	2	2	4	33	26	3	25	385	42	
360	STONE	286	—	—	—	16	7	3	—	—	2	9	8	1	—	—	6	22	1	1	1	13	18	1	17	159	20	
361	NEWCASTLE UN. LYME ..	563	—	—	—	18	14	4	—	1	25	6	20	2	7	—	7	20	22	—	3	37	63	1	11	319	22	
362	WOLSTANTON	1837	3	4	—	12	12	38	—	20	112	66	40	18	20	9	34	52	18	9	5	125	167	18	58	1006	104	
363	STOKE UPON TRENT ..	3108	57	8	—	59	53	32	—	32	183	88	102	35	58	4	35	130	13	13	10	221	344	20	117	1507	206	
364	LEEK	659	11	3	—	12	12	32	—	7	19	23	20	5	9	—	12	27	—	—	5	49	33	5	14	387	30	
365	CHEADLE	395	5	1	—	17	1	2	—	3	7	44	15	2	2	—	4	23	2	—	1	17	20	2	10	219	26	
366	UTTOXETER	207	3	1	—	8	—	1	—	—	2	4	7	1	3	—	—	14	14	2	1	9	19	2	7	121	9	
367	BURTON UPON TRENT ..	1348	19	13	—	20	31	16	—	5	34	78	57	19	10	4	13	77	6	6	7	90	86	11	72	680	99	

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
 VI.—WEST MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
26.—STAFFORD-SHIRE—continued.																											
No.	368	14	1	1	—	4	—	4	—	—	13	10	11	3	4	—	5	12	2	3	21	41	1	22	206	29	
	369	17	3	—	—	14	5	4	—	—	8	18	34	4	3	1	6	44	4	3	32	43	4	36	415	44	
	370	14	5	—	—	21	8	4	—	1	16	13	29	13	5	—	1	45	2	4	54	66	3	24	356	43	
	371	2	1	—	—	3	4	4	—	—	3	2	14	4	1	—	—	20	—	1	22	18	1	6	141	14	
	372	12	16	—	—	77	64	57	—	13	94	88	61	35	18	7	17	125	9	9	6	211	315	20	83	1280	213
	373	3	56	—	—	15	65	13	—	9	158	50	107	27	8	1	35	80	9	9	6	190	178	7	86	951	169
	374	23	23	—	—	62	65	41	—	6	149	63	95	28	24	10	13	156	17	17	8	207	289	7	133	1415	191
						42	56	16	—	20	112	65	52	21	39	5	18	90	13	15	228	202	16	94	1281	173	
27.—WORCESTER-SHIRE.																											
	375	14	12	—	—	23	26	20	—	5	62	44	31	13	18	9	2	78	8	8	5	93	116	6	50	750	74
	376	—	2	—	—	18	4	4	—	1	7	10	19	6	5	—	7	52	6	6	30	47	6	25	347	31	
	377	1	—	—	—	2	2	—	—	—	2	1	—	—	—	—	—	9	—	—	1	5	2	2	4	63	4
	378	—	1	—	—	6	1	3	—	—	3	39	23	1	—	2	—	14	9	8	2	8	7	1	8	102	18
	379	20	1	—	—	11	13	9	—	2	7	22	17	5	10	—	—	55	8	8	3	66	65	1	38	434	65
	380	—	—	—	—	7	1	—	—	—	2	7	17	2	4	—	—	51	1	1	31	22	1	10	250	19	
	381	6	—	—	—	3	6	3	—	—	2	7	5	—	2	—	5	18	1	1	4	5	21	4	15	157	18
	382	5	—	—	—	3	3	—	—	—	1	1	14	1	1	—	—	13	—	—	1	5	10	—	3	136	8
	383	—	—	—	—	19	5	2	—	1	1	9	9	6	2	—	3	18	—	—	9	9	13	1	10	152	18
	384	1	2	—	—	11	3	4	—	3	11	25	26	1	4	1	6	40	3	3	39	50	4	27	306	29	
	385	11	35	—	—	89	50	32	—	16	82	88	107	22	18	7	29	172	10	10	10	231	208	14	76	1357	130

* 371.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of SEISDON and WOLVERHAMPTON.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																		ALL CAUSES.																							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).			Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.															
28.—WARWICK-SHIRE.																																											
No.	BIRMINGHAM ..	5063																																									
386	ASTON ..	4729	16	7	—	79	203	88	—	39	249	149	255	53	26	4	51	265	35	19	441	413	34	277	2360	344																	
387	MERIDEN ..	154	43	73	—	71	159	45	—	9	281	109	271	43	35	3	36	247	15	17	385	454	22	128	2283	188																	
388	ATHERSTONE ..	258	1	—	—	2	—	4	—	—	3	4	4	3	—	2	4	4	—	—	9	8	—	9	86	12																	
389	NUNEATON ..	423	—	2	—	5	—	1	—	—	14	11	8	3	—	2	3	14	—	2	18	12	—	16	144	19																	
390	FOLESHILL ..	300	—	—	—	7	10	3	—	6	18	12	3	2	—	1	8	17	—	2	42	29	4	23	227	27																	
391	COVENTRY ..	1211	—	—	—	5	6	3	—	—	18	40	82	1	3	1	10	79	6	3	92	80	8	21	647	57																	
392	RUGBY ..	449	—	7	—	17	22	5	—	1	48	15	18	24	6	1	4	22	22	3	25	25	2	13	283	25																	
393	SOLIHULL ..	794	—	1	—	32	19	16	—	—	5	28	32	3	3	—	7	73	4	3	49	55	5	33	400	42																	
394	WARWICK ..	927	14	1	—	14	11	9	—	2	8	8	47	8	6	2	9	64	23	4	61	66	1	13	536	47																	
395	STRATFORD ON AVON ..	304	—	—	—	1	4	2	—	—	4	14	7	—	—	—	2	23	16	—	20	21	1	9	186	18																	
396	ALCESTER ..	282	—	—	—	12	3	4	—	—	2	6	4	—	—	—	2	22	11	—	14	22	1	5	171	17																	
397	SHIPSTON ON STOUR ..	211	—	—	—	8	5	—	—	—	1	4	4	1	—	—	—	22	11	—	8	14	1	3	131	9																	
398	SOUTHAM ..	140	2	—	—	—	5	—	—	—	3	4	4	1	—	—	—	11	—	—	5	6	—	3	94	6																	

VII.—NORTH MIDLAND COUNTIES.

29.—LEICESTER-SHIRE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</
----------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
 VII.—NORTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																			Inquests.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
29.—LEICESTER-SHIRE—continued.		714	20	3	—	27	18	10	—	9	21	19	27	8	6	2	6	34	2	2	4	40	58	4	25	371	40
406	ASHBY DE LA ZOUCH ..	510	3	—	—	6	14	4	—	2	26	19	18	2	8	—	8	40	40	1	1	25	33	6	24	272	40
407	LOUGHBOROUGH ..	333	2	—	—	4	31	10	1	5	—	7	23	3	2	1	—	23	23	2	1	18	15	1	15	181	28
408	BARROW UPON SOAR ..	2852	166	—	—	21	5	2	—	3	124	139	109	43	28	5	40	187	23	17	8	189	191	17	100	1418	245
409	LEICESTER.....	323	—	—	—	3	5	10	—	—	2	10	14	2	1	—	1	30	1	1	2	24	15	1	7	193	14
410	MELTON MOWBRAY ..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30.—RUTLAND-SHIRE.		138	—	—	—	—	1	—	—	1	1	3	4	1	—	2	—	9	1	1	—	3	8	1	2	101	9
411	OAKHAM ..	154	—	1	—	6	3	1	—	—	—	4	1	—	1	—	—	13	1	1	11	12	1	8	90	9	
412	UPPINGHAM ..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31.—LINCOLNSH.		249	—	—	—	7	4	1	—	1	—	8	9	1	—	—	—	15	2	2	—	8	22	1	15	154	19
413	STAMFORD ..	272	—	—	—	9	16	5	—	3	6	5	11	3	4	—	—	26	3	3	—	12	13	2	6	152	8
414	BOURNE ..	331	—	—	—	9	16	5	—	—	6	3	11	2	2	—	—	24	2	2	—	8	22	2	13	194	14
415	SPALDING ..	283	—	—	—	1	13	6	—	—	2	4	7	4	3	—	—	27	1	1	—	15	14	3	8	164	10
416	HOLBEACH ..	597	4	—	—	19	8	—	1	—	11	19	22	12	2	—	—	44	1	1	—	33	40	6	15	346	38
417	BOSTON ..	348	1	—	—	7	4	4	—	3	9	10	17	4	2	—	—	22	1	1	—	19	14	4	14	216	18
418	SLEAFORD ..	494	—	—	—	8	20	3	—	1	1	10	25	5	3	—	—	37	1	6	3	20	44	13	13	279	17
419	GRANTHAM ..	1240	—	—	—	25	11	21	—	9	24	38	63	12	12	2	17	104	6	—	41	89	20	44	703	80	
420	LINCOLN ..	245	4	—	—	4	3	2	—	1	2	5	11	7	—	—	5	20	—	—	14	12	12	7	7	150	9
421	HORNCASTLE ..	343	—	—	—	8	11	1	—	—	2	11	12	4	3	—	1	35	—	—	22	21	21	9	9	199	14
422	SPILSBY ..	417	2	—	—	22	5	1	—	—	4	12	13	21	6	2	3	22	—	—	18	26	26	12	12	268	19
423	LOUTH ..	1364	—	—	—	15	7	16	—	17	81	36	62	3	3	—	15	86	6	—	111	82	82	64	64	710	131
424a	GRIMSBY ..	238	—	—	—	6	2	1	—	1	5	4	10	1	1	—	4	17	—	—	7	14	14	5	5	154	11
424b	CAISTOR ..	671	—	—	—	15	9	12	—	6	22	14	25	5	5	—	5	47	5	3	54	32	32	18	18	383	22
425	GLANFORD BRIGG ..	537	1	—	—	22	5	5	—	4	8	17	21	5	3	3	3	27	3	3	2	18	49	25	25	315	41

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
 VII.—NORTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
32.—NOTTINGHAMSHIRE.																											
No. 427	EAST RETFORD ..	—	—	3	—	3	10	3	—	1	8	6	14	5	—	—	—	7	25	2	3	13	18	—	17	204	20
428	WORKSOP ..	—	5	4	—	12	18	11	—	4	38	15	24	10	9	—	—	2	28	5	2	75	55	37	376	44	
429	MANSFIELD ..	—	32	8	—	11	35	25	—	10	73	37	42	17	21	—	—	16	67	5	3	175	113	80	849	88	
430	BASFORD ..	—	10	6	—	22	58	24	1	10	101	69	49	26	21	6	—	23	120	5	10	186	181	18	1138	118	
431	NOTTINGHAM ..	—	30	12	—	49	62	30	—	30	175	189	147	54	29	4	—	36	280	26	27	348	378	25	2091	302	
432	SOUTHWELL ..	—	6	—	—	7	7	1	—	—	4	5	7	1	—	—	—	2	15	3	1	17	11	13	173	19	
433	NEWARK ..	—	—	2	—	8	2	4	—	2	4	14	12	4	—	2	—	5	49	1	4	24	34	16	241	21	
434	BINGHAM ..	—	—	—	—	9	1	—	1	—	2	6	15	—	—	—	—	2	21	—	1	18	18	5	148	8	
33.—DERBYSHIRE.																											
No. 435	SHARLOW ..	—	7	1	—	20	8	15	—	2	16	28	38	11	5	—	—	12	33	2	3	48	53	39	441	49	
436	DERBY ..	—	22	2	—	42	14	37	1	6	42	42	78	22	24	1	—	26	119	11	6	83	147	57	957	176	
437	BELPER ..	—	14	1	—	22	14	16	—	3	23	26	27	4	4	—	—	3	61	6	3	97	79	26	562	38	
438	ASHBOURNE ..	—	1	—	—	3	3	3	—	—	1	7	9	—	1	—	—	—	21	—	—	17	10	10	177	18	
439	CHESTERFIELD ..	—	22	24	—	43	23	32	—	15	87	40	64	33	29	11	—	28	111	9	7	212	236	84	1167	90	
440	BAKEWELL ..	—	—	—	—	9	4	4	—	1	1	12	16	5	—	1	—	5	33	3	2	27	38	23	275	32	
441	CHAPEL EN LE FRITH ..	—	10	4	—	4	8	1	2	2	4	5	11	4	4	—	—	1	29	1	4	27	19	18	200	30	
442a	GLOSSOP ..	—	7	3	—	11	1	2	—	6	16	10	15	3	2	—	—	9	16	3	5	20	27	7	237	15	
442b	HAYFIELD ..	—	3	2	—	5	1	3	—	1	5	3	10	6	—	—	3	1	10	—	—	14	15	9	110	16	

VIII.—NORTH WESTERN COUNTIES.

34.—CHESHIRE.																									
No	2861	76	31	—	37	39	22	—	16	153	104	76	41	24	5	52	143	17	10	266	213	13	78	1439	169
443	—	—	—	—	22	39	—	—	—	8	31	30	14	6	1	14	73	1	7	60	52	6	29	550	63
444	—	28	—	—	5	5	12	—	6	48	24	59	3	8	1	10	77	1	7	66	97	8	43	615	75
445	1137	9	10	—	24	29	14	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
																		</							

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
 VIII.—NORTH WESTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
34.—CHESHIRE— <i>continued.</i>																											
No.		596	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839
446	RUNCORN ..	—	5	10	—	8	14	14	—	6	9	23	12	11	13	13	3	6	27	2	1	48	22	4	26	332	46
447	NORTHWICH ..	—	15	12	—	13	13	6	1	5	29	17	35	13	12	12	3	5	53	3	2	65	56	3	46	435	73
448	CONGLETON ..	—	19	2	—	13	8	5	—	6	6	8	18	8	12	12	—	6	39	68	5	27	29	9	24	232	95
449	NANTWICH ..	—	9	11	—	19	4	11	—	10	21	18	22	7	12	12	2	10	18	18	1	87	74	7	39	521	15
450	*CHESTER {TARVIN ..	—	16	—	—	21	5	2	—	2	—	4	4	—	1	1	—	4	18	18	1	7	15	1	12	105	66
451	WIRRAL ..	—	12	1	—	21	16	12	—	4	13	25	34	12	16	9	—	8	60	50	3	57	68	5	42	528	44
452	BIRKENHEAD ..	1	73	18	—	43	88	20	3	14	119	68	153	28	22	22	16	29	159	17	16	284	197	16	111	327	216
35.—LANCASHIRE.																											
453	LIVERPOOL ..	596	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839	839
454	TOXTETH PARK ..	—	28	55	1	33	58	18	2	16	224	79	299	41	25	4	47	138	40	15	470	374	20	251	1702	398	
455	WEST DERBY ..	—	213	188	8	128	275	124	—	52	458	430	481	75	46	22	114	502	59	38	1018	1008	72	308	4651	502	
456	PRESBOT ..	—	17	33	—	77	15	30	1	23	117	93	96	32	41	15	28	106	115	7	236	245	13	106	1395	127	
457	ORMSKIRK ..	—	3	7	—	47	36	14	—	6	31	54	63	19	9	2	14	115	109	5	89	123	17	53	939	56	
458	WIGAN ..	—	16	26	—	37	68	41	—	52	221	97	82	62	59	2	65	109	67	14	411	329	46	172	1694	241	
459	WARRINGTON ..	—	38	17	—	46	77	25	—	12	97	124	39	13	35	4	27	115	54	12	194	130	15	62	893	76	
460	LEIGH ..	—	10	14	—	20	34	38	—	31	118	45	55	25	15	8	31	15	67	9	156	125	19	54	705	95	
461	BOLTON ..	—	7	36	—	69	125	33	—	49	287	192	130	54	32	22	196	129	10	28	360	430	26	170	2071	291	
462	BURY ..	—	28	10	—	32	13	25	—	19	89	68	85	15	24	7	30	145	88	5	10	223	11	79	1223	126	
463	BARTON UPON IRWELL ..	—	26	6	—	26	50	13	—	8	68	48	63	19	17	4	19	166	502	12	7	166	150	78	874	120	
464	CHORLTON ..	—	184	20	—	89	149	40	—	34	317	382	159	120	59	13	63	356	175	21	25	680	502	22	162	2772	351
465	SALFORD ..	—	171	76	—	78	111	128	—	52	285	285	129	66	46	6	6	61	142	29	17	425	344	24	180	1871	356
466	MANCHESTER ..	—	84	2	—	18	38	13	—	5	196	69	66	38	20	2	2	27	142	27	6	330	243	22	256	1113	419
467	PRESTWICH ..	—	124	76	—	60	62	77	1	43	175	437	103	43	14	2	2	42	213	24	10	480	393	30	107	1978	192
468	ASHTON UNDER LYNE ..	—	27	30	—	35	76	28	—	23	155	74	142	52	24	10	42	42	143	9	10	240	329	16	115	1737	208

* 450.—The District of CHESTER comprises the two Poor Law Unions of TARVIN and CHESTER.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
IX.—YORKSHIRE—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- culosis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis	Typhus Mesenterica.	All other Tubercu- lous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
No.	36.—W. RIDING —continued.																										
488	GREAT OUSEBURN	—	1	1	—	15	12	2	—	1	—	1	5	1	—	—	1	3	8	—	—	8	2	—	3	63	7
489	KNARESBOROUGH	—	—	2	—	6	9	2	—	—	—	24	9	2	2	—	1	6	56	—	—	49	33	—	24	352	51
490	WETHERBY	—	—	—	—	29	40	17	—	4	—	54	33	17	10	—	—	41	12	7	18	7	—	3	101	6	
491	WHARFEDALE	—	16	1	—	38	8	3	—	—	—	27	33	5	12	—	—	78	41	—	65	57	—	3	529	30	
492	KEIGHLEY..	—	43	—	—	19	6	11	—	8	—	48	21	6	—	—	—	43	20	—	9	88	73	10	22	565	34
493	TODMORDEN	—	1	4	—	—	1	2	—	—	6	12	6	2	4	—	—	6	14	11	4	13	14	2	11	343	21
494	SADDLEWORTH	—	2	5	—	48	19	21	—	16	80	82	128	27	23	—	—	23	185	11	10	167	226	23	89	1475	170
495	HUDDERSFIELD	—	73	8	—	48	34	39	—	19	35	99	150	22	19	—	—	40	201	7	12	186	211	25	81	1438	102
496	HALIFAX	—	62	12	—	52	49	38	—	29	188	154	186	40	38	—	—	44	259	17	18	268	315	24	129	1873	331
497a	BRADFORD..	—	63	4	—	37	14	12	—	10	28	56	74	15	19	—	—	23	136	6	5	119	167	14	54	1109	131
497b	NORTH BIERLEY	—	30	2	—	25	26	3	—	7	86	23	46	12	20	—	—	9	67	10	—	177	108	5	24	594	90
498	HUNSLT	—	54	—	—	13	24	8	—	—	32	21	17	5	6	—	—	11	39	2	—	63	44	2	18	270	52
499	HOLBECK	—	27	—	—	22	81	3	—	—	38	55	56	12	15	—	—	24	81	3	16	87	80	4	39	600	90
500	BRAMLEY	—	24	2	—	25	22	39	—	17	191	277	140	52	49	—	—	62	311	36	11	458	361	30	207	2083	480
501	LEEDS	—	77	13	—	75	42	20	—	25	38	90	95	33	24	—	—	32	189	11	13	235	220	20	95	1424	210
502	DEWSBURY	—	74	8	—	70	41	22	—	13	82	56	109	26	20	—	—	32	114	11	5	177	138	12	86	1043	183
503	WAKEFIELD	—	56	4	—	23	41	18	—	25	123	33	54	14	18	—	—	12	114	11	4	90	174	9	61	649	99
504	PONTEFRAC	—	54	—	—	9	46	18	—	9	34	17	7	5	5	—	—	17	47	4	4	43	43	3	20	229	36
505	HEMSWORTH	—	15	—	—	5	6	3	—	38	179	41	64	27	28	—	—	25	90	6	11	174	230	23	116	1042	181
506	BARNSELEY	—	28	—	—	35	77	10	—	—	2	7	2	3	1	—	—	3	10	1	1	19	13	2	11	140	25
507	*WORTLEY { PENISTONE	—	—	31	—	7	12	2	—	7	21	34	8	6	7	—	—	8	28	14	3	79	42	10	16	386	21
508	WORTLEY	—	4	7	—	6	13	7	—	—	138	174	58	44	27	—	—	30	133	14	13	240	199	19	50	1319	91
509	ECCLESALL BIERLOW..	—	20	37	—	56	75	24	—	18	284	248	74	63	35	—	—	33	244	21	18	206	465	39	227	2305	341
510	SHEFFIELD	—	87	4	—	47	185	16	—	8	165	55	75	13	18	—	—	20	100	16	4	206	142	23	113	995	138
511	ROTHERHAM	—	94	15	—	30	67	15	—	36	94	57	32	14	19	—	—	17	94	9	9	108	129	13	68	743	78
511	DONCASTER	—	7	3	—	27	32	11	—	10	—	57	32	14	19	—	—	17	94	9	9	108	129	13	68	743	78

* 507.—The District of WORTLEY comprises the two Poor Law Unions of PENISTONE and WORTLEY.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.

IX.—YORKSHIRE—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.	
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisids.	Phtisids, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.
38.—N. RIDING—continued.																							
No.	* HELMSLEY { HELMSLEY KIRKBY MOORSIDE	63																					
530	PICKERING	55																					
531	WHITBY	150																					
532	GUIBOROUGH	343																					
533	MIDDLESBROUGH	782																					
534	STOKESLEY	3182																					
535	NORTHALLERTON	167																					
536	BEDALE	156																					
537	LEYBURN	122																					
538	AYSGARTH	100																					
539	REETH	69																					
540	RICHMOND..	39																					
541		158																					

X.—NORTHERN COUNTIES.

39.—DURHAM.																											
No.																											
542	DARLINGTON	—	15	1	—	31	20	9	—	3	30	16	45	12	8	6	9	42	4	2	56	64	6	31	506	41	
543a	STOCKTON	—	72	1	—	11	34	13	—	7	31	29	58	23	15	—	29	57	3	4	90	73	22	46	567	81	
543b	SEDGEFIELD	—	3	6	—	8	21	6	—	5	23	11	31	3	2	5	2	21	21	3	3	69	33	5	28	349	37
544	HARTLEPOOL	—	11	4	—	15	26	18	—	7	23	25	68	22	32	6	37	74	6	6	114	104	8	46	682	89	37
545	AUCKLAND	—	19	4	—	28	43	26	1	36	108	17	64	16	16	16	16	61	9	8	149	140	15	66	937	77	41

* 530.—The District of HELMSLEY comprises the two Poor Law Unions of HELMSLEY and KIRKBY MOORSIDE.

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—*continued*.
X.—NORTHERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
39.—DURHAM— <i>continued.</i>																											
No. 546	TEESDALE..	351	3	—	—	—	12	8	—	2	4	5	13	1	2	—	—	23	—	—	2	20	18	1	10	222	16
547	WEARDALE..	224	2	—	—	—	—	—	—	—	3	5	11	3	—	—	2	12	58	7	—	15	14	9	46	143	60
548	LANCASTER	1642	6	—	—	—	79	13	—	21	116	19	73	16	—	16	14	50	12	—	9	149	115	11	46	838	101
549	DURHAM ..	1497	8	—	—	—	22	16	—	11	76	23	42	26	19	15	10	22	50	5	5	137	116	17	63	788	73
550	EASINGTON ..	1132	9	—	—	—	24	9	—	22	114	12	45	20	29	2	8	22	24	3	3	88	80	11	51	567	31
551	HOUGHTON LE SPRING ..	807	8	—	—	—	31	7	—	15	47	15	24	8	5	6	2	24	46	2	—	91	51	4	25	431	69
552	CHESTER LE STREET ..	1312	17	—	—	—	47	12	1	17	138	19	41	23	9	3	18	40	158	7	6	117	56	14	56	634	212
553	SUNDERLAND ..	3553	48	—	—	—	161	31	—	22	153	73	158	33	30	15	40	158	12	15	12	357	391	20	130	1677	154
554	SOUTH SHIELDS ..	2896	46	—	—	—	70	36	—	16	143	68	153	39	32	10	37	128	18	18	11	255	175	16	116	1466	110
555	GATESHEAD ..	3154	27	—	—	—	128	40	—	10	218	63	153	39	18	13	31	140	140	12	11	282	257	31	87	1533	
40.—NORTHUMB- ERLAND.																											
No. 556	NEWCASTLE UPON TYNE	4479	27	2	—	36	121	13	—	11	137	185	183	61	58	15	54	301	14	14	417	318	27	194	2291	384	
557	TYNEMOUTH ..	3128	29	9	—	26	85	48	—	18	176	95	121	59	40	9	37	145	15	15	277	188	24	132	1586	198	
558	CASTLE WARD ..	653	2	—	—	9	21	7	—	3	35	44	23	8	7	5	12	23	23	3	49	26	5	22	301	30	
559	HEXHAM ..	514	—	—	—	11	8	7	—	1	11	18	18	8	—	—	7	21	7	1	36	8	2	4	64	23	
560	HALTWHISTLE ..	123	—	—	—	2	—	2	—	1	6	—	6	1	—	—	1	7	7	—	—	11	4	1	36	4	
561	BELLINGHAM ..	66	—	—	—	1	35	3	—	—	86	—	7	2	—	—	—	44	44	—	1	11	8	1	36	1	
562	MORPETH ..	1243	6	—	—	12	9	13	—	14	2	14	62	16	6	5	11	22	44	3	4	97	73	15	37	688	46
563	ALNWICK ..	362	—	1	—	7	1	9	1	1	22	7	21	7	3	1	5	22	22	2	2	15	19	15	37	212	19
564	BELFORD ..	74	—	—	—	2	1	—	—	—	4	14	3	3	—	—	—	6	6	—	1	8	2	4	42	5	
565	BERWICK ..	322	3	—	—	23	1	5	—	—	1	1	24	3	—	—	—	19	19	—	—	15	9	8	15	180	15
566	GLENDALE ..	121	—	—	—	5	1	1	—	—	2	1	8	1	—	—	—	5	5	—	—	7	2	1	8	76	2
567	ROTHBURY..	93	—	—	—	5	1	—	—	—	1	3	4	3	1	—	—	7	7	—	—	3	2	1	3	56	3

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
X.—NORTHERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
41.—CUMBERLAND.																											
No.																											
568	ALSTON ..	—	—	—	—	7	1	—	—	—	—	1	4	—	1	—	—	—	3	1	—	2	3	—	2	26	4
569	PENRITH ..	—	—	—	—	5	2	—	—	—	1	5	16	3	2	—	—	2	28	1	4	25	18	12	178	17	
570	BRAMPTON..	—	—	—	—	2	1	—	—	—	1	—	13	3	1	—	—	—	8	1	2	1	4	5	89	4	
571	LONGTOWN ..	—	—	—	—	3	—	—	—	—	1	—	3	—	1	—	—	—	9	2	—	4	3	—	64	—	
572	CARLISLE ..	—	—	—	—	3	31	5	—	—	21	38	42	21	5	9	—	62	6	7	4	112	46	33	525	44	
573	WIGTON ..	—	—	—	—	17	6	4	—	—	3	4	9	3	1	—	15	29	12	1	1	21	12	14	197	13	
574	COCKERMOUTH ..	—	—	—	—	10	45	4	—	—	11	27	32	11	9	2	14	73	76	6	116	76	17	40	665	49	
575	WHITEHAVEN ..	—	—	—	—	23	23	19	—	—	22	25	57	10	6	3	12	41	41	1	3	77	92	54	437	60	
576	BOOTLE ..	—	—	—	—	3	—	2	—	—	—	2	12	2	6	1	1	12	12	—	—	20	8	6	93	11	
42.—WESTMORLAND.																											
No.																											
577	EAST WARD ..	—	—	—	—	7	7	2	—	—	1	3	7	—	1	—	—	13	13	1	2	6	7	—	10	127	13
578	WEST WARD ..	—	—	—	—	4	5	1	—	—	—	1	—	—	—	—	—	11	11	—	—	7	8	—	3	62	3
579	KENDAL ..	—	—	—	—	9	11	2	—	—	—	11	31	3	2	—	6	47	47	—	4	38	27	21	306	30	

XI.—MONMOUTHSHIRE AND WALES.

43.—MONMOUTHSHIRE.																											
No.																											
580	CHEPSTOW ..	—	3	1	—	12	1	—	—	—	4	18	6	2	1	—	—	—	15	2	—	22	20	—	18	152	23
581	MONMOUTH ..	—	—	—	—	12	3	—	—	—	—	13	9	4	2	—	—	3	24	2	1	22	41	3	11	252	28
582	ABERGAVENNY ..	—	—	—	—	12	9	7	—	3	—	8	17	11	1	1	—	10	16	1	6	56	31	5	20	304	21

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
No.																											
44.—MONMOUTH-SHIRE—cont.																											
583	BEDWELLY ..	2015	—	57	4	2	36	66	21	—	19	85	34	33	18	8	14	10	43	10	8	349	164	23	90	921	112
584	PONTYPOOL ..	763	—	6	8	—	10	44	6	—	5	10	8	29	6	6	1	5	26	4	3	98	77	8	33	371	42
585	NEWPORT ..	2154	—	11	8	—	43	93	22	—	19	69	79	68	15	12	—	22	99	7	19	233	141	22	106	1065	173
44.—SOUTH WALES.																											
GLAMORGANSHIRE.																											
586	CARDIFF ..	3469	—	30	17	—	55	83	36	—	11	163	113	181	41	30	14	35	212	20	25	252	208	23	187	1733	384
587	PONTYPRIDD ..	4261	—	155	14	—	69	99	53	—	25	360	83	118	27	26	14	40	126	9	18	492	266	53	200	2013	286
588	MERTHYR TYDFIL ..	3073	—	84	16	—	50	135	30	—	17	108	73	96	28	20	16	23	92	13	17	354	245	36	144	1476	216
589	BRIDGEND ..	1459	—	18	2	—	39	25	18	—	8	51	75	38	13	7	4	12	48	3	8	122	99	21	79	769	119
590	NEATH ..	1461	—	63	2	—	16	33	15	—	10	62	35	41	15	6	1	13	50	5	1	147	102	13	88	736	143
591	PONTARDAWE ..	538	—	4	—	1	24	8	3	—	—	26	14	20	10	2	—	5	17	1	1	33	42	8	26	293	38
592	SWANSEA ..	2287	—	57	7	—	27	30	7	—	4	87	102	102	45	13	5	24	97	8	12	172	150	18	130	1190	242
593	GOWER ..	183	—	5	—	—	1	1	1	—	1	2	3	12	1	—	—	—	16	—	—	9	8	—	8	114	18
CARMARTHENSHIRE.																											
594	LLANELLY ..	1048	—	62	1	—	19	13	5	—	—	13	34	53	19	6	2	11	48	4	6	108	69	10	47	518	56
595	LLANDOVERY ..	149	—	2	—	—	3	—	—	—	1	1	8	5	5	—	—	1	10	—	—	7	11	2	3	90	6
596	LLANDILOFAWR..	497	—	4	—	—	13	11	13	—	2	8	14	25	6	—	2	12	8	—	3	41	23	5	21	280	27
597	CARMARTHEN ..	599	—	4	—	—	15	5	3	—	4	8	39	28	8	10	—	12	40	4	3	28	26	3	15	344	25
PEMBROKESHIRE.																											
598	NARBERTH..	295	—	—	—	—	10	—	1	—	—	2	10	18	2	1	—	3	16	—	—	15	22	4	9	181	12
599	PEMBROKE ..	459	—	4	1	—	5	10	4	—	2	2	24	18	5	4	1	5	34	—	—	31	28	3	15	263	20
600	HAVERFORDWEST	535	—	—	1	—	7	—	6	—	1	14	22	29	5	4	2	6	35	2	4	27	36	6	23	305	39

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.
 XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.	
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.		Pneumonia.
44.—SOUTH WALES—cont.																							
No.	CARDIGANSHIRE.	317																					
601	CARDIGAN ..	308																					
602	NEWCASTLE IN EMLYN	151																					
603	LAMPETER..	177																					
604	ABERAYRON ..	360																					
605	ABERYSTWYTH ..	129																					
606	TREGARON ..																						
BRECKNOCKSHIRE.																							
607	BUILT ..	124																					
608	BRECKNOCK ..	218																					
609	CRICKHOWELL ..	396																					
610	HAY ..	187																					
RADNORSHIRE.																							
611	KNIGHTON..	143																					
612	RHAYADER ..	106																					
45.—NORTH WALES.																							
MONTGOMERYSHIRE.																							
613	MACHYNLLETH ..	164																					
614	NEWTOWN..	275																					
615	FORDEN ..	228																					
616	LLANFYLLIN ..	246																					

Deaths from several Causes, and Inquest Cases in the Year 1908, in Registration Districts—continued.

XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																	Inquests.						
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberc. Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
45. — NORTH WALES — cont.																											
No. 617 ^a	FLINTSHIRE.	684																									
617 ^b	HOLYWELL	356	9	2	—	26	30	8	1	2	5	18	42	4	1	2	6	29	5	1	41	48	4	29	371	39	
	HAWARDEN		10	—		9	7	15	—	4	4	3	23	9	2	—	4	15	4	—	20	38	5	6	178	13	
DENBIGHSHIRE.																											
618	WREXHAM..	1158	2	6	—	39	78	18	—	4	38	22	20	15	12	2	15	68	5	7	73	70	18	45	601	68	
619	RUTHIN ..	182	—	—	—	5	2	—	—	—	1	6	10	1	1	—	2	25	5	1	10	6	—	5	106	4	
620	ST. ASAPH ..	578	—	—	—	25	3	5	—	3	4	13	35	5	4	4	7	47	5	1	55	23	5	16	318	16	
621	LLANRWST..	219	—	2	—	14	2	2	—	—	2	14	15	—	—	—	3	15	3	—	14	16	—	3	114	5	
MERIONETHSHIRE.																											
622	CORWEN ..	250	—	—	—	14	4	2	—	—	4	—	16	6	1	—	1	16	1	1	13	26	—	7	138	9	
623	BALA..	84	—	—	—	1	—	—	—	—	—	4	6	3	—	—	—	9	—	—	8	11	—	—	40	6	
624	DOLGELLY..	228	—	2	—	11	5	2	—	2	3	7	9	1	1	—	2	17	1	3	17	8	—	4	131	21	
625	FESTINIOG..	406	—	3	—	11	—	3	—	1	—	17	32	3	4	2	3	36	2	2	22	17	5	14	229	—	
CARNARVONSHIRE.																											
626	PWLLHILL..	326	—	—	—	9	3	—	—	—	3	6	19	6	3	1	8	29	3	3	19	10	5	4	195	12	
627	CARNARVON	702	1	—	—	19	20	17	—	—	12	34	48	8	8	2	12	43	—	2	30	41	7	25	373	32	
628	BANGOR ..	630	6	1	—	35	13	4	—	1	7	12	46	6	4	1	10	35	2	4	26	29	6	19	363	23	
629	CONWAY ..	522	1	2	—	22	21	3	—	1	7	20	23	2	4	2	13	33	2	3	45	26	—	27	265	29	
ANGLESEY.																											
630	ANGLESEY..	223	1	—	—	5	4	—	—	1	—	1	23	7	2	—	2	15	1	1	7	11	—	8	134	10	
631	HOLYHEAD	331	—	—	—	21	9	2	—	—	4	8	10	2	—	—	12	21	—	—	25	7	3	7	198	8	

VIOLENT DEATHS, 1908.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS OF LIFE, in the YEAR 1908.—**Males.**

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.															Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			Total under 1 Year.			0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			701	208	147								1056	329	373	279	199													2236	597	419	638	1390	1395	1128	706	371	93																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1	TOTAL	11008	701	208	147	1056	329	373	279	199	2236	597	419	638	1390	1395	1128	706	371	93																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

* The death of a child run over by a tub of coal at the pit's mouth.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1908.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												85 and upwards.								
			Total under 1 Year.			5—	10—	15—	20—	25—	35—	45—	55—	65—		75—							
			0—3 Months.	3—6 Months.	6—12 Months.																		
1	IN MINES.																						
	(a) COAL MINES.																						
	Fall of Coal, Stone, &c. on ..	488	—	—	—	—	—	—	—	12	35	68	131	119	77	42	4	—	—	—	—	—	
	Crushing ..	19	—	—	—	—	—	—	—	—	5	3	1	5	4	1	—	—	—	—	—	—	
	Fall in Pit or Shaft ..	31	—	—	—	—	—	—	—	—	1	5	8	10	4	3	—	—	—	—	—	—	
	Fall (not otherwise described)	15	—	—	—	—	—	—	—	1	2	2	2	3	2	2	1	—	—	—	—	—	
	Machinery ..	37	—	—	—	—	—	—	—	1	11	4	8	12	1	—	—	—	—	—	—	—	
	Rope Breaking ..	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
	Wagon, Tram, &c. ..	106	—	—	—	—	—	—	—	7	15	15	25	16	12	10	6	2	1	—	—	—	
	Tub ..	80	—	—	—	—	—	—	1*	12	36	7	6	5	6	5	2	1	—	—	—	—	
	Blasting ..	49	—	—	—	—	—	—	—	1	2	7	17	15	3	3	1	—	—	—	—	—	
	Horse ..	8	—	—	—	—	—	—	—	—	—	5	—	—	1	—	—	—	—	—	—	—	
	Explosion of Fire-damp ..	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Explosion (not otherwise described)	2	—	—	—	—	—	—	—	—	2	3	1	—	3	—	—	—	—	—	—	—	
	Conflagration ..	26	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
	Scald by Steam ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Burn or scald (manner not stated)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Drowning ..	10	—	—	—	—	—	—	—	1	1	2	1	—	3	—	—	—	—	—	—	—	—
	Carbon Monoxide ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Electric Shock ..	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strain ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise, or not stated how ..	106	—	—	—	—	—	—	—	4	9	10	16	27	23	11	4	2	—	—	—	—	—	
(b) OTHER MINES.																							
Fall of Stone, Wood, &c. on ..	16	—	—	—	—	—	—	—	—	3	2	5	2	3	1	—	—	—	—	—	—	—	
Fall in Shaft ..	3	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	
Machinery ..	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Tub ..	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Explosion of Acetylene Gas ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbon Dioxide ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Strain ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Otherwise, or not stated how ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* See note * on page 449.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, IN THE YEAR 1908.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
IN MINES—cont.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
(c) QUARRIES, EXCAVATIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Fall of Stone, Slate, &c. on ..	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1908.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.					
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-		35-	45-	55-	65-	75--
VEHICLES AND HORSES—cont.																					
(b) OTHER VEHICLES MECHANICALLY PROPELLED.																					
	Electric Tramcar	54	—	—	—	—	1	2	6	11	2	2	4	6	11	6	11	6	6	3	—
	Motor Car	137	—	—	—	—	—	2	5	10	24	15	8	14	11	13	18	12	12	7	—
	Motor Cab	10	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	Motor Char-a-banc	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor Omnibus	50	—	—	—	—	—	—	—	1	7	6	2	7	8	—	—	—	—	—	—
	Motor Van, &c.	21	—	—	—	—	—	—	—	1	5	2	—	3	5	—	—	—	—	—	—
	Motor Van, &c.	19	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	—	—	—	—
	Motor Cycle	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Steam Wagon, &c.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Steam Roller	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Traction Engine	24	—	—	—	—	—	—	—	—	4	3	—	3	3	—	—	2	—	—	—
	Motor Vehicle (not otherwise described)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) HORSE DRAWN VEHICLES AND HORSES.																					
	Wagonette	17	—	—	—	—	—	—	—	—	1	1	1	3	2	2	3	2	1	1	—
	Carriage	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dog-cart, Trap	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Omnibus	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cab	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Van, Wagon	110	—	—	—	—	—	—	—	—	2	—	—	—	5	14	15	13	3	2	—
	Dray	44	—	—	—	—	—	—	—	—	4	5	7	6	11	11	5	5	2	1	—
	Cart	241	—	—	—	—	—	—	—	—	26	15	20	18	26	28	36	23	9	2	—
	Horse Roller	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other, or undefined	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Horses	75	—	—	—	—	—	—	—	—	4	3	8	7	15	7	13	8	7	2	—

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, IN THE YEAR 1908.—**Males**—*continued*.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.															85 and up-wards.					
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-		45-	55-	65-	75-	
4	SHIPS, BOATS, DOCKS, &c.— <i>cont.</i>																						
	Fumes of Stove ..	1																					
	Ferro-Silicon Fumes ..	3																					
	Fumes (<i>not otherwise described</i>) ..	2																					
	Suffocation..	2																					
	<i>Otherwise, or not stated how</i> ..	24																					
5	BUILDING OPERATIONS.																						
	Fall of Material ..	20																					
	Fall from Roof, Scaffold, Ladder ..	204																					
6	<i>Otherwise, or not stated how</i> ..	3																					
	MACHINERY.																						
	By Explosion of Steam Boiler ..	5																					
	In Metal Works ..	34																					
	In Textile Factories ..	23																					
	Electrical Machinery ..	1																					
	In other Factories ..	21																					
	Agricultural Machinery ..	22																					
	Lift ..	31																					
	<i>Other, or undefined Machinery</i> ..	80																					
7	WEAPONS AND IMPLEMENTS.																						
	Gun-shot Wound ..	83																					
	Cut, Stab ..	6																					
	<i>Other Wounds</i> ..	2																					

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, IN THE YEAR 1908.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			Total under 1 Year.			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
POISONS, &c.— <i>cont.</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
ANÆSTHETICS FOR OPERATIONS:—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	A. C. E. mixture	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

[illegible]

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1908.—**Males**—*continued*.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												85 and upwards.					
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.			5—	10—	15—	20—	25—	35—		45—	55—	65—	75—	
						1—	2—	3—												4—
13	OTHERWISE OR NOT STATED.																			
	Swallowing Foreign Body	21	—	1	1	2	11	5	—	1	—	—	—	1	26	2	1	—	—	
	Fall of Heavy Substance on	125	—	—	—	4	4	8	9	2	14	26	23	15	—	—	—	1	—	
	Collapse of House	8	—	—	—	—	—	—	—	5	3	—	—	—	—	—	—	—	—	
	Blow	61	—	1	—	1	—	7	5	5	5	4	10	6	—	—	—	1	—	
	Fighting, Wrestling, &c.	6	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	
	Fracture	97	—	—	2	5	—	1	3	—	15	20	17	19	2	6	2	2	1	
	Injury by Bull or Cow	15	—	—	—	—	—	—	—	—	2	—	—	—	12	9	—	—	—	
	Injury by Horse other than those in sec. 2 (c).	74	—	—	—	—	8	4	10	3	14	—	—	6	—	—	—	—	—	
	Injuries by Other Animals	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
	Football	11	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	
	Cricket Ball	7	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	
	Strain	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Electric Shock	11	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	
	Operation*	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	Circumcision	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Wounds (not by Weapons or Implements).	19	1	2	1	1	5	1	—	—	—	—	4	3	—	—	3	1	—	
	Strangulation	14	—	—	—	—	2	—	—	1	2	1	2	1	—	—	—	—	—	
	Neglect	107	103	1	2	106	107	—	—	—	—	—	—	—	—	—	—	—	—	
	Accident (not otherwise described)	319	2	—	1	3	14	22	28	19	38	44	46	55	23	17	3	—	—	
	Violence (cause or kind not stated)	16	1	—	—	—	2	—	1	—	2	2	5	1	3	—	—	—	—	

* When a person dies from an operation performed on account of any disease or injury the nature of which is stated in the certificate, the death is classed under that disease or injury, unless it is certified to have been directly caused by the administration of an Anæsthetic (see under heading "Poisons and Poisonous Vapours," page 457).

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1908.—**Females**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—													
2	VEHICLES AND HORSES.																											
	(a) ON RAILWAYS.																											
	Run over on Line ...	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Fall from Carriage or Engine ...	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Crushing by Carriage or Engine ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Electric Shock ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Otherwise, or not stated how ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) OTHER VEHICLES MECHANICALLY PROPELLED.																											
	Electric Tramcar ...	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor Car ...	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor Cab ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor Omnibus ...	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor Van, &c. ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor Cycle ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) HORSE-DRAWN VEHICLES AND HORSES.																												
Wagonette ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carriage ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dog-cart, Trap ...	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Omnibus ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cab ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Van, Wagon ...	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dray ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cart ...	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Horses ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.					
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—
3	VEHICLES AND HORSES —cont.																				
	(d) OTHER AND UNDEFINED VEHICLES.																				
	Carriage ...	2																			
	Omnibus ...	4																			
	Tramcar ...	20																			
	Cab ...	1																			
	Van, Wagon ...	16																			
	Dray ...	16																			
	Bicycle, Tricycle ...	33																			
	Perambulator ...	2																			
	Other or undefined ...	10																			
5	SHIPS, BOATS, DOCKS, &c.																				
	Fall (not otherwise described) ...	1																			
	Ferro-Silicon Fumes ...	2																			
	MACHINERY.																				
6	In Textile Factories ...	2																			
	In Other Factories ...	2																			
	Agricultural Machinery ...	1																			
	Lift ...	1																			
	Other Machinery ...	4																			
	WEAPONS AND IMPLEMENTS.																				
	Gun-shot Wound ...	8																			
	Cut, Stab ...	2																			

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1908.—**Females**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													Total under 5 Years.	Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.
			1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
7	CONFLAGRATIONS, BURNS, SCALDS, EXPLOSIONS.																			
	CONFLAGRATION	27	1	—	1	2	6	2	1	—	2	—	—	2	7	3	3	1		
	BURN—																			
	By Lamp Accident	43	4	—	—	—	5	1	—	3	3	4	7	6	—	4	3	1		
	By Flannelette Clothes... ..	56	6	7	6	6	26	13	3	—	—	4	3	3	4	—	—	—		
	By Clothes (not otherwise de- scribed).	454	15	44	54	50	169	91	26	18	12	13	15	27	33	25	20	5		
	By Hydrochloric Acid	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	By Petrol... ..	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
	Otherwise, or not stated how	739	43	86	62	70	299	144	44	29	13	24	19	22	44	47	39	15		
	SCALD—																			
8	By Drinking Hot Liquids	3	2	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—		
	Otherwise, or not stated how	253	81	53	38	14	209	20	1	3	1	1	5	4	5	1	3	—		
	EXPLOSION—																			
	Of Gunpowder	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—		
	Of Dynamite	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	Of Kitchen Boiler	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	Of Air Ship	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
	POISONS AND POISONOUS VAPOURS.																			
	Arsenic	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
	Lead	7	—	—	—	—	—	—	—	—	—	3	1	3	—	—	—	—		
	Diachylon	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—		
	Mercury	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
	Phosphorus Matches	2	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	Phosphorus, not otherwise described	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
	Ammonia	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—		

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
POISONS, &c.— <i>cont.</i>																						
	Hydrochloric Acid ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	Nitric Acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sulphuric Acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Potassium Bichromate	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chloride of Mercury	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Acetic Acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Carbolic Acid	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chromic Acid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Oxalic Acid ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Prussic Acid...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ANÆSTHETICS FOR OPERATIONS:—																						
	A.C.E. Mixture ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chloroform ...	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ether ...	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chloroform and Ether ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ethyl-Chloride ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Kind not stated</i> ...	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chlorodyne ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Opium, Laudanum, Morphia	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Trional ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Narcotic (<i>kind not stated</i>) ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Belladonna ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Strychnia ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Kino ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Alcohol ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	Total under 5 Years.	Total under 15 Years.	Total under 20 Years.	Total under 25 Years.	Total under 30 Years.	Total under 35 Years.	Total under 40 Years.	Total under 45 Years.	Total under 50 Years.	Total under 55 Years.	Total under 60 Years.	Total under 65 Years.	Total under 70 Years.	Total under 75 Years.	Total under 80 Years.	Total under 85 and upwards.
11	FALLS.	33 365 192 648	1 1 1 —	— — 1 2	— — 4 3	— — 6 5	1 1 6 5	— 1 6 12	3 6 3 9	1 1 1 6	1 3 1 10	— 1 — 4	— — 1 3	4 5 5 11	4 31 5 8	7 56 11 39	6 66 14 58	3 92 43 162	2 76 65 201	— 23 31 94												
12	WEATHER AGENCIES.	2 30 26	— — 2	— 2 —	— — 1	— — 3	— 3 1	1 1 —	— 1 —	— 1 —	— 1 —	— 1 —	— 1 —	— 2 —	1 1 2	1 5 4	— 4 6	— 3 5	— — 3	— — 1												
13	OTHERWISE OR NOT STATED.	11 14 20 41	1 — — 1	— — — 1	1 1 1 —	2 1 1 1	3 1 — 2	— 3 — —	— — 1 —	— — 6 —	— 2 6 —	— — 1 1	— 1 1 1	— — 1 3	3 1 — 2	— — — 3	— 1 1 9	— — 1 10	— — 1 6	— — — 2												
	Swallowing Foreign Body...	4	1	1	1	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—												
	Fall of Heavy Substance on	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—												
	Blow ...	20	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Fracture ...	41	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Injury by Cat or Dog	4	1	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Strain...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Operation* ...	4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—												
	Needle in Chest	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Other Wounds (not Weapons or Implements).	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Strangulation	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	Neglect ...	88	83	1	2	86	2	2	—	—	—	—	—	—	—	—	—	—	—	—												
	Accident (not otherwise described)	73	4	—	2	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—												
	Violence (cause or kind not stated)	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												

* See note *, page 460.

ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE in the YEAR 1908.—**Males.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.											
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	
	TOTAL	2844	2	10	57	136	442	586	679	567	292	67		
2	VEHICLES AND HORSES	154	—	2	4	10	39	30	30	30	7	2	—	
5	MACHINERY	1	—	—	—	—	—	1	—	—	—	—	—	
6	WEAPONS AND IMPLEMENTS	775	1	—	11	37	138	182	159	148	73	24	—	
7	BURNS, SCALDS, EXPLOSIONS.. .. .	5	—	—	—	1	—	2	1	1	—	—	—	
8	POISONS AND POISONOUS VAPOURS	437	—	1	9	34	71	97	116	72	35	2	—	
9	DROWNING	503	1	1	15	26	84	98	117	98	52	11	—	
10	SUFFOCATION	821	—	6	17	21	87	148	221	184	111	23	—	
11	FALLS	50	—	—	—	4	9	7	10	13	5	2	—	
13	OTHERWISE OR NOT STATED	98	—	—	1	3	14	21	25	21	9	3	—	
2	VEHICLES AND HORSES.													
	On Railways	148	—	2	4	10	37	30	30	27	6	2	—	
	Motor Car	2	—	—	—	—	1	—	—	1	—	—	—	
	Horse Omnibus	1	—	—	—	—	—	—	—	1	—	—	—	
	Tramcar	3	—	—	—	—	1	—	—	1	1	—	—	
5	MACHINERY.													
	Lift	1	—	—	—	—	—	1	—	—	—	—	—	
6	WEAPONS AND IMPLEMENTS													
	Gun-shot Wound	254	—	—	10	21	58	60	44	40	13	7	—	
	By Knife	521	1	—	1	16	80	122	115	108	60	17	—	
7	BURNS, SCALDS, EXPLOSIONS.													
	Setting fire to Clothes	2	—	—	—	1	—	—	1	—	—	—	—	
	Burn (not stated how)	1	—	—	—	—	—	1	—	—	—	—	—	
	Scald (by Jumping into Boiling Liquid)	1	—	—	—	—	—	1	—	—	—	—	—	
	Explosion of Gunpowder	1	—	—	—	—	—	—	—	1	—	—	—	
8	POISONS AND POISONOUS VAPOURS.													
	Arsenic	1	—	—	—	—	1	—	—	—	—	—	—	
	Phosphorus	1	—	—	—	—	—	—	1	—	—	—	—	
	Ammonia	5	—	—	—	—	—	1	1	2	1	—	—	
	Hydrochloric Acid	41	—	—	—	—	2	8	14	12	5	—	—	
	Nitric Acid	2	—	—	—	—	1	—	1	—	—	—	—	
	Sulphuric Acid	2	—	—	—	1	—	—	—	1	—	—	—	
	Bichloride of Mercury.. .. .	2	—	—	—	—	1	1	—	—	—	—	—	
	Chloride of zinc	2	—	—	—	—	—	—	1	—	—	—	—	
	Sulphate of Copper	1	—	—	—	—	—	—	—	1	—	—	—	
	Potassium Bichromate	4	—	—	—	1	—	—	1	2	—	—	—	
	Potassium Cyanide	34	—	—	3	4	7	4	11	2	3	—	—	
	Sodium Cyanide	1	—	—	—	—	—	1	—	—	—	—	—	
	Carbolic Acid	51	—	—	—	7	5	12	10	9	7	1	—	
	Oxalic Acid	70	—	—	1	6	13	10	25	11	3	1	—	
	Prussic Acid	23	—	—	1	1	4	4	5	6	2	—	—	
	Chloral	1	—	—	—	—	—	1	—	—	—	—	—	
	Chlorodyne	2	—	—	—	—	—	—	2	—	—	—	—	
	Chloroform	4	—	—	—	—	2	1	—	1	—	—	—	
	Chloroform and Morphia	1	—	—	—	—	1	—	—	—	—	—	—	
	Cocaine	1	—	—	—	1	—	—	—	—	—	—	—	
	Nicotine	2	—	—	—	1	—	1	—	—	—	—	—	
	Opium, Laudanum, Morphia	43	—	—	1	3	8	9	12	5	5	—	—	
	Veronal	2	—	—	—	—	—	1	1	—	—	—	—	
	Aconite	1	—	—	—	—	—	1	—	—	—	—	—	
	Strychnia, Nux Vomica	12	—	1	1	—	1	2	7	—	—	—	—	
	Coal Tar	1	—	—	—	—	1	—	—	—	—	—	—	
	Tar and Sulphate of Copper	1	—	—	—	—	—	1	—	—	—	—	—	
	Ronuk and Turpentine	1	—	—	—	—	—	1	—	—	—	—	—	
	Vermin Killer	3	—	—	1	—	—	—	1	1	—	—	—	
	Insecticide	2	—	—	—	—	1	1	—	—	—	—	—	
	Cresylic Acid	1	—	—	—	—	—	1	—	—	—	—	—	
	Coal Gas	84	—	—	1	6	13	29	15	13	7	—	—	
	Kind not stated	35	—	—	—	3	9	7	8	6	2	—	—	
9	DROWNING	503	1	1	15	26	84	98	117	98	52	11	—	
10	SUFFOCATION.													
	By Hanging	820	—	6	17	21	87	148	220	184	111	23	—	
	Blanket in Mouth	1	—	—	—	—	—	—	1	—	—	—	—	
11	FALLS.													
	Jumping from Height	50	—	—	—	4	9	7	10	13	5	2	—	
13	OTHERWISE OR NOT STATED	98	—	—	1	3	14	21	25	21	9	3	—	

ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE in
the YEAR 1908.—**Females.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.										
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upward
	TOTAL	934	—	3	48	79	182	194	208	128	73	17	2
2	VEHICLES AND HORSES	20	—	—	—	4	1	8	4	3	—	—	—
6	WEAPONS AND IMPLEMENTS..	115	—	—	—	8	26	25	25	19	9	3	—
7	BURNS, SCALDS, EXPLOSIONS..	5	—	—	—	1	—	2	1	—	1	—	—
8	POISONS AND POISONOUS VAPOURS	258	—	1	14	18	56	68	66	25	8	2	—
9	DROWNING	306	—	2	28	38	62	52	55	36	28	4	1
10	SUFFOCATION	180	—	—	2	9	25	25	47	43	23	5	1
11	FALLS	32	—	—	2	—	9	10	5	1	3	2	—
13	OTHERWISE OR NOT STATED..	18	—	—	2	1	3	4	5	1	1	1	—
	VEHICLES AND HORSES.												
2	On Railways	20	—	—	—	4	1	8	4	3	—	—	—
6	WEAPONS AND IMPLEMENTS.												
	Gun-shot Wound	10	—	—	—	1	2	4	1	2	—	—	—
	By Knife	105	—	—	—	7	24	21	24	17	9	3	—
7	BURNS, SCALDS, EXPLOSIONS.												
	Setting fire to Clothes	3	—	—	—	1	—	1	1	—	—	—	—
	Burn (not stated how)	2	—	—	—	—	—	1	—	—	1	—	—
8	POISONS AND POISONOUS VAPOURS.												
	Arsenic	1	—	—	—	—	—	—	1	—	—	—	—
	Mercury	1	—	—	—	—	—	1	—	—	—	—	—
	Phosphorus	3	—	—	—	—	1	—	1	1	—	—	—
	Iodine	2	—	—	—	—	1	—	—	—	1	—	—
	Ammonia	6	—	—	—	—	2	3	1	—	—	—	—
	Hydrochloric Acid	35	—	—	2	2	7	9	11	3	—	1	—
	Sulphuric Acid	1	—	—	—	—	—	—	1	—	—	—	—
	Bichloride of Mercury	6	—	—	—	2	1	2	1	—	—	—	—
	Potassium Bichromate.. .. .	1	—	—	—	—	1	—	—	—	—	—	—
	Potassium Cyanide	1	—	—	—	—	1	—	—	—	—	—	—
	Acetic Acid	1	—	—	—	—	—	—	—	—	—	—	—
	Carbolic Acid	47	—	1	2	2	10	12	12	5	2	1	—
	Oxalic Acid	58	—	—	4	5	14	19	9	7	—	—	—
	Prussic Acid	5	—	—	—	—	—	2	3	—	—	—	—
	Chlorodyne	2	—	—	—	—	—	—	1	1	—	—	—
	Opium, Laudanum, Morphia ..	17	—	—	—	2	1	3	8	3	—	—	—
	Digitalis	3	—	—	—	—	2	1	—	—	—	—	—
	Belladonna.. .. .	2	—	—	—	—	—	—	1	1	—	—	—
	Strychnia, Nux Vomica	9	—	—	2	—	3	2	1	—	1	—	—
	Oil of Tar	1	—	—	—	—	1	—	—	—	—	—	—
	Brandy	1	—	—	—	—	—	—	1	—	—	—	—
	Camphorated Oil	1	—	—	1	—	—	—	—	—	—	—	—
	Liniment	2	—	—	—	—	1	1	—	—	—	—	—
	Vermin Killer	2	—	—	—	—	—	—	2	—	—	—	—
	Weed Killer	1	—	—	—	—	—	1	—	—	—	—	—
	Cresolene, Cresylic Acid	2	—	—	1	—	—	1	—	—	—	—	—
	Coal Gas	26	—	—	—	—	8	7	8	2	1	—	—
	Kind not stated	21	—	—	2	4	2	4	5	1	3	—	—
9	DROWNING	306	—	2	28	38	62	52	55	36	28	4	1
10	SUFFOCATION.												
	By Hanging	179	—	—	2	9	25	25	47	43	22	5	1
	Blanket in mouth	1	—	—	—	—	—	—	—	—	1	—	—
11	FALLS.												
	Jumping from Height	32	—	—	2	—	9	10	5	1	3	2	—
13	OTHERWISE OR NOT STATED..	18	—	—	2	1	3	4	5	1	1	1	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS of LIFE in the YEAR 1908.—**Males.**

No.	METHOD OF MURDER,	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.
	TOTAL	74	28	2	2	3	4	3	—	42	8	2	1	1	5	2	8	5	—	—	—
2	VEHICLES AND HORSES	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
6	WEAPONS AND IMPLEMENTS	29	3	1	1	1	2	3	—	11	3	2	1	1	5	—	4	2	—	—	—
7	BURNS, SCALDS, EXPLOSIONS	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	DROWNING	8	2	—	1	1	2	—	—	6	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	6	6	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
12	WEATHER AGENCIES	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.. ..	28	15	1	—	1	—	—	—	17	3	—	—	—	—	2	3	3	—	—	—
2	VEHICLES AND HORSES.																				
	Motor Car	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
6	WEAPONS AND IMPLEMENTS.																				
	Gun-shot Wound ..	8	—	—	—	—	—	—	—	—	1	—	—	1	1	—	3	2	—	—	—
	By Knife	21	3	1	1	1	2	3	—	11	2	2	1	—	4	—	1	—	—	—	—
7	BURNS, SCALDS, EXPLOSIONS.																				
	Burn (not stated how) ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	DROWNING	8	2	—	1	1	2	—	—	6	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how	6	6	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
12	WEATHER AGENCIES.																				
	Exposure to Cold ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	5	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—
	Fracture	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	8	6	—	—	1	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—
	Neglect	2	1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Murder (not otherwise described).. ..	11	6	—	—	—	—	—	—	6	2	—	—	—	—	1	—	2	—	—	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS OF LIFE in
the YEAR 1908.—**Females.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
	TOTAL	113	24	2	6	5	1	1	1	40	10	3	6	11	17	13	4	6	2	1	—
6	WEAPONS AND IM- PLEMENTS	55	4	2	4	3	—	1	—	14	2	1	5	8	10	7	4	3	1	—	—
8	POISONS AND POISON- OUS VAPOURS ..	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
9	DROWNING	9	3	—	1	1	1	—	—	6	2	1	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	10	5	—	—	—	—	—	1	6	2	—	1	1	—	—	—	—	—	—	—
12	WEATHER AGENCIES	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	36	11	—	1	1	—	—	—	13	3	1	—	2	7	6	—	2	1	1	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	25	—	—	2	1	—	—	—	3	—	1	1	4	5	5	3	2	1	—	—
	By Knife	30	4	2	2	2	—	1	—	11	2	—	4	4	5	2	1	1	—	—	—
8	POISONS AND POISON- OUS VAPOURS.																				
	Oxalic Acid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Opium	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9	DROWNING	9	3	—	1	1	1	—	—	6	2	1	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how	10	5	—	—	—	—	—	1	6	2	—	1	1	—	—	—	—	—	—	—
12	WEATHER AGENCIES.																				
	Exposure to cold ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
	Strangulation	6	3	—	—	—	—	—	—	3	2	—	—	—	1	—	—	—	—	—	—
	Attempt to procure abortion:— By operation ..	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	Neglect	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Murder (not otherwise described)	25	7	—	1	1	—	—	—	9	1	1	—	2	4	5	—	1	1	1	—

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1908.—**Males.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up- wards.
	TOTAL	78	5	1	3	1	-	1	-	11	2	2	1	5	12	22	14	4	2	3	-
2	VEHICLES AND HORSES	5	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-
10	SUFFOCATION	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	OTHERWISE OR NOT STATED	72	5	1	2	1	-	1	-	10	2	-	1	5	11	22	13	4	1	3	-
2	VEHICLES AND HORSES.																				
	Motor Car	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	Motor Omnibus	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Motor Fire Engine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
10	SUFFOCATION.																				
	Not stated how	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	34	-	-	-	-	-	1	-	1	-	-	1	4	6	11	7	3	-	1	-
	Fight	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
	Fracture	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-
	Starvation.. ..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Neglect	6	3	1	-	1	-	-	-	5	-	-	-	-	-	-	1	-	-	-	-
	Manslaughter (not other- wise described)	17	2	-	2	-	-	-	-	4	1	-	-	-	2	7	-	1	-	2	-
	Justifiable Homicide	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1908.—**Females.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.
	TOTAL	46	2	3	3	3	—	—	2	13	—	2	3	2	14	4	5	1	—	2	—
2	VEHICLES AND HORSES	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
6	WEAPONS AND IM- PLEMENTS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
8	POISONS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10	SUFFOCATION.. ..	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
11	FALLS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
13	OTHERWISE OR NOT STATED	40	2	3	2	3	—	—	2	12	—	2	2	2	14	2	4	—	—	2	—
2	VEHICLES AND HORSES.																				
	Motor Car	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
8	POISONS.																				
	Cocaine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
11	FALLS.																				
	From Window	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	5	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—
	Fracture	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Starvation	3	1	1	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	Attempt to procure Abortion:—																				
	By Drugs	4	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—
	By Operation	9	—	—	—	—	—	—	—	—	—	—	1	—	8	—	—	—	—	—	—
	Not stated how	4	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—
	Neglect	9	1	2	2	—	—	—	2	7	—	1	—	—	—	—	—	—	—	1	—
	Manslaughter (not other- wise described)	5	—	—	—	2	—	—	—	2	—	1	—	—	—	—	1	—	—	1	—

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT, according to the topographical arrangement adopted in the Tables of Abstracts contained in the Report.* Districts having compound names are placed alphabetically according to the initial letter of the word spoken first locally : thus, East Ashford will be found under the letter E, and not under A.

For names of Towns such as Accrington, Queenborough, &c., which are not found in this "Index of Registration Districts," see the "Index of Registration Sub-districts" (pp. 478-487) and "Index of Urban Districts" (pp. 488-498).

A

Aberayron, 604.
Abergavenny, 582.
Aberystwith, 605.
Abingdon, 115.
Alcester, 397.
Alnwick, 563.
Alresford, 105.
Alston, 568.
Alton, 106.
Alverstokey, 89.
Amersham, 140.
Amesbury, 253.
Ampthill, 173.
Andover, 110.
Anglesey, 630.
Ashbourne, 438.
Ashby de la Zouch, 406.
Ashton under Lyne, 468.
Aston, 387.
Atcham, 351.
Atherstone, 389.
Auckland, 545.
Axbridge, 315.
Axminster, 269.
Aylesbury, 143.
Aylsham, 223.
Aysgarth, 539.

B

Bakewell, 440.
Bala, 623.
Banbury, 155.
Bangor, 628.
Barnet, 128.
Barnsley, 506.
Barnstaple, 285.
Barrow in Furness, 482.
Barrow upon Soar, 408.
Barton upon Irwell, 463.
Basford, 430.
Basingstoke, 108.
Bath, 317.
Battle, 69.

Beaminster, 267.
Bedale, 537.
Bedford, 171.
Bedwellty, 583.
Belford, 564.
Bellingham, 561.
Belper, 437.
Berkhampstead, 139.
Berwick, 565.
Bethnal Green, 16.
Beverley, 519.
Bicester, 151.
Bideford, 287.
Biggleswade, 172.
Billericay, 191.
Billesdon, 402.
Bingham, 434.
Birkenhead, 452.
Birmingham, 386.
Bishop Stortford, 131.
Blaby, 403.
Blackburn, 474.
Blandford, 260.
Blean, 58.
Blofield, 228.
Blything, 216.
Bodmin, 294.
Bolton, 461.
Bootle, 576.
Bosmere, 211.
Boston, 417.
Bourne, 414.
Brackley, 156.
Bradfield, 118.
Bradford on Avon, 249.
Bradford, 497a.
Braintree, 199.
Bramley, 500.
Brampton, 570.
Brecknock, 608.
Brentford, 126.
Bridge, 56.
Bridgend, 589.
Bridgnorth, 348.
Bridgwater, 307.
Bridlington, 525.
Bridport, 268.
Brighton, 77.
Bristol, 320.
Brixworth, 162.
Bromley, 41.
Bromsgrove, 384.
Bromyard, 341.

Buckingham, 146.
Bucklow, 445.
Builth, 607.
Burnley, 472.
Burton upon Trent, 367.
Bury, 462.
Bury St. Edmunds, 205.

C

Caistor, 424b.
Calne, 245.
Camberwell, 26.
Cambridge, 179.
Camelford, 290.
Cannock, 370.
Canterbury, 57.
Cardiff, 586.
Cardigan, 601.
Carlisle, 572.
Carmarthen, 597.
Carnarvon, 627.
Castle Ward, 558.
Catherington, 103.
Caxton, 177.
Chapel en le Frith, 441.
Chard, 309.
Cheadle, 365.
Chelmsford, 192.
Chelsea, 3.
Cheltenham, 335.
Chepstow, 580.
Chertsey, 31.
Chester, 450.
Chesterfield, 439.
Chester le Street, 552.
Chesterton, 178.
Chichester, 84.
Chippenham, 244.
Chipping Norton, 154.
Chipping Sodbury, 322.
Chorley, 475.
Chorlton, 464.
Christchurch, 93.
Church Stretton, 346.
Cirencester, 331.
Cleobury Mortimer, 347.
Clitheroe, 473.
Clun, 345.

* Thus, the number of Births, Illegitimate Births, Deaths, and Marriages in Aberayron District may be ascertained by referring to the "*Abstract of Births, Deaths, and Marriages*," district number 604, which will be found on page 207.

Clutton, 316.
 Cockermouth, 574.
 Colchester, 196.
 Congleton, 448.
 Conway, 629.
 Corwen, 622.
 Cosford, 204.
 Coventry 392.
 Cranbrook, 52.
 Crediton, 282.
 Crickhowell, 609.
 Cricklade, 242.
 Croydon, 38.
 Cuckfield, 75.

D

Darlington, 542.
 Dartford, 42.
 Daventry, 161.
 Depwade, 230.
 Derby, 436.
 Devizes, 247.
 Devonport, 279.
 Dewsbury, 502.
 Docking, 235.
 Dolgelly, 624.
 Doncaster, 511.
 Dorchester, 265.
 Dorking, 35.
 Dover, 64.
 Downham, 238.
 Driffeld, 524.
 Droitwich, 383.
 Droxford, 102.
 Dudley, 374.
 Dulverton, 304.
 Dunmow, 200.
 Durham, 549.
 Dursley, 324.

E

Easington, 550.
 Easingwold, 528.
 East Ashford, 55.
 Eastbourne, 70.
 East Grinstead, 74.
 Easthampstead, 122.
 East Preston, 82.
 East Retford, 427.
 Eastry, 63.
 East Stonehouse, 278.
 East Ward, 577.
 Ecclesall Bierlow, 508.
 Edmonton, 129.
 Elham, 65.
 Ellesmere, 353.
 Ely, 182.
 Epping, 187.
 Epsom, 30.
 Erpingham, 222.
 Eton, 141.
 Evesham, 381.
 Exeter, 272.

F

Falmouth, 298.
 Fareham, 90.
 Faringdon, 114.
 Farnham, 33.
 Faversham, 59.
 Festiniog, 625.
 Flegg, 220.
 Foleshill, 391.
 Forden, 615.
 Fordingbridge, 95.
 Forehoe, 226.
 Freebridge Lynn, 236.
 Frome, 312.
 Fulham, 2.
 Fylde, 477.

G

Gainsborough, 426.
 Garstang, 478.
 Gateshead, 555.
 Glanford Brigg, 425.
 Glendale, 566.
 Glossop, 442*a*.
 Gloucester, 327.
 Godstone, 37.
 Goole, 513.
 Gower, 593.
 Grantham, 419.
 Gravesend, 43.
 Great Ouseburn, 488.
 Greenwich, 27.
 Grimsby, 424*a*.
 Guildford, 32.
 Guisborough, 533.

H

Hackney, 10.
 Hailsham, 71.
 Halifax, 496.
 Halstead, 198.
 Haltwhistle, 560.
 Hambledon, 34.
 Hampstead, 7.
 Hardingstone, 159.
 Hartismere, 209.
 Hartlepool, 544.
 Hartley Wintney, 107.
 Haslingden, 471.
 Hastings, 68.
 Hatfield, 135.
 Havant, 87.
 Haverfordwest, 600.
 Hawarden, 617*b*.
 Hay, 610.
 Hayfield, 442*b*.
 Headington, 149.
 Helmsley, 530.
 Helston, 299.
 Hemel Hempstead, 138.

Hemsworth, 505.
 Hendon, 127.
 Henley, 147.
 Henstead, 227.
 Hereford, 339.
 Hertford, 134.
 Hexham, 559.
 Hinckley, 404.
 Hitchin, 133.
 Holbeach, 416.
 Holbeck, 499.
 Holborn, 13.
 Hollingbourn, 51.
 Holsworthy, 288.
 Holyhead, 631.
 Holywell, 617*a*.
 Honiton, 270.
 Hoo, 45.
 Horncastle, 421.
 Horsham, 79.
 Houghton le Spring, 551.
 Howden, 518.
 Huddersfield, 495.
 Hull, 521.
 Hungerford, 113.
 Hunslet, 498.
 Huntingdon, 168.

I

Ipswich, 213.
 Isle of Wight, 91.
 Isles of Scilly, 302.
 Islington, 9.

K

Keighley, 492.
 Kendal, 579.
 Kensington, 1*b*.
 Kettering, 164.
 Keynsham, 318.
 Kidderminster, 376.
 Kingsbridge, 275.
 Kingsclere, 111.
 King's Lynn, 237.
 Kings Norton, 385.
 Kingston, 39.
 Kington, 343.
 Knaresborough, 489.
 Knighton, 611.

L

Lambeth, 24.
 Lampeter, 603.
 Lancaster, 479.
 Lanchester, 548.
 Langport, 308.
 Launceston, 291.
 Ledbury, 337.
 Leeds, 501.
 Leek, 364.

Leicester, 409.
 Leigh, 460.
 Leighton Buzzard, 175.
 Leominster, 342.
 Lewes, 76*a*.
 Lewisham, 28.
 Lexden, 197.
 Leyburn, 538.
 Lichfield, 369.
 Lincoln, 420.
 Linton, 180.
 Liskeard, 293.
 Liverpool, 453.
 Llandilofawr, 596.
 Llandovery, 595.
 Llanelly, 594.
 Llanfyllin, 616.
 Llanrwst, 621.
 Loddon, 229.
 London City, 14.
 Long Ashton, 319.
 Longtown, 571.
 Loughborough, 407.
 Louth, 423.
 Ludlow, 344.
 Lunesdale, 480.
 Luton, 176.
 Lutterworth, 400.
 Lymington, 92.

M

Macclesfield, 444.
 Machynlleth, 613.
 Madeley, 350.
 Maidenhead, 121.
 Maidstone, 50.
 Maldon, 194.
 Malling, 47.
 Malmesbury, 243.
 Malton, 527.
 Manchester, 466.
 Mansfield, 429.
 Market Bosworth, 405.
 Market Drayton, 356.
 Market Harborough, 401.
 Marlborough, 246.
 Martley, 378.
 Medway, 46.
 Melksham, 248.
 Melton Mowbray, 410.
 Mere, 257.
 Meriden, 388.
 Merthyr Tydfil, 588.
 Middlesbrough, 534.
 Midhurst, 85.
 Mildenhall, 207.
 Mile End Old Town, 20.
 Milton, 60.
 Mitford, 233.
 Monmouth, 581.
 Morpeth, 562.
 Mutford, 218.

N

Nantwich, 449.
 Narberth, 598.
 Neath, 590.
 Newark, 433.
 Newbury, 112.
 Newcastle in Emlyn, 602.
 Newcastle under Lyme, 361.
 Newcastle upon Tyne, 556.
 Newent, 326.
 New Forest, 96.
 Newhaven, 76*b*.
 Newmarket, 181.
 Newport (Monmouth), 585.
 Newport (Salop), 358.
 Newport Pagnell, 145.
 Newton Abbot, 273.
 Newtown, 614.
 Northallerton, 536.
 Northampton, 160.
 North Bierley, 497*b*.
 Northleach, 332.
 Northwich, 447.
 North Witchford, 183.
 Norwich, 225.
 Nottingham, 431.
 Nuneaton, 390.

O

Oakham, 411.
 Okehampton, 281.
 Oldham, 469.
 Ongar, 188.
 Ormskirk, 457.
 Orsett, 190.
 Oswestry, 352.
 Oundle, 166.
 Oxford, 150.

P

Paddington, 1*a*.
 Pateley Bridge, 486.
 Patrington, 522.
 Pembroke, 599.
 Penrith, 569.
 Penzance, 301.
 Pershore, 382.
 Peterborough, 167.
 Petersfield, 104.
 Petworth, 80.
 Pewsey, 252.
 Pickering, 531.
 Plomesgate, 215.
 Plymouth, 277.
 Plympton St. Mary, 276.
 Pocklington, 517.
 Pontardawe, 591.
 Pontefract, 504.
 Pontypool, 58*f*.
 Pontypridd, 587.
 Poole, 262.

Poplar, 21.
 Portsmouth, 88.
 Potterspury, 158.
 Prescott, 456.
 Preston, 476.
 Prestwich, 467.
 Pwllheli, 626.

R

Reading, 119.
 Redruth, 300.
 Reeth, 540.
 Reigate, 36.
 Rhayader, 612.
 Richmond (Surrey), 40.
 Richmond (Yorks), 541.
 Ringwood, 94.
 Ripon, 487.
 Risbridge, 202.
 Rochdale, 470.
 Rochford, 193.
 Romford, 189.
 Romney Marsh, 66.
 Romsey, 99.
 Ross, 338.
 Rothbury, 567.
 Rotherham, 510.
 Royston, 132.
 Rugby, 393.
 Runcorn, 446.
 Ruthin, 619.
 Rye, 67.

S

Saddleworth, 494.
 Saffron Walden, 201.
 St. Albans, 136.
 St. Asaph, 620.
 St. Austell, 296.
 St. Columb, 295.
 St. Faith's, 224.
 St. George Hanover Sq., 4.
 St. George in the East, 18.
 St. Germans, 292.
 St. Giles, 11.
 St. Ives, 169.
 St. Marylebone, 6.
 St. Neots, 170.
 St. Olave (Bermondsey) 23.
 St. Pancras, 8.
 St. Thomas, 271.
 Salford, 465.
 Salisbury, 254.
 Samford, 212.
 Scarborough, 526.
 Sculcoates, 520.
 Sedbergh, 483.
 Sedgefield, 543*b*.
 Selby, 514.
 Settle, 484.
 Sevenoaks, 48.
 Shaftesbury, 258.
 Shardlow, 435.

Sheffield, 509.
 Sheppey, 61.
 Shepton Mallet, 313.
 Sherborne, 266.
 Shifnal, 349.
 Shipston on Stour, 398.
 Shoreditch, 15.
 Skipton, 485.
 Skirlaugh, 523.
 Sleaford, 418.
 Smallburgh, 221.
 Solihull, 394.
 Southam, 399.
 Southampton, 97.
 South Molton, 284.
 South Shields, 554.
 South Stoneham, 98.
 Southwark, 22.
 Southwell, 432.
 Spalding, 415.
 Spilsby, 422.
 Stafford, 359.
 Staines, 124.
 Stamford, 413.
 Stepney, 19.
 Steyning, 78.
 Stockbridge, 100.
 Stockport, 443.
 Stockton, 543*a*.
 Stokesley, 535.
 Stoke upon Trent, 363.
 Stone, 360.
 Stourbridge, 375.
 Stow, 208.
 Stow on the Wold, 333.
 Strand, 12.
 Stratford on Avon, 396.
 Stratton, 289.
 Strood, 44.
 Stroud, 329.
 Sturminster, 259.
 Sudbury, 203.
 Sunderland, 553.
 Swaffham, 239.
 Swansea, 592.
 Swindon, 241.

T

Tadcaster, 515.
 Tamworth, 368.
 Taunton, 306.
 Tavistock, 280.
 Teesdale, 546.
 Tenbury, 377.
 Tendring, 195.
 Tenterden, 53.

Tetbury, 330.
 Tewkesbury, 336.
 Thakeham, 81.
 Thame, 148.
 Thanet, 62.
 Thetford, 240.
 Thirsk, 529.
 Thornbury, 323.
 Thorne, 512.
 Thrapston, 165.
 Ticehurst, 72.
 Tisbury, 256.
 Tiverton, 283.
 Todmorden, 493.
 Tonbridge, 49.
 Torrington, 286.
 Totnes, 274.
 Towcester, 157.
 Toxteth Park, 454.
 Tregaron, 606.
 Truro, 297.
 Tynemouth, 557.

U

Uckfield, 73.
 Ulverston, 481.
 Uppingham, 412.
 Upton on Severn, 380.
 Utttoxeter, 366.
 Uxbridge, 125.

W

Wakefield, 503.
 Wallingford, 117.
 Walsall, 372.
 Walsingham, 234.
 Wandsworth, 25.
 Wangford, 217.
 Wantage, 116.
 Ware, 130.
 Wareham, 263.
 Warminster, 251.
 Warrington, 459.
 Warwick, 395.
 Watford, 137.
 Wayland, 232.
 Weardale, 547.
 Wellingborough, 163.
 Wellington (Salop), 357.
 Wellington (Somerset), 305.

Wells, 314.
 Wem, 354.
 Weobley, 340.
 West Ashford, 54.
 Westbourne, 86.
 West Bromwich, 373.
 Westbury, 250.
 Westbury on Severn, 325.
 West Derby, 455.
 West Ham, 186.
 Westhampnett, 83.
 Westminster, 5.
 West Ward, 578.
 Wetherby, 490.
 Weymouth, 264.
 Wharfedale, 491.
 Wheatenhurst, 328.
 Whitby, 532.
 Whitechurch (Hants), 109.
 Whitechurch (Salop), 355.
 Whitechapel, 17.
 Whitehaven, 575.
 Whittlesey, 184.
 Wigan, 458.
 Wigton, 573.
 Williton, 303.
 Wilton, 255.
 Wimborne, 261.
 Wincanton, 311.
 Winchcomb, 334.
 Winchester, 101.
 Windsor, 123.
 Winslow, 144.
 Wirral, 451.
 Wisbech, 185.
 Witney, 153.
 Wokingham, 120.
 Wolstanton, 362.
 Wolverhampton, 371.
 Woodbridge, 214.
 Woodstock, 152.
 Woolwich, 29.
 Worcester, 379.
 Worksop, 428.
 Wortley, 507.
 Wrexham, 618.
 Wycombe, 142.

Y

Yarmouth, 219.
 Yeovil, 310.
 York, 516.

In consequence of numerous alterations in districts since the numerical arrangement, 1 to 623, was adopted in the Abstracts for the year 1847, the districts were re-numbered consecutively from 1 to 630 in the Abstracts for the year 1881. Since that date the districts of Woburn (174), Thingoe (205), Hoxne (210), Guiltercross (231), and Barton Regis (321) have been dissolved and eight new Registration Districts have been formed, the District of Kensington having been divided into Paddington (1*a*) and Kensington (1*b*), the District of Lewes into Lewes (76*a*) and Newhaven (76*b*), the District of Caistor into Grimsby (424*a*) and Caistor (424*b*), the District of Glossop into Glossop (442*a*) and Hayfield (442*b*), the District of Chester into Chester (450) and Hawarden (617*b*), the District of Bradford into Bradford (497*a*) and North Bierley (497*b*), the District of Stockton into Stockton (543*a*) and Sedgefield (543*b*), and the District of Anglesey into Anglesey (630) and Holyhead (631).

INDEX OF REGISTRATION SUB-DISTRICTS.

In this arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in alphabetical order according to the initial letter of the word spoken first locally; thus East Grinstead will be found under the letter E, and not as "Grinstead, East"; St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to its numerical place in the Tables of Abstracts; thus Abbey Holme (573; 2) is the 2nd Sub-District of Wigton District (No. 573).

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
A			Ancoats	Manchester ..	466; 1	Bampton	Witney	153; 2
			Andover	Andover	110; 3	Banbury	Banbury	155; 4
			Anston	Worksop	428; 3	Bangor	Bangor	628; 2
			Antony	St. Germans ..	292; 1	Barham	Bridge	56; 2
			Appleby	East Ward	577; 1	Barking Town ..	Romford	189; 3
			Appleton	Northallerton ..	536; 1	Barnbrough ..	Doncaster	511; 2
			Wiske.			Barmouth	Dolgelly	624; 2
			Ardleigh	Tendring	195; 5	Barnack	Stamford	413; 2
			Ardsley	Wakefield	503; 5	Barnard Castle ..	Teesdale	546; 2
			Ardwick	Chorlton	464; 2	Barnet	Barnet	128; 2
			Arkholme	Lunesdale	480; 4	Barnoldswick ..	Skipton	485; 3
			Arncliffe	Settle	484; 5	Barnsbury	Islington	9; 5
			Arnold	Basford	430; 5	Barnsley	Barnsley	506; 2
			Arundel	East Preston ..	82; 3	Barnstaple	Barnstaple	285; 1
			Ashbourne ..	Ashbourne	438; 1	Barnwood	Gloucester	327; 1
			Ashburton	Newton Abbot ..	273; 4	Barrow in Furness.	Barrow in Furness.	482; 1
			Ashby de la Zouch.	Ashby de la Zouch.	406; 3	Barrowden ..	Uppingham ..	412; 3
			Ashford	West Ashford ..	54; 2	Barrow upon Soar.	Barrow upon Soar.	408; 1
			Ashington	Morpeth	562; 3	Barton	Barton upon Irwell.	463; 2
			Ashley	Bristol	320; 8	Barton	Elanford Brigg	425; 3
			Ashover	Chesterfield ..	439; 1	Baschurch	Glanmere	353; 4
			Ashton in Makerfield.	Wigan	458; 7	Basingstoke ..	Basingstoke ..	108; 1
			Ashton Town ..	Ashton under Lyne.	468; 3	Bassingham ..	Newark	433; 2
			Ashwater	Holsworthy ..	288; 4	Batheaston ..	Bath	317; 5
			Askrigg	Aysgarth	539; 1	Bath	Bath	317; 2
			Aslackby	Bourne	414; 2	Batley	Dewsbury	502; 2
			Aspull	Wigan	458; 2	Battle	Battle	69; 2
			Aston	Rotherham	510; 1	Bawdeswell ..	Mitford	233; 3
			Aston Manor ..	Aston	387; 4	Bawtry	Doncaster	511; 5
			Atherstone	Atherstone	389; 1	Beaminster ..	Beaminster ..	267; 3
			Atherton	Leigh	460; 4	Beaufort	Crickhowell ..	609; 2
			Attercliffe	Sheffield	509; 7	Beaumaris ..	Bangor	628; 1
			Attleborough ..	Wayland	232; 1	Bebington	Wirral	451; 3
			Audenshaw ..	Ashton under Lyne.	468; 4	Beccles	Wangford	217; 2
			Audley	Newcastle under Lyme.	361; 3	Beckenham ..	Bromley	41; 2
			Aughton	Ormskirk	457; 3	Beckley	Rye	67; 2
			Axbridge	Axbridge	315; 1	Bedale	Bedale	537; 1
			Axminster	Axminster	269; 2	Bedford and Cardington.	Bedford	171; 6
			Aycliffe	Darlington	542; 3	Bedford and Kempston.	Bedford	171; 5
			Aylesbury	Aylesbury	143; 2	Bedlington ..	Morpeth	562; 2
			Aylesford	Malling	47; 1	Bedminster ..	Bristol	320; 1
B			Bacup	Haslingden	471; 2	Beeston	Basford	430; 3
			Bainton	Driffield	524; 3	Begelly	Narberth	598; 3
			Bakewell	Bakewell	440; 1	Belbroughton ..	Bromsgrove ..	384; 2
			Bala	Bala	623; 1	Belford	Belford	564; 1
			Balderton	Newark	433; 4	Belgrave	St. George Hanover-square.	4; 2
			Baldock	Hitchin	133; 1	Bellingham ..	Bellingham ..	561; 1
			Balsall Heath ..	King's Norton ..	385; 2	Belper	Belper	437; 3
			Balsham	Linton	180; 3	Belton	Mutford	218; 3
			Bampton	Tiverton	283; 4	Benington	Boston	417; 2
						Bentham	Settle	484; 1
						Benwell	Newcastle upon Tyne.	556; 1
						Bere Regis	Wareham	263; 4
						Berkeley	Thornbury	323; 3
						Berkhamstead.	Berkhamstead.	139; 1
						Bermondsey ..	St. Olave (Bermondsey).	23; 2
						Berwick upon Tweed.	Berwick	565; 1
						Betchworth ..	Reigate	36; 1
						Bethnal Green ..	Bethnal Green ..	16; 1
						Bethnal Green ..	Bethnal Green ..	16; 2
						Bethnal Green ..	Bethnal Green ..	16; 2
						Bettws y Coed ..	Llanrwst	621; 2

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Beverley	Beverley	519 ; 2	Braintree	Braintree	199 ; 5	C		
Bewdley	Kidderminster	376 ; 5	Bramley	Basingstoke ..	108 ; 2			
Bexhill	Battle	69 ; 1	Bramley	Bramley	500 ; 1			
Bexley	Dartford	42 ; 1	Brampton	Brampton	570 ; 2			
Bibury	Northleach....	332 ; 1	Brandesburton	Skirlaugh	523 ; 5			
Bicester	Bicester	151 ; 2	Brassington ..	Ashbourne	438 ; 3			
Bickerstaffe ..	Ormskirk	457 ; 1	Bratton Clo- velly.	Okehampton..	281 ; 1			
Biddulph	Leek	364 ; 2	Braughing....	Bishop Stort- ford.	131 ; 3			
Bideford	Bideford	287 ; 1						
Biggleswade ..	Biggleswade ..	172 ; 1	Breage	Helston	299 ; 4			
Billesdon	Billesdon	402 ; 1	Brecknock ..	Brecknock	608 ; 2	Cadoxton	Neath	590 ; 4
Billinge	Wigan	458 ; 6	Bredbury	Stockport	443 ; 3	Caerleon	Newport(Mon- mouth).	585 ; 1
Billinghay	Sleaford	418 ; 1	Brenchley	Tonbridge	49 ; 3	Cainham.....	Ludlow	344 ; 3
Billington	Blackburn	474 ; 1	Brentford	Brentford	126 ; 3	Caistor.....	Caistor	424 ; 1
Bilston	Wolverhampton	371 ; 7	Brentwood ..	Billericay	191 ; 1	Calbourne ...	Isle of Wight..	91 ; 6
Binbrook	Louth	423 ; 3	Bretton	Wakefield	503 ; 1	Caldbeck	Wigton	573 ; 3
Bingham.....	Bingham	434 ; 1	Brewood	Cannock	370 ; 1	Calehill	West Ashford ..	54 ; 1
Bingley	Keighley	492 ; 1	Bridgend	Bridgend	589 ; 4	Callington ...	Liskeard	293 ; 1
Binsted	Alton	106 ; 2	Bridgnorth ..	Bridgnorth....	348 ; 2	Calne	Calne	245 ; 1
Birkenhead ..	Birkenhead ..	452 ; 1	Bridgwater ..	Bridgwater	307 ; 2	Calstock	Tavistock	280 ; 1
Bishop Auck- land.	Auckland	545 ; 1	Bridlington ..	Bridlington ..	525 ; 2	Calton	Ashbourne	438 ; 2
Bishops Castle	Clun	345 ; 2	Bridport	Bridport	268 ; 2	Calverley ...	North Bierley ..	497 ; 8
Bishops Frome	Bromyard	341 ; 2	Brigg	Glanford Brigg	425 ; 1	Camberwell ..	Camberwell ..	26 ; 3
Bishop's Lyde- ard.	Taunton	306 ; 4	Brighouse	Halifax	496 ; 1			
BishopsTawton	Barnstaple	285 ; 5	Brilley	Kington	343 ; 1	Camberwell ..	Camberwell ..	26 ; 2
Bishopstone ..	Wilton	255 ; 2	Brindle	Chorley	475 ; 1			
Bishops Walt- ham.	Droxford	102 ; 1	Bristol Central	Bristol	320 ; 3			
Bishopthorpe	York	516 ; 4	Brixham.....	Totnes	274 ; 2	Camborne ...	Redruth	300 ; 4
Bisley	Stroud	329 ; 3	Brixton	Lambeth.....	24 ; 5	Camelford ...	Camelford	290 ; 2
Bitton	Keynsham	318 ; 1	Broadstairs ..	Thanet	62 ; 3	Campsall ...	Doncaster	511 ; 4
Blackawton ..	Kingsbridge ..	275 ; 1	Broadway	Evesham	381 ; 2	Canford	Poole	262 ; 1
Blackburn ..	Blackburn	474 ; 4	Brookhampton	Bromyard	341 ; 3	Canning Town	West Ham	186 ; 4
Northern.			Bromley	Bromley	41 ; 1	Cannock	Cannock	370 ; 2
Blackburn ..	Blackburn	474 ; 6	Bromley	Poplar	21 ; 2	Canterbury ...	Canterbury ..	57 ; 1
Southern.			Bromsgrove ..	Bromsgrove	384 ; 1	Capel	Dorking	35 ; 1
Blackburn ..	Blackburn	474 ; 5	Brompton	Kensington....	15 ; 2	Capel St. Mary	Samford	212 ; 1
Western.			Bromyard	Bromyard	341 ; 1	Carburton ...	Workshop	428 ; 4
Blackley	Prestwich	467 ; 3	Broomhall....	Ecclesall Bier- low.	508 ; 7	Cardigan	Cardigan	601 ; 2
Blackpool	Fylde	477 ; 3	Broseley	Madeley	350 ; 3	Carlford	Woodbridge ..	214 ; 1
Black Torring- ton.	Holsworthy ..	288 ; 3	Broughton ..	Preston.....	476 ; 7	Carlton	Basford	430 ; 6
Blackwell	Mansfield	429 ; 3	Broughton ..	Salford	465 ; 2	Carlton	Selby	514 ; 1
Blaenavon	Abergavenny ..	582 ; 4	Broughton ..	Stockbridge ..	100 ; 1	Carlton	Workshop	428 ; 2
Blagdon	Axbridge	315 ; 4	Bryngwran ..	Holyhead	631 ; 1	Carmarthen ..	Carmarthen ..	597 ; 3
Blandford	Blandford	260 ; 2	Bubwith	Howden	518 ; 2	Carnarvon ...	Carnarvon	627 ; 3
Bletchington ..	Bicester	151 ; 1	Buckfastleigh	Totnes	274 ; 5	Carshalton....	Epsom	30 ; 1
Blidworth	Mansfield	429 ; 6	Buckingham..	Buckingham ..	146 ; 1	Cartmel	Ulverston	481 ; 1
Blockley.....	Shipston on Stour.	398 ; 1	Bucklebury ..	Bradfield.....	118 ; 1	Castle Cary ..	Wincanton	311 ; 1
			Budworth	Runcorn	446 ; 1	Castle Combe	Chippenham..	244 ; 1
			Bugbrooke....	Northampton	160 ; 3	Castle Doning- ton.	Shardlow	435 ; 1
			Builth	Builth	607 ; 4	Castleford ...	Pontefract	504 ; 4
Blofield	Blofield	228 ; 1	Bulmer	Malton	527 ; 5	Castle Rising..	Freebridge ..	236 ; 3
Bloxham	Banbury	155 ; 1	Bulmer	Sudbury	203 ; 1			
Bloxwich	Walsall.....	372 ; 2	Bulwell	Nottingham ..	431 ; 5	Castleton No.1	Rochdale.....	470 ; 2
Blyth	Tynemouth	557 ; 5	Bunbury	Nantwich	449 ; 3	Castleton No.2	Rochdale.....	470 ; 3
Bobbingworth	Ongar	188 ; 1	Bungay	Wangford	217 ; 1	Caton	Lunesdale ..	480 ; 1
Bocking	Braintree	199 ; 2	Buntingford ..	Royston	132 ; 1	Catterick	Richmond ..	541 ; 2
Bodenham ..	Leominster ..	342 ; 2	Burbage	Hinckley	404 ; 1		(Yorks).	
Bodmin	Bodmin	294 ; 3	Bures	Sudbury	203 ; 2	Caversham ..	Henley	147 ; 2
Bognor.....	Westhampnett	83 ; 2	Burford	Witney	153 ; 4	Cawthorne ..	Wortley	507 ; 1
Bollington	Macclesfield ..	444 ; 2	Burgh	Carlisle.....	572 ; 5	Caxton.....	Caxton	177 ; 1
Bolsover	Chesterfield ..	439 ; 3	Burgh	Spilsby	422 ; 4	Cenarth	Newcastle in Emlyn.	602 ; 3
Boote	Boote	576 ; 2	Burhill	Hereford	339 ; 3			
Bootle	West Derby ..	455 ; 5	Burnham	Axbridge.....	315 ; 2	Central	Manchester ..	466 ; 2
Bordesley	Aston	387 ; 2	Burnham	Docking	235 ; 1	Central Cardiff	Cardiff	586 ; 3
Boroughbridge	Great Ouse- burn.	488 ; 1	Burnham	Eton	141 ; 2	Central Hack- ney.	Hackney	10 ; 3
			Burslem	Wolstanton....	362 ; 3			
Boscastle.....	Camelford	290 ; 1	Burton Brad- stock.	Bridport	268 ; 1	Cerne	Dorchester	285 ; 4
Boston	Boston	417 ; 3	Burton Lati- mer.			Chadderton ..	Oldham	469 ; 4
Botesdale	Hartismere	209 ; 2	Burton upon Trent.	Kettering	164 ; 1	Chaddesley Corbett.	Kidderminster	376 ; 1
Boughton	Faversham....	59 ; 1	Burwell	Burton upon Trent.	367 ; 4	Chagford	Okehampton..	281 ; 4
Bourne.....	Bourne	414 ; 3	Bury St. Ed- munds.	Newmarket ..	181 ; 3	Chailey	Lewes	76a ; 1
Bournemouth ..	Christchurch..	93 ; 2	Bushey	Bury St. Ed- munds.	205 ; 2	Chalfont	Amersham	140 ; 4
Bourton on the Water.	Stow on the Wold.	333 ; 1	Buxton	Watford	137 ; 1	Chapel en le Frith.	Chapel en le Frith.	441 ; 2
Bow	Crediton	282 ; 2	Buxton	Ayisham	223 ; 2	Chapelton ..	Leeds.....	501 ; 5
Bow	Poplar	21 ; 1	Buxton	Chapel en le Frith.	441 ; 1	Chard	Chard	309 ; 3
Bowling	Bradford	497a ; 1	Byker	Newcastle upon Tyne	556 ; 6	Chardstock ..	Axminster	269 ; 3
Boxgrove	Westhampnett	83 ; 4	Bywell.....	Hexham	559 ; 1	Charlbury	Chipping Nor- ton.	154 ; 1
Brabourne ..	East Ashford..	55 ; 1				Charlton	Woolwich	29 ; 1
Brackley	Brackley	156 ; 1				Charlton Kings	Cheltenham ..	335 ; 1
Bracknell	Easthampstead	122 ; 1				Chartham	Bridge	56 ; 1
Bradfield	Wortley	507 ; 6				Chatteris	North Witch- ford.	183 ; 1
Bradford	Prestwich	467 ; 6						
Bradford East	Bradford	497a ; 2				Cheadle	Cheadle	365 ; 4
Bradford on Avon.	Bradford on Avon.	249 ; 1				Cheadle	Stockport	443 ; 8
Bradford West	Bradford	497a ; 3				Chedworth ..	Northleach ..	332 ; 2
Brading	Isle of Wight..	91 ; 4				Cheetham	Prestwich	467 ; 1
Bradley	Westbury.....	250 ; 1				Chelmsford ..	Chelmsford ..	192 ; 2
Bratfield	Hardingstone	159 ; 1						

INDEX OF REGISTRATION SUB-DISTRICTS.

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Chelsea North	Chelsea	3; 1	Conwil	Carmarthen ..	597; 4	Didsbury	Chorlton	464; 1
Chelsea South	Chelsea	3; 2	Conwil Caio ..	Llandoverly ..	595; 7	Dilhorne	Cheadle	365; 1
Cheltenham ..	Cheltenham ..	335; 2	Corby	Bourne	414; 1	Dilwyn	Weobley	340; 1
Chepstow	Chepstow	580; 1	Corfe Castle ..	Wareham	263; 2	Dishforth	Ripon	487; 1
Cheriton Fitz- paine.	Crediton	282; 4	Cornforth	Sedgefield ..	543; 2	Diss	Depwade	230; 1
Chertsey	Chertsey	31; 2	Corsham	Chippenham ..	244; 2	Doncaster	Doncaster	511; 1
Chesham	Amersham	140; 2	Corwen	Corwen	622; 1	Donhead	Tisbury	256; 1
Cheshunt	Edmonton	129; 8	Costessey	Forehoe	226; 1	Donington	Spalding	415; 1
Chesterfield ..	Chesterfield ..	439; 2	Cotswold	Cirencester	331; 1	Dorchester	Dorchester	265; 1
Chester Castle	Chester	450; 2	Cottingham	Sculcoates	520; 2	Dore	Ecclesall Bier- low.	508; 1
Chester Cathed- ral.	Chester	450; 3	Coulson	Croydon	38; 1	Dorking	Dorking	35; 1
Chester le Street.	Chester le Street.	552; 1	Cowbridge	Bridgend	589; 3	Dover	Dover	64; 1
Chetton	Bridgnorth	348; 1	Cowes	Isle of Wight ..	91; 1	Downham	Downham	238; 1
Cheveley	Newmarket ..	181; 1	Coxwold	Easingwold ..	528; 3	Downham	Salisbury	254; 1
Chew Magna ..	Clutton	316; 2	Cramlington ..	Tynemouth ..	557; 6	Driffild	Driffild	524; 1
Chichester ..	Chichester	84; 1	Cranborne	Wimborne	261; 1	Drighlington ..	North Bierley ..	497; 1
Chigwell	Epping	187; 1	Cranbrook	Cranbrook	52; 1	Droitwich	Droitwich	383; 1
Chippenham ..	Chippenham ..	244; 3	Cranfield	Amphill	173; 3	Dronfield	Chesterfield ..	439; 1
Chipping	Clitheroe	473; 3	Cranley	Hambledon ..	34; 2	Drypool	Sculcoates	520; 1
Chipping Nor- ton.	Chipping Nor- ton.	154; 2	Crediton	Crediton	282; 3	Dudley	Dudley	374; 1
ChippingOngar	Ongar	188; 2	Crewe	Nantwich	449; 1	Duddeston	Aston	387; 1
Chipping Sod- bury.	Chipping Sod- bury.	322; 2	Crewkerne	Chard	309; 4	Duffield	Belper	437; 1
Chirbury	Forden	615; 2	Criccieth	Pwllheli	626; 1	Dukinfield	Ashton under Lyne.	468; 1
Chislehurst ..	Bromley	41; 4	Crick	Rugby	393; 2	Dulverton	Dulverton	304; 1
Chiswick	Brentford	126; 4	Crickhowell ..	Crickhowell ..	609; 4	Dulwich	Camberwell ..	26; 1
Chobham	Chertsey	31; 3	Cricklade	Cricklade	242; 2	Dummer	Basingstoke ..	108; 1
Chollerton	Hexham	559; 4	Cromer	Erpingham ..	222; 2	Dunchurch	Rugby	393; 1
Cholsey	Wallingford ..	117; 1	Crompton	Oldham	469; 7	Dunmow	Dunmow	200; 1
Chorley	Chorley	475; 4	Cropredy	Banbury	155; 3	Dunnington ..	York	516; 1
Chorlton upon Medlock.	Chorlton	464; 3	Crosby	West Derby ..	455; 1	Dunstable	Luton	176; 1
Christchurch ..	Christchurch ..	93; 1	Croston	Chorley	475; 5	Dunster	Williton	303; 1
Christchurch ..	St. Marylebone	6; 3	Crowan	Helston	299; 5	Dursley	Dursley	324; 1
Christchurch and St. Savi- our South- wark.	Southwark ..	22; 1	Crowland	Peterborough ..	167; 3	Duxford	Linton	180; 1
Christian Mal- ford.	Chippenham ..	244; 4	Crowle	Thorne	512; 3			
Chudleigh	Newton Abbot	273; 2	Cuckfield	Cuckfield	75; 1			
Church Hulme ..	Congleton	448; 1	Culcheth	Leigh	460; 2			
Church Stret- ton.	Church Stret- ton.	346; 1	Cullompton ..	Tiverton	233; 2			
Cilycwm	Llandoverly ..	595; 6	Culmstock	Wellington (Somerset).	305; 4			
Cirencester ..	Cirencester	331; 2	Cwmdu	Crickhowell ..	609; 1			
Clacton	Tendring	195; 1						
Clapham	Wandsworth ..	25; 4						
Clarborough ..	East Retford ..	427; 2						
Clare	Risbridge	202; 3						
Clawton	Holsworthy ..	288; 5						
Claypole	Newark	433; 5						
Cleckheaton ..	North Bierley	497; 1						
Cleeve	Winchcomb ..	334; 2						
Cleobury Mor- timer.	Cleobury Mor- timer.	347; 1						
Clerkenwell ..	Holborn	13; 2						
Clifton	Bristol	320; 2						
Clitheroe	Clitheroe	473; 4						
Clodock	Hereford	339; 7						
Clun	Clun	345; 1						
Clydey	Newcastle in Emlyn.	602; 2						
Cockermouth	Cockermouth	574; 2						
Coddenham ..	Bosmere	211; 1						
Coggeshall	Braintree	199; 3						
Coker	Yeovil	310; 1						
Colchester	Colchester	196; 2						
North West.								
Colchester	Colchester	196; 1						
South East..								
Coleford	Monmouth	581; 2						
Coleshill	Meriden	388; 1						
Collingbourne	Pewsey	252; 2						
Colne	Burnley	472; 5						
Colneis	Woodbridge ..	214; 2						
Colton	Ulverston	481; 2						
Colwyn	Builth	607; 3						
Colwyn Bay ..	Conway	629; 3						
Colyton	Axminster	269; 4						
Combe Martin	Barnstaple	285; 3						
Combe St.	Chard	309; 2						
Nicholas.								
Condovery	Atcham	351; 1						
Congleton	Congleton	448; 2						
Consett	Lanchester	548; 2						
Constantine ..	Falmouth	298; 3						
Conway	Conway	629; 1						

[illegible]

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Langport	Langport	308; 2	Llanrwst	Llanrwst	621; 1	Malmesbury	Malmesbury ..	243; 2
Langtoft	Driffield	524; 4	Llansadwrn ..	Llandovery ..	595; 3	Western.		
Lanlivery	Bodmin	294; 1	Llansamlet ..	Swansea	592; 4	Malpas	Whitchurch	355; 2
Lastingham ..	Pickering	531; 1	Llansantffraid	Aberayron	604; 2		(Salop).	
Lathom	Ormskirk	457; 8	Llansantffraid	Llanfyllin	616; 2	Maltby	Rotherham ..	510; 6
Launceston ..	Launceston ..	291; 3	Llansilin	Oswestry	352; 2	Malton	Malton	527; 3
Lavenham	Cosford	204; 1	Llantarnam ..	Newport(Mon-	585; 4	Malvern	Upton on Sev-	380; 1
Lavington	Devizes	247; 2		mouth).			ern.	
Leake	Loughborough	407; 2	Llantrisant ..	Pontypridd ..	587; 3	Manningtree..	Tendring	195; 4
Leamington ..	Warwick	395; 2	Llanvihangel	Abergavenny ..	582; 2	Mansfield ...	Mansfield	429; 5
Leatherhead..	Epsom	30; 3	Llanwenog...	Lampeter	603; 4	Marazion	Penzance.....	301; 3
Ledbury	Ledbury	337; 1	Llanwnog	Newtown	614; 2	March	North Witch-	183; 2
Lee	Lewisham	28; 2	Llanwonno ...	Pontypridd ..	587; 2		ford.	
Leek	Leek	364; 3	Llanwrtyd...	Builth	607; 1	Maresfield....	Uckfield	73; 4
Leek Frith....	Leek	364; 4	Llanybyther..	Lampeter	603; 1	Margam	Neath	590; 1
Leigh	Leigh	460; 3	Lockington ...	Beverley	519; 3	Margate	Thanet	62; 2
Leigh	Martley	378; 2	Lockton	Pickering	531; 4	Market Bos-	Market Bos-	405; 1
Leighton Buz-	Leighton Buz-	175; 1	Lockwood	Huddersfield..	495; 9	worth.	worth.	
Leintwardine	Ludlow	344; 1	Loddon	Loddon	229; 2	Market Dray-	Market Dray-	356; 2
Lenham	Hollingbourn ..	51; 2	Loftus	Guisborough ..	533; 1	ton.	ton.	
Leominster ..	Leominster....	342; 1	Long Ashton	Long Ashton ..	319; 1	Market Har-	Market Har-	401; 1
Lerrin	Liskeard	293; 4	Longbenton ..	Tynemouth ..	557; 3	borough.	borough.	
Leven	Beverley	519; 4	Longbridge ..	Warminster ..	251; 2	Market Rasen	Caistor	424b; 2
Leverington ..	Wisbech	185; 1	Deverill.			Market	Pocklington ..	517; 3
Lewes	Lewes	76a; 2	Long Buckby	Daventry	161; 3	Weighton.		
Lewisham	Lewisham	28; 3	Longnor	Leek	364; 5	Marlborough	Marlborough..	246; 1
Lewknor	Thame	148; 1	Longparish ...	Andover	110; 1	Marlow	Wycombe	142; 2
Leyburn	Leyburn	538; 2	Long Preston	Settle	484; 3	Marshfield ...	Chipping Sod-	322; 3
Leyland	Chorley	475; 2	Long Sutton ..	Holbeach	416; 2		bury.	
Lichfield	Lichfield	369; 1	Longton	Preston	476; 1	Marske	Guisborough ..	533; 3
Lifton	Tavistock	280; 3	Longton	Stoke upon	363; 4	Martley	Martley	378; 1
Limehouse	Stepney	19; 2		Trent.		Martock	Yeovil	310; 3
Lincoln Home	Lincoln	420; 2	Longtown	Longtown	571; 1	Marton	Gainsborough	426; 4
Lincoln North-	Lincoln	420; 3	Looe	Liskeard	293; 3	Maryport	Cockermouth ..	574; 4
east.			Loose	Maidstone	50; 2	Masham	Bedale	537; 2
Lincoln South-	Lincoln	420; 1	Loughborough	Loughborough	407; 1	Matlock	Bakewell	440; 2
west.			Loughor	Llanelly	594; 1	Mattshall ...	Mitford	233; 2
Linton	Linton	180; 2	Louth	Louth	423; 2	Mayfair and	St.George Han-	4; 1
Liskeard	Liskeard	293; 2	Lower	Islington	9; 4	Knightsbridge.	over Square.	
Litcham	Mitford	233; 5	Holloway.			Measham	Ashby de la	406; 1
Litherland	West Derby ..	455; 2	Lower Merthyr	Merthyr Tydfil	588; 2		Zouch.	
Little Bolton ..	Bolton	461; 7	Tydfil.			Melbourn	Royston	132; 3
Littleborough	Rochdale	470; 7	Lower Mitton	Kidderminster	376; 4	Melbourne....	Shardlow	435; 2
Littlehampton	East Preston ..	82; 2	Lowestoft ...	Mutford	218; 2	Melford	Sudbury	203; 4
Littleport	Ely	182; 4	Lowther	West Ward....	578; 2	Melksham	Melksham	248; 1
Liversedge	Dewsbury	502; 4	Lowton	Leigh	460; 1	Mellor	Blackburn	474; 3
Llanarmon	Ruthin	619; 1	Ludham	Smallburgh ..	221; 1	Melton Mow-	Melton Mow-	410; 1
Llanarth	Abergavenny ..	582; 1	Ludlow	Ludlow	344; 2	bray.	bray.	
Llanbister	Knighton	611; 3	Luton	Luton	176; 2	Mendlesham..	Hartismere ..	209; 1
Llanboidy	Narberth	598; 1	Lutterworth..	Lutterworth ..	400; 1	Mere	Mere	257; 1
Llandaff	Cardiff	586; 1	Lydbury	Clun	345; 4	Meriden	Meriden	388; 2
Llanddausant	Llandovery ..	595; 1	Lydd	Romney Marsh	66; 2	Methwold	Thetford	240; 1
Llanddeusant	Holyhead	631; 2	Lydney	Chepstow	580; 2	Mevagissey ..	St. Austell ...	296; 3
Llandebie	Llandilofawr..	596; 6	Lyme	Axminster	269; 1	Micheldever ..	Winchester....	101; 1
Llandilo	Llandilofawr..	596; 4	Lymington ..	Lymington	92; 1	Michelmersh ..	Romsey	99; 2
Llandilo Taly-	Swansea	592; 1	Lymm	Bucklow	445; 4	Middleham	Leyburn	538; 1
bont.			Lyncombe	Bath	317; 3	Middlesbrough	Middlesbrough	534; 1
Llandingat....	Llandovery ..	595; 4	Lyndhurst ..	New Forest ..	96; 1	Middleton	Oldham	469; 5
Llandudno....	Conway	629; 2	Lynton	Barnstaple....	285; 2	Middleton	Teesdale	546; 3
Llandwrog	Carnarvon	627; 1	Lytchett	Poole	262; 3	Middlewich ..	Northwich	447; 4
Llandyrnog	Ruthin	619; 5	Lytham	Fyde	477; 2	Middlezoy	Bridgwater ..	307; 4
Llandysilio ..	Aberayron	604; 1	Lythe	Whitby	532; 3	Midhurst	Midhurst	85; 1
Llandyssil	Newcastle in	602; 4				MidsummerNor-	Clutton	316; 4
	Emlyn.					ton.		
Llanelidan	Ruthin	619; 3				Milborne Port	Wincanton ...	311; 2
Llanelly	Crickhowell ..	609; 3				Mildenhall....	Mildenhall ...	207; 1
Llanelly	Llanelly	594; 2				Mile End New	Whitechapel ..	17; 2
Llanfair	Llanfyllin	616; 1				Town.		
Llanfairary-	Llandovery ..	595; 5				Mile End Old	Mile End Old	20; 2
bryn.						Town North	Town.	
Llanfairfechan	Bangor	628; 3				Eastern.		
Llanfechell ..	Anglesey	630; 3				Mile End Old	Mile End Old	20; 1
Llanfynydd ..	Llandilofawr..	596; 2				Town South	Town.	
Llangadock	Llandovery ..	595; 2				Western.		
Llangafelach ..	Swansea	592; 2				Milford	Haverfordwest	600; 1
Llangathen ..	Llandilofawr..	596; 3				Milford	Lymington....	92; 2
Llangeini	Anglesey	630; 1				Millbrook	South Stone-	98; 3
Llangeitho	Tregaron	606; 2					ham.	
Llangendeirne	Carmarthen ...	597; 1				Milnrow	Rochdale	470; 1
Llangibby	Pontypool	534; 3				Milnthorpe ..	Kendal	579; 4
Llangollen	Corwen	622; 2				Milton	Milton	60; 1
Llangorse	Brecknock	608; 4				Milton Abbas	Blandford	260; 1
Llanhilleth ..	Pontypool	534; 1				MiltonDamerel	Holsworthy ..	288; 1
Llanidan	Carnarvon	627; 4				Milverton	Wellington	305; 2
Llanidloes	Newtown	614; 1					(Somerset).	
Llanllechid ..	Bangor	628; 4				Minchinhamp-	Stroud	329; 6
Llannon	Llanelly	594; 4				ton.		
Llanrhaiadr ..	Llanfyllin	616; 3				Minehead	Williton	303; 1
Llanrhaiadr ..	Ruthin	619; 4				Minster	Sheppey	61; 1
Llanrhytydd ..	Aberystwith ..	605; 1				Minster	Thanet	62; 1
Llanrug	Carnarvon	627; 2				Mirfield	Dewsbury	502; 5
						Missenden	Amersham ..	140; 1

M

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	
Misterton	Gainsborough	426; 2	Normanton ..	Wakefield	503; 7	Orford	Plomesgate....	215; 2	
Mitcham.....	Croydon	38; 6	Northallerton	Northallerton	536; 2	Ormesby	Middlesbrough	534; 2	
Modbury	Kingsbridge ..	275; 5	Northam	Bideford	287; 2	Ormskirk	Ormskirk	457; 2	
Mold.....	Holywell	617a; 4	North Bierley	North Bierley	497b; 3	Orpington	Bromley	41; 3	
Monmouth....	Monmouth....	581; 3	North Bury ..	Bury	462; 4	Orsett	Orsett	190; 2	
Montgomery..	Forden	615; 1	North Colling- ham.	Newark	433; 1	Orton	East Ward	577; 3	
Morchard Bishop.	Crediton	282; 1	North Croydon	Croydon	38; 4	Osmaston	Derby	436; 1	
MoretonHamp- stead.	Newton Abbot	273; 3	North Curry ..	Taunton	306; 2	Ossett	Dewsbury	502; 8	
Moreton Say..	MarketDrayton	356; 1	North East Fulham.	Fulham	2; 4	Oswaldkirk ..	Helmsley.....	530; 2	
Morland	West Ward....	578; 1	North East Ham.	West Ham	186; 6	Oswaltdwistle	Blackburn	474; 7	
Morley.....	Dewsbury	502; 1	North East Leicester.	Leicester	409; 2	Oswestry	Oswestry.....	352; 3	
Morpeth	Morpeth	562; 1	North Elmham	Mitford.....	233; 6	Otley	Wharfedale ..	491; 3	
Mortlake	Richmond (Surrey).	40; 2	North End and Buckland.	Portsmouth ..	88; 1	Ottery St.Mary	Honiton	270; 2	
Mossley	Ashton under Lyne.	468; 2	North Everton	West Derby ..	455; 7	Oulton Broad	Mutford	218; 1	
Mottram.....	Ashton under Lyne.	468; 9	Northfleet	Strood	44; 1	Oundle.....	Oundle	166; 1	
Moulton	Spalding	415; 5	North Hackney	Hackney	10; 2	Over	Northwich	447; 3	
Much Woolton	Prescot	456; 2	North Ham- mersmith.	Fulham	2; 1	Overton	Ellesmere	353; 1	
Muker	Reeth	540; 1	North Hill....	Launceston....	291; 4	Oving	Westhampnett	83; 3	
Muncaster	Boothle	576; 1	North Horsham	Horsham	79; 2	Oxford	Oxford	150; 1	
Munslow	Ludlow	344; 4	North Kings Lynn.	Kings Lynn ..	237; 1	P			
Mynyddislwyn	Newport (Monmouth).	585; 5	North Leeds ..	Leeds.....	501; 2				
Myton	Hull	521; 2	North Leyton	West Ham	186; 9				
N			North Meols ..	Ormskirk	457; 6	Paddington	Paddington ..	1a; 2	
			North Pether- ton.	Bridgwater ..	307; 1	Central.	Paddington ..	1a; 1	
			North Pether- win.	Launceston ..	291; 2	North.	Paddington ..	1a; 3	
			North Preston	Preston.....	476; 3	South.	Padigham.....	Burnley	472; 3
			North St. Pan- cras.	St. Pancras ...	8; 4	Padstow	St. Columb	295; 1	
			North Sheffield	Sheffield	509; 2	Paignton	Totnes	274; 1	
			North Walsham	Smallburgh ..	221; 4	Painswick	Stroud	329; 2	
			North West Battersea.	Wandsworth ..	25; 2	Parkham	Bideford	287; 3	
			North West Fulham.	Fulham	2; 3	Pateley Bridge	Pateley Bridge	486; 2	
			North West Leicester.	Leicester	409; 1	Patrington ..	Patrington	522; 1	
Nantmel	Rhayader	612; 2	North West Rotherham.	Rotherham ..	510; 3	Peckham	Camberwell ..	26; 5	
Nantwich	Nantwich	449; 2	Northwich....	Northwich....	447; 2	Peckham South	Camberwell ..	26; 6	
Narberth	Narberth.....	598; 2	Norton.....	Ecclesall Bier- low.	508; 4	Pemberton...	Wigan	458; 5	
Neath	Neath	590; 2	Nottingham	Leek	364; 1	Pembrey.....	Llanelly	594; 3	
Needham Mar- ket.	Bosmere	211; 2	Nottingham North East.	Lambeth	24; 6	Pembroke	Pembroke	599; 2	
Nelson	Burnley	472; 4	Nottingham North West.	Nottingham ..	431; 3	Penarth	Cardiff	586; 5	
Neston	Wirral	451; 1	Nottingham South East.	Nottingham ..	431; 4	Penbryn	Newcastle in Emlyn.	602; 1	
Netheravon ..	Pewsey	252; 1	Nottingham South West.	Nottingham ..	431; 2	Pencarreg	Lampeter	603; 2	
Netherbury ..	Beamminster....	267; 2	Nuneaton	Nuneaton	390; 1	Pencelly	Brecknock	608; 3	
Nevin	Pwllheli	626; 4	Nuneham	Abingdon	115; 3	Pendle	Burnley	472; 6	
Newark	Newark	433; 3	Nunney	Frome	312; 1	Pendleton	Salford	465; 1	
Newburn	Castle Ward ..	558; 3	O			Penge	Croydon	38; 5	
Newbury	Newbury.....	112; 1				Penistone	Wortley	507; 3	
Newcastle	Newcastle	361; 2				Penrith	Penrith.....	569; 1	
under Lyme.	under Lyme.					Penryn	Falmouth	298; 1	
Newent	Newent	326; 1				Penshurst	Sevenoaks	48; 3	
Newhaven....	Newhaven	76b; 1				Penzance	Penzance	301; 4	
Newington	Southwark ..	22; 4				Pershire	Pershire	382; 2	
North.	Southwark ..	22; 5				Peterborough	Peterborough	167; 2	
Newington South.						Petersfield ..	Petersfield	104; 1	
Newlyn	St. Columb	295; 3				Petworth	Petworth.....	80; 1	
Newmarket ..	Newmarket ..	181; 2				Northern.	Petworth.....	80; 2	
Newmill	Huddersfield..	495; 4				Southern.	Petworth.....	80; 2	
Newnham	Westbury on Severn.	325; 1				Phillack	Redruth	300; 5	
Newport.....	Cardigan.....	601; 1	Oakham	Oakham	411; 1	Pickering	Pickering.....	531; 2	
Newport.....	Isle of Wight..	91; 2	Odiham	Hartley Wint- ney.	107; 1	Pinchbeck	Spalding	415; 1	
Newport.....	Newport (Monmouth).	585; 2	Ogmore	Bridgend.....	589; 2	Pitminster	Taunton	306; 1	
Newport.....	Newport(Salop)	358; 1	Okehampton	Okehampton..	281; 3	Plaistow	West Ham	186; 3	
Newport.....	Saffron Walden	201; 1	Oldbury	WestBromwich	373; 2	Pleasley	Mansfield	429; 2	
Newport Pag- nell.	Newport Pag- nell.	145; 2	Oldham	Oldham	469; 2	PlumsteadEast	Woolwich	29; 4	
New Romney	Romney Marsh	66; 1	Oldham East	Oldham	469; 1	PlumsteadWest	Woolwich	29; 3	
Newsham	Richmond (Yorks).	541; 3	Oldham South	Oldham	469; 3	Plymouth	Plymouth ..	277; 1	
Newton	Ashton under Lyne.	468; 6	Olney	Newport Pag- nell.	145; 3	North.	Plymouth ..	277; 2	
Newton Abbot	Newton Abbot	273; 5	Ombersley ..	Droitwich	383; 1	South East.	Plymouth ..	277; 3	
Newton Heath	Prestwich	437; 5	Orcheston	Amesbury	253; 1	South West.	Plymouth ..	277; 3	
Newton in Makerfield.	Warrington ..	459; 1	Ore	Hastings	68; 1	Plympton	Plympton St. Mary.	276; 2	
Newtown	Newtown	614; 4				Pocklington ..	Pocklington ..	517; 2	
Norbury	Clun	345; 3				Pontardawe ..	Pontardawe ..	591; 1	
Norhamshire and Island- shire	Berwick	585; 2				Pontefract	Pontefract	504; 3	
						Ponteland	Castle Ward ..	558; 1	
						Pontypool	Pontypool	584; 2	
						Poole	Poole	262; 2	
						Poplar	Poplar	21; 3	
						Poppleton	Great Ouseburn	488; 3	
						Portland	Weymouth	264; 3	

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Solihull	Solihull	394; 1	Stogumber....	Williton	303; 5	Tenbury	Tenbury	377; 1
Sollershope ..	Ross	338; 1	Stogursey	Williton	303; 4	Tenby	Pembroke	599; 1
Somersham	St. Ives	169; 2	Stoke	Devonport	279; 2	Tenterden	Tenterden	53; 1
Somerton	Langport	308; 1	Stokenchurch ..	Wycombe	142; 4	Terrington St.	Wisbech	185; 4
Soothill	Dewsbury	502; 7	Stoke Newing-	Hackney	10; 1	Clement.		
Southam	Southam	399; 1	ton.			Tetbury	Tetbury	330; 2
Southampton ..	Southampton..	97; 1	Stokenham ..	Kingsbridge ..	275; 2	Tetney	Louth	423; 5
South Bury ..	Bury	462; 6	Stoke Rural ..	Stoke upon	363; 5	Tettenhall	Wolverhampton	371; 1
South Cave ..	Beverley	519; 1		Trent.		Tewkesbury ..	Tewkesbury ..	336; 1
Southcoates ..	Sculcoates	520; 1	Stokesley	Stokesley	535; 1	Teynham	Faversham ..	59; 3
South Croydon ..	Croydon	38; 2	Stoke upon	Stoke upon	363; 2	Thame	Thame	148; 2
South East	Hackney	10; 5	Trent.	Trent.		Thatcham	Newbury	112; 2
Hackney.			Stone	Stone	360; 1	Thaxted	Dunmow	200; 2
South East	West Ham	186; 5	Stonehouse ..	Stroud	329; 1	Thetford	Thetford	240; 3
Ham.			Stortford.....	Bishop Stort-	131; 1	Thirsk	Thirsk	529; 2
South East	Leeds	501; 1		ford.		Thornaby	Middlesbrough	534; 3
Leeds.			Stotfold	Biggleswade..	172; 2	Thornbury....	Thornbury....	323; 2
South East	Rotherham ..	510; 2	Stottesden	Cleobury Mor-	347; 2	Thorne	Thorne	512; 2
Rotherham.				timer.		Thorney	Peterborough..	167; 4
South Everton	West Derby ..	455; 8	Stourbridge ..	Stourbridge ..	375; 2	Thornhill	Dewsbury	502; 9
Southfields....	Wandsworth..	25; 7	Stowmarket ..	Stow	208; 3	Thornthwaite	Pateley Bridge	486; 3
South Fulham ..	Fulham	2; 5	Stow on the	Stow on the	333; 2	Thornton	North Bierley	497; 4
South Ham-	Fulham	2; 2	Wold.	Wold.		Thorpe	Tendring	195; 2
mersmith.			Stradbroke ..	Hartismere....	209; 3	Thrapston	Thrapston	165; 1
South Horsham	Horsham	79; 1	Strand	Strand	12; 1	Ticehurst	Ticehurst	72; 1
South Kings	Kings Lynn ..	237; 2	Stratford	West Ham	186; 1	Tickhill	Doncaster	511; 1
Lynn.			Stratford on	Stratford on	396; 2	Tideswell	Bakewell	440; 3
South Leicester	Leicester	409; 3	Avon.	Avon.		Tilehurst	Bradfield	118; 2
South Leyton .	West Ham	186; 8	Stratton	Depwade	230; 3	Tingewick	Buckingham..	146; 2
South Mimms ..	Barnet	128; 1	Stratton	Stratton	289; 2	Tipton	Dudley	374; 2
Southminster ..	Maldon	194; 1	Streatham	Wandsworth..	25; 5	Tisbury	Tisbury	256; 2
South Molton ..	South Molton	284; 2	Stretford.....	Barton upon	463; 3	Titchfield	Fareham	90; 2
South Pether-	Yeovil	310; 2		Irwell.		Tiverton	Tiverton	283; 3
ton.			Strood	Strood	44; 2	Todmorden	Todmorden ..	493; 2
South St. Pan-	St. Pancras ..	8; 2	Stroud	Stroud	329; 4	Tollesbury	Maldon	194; 3
cras.			Sturminster ..	Sturminster ..	259; 1	Tollington	Islington	9; 3
South Sheffield	Sheffield	509; 1	Sturry	Blean	58; 1	Tonbridge	Tonbridge	49; 2
South Shields	South Shields	554; 1	Sudbury	Sudbury	203; 3	Tonge	Bolton	461; 5
South Stone-	South Stone-	98; 2	Sudbury	Uttoxeter	366; 3	Topcliffe	Thirsk	529; 1
ham.	ham.		Sunbury	Staines	124; 1	Topsham	St. Thomas....	271; 4
South Walsham	Blofield	228; 2	Sunderland	Sunderland ..	553; 2	Torquay	Newton Abbot	273; 6
Southwell	Southwell	432; 1	East.	Sunderland ..	553; 3	Totnes	Totnes	274; 4
South West	Wandsworth..	25; 3	Sunderland	Sunderland ..	553; 3	Tottington....	Bury	462; 2
Battersea.			North.			Towcester	Towcester	157; 2
South West	Bolton	461; 2	Sunderland	Sunderland ..	553; 1	Towyn	Machynlleth..	613; 2
Bolton.			West.			Toxteth Park	Toxteth Park..	454; 3
South West	Hackney	10; 4	Surbiton	Kingston	39; 3	Central		
Hackney.			Sutton	Ely	182; 2	Toxteth Park	Toxteth Park	454; 4
Southwick....	Sunderland ..	553; 4	Sutton	Macclesfield ..	444; 5	East		
Sowerby	Halifax	496; 4	Sutton	Thirsk	529; 3	Toxteth Park	Toxteth Park	454; 1
Spalding	Spalding	415; 4	Sutton Cold-	Aston	387; 6	North West.		
Spaldwick	Huntingdon ..	168; 3	field.			Toxteth Park	Toxteth Park	454; 2
Speen	Newbury	112; 2	Sutton Court-	Abingdon	115; 4	South West.		
Spilsby	Spilsby.....	422; 3	enay.			Tranmere	Birkenhead ..	452; 2
Spitalfields....	Whitechapel..	17; 1	Sutton in Ash-	Mansfield	429; 4	Tredegar.....	Bedwellty	583; 2
Spondon	Shardlow	435; 5	field.			Trefils	Builth	607; 2
Spotland and	Rochdale.....	470; 4	Swaffham	Swaffham	239; 1	Tregaron	Tregaron	606; 3
Norden.			Swalcliffe	Banbury	155; 2	Tregynon	Newtown	614; 5
Springfield....	Wandsworth..	25; 6	Swanage	Wareham	263; 1	Trelleck	Monmouth....	581; 4
Springhead ..	Saddleworth..	494; 1	Swansea	Swansea	592; 3	Tremadoc	Festiniog....	625; 3
Stafford	Stafford	359; 1	Swavesey	St. Ives	169; 3	Tring	Berkhampstead	139; 2
Staindrop	Teesdale	546; 1	Swindon	Swindon	241; 2	Trowbridge ..	Melksham	248; 3
Staines.....	Staines	124; 2	Swinefleet....	Goole	513; 1	Tufnell	Islington	9; 1
Stalham	Smallburgh ..	221; 3	Sydenham	Lewisham	28; 4	Tunbridge	Tonbridge	49; 1
Stalmine	Garstang.....	478; 1	Syston	Barrow upon	408; 4	Wells.		
Stalybridge ..	Ashton under	468; 8		Soar.		Tunstall	Lunesdale	480; 3
	Lyne.					Tunstall	Wolstanton ..	362; 2
Stamford	Stamford.....	413; 1				Turton	Bolton	461; 6
Stamfordham	Castle Ward ..	558; 4				Turvey.....	Bedford	171; 4
Standish	Wigan	458; 1				Tutbury	Burton upon	367; 1
Standon	Ware	130; 4					Trent.	
Stanhope	Weardale	547; 2				Tuxford	East Retford ..	427; 4
Stanley	Wakefield	503; 6				Twerton	Bath	317; 1
Stanstead	Ware	130; 2				Twickenham..	Brentford	126; 2
Stansted	Bishop Stort-	131; 2				Twyford	Winchester ..	101; 3
	ford.					Tynemouth ..	Tynemquth ..	557; 2
Stanway	Lexden	197; 2	Tadcaster	Tadcaster	515; 2			
Stanwix	Carlisle	572; 4	Talgarth	Hay	610; 1			
Stapleford	Shardlow	435; 4	Talley	Llandilofawr..	596; 1			
Stapleton	Bristol	320; 7	Talyllyn	Dolgelly	624; 1			
Steyning	Steyning	78; 4	Tamar	Devonport	279; 3			
Stickney	Spilsby	422; 1	Tamworth	Tamworth	368; 1			
Stillington	Easingwold ..	528; 1	Tanfield	Lanchester....	548; 1			
Stilton	Peterborough..	167; 1	Tanworth	Solihull	394; 3			
Stockbridge ..	Peterborough..	100; 2	Tardebigg	Bromsgrove ..	384; 3			
Stockport First	Stockbridge ..	443; 4	Tarleton	Ormskirk	457; 7			
Stockport	Stockport	443; 5	Tattenhall	Chester.....	450; 1			
Second			Tattershall ..	Horncastle	421; 3			
Stockport	Stockport	443; 6	Taunton	Taunton	306; 3	Ugborough ..	Totnes	274; 6
Third.			Tavistock	Tavistock	280; 2	Ulverston	Ulverston	481; 3
Stockton	Stockton	543a; 1	Tawton	Okehampton..	281; 5	Uny Lelant ..	Penzance	301; 1
Stockwell ..	Lambeth	24; 4	Teignmouth ..	Newton Abbot	273; 1	Upper Hollo-	Islington	9; 2
			Templenew-	Hunslet	498; 2	way.		
			sam.			Upper Mer-	Merthyr Tydfil	588; 3
						thyr Tydfil.		

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Uppingham ..	Uppingham ..	412; 1	West Brom-	West Brom-	373; 3	Winterton	Glanford Brigg	425; 2
Upton on Sev-	Upton on Sev-	380; 2	wich South-	wich.		Winwick.....	Warrington ..	459; 2
ern.	ern.		west.			Wirksworth ..	Belper	437; 6
Upway	Weymouth ..	264; 1	West Brough-	Ulverston	481; 5	Wisbech	Wisbech	185; 2
Upwell	Wisbech	185; 6	ton.			Witham	Braintree	199; 4
Usk	Pontypool	584; 4	Westbury	Atcham	351; 4	Witheridge ..	South Molton ..	284; 1
Uttoxeter	Uttoxeter	366; 1	Westbury	Westbury	250; 2	Withern	Louth	423; 1
Uxbridge	Uxbridge	125; 2	Westbury on	Bristol	320; 9	Withyham ..	East Grinstead ..	74; 1
			Trym.			Witley	Hambledon ..	34; 1
			West Cardiff ..	Cardiff	536; 4	Witney	Witney	153; 3
			West Croydon ..	Croydon	38; 3	Wiveliscombe ..	Wellington ..	305; 1
			West Dean....	Monmouth....	581; 1		(Somerset).	
			West Derby ..	West Derby ..	455; 10	Wivenhoe	Lexden.....	197; 1
			Eastern.			Woburn	Amphill.....	173; 4
			West Derby ..	West Derby ..	455; 9	Woking	Guildford	32; 1
			Western.			Wokingham ..	Wokingham ..	120; 1
			West Flegg....	Flegg	220; 2	Wolsingham ..	Weardale	547; 3
			Westham	Eastbourne ..	70; 1	Wolstanton ..	Wolstanton ..	362; 1
			West Horsham ..	Horsham.....	79; 3	Wolverhamp-	Wolverhamp-	371; 5
			West Leeds ..	Leeds	501; 3	ton Eastern.	ton.	
			Westleton	Blything	216; 1	Wolverhamp-	Wolverhamp-	371; 4
			West Meon....	Droxford	102; 2	ton Western.	ton.	
			Weston super	Axbridge.....	315; 3	Wolverley	Kidderminster ..	376; 2
			Mare.			Wombourn ..	Wolverhamp-	371; 3
			Westow	Malton	527; 2		ton.	
			West Preston ..	Preston	476; 4		Wellington ..	357; 3
			West St. Pan-	St. Pancras....	8; 1		(Salop).	
			cras.			Woodbridge ..	Woodbridge ..	214; 3
			West Scul-	Sculcoates	520; 8		and Wilford.	
			coates.			Woodbury	St. Thomas....	271; 3
			West Totten-	Edmonton	129; 3	Woodchurch..	Wirral	451; 4
			ham.			Wood Green...	Edmonton	129; 2
			West Ward ..	Burnley	472; 2	Woodstock...	Woodstock	152; 2
			West Wymer..	Norwich	225; 2	Wooler.....	Glendale	566; 2
			Wetheral	Carlisle	572; 1	Woolwich	Woolwich	29; 2
			Wetherby	Wetherby	490; 1	Wootton Bassett	Cricklade	242; 1
			Weymouth	Weymouth	264; 2	Wootton	Stratford on ..	396; 3
			Whalley	Clitheroe.....	473; 5	Wawen	Avon.	
			Wheatley	Headington ..	149; 1	Worcester	Worcester	379; 1
			Whickham....	Gateshead	555; 3	Worfield	Bridgnorth ..	348; 3
			Whitby	Whitby	532; 2	Workington ..	Cockermouth ..	574; 3
			Whitchurch ..	Whitchurch ..	109; 1	Worksop	Worksop	428; 1
				(Hants).		Worsborough ..	Barnsley	506; 4
			Whitchurch ..	Whitchurch ..	355; 1	Worsley	Barton upon ..	463; 1
				(Salop).			Irwell.	
			Whitchurch ..	Bridport	268; 3	Worth	East Grinstead ..	74; 3
			Canonicorum.			Worthing	East Preston ..	82; 1
			Whitefield	Bury	462; 8	Wortley	Bramley	500; 3
			Whitehaven ..	Whitehaven ..	575; 2	Wortley	Wortley	507; 4
			Whitford	Holywell.....	617a; 1	Wotton under	Dursley	324; 1
			Whitley	Pontefract	504; 2	Edge.		
			Whitley	Tynemouth ..	557; 4	Wragby	Horncastle....	421; 1
			Whitmore	Newcastle ..	361; 1	Wray	Luncdale	480; 2
				under Lyme.		Wrenbury	Nantwich	449; 4
			Whitstable....	Blean	58; 3	Wrexham	Wrexham	618; 3
			Whittlesey....	Whittlesey ...	184; 1	Wrotham	Malling	47; 2
			Whitwick	Ashby de la	406; 4	Wycombe	Wycombe	142; 1
				Zouch.		Wye	East Ashford..	55; 2
			Whitworth ..	Rochdale.....	470; 6	Wymondham ..	Foreboe	226; 2
			and Wardle.					
			Whixley	Great Ouse-	488; 2			
				burn.				
			Wickford	Billericay	191; 2			
			Wickhambrook	Risbridge	202; 2			
			Widnes	Prescot	456; 3			
			Wigan	Wigan	458; 3			
			Wiggenhall ..	Downham	238; 1			
			Wigston	Blaby	403; 1			
			Wigton	Wigton	573; 1			
			Wilford	Basford	430; 7			
			Willenhall ...	Wolverhamp-	371; 6			
				ton.				
			Willesden	Hendon	127; 3			
			Willingham ..	Chesterton	178; 1			
			Williton	Williton	303; 3			
			Wilmslow	Bucklow	445; 1			
			Wilsden	North Bierley	497b; 5			
			Wilton	Wilton	255; 1			
			Wimbledon ..	Kingston	39; 1			
			Wimborne	Wimborne	261; 2			
			Wincanton	Wincanton	311; 3			
			Winchester ..	Winchester ..	101; 2			
			Windsor	Windsor	123; 2			
			Wing	Leighton Buz-	175; 2			
				zard.				
			Wingate	Easington	550; 1			
			Wingham	Eastry	63; 2			
			Winkleigh	Torrington	286; 2			
			Winlaton	Gateshead	555; 4			
			Winslow	Winslow	144; 1			
			Winterbourne	Amesbury	253; 3			
			Winterbourne	Chipping Sod-	322; 1			
				bury.				

W

Y

INDEX OF URBAN DISTRICTS.

As existing on 31st December, 1908, together with a reference to the number of the Registration District and Sub-district in which each is situated. See pages 150-209 of this Report.

Urban Districts which are County Boroughs or Municipal Boroughs are indicated by the letters C.B. or M.B. Those Urban Districts marked * have been created, and the boundaries of those marked † have been altered since the Census of 1901. The exact constitution of each Urban District and of each Registration Sub-district at the time of the last Census is shown in Tables 9 and 12 respectively of the Census County Volumes. Of the 1,171 Urban Districts (including County, Municipal, and Metropolitan Boroughs) 156 were each co-extensive, at the end of December, 1908, with one or more Registration Areas.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Aberavon (M.B.)	590 : 1, pt. of.	Ardsley ...	506 : 2, pt. of.	Banbury (M.B.)	155 : 4, pt. of.
Aberayron ...	604 : 2, pt. of.	Ardsley East and West.	503 : 5, pt. of.	Bangor, City of (M.B.)	628 : 2, pt. of.
Abercarn ...	585 : 5, pt. of.	Arlecdon and Frizington.	575 : 1, pt. of.	†Barking Town	189 : 3.
Aberdare ...	588 : 4, pt. of.	Arnold ...	430 : 5, pt. of.	Barkisland ...	496 : 3, pt. of.
Abergavenny (M.B.)	582 : 3, pt. of.	†Arundel (M.B.)	82 : 3, pt. of.	Barmouth ...	624 : 2, pt. of.
Abergele and Pensarn.	620 : 2, pt. of.	Ashbourne ...	438 : 1, pt. of.	Barnard Castle	546 : 2, pt. of.
Abersychan ...	584 : 2, pt. of.	Ashburton ...	273 : 4, pt. of.	Barnes... ..	40 : 2.
Abertillery ...	583 : 1, pt. of ; 584 : 1.	Ashby de la Zouch.	406 : 3, pt. of.	†Barnet ...	128 : 1, pt. of, 2, pt. of.
Aberystwith (M.B.)	605 : 2, pt. of.	Ashby Woulds	406 : 3, pt. of.	Barnoldswick	485 : 3, pt. of.
Abingdon (M.B.)	115 : 2, pt. of.	Ashford ...	54 : 2, pt. of.	Barnsley (M.B.)	506 : 2, pt. of.
Abram ...	458 : 4, pt. of.	Ashington ...	562 : 3, pt. of.	Barnstaple (M.B.)	285 : 1, 4, pt. of.
Accrington (M.B.)	471 : 4.	Ashton in Makerfield.	458 : 7.	Barrowford ...	472 : 5, pt. of.
Acton ..	126 : 5, pt. of.	Ashton under Lyne (M.B.)	468 : 3.	Barrow in Fur- ness (C.B.)	482 : 1.
Adlington ...	475 : 3, pt. of.	†Ashton upon Mersey.	445 : 3, pt. of.	Barry	586 : 6, pt. of.
Aldeburgh (M.B.)	215 : 3, pt. of.	Aspatia ...	573 : 2, pt. of.	Barton upon Humber.	425 : 3, pt. of.
Alderley Edge	444 : 7, pt. of ; 445 : 1, pt. of.	Aspull... ..	458 : 2, pt. of.	Basingstoke (M.B.)	108 : 1, pt. of.
Aldershot ...	33 : 2.	Aston Manor (M.B.)	387 : 4.	Baslow and Bubnell.	440 : 1, pt. of.
Alford... ..	422 : 5, pt. of.	Atherton ...	460 : 4, pt. of.	Bath, City of (C.B.)	317 : 2, pt. of, 3, 4.
Alfreton ...	437 : 5.	Audenshaw ...	468 : 4, pt. of.	Batley (M.B.)	502 : 2.
Allerton ...	455 : 11, pt. of.	Audley ...	361 : 3, pt. of.	Battle	69 : 2, pt. of.
Alnwick ...	563 : 2, pt. of.	Awre	325 : 1, pt. of.	Beaconsfield ...	140 : 3, pt. of.
Alsager ...	448 : 3, pt. of.	Aylesbury ...	143 : 2, pt. of.	Beaumaris	628 : 1, pt. of.
Altofts ...	503 : 7, pt. of.			(M.B.)	
Alton	106 : 1, pt. of.			Beccles (M.B.)	217 : 2, pt. of.
Altrincham ...	445 : 2, pt. of.			†Beckenham ...	41 : 1, pt. of, 2, pt. of.
†Alvaston and Boulton.	435 : 3, pt. of.			Bedford (M.B.)	171 : 5, pt. of, 6, pt. of.
Amble... ..	563 : 1, pt. of.			Bedlington- shire.	562 : 2, pt. of.
Amblecote ...	375 : 2, pt. of.	Bacup (M.B.)...	471 : 2.	Bedwellty ...	583 : 2, pt. of, 3.
Ambleside ...	579 : 1, pt. of.	Baildon ...	491 : 5, pt. of.	Beeston ...	430 : 3, pt. of.
*Amlwch ...	630 : 2, pt. of.	†Bakewell ...	440 : 1, pt. of.	Belper... ..	437 : 3.
*Ammanford...	596 : 6, pt. of.	Bala	623 : 1, pt. of.	Benfieldside ...	548 : 2, pt. of.
Ampthill ...	173 : 2, pt. of.	Balby with Hexthorpe.	511 : 1, pt. of.	Berwick upon Tweed (M.B.)	565 : 1, pt. of.
Andover (M.B.)	110 : 3, pt. of.	Baldock ...	133 : 1, pt. of.	Bethesda ...	628 : 4, pt. of.
Annfield Plain	548 : 1, pt. of, 3, pt. of.	Bampton ...	283 : 4, pt. of.		
Appleby (M.B.)	577 : 1, pt. of.				

COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Bettws y coed Beverley (M.B.) Bewdley (M.B.) Bexhill (M.B.) †Bexley ... Bicester ... Biddulph ... Bideford (M.B.) Biggleswade ... Billinge ... Bilston ... Bingley ... †Birkdale ... Birkenhead (C.B.) Birkenshaw ... Birmingham, City of (C.B.) Birstal ... Bishop Auck- land. Bishops Castle (M.B.) Bishop Stortford. *Bispham with Norbreck. †Blackburn (C.B.) Blackpool (C.B.) Blackrod ... Blaenavon ... Blandford Forum (M.B.) †Blaydon ... †Blyth ... Bodmin (M.B.) Bognor ... Bollington ... Bolsover ... Bolton (C.B.)... Bolton upon Dearne. Bonsall ... †Bootle (C.B.) Boston (M.B.) Bourne ... †Bournemouth (C.B.) Bowdon .. Bracebridge ... Brackley (M.B.)	621 : 2, pt. of. 519 : 2, pt. of. 376 : 5, pt. of. 69 : 1, pt. of. 42 : 1, pt. of. 151 : 2, pt. of. 364 : 2. 287 : 1, pt. of. 172 : 1, pt. of. 458 : 6. 371 : 7. 492 : 1, pt. of ; 497B : 5. 457 : 5, pt. of. 452 : 1, 2, pt. of. 502 : 3, pt. of. 385 : 2, 3, 386 : 1-4 ; 387 : 1, 2, 3, 5, pt. of. 502 : 3, pt. of. 545 : 1, pt. of. 345 : 2, pt. of. 131 : 1, pt. of. 477 : 3, pt. of. 474 : 4, 5, 6. 477 : 3, pt. of. 458 : 2, pt. of. 582 : 4, pt. of. 260 : 2, pt. of. 555 : 4, pt. of. 557 : 5, pt. of. 294 : 3, pt. of. 83 : 2, pt. of. 444 : 2, pt. of. 439 : 3, pt. of. 461 : 2, 3, 5, 7, 8. 511 : 2, pt. of. 438 : 3, pt. of. 455 : 2 pt. of, 5. 417 : 3, pt. of. 414 : 3, pt. of. 93 : 1, pt. of, 2. 445 : 2, pt. of. 420 : 2, pt. of. 156 : 1, pt. of.	Bradford, City of (C.B.) Bradford on Avon. Braintree ... Brampton and Walton. Brandon and Byshottles. Brecknock ... †Bredbury and Romiley. Brentford ... †Brentwood ... †Bridgend ... Bridgnorth (M.B.) Bridgwater (M.B.) Bridlington (M.B.) †Bridport (M.B.) Brierfield ... Brierley Hill... Brigg ... Brighouse (M.B.) Brightlingsea Brighton (C.B.) †Bristol, City of (C.B.) Briton Ferry ... Brixham ... Broadstairs and St. Peter's. Bromborough †Bromley (M.B.) Bromsgrove ... Bromyard ... Broughton ... Brownhills ... Brumby and Frodingham. Brynmaur ... Buckfastleigh Buckhurst Hill Buckingham (M.B.) Buckley ... Budleigh Sal- terton. Buglawton ...	497A : 1-4 ; 497B : 2, pt. of, 3, 4, pt. of, 7. 249 : 1, pt. of. 199 : 5, pt. of. 439 : 2, pt. of. 549 : 1, pt. of. 608 : 2, pt. of. 443 : 3, pt. of. 126 : 3, pt. of. 191 : 1, pt. of. 589 : 4, pt. of. 348 : 2, pt. of, 3, pt. of. 307 : 2, pt. of. 525 : 2, pt. of. 268 : 2. 472 : 4, pt. of. 375 : 3, pt. of. 425 : 1, pt. of. 496 : 1, pt. of. 195 : 5, pt. of. 77 : 1, 2 ; 78 : 1, pt. of. 320 : 1-9. 590 : 2, pt. of. 274 : 2, pt. of. 62 : 3, pt. of. 451 : 3, pt. of. 41 : 1, pt. of, 2, pt. of. 384 : 1, pt. of. 341 : 1, pt. of. 425 : 1, pt. of. 369 : 1, pt. of ; 370 : 2, pt. of ; 372 : 4, pt. of. 425 : 2, pt. of. 609 : 3, pt. of. 274 : 5, pt. of. 187 : 1, pt. of. 146 : 1, pt. of. 617B : 1, pt. of. 271 : 1, pt. of. 448 : 2, pt. of.	Builth Wells... Bulkington ... Burgess Hill ... Burley in Wharfedale. Burnham ... Burnham on Crouch. Burnley (C.B.) *Burry Port ... Burslem (M.B.) Burton upon Trent (C.B.) Bury (C.B.) ... Bury St. Edmunds (M.B.) *Bushey ... Buxton ... Caerleon ... Caerphilly ... *Callington ... Calne (M.B.) ... Calverley ... Camborne ... Cambridge (M.B.) Cannock ... Canterbury, City of (C.B.) Cardiff, City of (C.B.) Cardigan (M.B.) Carlisle, City of (M.B.) Carlton ... Carmarthen (M.B.) Carnarvon (M.B.) Carnforth ... Carshalton ... Castleford ... Caterham ... Caversham ... Chadderton ... Chard (M.B.)... Charlton Kings Chatham (M.B.) Chatteris ... †Cheadle and Gatley.	607 : 4, pt. of. 390 : 1, pt. of. 75 : 2, pt. of. 491 : 3, pt. of. 315 : 2, pt. of. 194 : 1, pt. of. 472 : 1, pt. of, 2, pt. of. 594 : 3, pt. of. 362 : 3, pt. of. 367 : 4, pt. of. 462 : 3, pt. of. 4, 6, pt. of. 205 : 2. 137 : 1, pt. of. 441 : 1, pt. of. 585 : 1, pt. of. 587 : 1, pt. of. 293 : 1, pt. of. 245 : 1, pt. of. 497B : 8, pt. of. 300 : 4. 179 : 1, 2. 370 : 2, pt. of. 56 : 1, pt. of ; 57 : 1 ; 58 : 1, pt. of. 586 : 2, 3, 4. 601 : 2, pt. of. 572 : 2, pt. of, 3. 430 : 6, pt. of. 597 : 3, pt. of. 627 : 3, pt. of. 479 : 4, pt. of. 30 : 1, pt. of. 504 : 4, pt. of. 37 : 1, pt. of. 147 : 2, pt. of. 469 : 4 309 : 3, pt. of. 335 : 1, pt. of. 46 : 1, pt. of. 183 : 1, pt. of. 443 : 8, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Chelmsford (M.B.)	192 : 2, pt. of, 4, pt. of.	Cottingham ...	520 : 2, pt. of.	Diss ...	230 : 2, pt. of.
Cheltenham (M.B.)	335 : 2.	Coventry, City of (C.B.)	392 : 1, pt. of, 2, pt. of.	Dodworth ...	506 : 2, pt. of.
†Chepping Wycombe (M.B.)	142 : 1, pt. of.	Cowbridge (M.B.)	589 : 3, pt. of.	Dolgelly ...	624 : 2, pt. of.
Chepstow ...	580 : 1, pt. of.	Cowes ...	91 : 1, pt. of.	Doncaster (M.B.)	511 : 3, pt. of.
Cheriton ...	65 : 1, pt. of.	Cramlington ...	557 : 6, pt. of.	Dorchester (M.B.)	265 : 1, pt. of, 3, pt. of.
Chertsey ...	31 : 2, pt. of.	Crediton ...	282 : 3, pt. of.	Dorking ...	35 : 2, pt. of.
Chesham ...	140 : 2, pt. of.	Crewe (M.B.)	449 : 1, pt. of.	†Dover (M.B.)	64 : 2.
Cheshunt ...	129 : 8.	Crewkerne ...	309 : 4, pt. of.	Downham	238 : 2, pt. of.
Chester, City of (C.B.)	450 : 2, pt. of, 3, pt. of.	Criccieth ...	626 : 1, pt. of.	Drighlington...	497B : 2, pt. of.
Chesterfield (M.B.)	439 : 2, pt. of.	†Cromer ...	222 : 2, pt. of.	Droitwich (M.B.)	383 : 1, pt. of, 2, pt. of.
Chesterton ...	178 : 2, pt. of.	Crompton ...	469 : 7.	Dronfield ...	439 : 5, pt. of.
Chichester, City of (M.B.)	84 : 1.	Crook ...	545 : 2, pt. of.	Droylsden ...	468 : 4, pt. of.
Childwall ...	455 : 11, pt. of.	Croston ...	475 : 5, pt. of.	Dudley (C.B.)	374 : 4, pt. of.
Chingford ...	187 : 1, pt. of.	Crowle ...	512 : 3, pt. of.	Dukinfield (M.B.)	468 : 7.
Chippenham (M.B.)	244 : 3, pt. of.	Croydon (C.B.)	38 : 2-4.	†Dunstable (M.B.)	176 : 1, pt. of.
Chipping Norton (M.B.)	154 : 2, pt. of.	Cuckfield ...	75 : 1, pt. of.	†Durham, City of (M.B.)	549 : 1, pt. of, 2, pt. of.
Chislehurst ...	41 : 4, pt. of.	Cudworth ...	506 : 1, pt. of.		
Chiswick ...	126 : 4.				
Chorley (M.B.)	475 : 4, pt. of.	Dalton in Fur- ness.	481 : 4, pt. of.		
Christchurch (M.B.)	93 : 1, pt. of.	Darfield ...	506 : 3, pt. of.		
Church ...	474 : 7, pt. of.	Darlaston ...	372 : 1, pt. of.		
Church Stretton	346 : 1, pt. of.	Darlington (M.B.)	542 : 2, pt. of.		
Cirencester ...	331 : 2, pt. of.	Dartford ...	42 : 3, pt. of.	Ealing (M.B.)	126 : 3, pt. of.
Clacton ...	195 : 1, pt. of.	Dartmouth (M.B.)	274 : 3, pt. of.	Earsdon ...	557 : 4, pt. of.
Clay Cross ...	439 : 1, pt. of.	Darton ...	506 : 1, pt. of, 2, pt. of ; 507 : 1, pt. of.	East and West Molesey.	39 : 4, pt. of.
Clayton ...	497B : 4, pt. of.			East Barnet Valley.	128 : 2, pt. of.
Clayton le Moors.	474 : 2, pt. of.	Darwen (M.B.)	474 : 8, pt. of.	Eastbourne (M.B.)	70 : 2, pt. of.
Clayton West...	507 : 2, pt. of.	Daventry (M.B.)	161 : 2, pt. of.	East Cowes ...	91 : 1, pt. of.
Cleator Moor...	575 : 3, pt. of.	Dawley ...	350 : 1, pt. of.	East Dereham	233 : 4, pt. of.
Cleckheaton ...	497B : 1, pt. of.	Dawlish ...	273 : 1, pt. of.	East Grinstead	74 : 2, pt. of.
†Cleethorpe with Thruscoe.	424A : 1, pt. of.	Deal (M.B.) ...	63 : 4, pt. of.	†East Ham (M.B.)	186 : 5, 6.
Clevedon ...	319 : 2, pt. of.	Denbigh (M.B.)	619 : 4, pt. of ; 620 : 3, pt. of.	Eastleigh and Bishopstoke.	98 : 2, pt. of ; 101 : 3, pt. of.
Clitheroe (M.B.)	473 : 4, pt. of.	Denby and Cumberworth.	495 : 5, pt. of ; 507 : 2, pt. of.	East Retford (M.B.)	427 : 2, pt. of, 3, pt. of.
Coalville ...	406 : 4, pt. of.	Denholme ...	497B : 4, pt. of.	East Stonehouse	278 : 1.
Cockermouth...	574 : 2, pt. of.	Denton ...	468 : 5.	Eastwood ...	430 : 1, pt. of.
Colchester (M.B.)	196 : 1-2.	†Derby (C.B.)	436 : 1, 2, pt. of.	Ebbw Vale ...	583 : 1, pt. of, 2, pt. of ; 609 : 2, pt. of.
Coleford ...	581 : 2, pt. of.	Desborough	164 : 3, pt. of.	Eccles (M.B.)	463 : 2, pt. of.
Colne (M.B.)...	472 : 5, pt. of.	Devizes (M.B.)	247 : 1, pt. of.	Edmonton ...	129 : 5, pt. of.
Colwyn Bay and Colwyn.	629 : 3, pt. of.	Devonport (C.B.)	279 : 1-3.	*Egham ...	123 : 1, pt. of.
*Compstall ...	443 : 3, pt. of.	Dewsbury (M.B.)	502 : 6.	Egremont ...	575 : 3, pt. of.
Congleton (M.B.)	448 : 2, pt. of.			Elland ...	496 : 2, pt. of.
Connah's Quay	617A : 3, pt. of.				
Consett ...	548 : 2, pt. of.				
Conway (M.B.)	629 : 1, pt. of.				
Coseley ...	374 : 3, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Ellesmere ...	353 : 3, pt. of.	Frimley ...	33 : 1, pt. of.	Guisborough...	533 : 4, pt. of.
*Ellesmere Port and Whitby.	451 : 2, pt. of.	*†Frinton on Sea.	195 : 2, pt. of.	Guiseley ...	491 : 5, pt. of.
Ely, City of ...	182 : 2, pt. of, 3, 4, pt. of.	Frome ...	312 : 2, pt. of.	Gunthwaite and Ingbirch- worth.	507 : 3, pt. of.
Emley ...	503 : 1, pt. of.	Fulwood ...	476 : 7, pt. of.		
Enfield ...	129 : 6.				
Epping ...	187 : 2, pt. of.				
Epsom... ..	30 : 2, pt. of.				
Erdington ...	387 : 5, pt. of.				
Erith	42 : 2.				
Esher and the Dittons.	39 : 4, pt. of.				
Eston	534 : 2, pt. of.	Gainsborough	426 : 3, pt. of.	Hadleigh ...	204 : 2, pt. of.
Eton	141 : 1, pt. of.	*Garforth ...	515 : 1, pt. of.	Hale	445 : 2, pt. of.
Evesham	381 : 1, pt. of.	Gateshead	555 : 1, pt. of,	Halesworth ...	216 : 2, pt. of.
(M.B.)		(C.B.)	2.	†Halifax (C.B.)	496 : 5-6, pt. of.
Exeter, City of	271 : 5, pt. of,	*Gelligaer ...	588 : 1.	Halstead ...	198 : 1, pt. of.
(C.B.)	6, pt. of ; 272 : 1.	Gildersome ...	500 : 2.	Ham	39 : 2, pt. of.
Exmouth ...	271 : 2, pt. of.	†Gillingham	46 : 1, pt. of, 2.	Hampton ...	39 : 5, pt. of.
Eye (M.B.) ...	209 : 1, pt. of.	(M.B.)		Hampton Wick	39 : 5, pt. of.
		Glastonbury	314 : 2, pt. of.	*Handforth ...	443 : 8, pt. of.
		(M.B.)		Handsworth	373 : 1, pt. of.
		Glemsford ...	203 : 5, pt. of.	(Staffs.)	
		Glossop (M.B.)	442A : 1 pt. of.	†Handsworth	509 : 8, pt. of.
		Gloucester, City of (C.B.)	327 : 2, 3, pt. of.	(Yorks, W.R.)	
		Glyncorwg ...	590 : 3.	†Hanley (C.B.)	363 : 1.
Failsworth ...	467 : 4, pt. of.	Godalming	32 : 5, pt. of.	Hanwell ...	126 : 5, pt. of.
Fairfield ...	441 : 1, pt. of.	(M.B.)		Harpenden ...	136 : 1, pt. of.
Falmouth	298 : 2, pt. of.	Godmanchester	168 : 4, pt. of.	Harrington ...	575 : 1, pt. of.
(M.B.)		(M.B.)		Harrogate	489 : 2, pt. of.
Fareham ...	90 : 1, pt. of.	Golborne ...	460 : 1, pt. of.	(M.B.)	
Farnborough...	107 : 2, pt. of.	Golcar... ..	495 : 10, pt. of.	†Harrow on the	127 : 1, pt. of.
†Farnham ...	33 : 3, pt. of.	Gomersal ...	502 : 3, pt. of.	Hill.	
Farnley Tyas...	495 : 2, pt. of.	Goole	513 : 2, pt. of.	Hartlepool	544 : 1, pt. of.
Farnworth ...	461 : 1, pt. of.	†Gorton ...	464 : 2, pt. of.	(M.B.)	
Farsley ...	497B : 8, pt. of.	Gosforth ...	558 : 2, pt. of.	Harwich (M.B.)	195 : 3.
Faversham	59 : 2, pt. of.	Gosport and	89 : 1.	Haslingden	471 : 3.
(M.B.)		Alverstoke.		(M.B.)	
†Featherstone	504 : 3, pt. of.	Grange ...	481 : 1, pt. of.	Hastings (C.B.)	68 : 1, pt. of, 2, 3 ; 69 : 1, pt. of.
Felixstowe and Walton.	214 : 2, pt. of.	Grantham	419 : 2, pt. of.	†Havant ...	87 : 1, pt. of.
		(M.B.)		Haverfordwest	600 : 2, pt. of.
Felling	555 : 1, pt. of.	Grasmere ...	579 : 1, pt. of.	(M.B.)	
*Feltham ...	124 : 1, pt. of.	Gravesend	43 : 1.	Haverhill ...	202 : 1, pt. of.
Fenny Strat- ford.	145 : 1, pt. of.	(M.B.)		Haworth ...	492 : 3, pt. of.
Fenton	363 : 3.	Grays Thurrock	190 : 1, pt. of.	Hay	610 : 2, pt. of.
Festiniog ...	625 : 2, pt. of.	Greasbrough...	510 : 4, pt. of.	Haydock ...	459 : 1, pt. of.
Filey	526 : 1, pt. of.	Great Berk- hampstead.	139 : 1, pt. of.	*Hayes ...	125 : 3, pt. of.
Finchley ...	128 : 3, pt. of.	Great Crosby...	455 : 1, pt. of.	Hayle	300 : 5, pt. of ; 301 : 1, pt. of.
Finedon ...	163 : 1, pt. of.	Great Driffild	524 : 2, pt. of.		
*Fishguard ...	600 : 4 pt. of.	Great Harwood	474 : 2, pt. of.	Hayward's	75 : 1, pt. of.
*Fleet... ..	107 : 1, pt. of.	Great Tarring- ton (M.B.)	286 : 4, pt. of.	Heath.	
Fleetwood ...	477 : 4, pt. of.	Great Yar- mouth (C.B.)	219 : 1-3 ; 220 : 1, pt. of.	†Hazel Grove	443 : 1, pt. of.
Flint (M.B.) ...	617A : 3, pt. of.	Greenford ...	126 : 3, pt. of, 5, pt. of.	and Bramhall.	
Flockton ...	503 : 1, pt. of.			Heage... ..	437 : 4, pt. of.
Folkestone	65 : 1, pt. of.	†Greetland ...	496 : 2, pt. of.	Heanor ...	430 : 1, pt. of, 2, pt. of.
(M.B.)		Grimsby (C.B.)	424A : 1, pt. of.		
*Foots Cray ...	41 : 4, pt. of.	†Guildford	32 : 4, pt. of.		
*Formby ...	457 : 5, pt. of.	(M.B.)			
Friern Barnet	128 : 3, pt. of.				

COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Heath Town or Wednesfield Heath.	371 : 6, pt. of.	Houghton le Spring.	551 : 1, pt. of.	Kendal (M.B.)	579 : 2, pt. of.
†Heaton Norris	443 : 7.	Hove (M.B.) ...	78 : 2, pt. of.	Kenilworth ...	395 : 3, pt. of.
Heavitree ...	271 : 5, pt. of.	Hoyle and West Kirby.	451 : 4, pt. of.	Keswick ...	574 : 1, pt. of.
Hebburn ...	554 : 2, pt. of.	Hoyland	506 : 3, pt. of.	Kettering ...	164 : 2.
Hebden Bridge	493 : 1, pt. of.	Nether.	507 : 3, pt. of.	Kidderminster (M.B.)	376 : 3, pt. of.
Heckmondwike	502 : 4, pt. of.	Hoyland	507 : 3, pt. of.	†Kids Grove ...	361 : 3, pt. of ; 362 : 2, pt. of.
Hedon (M.B.)...	520 : 5, pt. of.	Swaine.	430 : 4, pt. of.	Kidwelly (M.B.)	594 : 3, pt. of.
Helston (M.B.)	299 : 2, pt. of.	Hucknall	495 : 6, 8, 9.	Kingsbridge ...	275 : 3, pt. of, 4, pt. of.
Hemel Hemp- stead (M.B.)	138 : 2.	Huddersfield (C.B.)	497B : 1, pt. of.	Kingsbury ...	127 : 2, pt. of.
Hendon ...	127 : 4.	Hull (see Kingston- upon-Hull).	168 : 4, pt. of.	King's Lynn (M.B.)	237 : 1, 2, pt. of.
Henley on Thames (M.B.)	147 : 1, pt. of.	Hunsworth ...	468 : 2, pt. of.	Kings Norton and North- field.	385 : 1.
Hereford, City of (M.B.)	339 : 4.	Huntingdon (M.B.)	429 : 4, pt. of.	Kingston upon Hull, City of (C.B.)	520 : 1, pt. of, 4, pt. of, 6, 7, 8 ; 521 : 1, 2.
Herne Bay ...	58 : 2, pt. of.	Hurst ...	456 : 4, pt. of.	Kingston upon Thames (M.B.)	39 : 2, pt. of.
Hertford (M.B.)	134 : 2, pt. of.	Huthwaite ...	443 : 2; 468 : 6.	Kingswood ...	318 : 2, pt. of.
Hessle ...	520 : 4, pt. of.	Huyton with Roby.	65 : 3, pt. of.	Kington ...	343 : 3, pt. of.
Heston and Isleworth.	126 : 1.	Hyde (M.B.) ...		Kirkburton ...	495 : 5, pt. of.
Hetton ...	551 : 2, pt. of.	Hythe (M.B.)...		Kirkby in Ashfield.	430 : 1, pt. of.
Hexham ...	559 : 2, pt. of.			Kirkby Lonsdale.	579 : 3, pt. of.
Heysham ...	479 : 2, pt. of.			Kirkham ...	477 : 1, pt. of.
Heywood (M.B.)	462 : 5, pt. of.			Kirkheaton ...	495 : 7, pt. of.
Higham Ferrers (M.B.)	163 : 2, pt. of.	†Ilford ...	189 : 2.	Kirklington cum Upsland.	537 : 1, pt. of.
Highbridge ...	315 : 2, pt. of.	Ilfracombe ...	285 : 4, pt. of.	†Knaresborough	489 : 1, pt. of.
Higher Bebington.	451 : 3, pt. of.	Ilkeston (M.B.)	430 : 2, pt. of.	Knighton ...	611 : 2, pt. of.
Hinckley ...	404 : 2, pt. of.	Ilkley ...	491 : 4, pt. of.	Knottingley ...	504 : 1, pt. of.
Hinderwell ...	532 : 3, pt. of.	Ilminster ...	458 : 4, pt. of.	Knutsford ...	445 : 5, pt. of.
Hindley ...	458 : 4, pt. of.	Ince in Maker- field.			
Hipperholme...	496 : 1, pt. of.	Ipswich (C.B.)	213 : 1, 2.		
Hitchin ...	133 : 2, pt. of.	Irlam ...	463 : 2, pt. of.		
Hoddesdon ...	130 : 1, pt. of.	*Irthling- borough.	163 : 2, pt. of.		
Hoddesdon ...	130 : 1, pt. of.	Itchen... ..	98 : 1, pt. of.		
Holbeach ...	416 : 1, pt. of, 3, pt. of.	Ivybridge ...	276 : 1, pt. of, 2, pt. of.		
Hollingworth	468 : 9, pt. of.				
Holme... ..	495 : 3, pt. of.				
Holme Cultram	573 : 1, pt. of, 2, pt. of.				
Holmfirth ...	495 : 3, pt. of, 4, pt. of.				
Holsworthy ...	288 : 2, pt. of.				
Holyhead ...	631 : 3, pt. of.				
Holywell ...	617A : 2, pt. of.				
Honiton (M.B.)	270 : 1, pt. of.	Jarrow (M.B.)	551 : 2, pt. of.	Lampeter (M.B.)	603 : 3, pt. of.
Honley ...	495 : 2, pt. of.			Lancaster (M.B.)	479 : 3.
Hoole ...	450 : 3, pt. of.			Lathom and Burscough.	457 : 8, pt. of.
Horbury ...	503 : 3, pt. of.			Launceston (otherwise Dunneved) (M.B.)	291 : 3.
Horncastle ...	421 : 2, pt. of.				
Hornsea ...	523 : 4, pt. of.				
Hornsey (M.B.)	129 : 1.				
Horsforth ...	491 : 1, pt. of.				
†Horsham ...	79 : 2, pt. of.				
Horwich ...	461 : 4, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Leadgate ...	548 : 2, pt. of.	Llangollen ...	622 : 2, pt. of.	Loughton ...	187 : 1, pt. of.
Leatherhead ...	30 : 3, pt. of.	Llanidloes	614 : 1, pt. of.	Louth (M.B.)...	423 : 2, pt. of.
Ledbury ...	337 : 1, pt. of.	(M.B.)		Lower Bebing-	451 : 3, pt. of.
Leeds, City of	498 : 1 ; 499 :	Llanrwst ...	621 : 1, pt. of.	ton.	
(C.B.)	1, pt. of ;	Llantarnam ...	585 : 4, pt. of.	Lowestoft	218 : 2.
	500 : 1, 3 ;	*Llanwrtyd ...	607 : 1, pt. of.	(M.B.)	
	501 : 1-4, 5,	Loftus... ..	533 : 1, pt. of.	Luddenden	496 : 4, pt. of.
	pt. of.			Foot.	
Leek	364 : 3, pt. of.	London :—		Ludgvan ...	301 : 1, pt. of.
Lees	468 : 1, pt. of.	City of Lon-	14 : 1, 2.	†Ludlow(M.B.)	344 : 2, pt. of.
Leicester (C.B.)	409 : 1-3.	don.		Luton (M.B.)...	176 : 2, pt. of.
Leigh (M.B.)...	460 : 2, pt. of, 3.	Metropolitan		Lydd (M.B.) ...	66 : 2, pt. of.
Leigh on Sea...	193 : 2, pt. of.	Boroughs :—		Lye and Wol-	375 : 2, pt. of.
Leighton	175 : 1, pt. of.	Battersea ...	25 : 1-3.	lescote.	
Buzzard.		Bermondsey	23 : 1-3.	Lyme Regis	269 : 1, pt. of.
Leiston cum	216 : 1, pt. of.	Bethnal	16 : 1, 2.	(M.B.)	
Sizewell.		Green.		Lymington	92 : 1, pt. of.
Leominster	342 : 1, pt. of,	Camberwell	26 : 1-6.	(M.B.)	
(M.B.)	2, pt. of.	Chelsea ...	3 : 1, 2.	Lymm... ..	445 : 4, pt. of.
Lepton	495 : 7, pt. of.	Deptford ...	27 : 1, pt. of,	Lynton ...	285 : 2, pt. of.
Levenshulme...	464 : 2, pt. of.		2, 3.	Lytham ...	477 : 2, pt. of.
Lewes (M.B.)...	76A : 2, pt. of ;	Finsbury ...	13 : 1, pt. of,		
	76B : 1, pt.		2, 3.		
	of.	Fulham ...	2 : 3-5.		
Leyland	475 : 2, pt. of.	Greenwich ...	27 : 1, pt. of,		
Leyton	186 : 8, 9.		4, 5 ; 29 : 1.		
Lichfield, City	369 : 1, pt. of.	†Hackney ...	10 : 2-5.		
of (M.B.)		Hammer-	2 : 1, 2.		
Lincoln, City of	420 : 2, pt. of.	smith.			
(C.B.)		Hampstead...	7 : 1.		
Linslade	175 : 1, pt. of.	Holborn ...	11 : 1 ; 13 : 1,	Mablethorpe ...	423 : 1, pt. of.
Linthwaite ...	495 : 10, pt. of.		pt. of.	Macclesfield	444 : 4, 5, pt.
Liskeard(M.B.)	293 : 2, pt. of.	Islington ...	9 : 1-7.	(M.B.)	of.
Litherland ...	455 : 2, pt. of.	Kensington	1B : 1, 2.	Machynlleth ...	613 : 1, pt. of.
Littleborough	470 : 7.	Lambeth ...	24 : 1-6.	Madron ...	301 : 4, pt. of.
Little Crosby...	455 : 1, pt. of.	Lewisham ...	28 : 2-4.	Maesteg ...	589 : 1, pt. of.
Littlehampton	82 : 2, pt. of.	Paddington	1A : 1-3.	Maidenhead	121 : 1, pt. of.
Little Hulton...	461 : 1, pt. of.	Poplar ...	21 : 1-3.	(M.B.)	
Little Lever ...	461 : 1, pt. of.	St. Maryle-	6 : 1-4.	Maidstone(M.B.)	50 : 3.
Little Woolton	456 : 2, pt. of.	bone.		Maldon (M.B.)	194 : 2, pt. of.
†Liverpool, City	453 : 1-3 ; 454 :	St. Pancras...	8 : 1-4.	Mallwyd ...	624 : 1, pt. of.
of (C.B.)	1-4 ; 455 : 3,	Shoreditch...	15 : 1-3.	Malmesbury	243 : 2, pt. of.
	pt. of, 4, 6,	Southwark...	22 : 1-5.	(M.B.)	
	7, 8, 9, 10,	Stepney ...	17 : 1-3 ; 18 :	Malton ...	527 : 3, pt. of.
	11, pt. of.		1 ; 19 : 1, 2 ;	Malvern ...	337 : 1, pt. of ;
Liversedge ...	502 : 4, pt. of.		20 : 1, 2.		380 : 1, pt.
Llandilo	596 : 4, pt. of.	Stoke	10 : 1.		of.
Llandovery	595 : 4, pt. of.	Newington.		†Manchester,	464 : 1, 2, pt.
(M.B.)		†Wandsworth	25 : 4-8.	City of (C.B.)	of, 3, 4 ;
Llandrindod	607 : 3, pt. of ;	Westminster,	4 : 1-3 ; 5 : 1 ;		466 : 1-3 ;
Wells	612 : 2, pt.	City of.	12 : 1.		467 : 1, 3, 4,
	of.	Woolwich ...	28 : 1 ; 29 : 2-4.		pt. of, 5, 6.
Llandudno ...	629 : 2, pt. of.	Long Eaton ...	435 : 4, pt. of.	Mansfield	429 : 5.
Llanelly	594 : 2, pt. of.	Longridge ...	476 : 6, pt. of.	(M.B.)	
Llanfairfechan	628 : 3, pt. of.	Long Sutton ...	416 : 2, pt. of.	Mansfield	429 : 1, pt. of.
Llanfrechfa	584 : 3, pt. of.	Longton (M.B.)	363 : 4.	Woodhouse.	
Upper.		Looe	293 : 3, pt. of.	March... ..	183 : 2, pt. of.
Llanfyllin	616 : 2, pt. of.	Lostwithiel	294 : 1, pt. of.	Margam ...	590 : 1, pt. of.
(M.B.)		(M.B.)		Margate (M.B.)	62 : 2, pt. of.
Llangefni ...	630 : 1, pt. of.	Loughborough	407 : 1, pt. of.	Market Har-	401 : 1, pt. of.
		(M.B.)		borough.	

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Market Rasen	424B : 2, pt. of.	Nailsworth ...	329 : 7, pt. of.	Northallerton	536 : 2, pt. of.
†Marlborough (M.B.)	246 : 1, pt. of.	Nantwich ...	449 : 2, pt. of.	Northam ...	287 : 1, pt. of, 2, pt. of.
Marlow ...	142 : 2, pt. of.	Nantyglo and Blaina.	583 : 1, pt. of.	Northampton (C.B.)	159 : 2, pt. of ; 160 : 1, pt. of, 2, pt. of.
Marple ...	443 : 1, pt. of.	*Narberth ...	598 : 2, pt. of.	North Broms- grove.	384 : 1, pt. of.
Marsden ...	495 : 1, pt. of.	Neath (M.B.)...	590 : 2, pt. of.	North Darley...	440 : 2, pt. of.
Maryport ...	574 : 4, pt. of.	Nelson (M.B.)	472 : 4, pt. of.	Northfleet ...	44 : 1, pt. of.
Masham ...	537 : 2, pt. of ; 538 : 1, pt. of.	Neston and Parkgate.	451 : 1, pt. of.	North Walsham	221 : 4, pt. of.
Matlock ...	440 : 2, pt. of.	Netherthong ...	495 : 2, pt. of.	Northwich ...	447 : 1, pt. of, 2, pt. of.
Matlock Bath and Scarthin Nick.	440 : 2, pt. of.	Newark (M.B.)	433 : 3, pt. of.	Norton ...	527 : 3, pt. of.
Melksham ...	248 : 1, pt. of.	Newbiggin by the Sea.	562 : 3, pt. of.	†Norwich, City of (C.B.)	225 : 1, 2.
Meltham ...	495 : 2, pt. of.	Newbold and Dunston.	439 : 2, pt. of.	Nottingham, City of (C.B.)	431 : 1-5.
Melton Mow- bray.	410 : 1, pt. of.	Newburn ...	558 : 3, pt. of.	†Nuneaton (M.B.)	390 : 1, pt. of.
Menai Bridge...	628 : 1, pt. of.	Newbury (M.B.)	112 : 1.		
Merthyr Tydfil (C.B.)	588 : 2, 3, pt. of.	Newcastle	602 : 3, pt. of.		
*Merton ...	38 : 6, pt. of.	Emlyn.	361 : 2, pt. of.		
Methley ...	504 : 4, pt. of.	Newcastle under Lyme (M.B.)		Oakengates ...	349 : 2, pt. of ; 357 : 3, pt. of ; 358 : 1, pt. of.
Mexborough ...	511 : 2, pt. of.	†Newcastle	556 : 1, 2, 3, 4, pt. of, 5, 6 ;	Oakworth ...	492 : 2, pt. of, 3, pt. of.
Middlesbrough (C.B.)	534 : 1, pt. of.	upon Tyne, City of (C.B.)	557 : 3, pt. of.	Ogmore and Garw.	589 : 2, pt. of.
Middleton (M.B.)	469 : 5.	Newhaven ...	76B : 1, pt. of.	Okehampton (M.B.)	281 : 3, pt. of.
Middlewich ..	447 : 4, pt. of.	†New Hunstan- ton.	235 : 2, pt. of.	Oldbury ...	373 : 2.
Midgley ...	496 : 4, pt. of.	Newmarket ...	181 : 2.	*Old Fletton...	167 : 2, pt. of.
Midsomer Norton.	316 : 4, pt. of.	New Mill ...	495 : 3, pt. of, 4, pt. of.	Oldham (C.B.)	469 : 1, 2, 3.
Milford Haven	600 : 1, pt. of.	New Mills ...	442B : 1, pt. of.	Ormesby ...	534 : 2, pt. of.
Millom ...	576 : 2, pt. of.	Newnham ...	325 : 1, pt. of.	Ormskirk ...	457 : 2.
Milnrow ...	470 : 1.	†Newport (C.B.) (Mon.)	585 : 2, pt. of, 3, pt. of.	Orrell ...	458 : 5, pt. of.
Milton Regis	60 : 1, pt. of.	Newport (M.B.)	91 : 2, pt. of.	Ossett (M.B.)...	502 : 8.
Minehead ...	303 : 1, pt. of.	(Isle of Wight).		Oswaldtwistle	474 : 7, pt. of.
Mirfield ...	502 : 5, pt. of.	Newport	358 : 1, pt. of.	Oswestry (M.B.)	352 : 3, pt. of.
Mold ...	617A : 4, pt. of.	(Salop).		†Otley... ..	491 : 2, pt. of, 3, pt. of.
Monk Bretton	506 : 2, pt. of.	Newport	145 : 2.	Ottery St. Mary	270 : 2, pt. of.
Monmouth (M.B.)	581 : 3, pt. of.	Newport Pagnell.	604 : 1, pt. of. 295 : 2, pt. of, 3, pt. of.	*Oulton Broad	218 : 1, pt. of.
Montgomery (M.B.)	615 : 1, pt. of.	New Quay ...	66 : 1, pt. of.		
Morecambe (M.B.)	479 : 2, pt. of.	†Newquay ...		Oundle ...	166 : 1, pt. of.
Morley (M.B.)	499 : 1, pt. of ; 502 : 1.	New Romney (M.B.)	78 : 3, pt. of.	Oxenhope ...	492 : 3, pt. of.
Morpeth (M.B.)	562 : 1, pt. of.	New Shoreham	273 : 5, pt. of.	Oxford, City of (C.B.)	115 : 1, pt. of 149 : 2, pt. of ; 150 : 1.
Mossley (M.B.)	468 : 2, pt. of.	Newton Abbot	459 : 1, pt. of.	Oystermouth...	593 : 1, pt. of.
Mottram in Longdendale.	468 : 9, pt. of.	Newton in Makerfield.			
Mountain Ash	587 : 1, pt. of, 2, pt. of.	Newtown and Llanllwch- aiarn.	614 : 4.		
Much Woolton	456 : 2, pt. of.	New Windsor (M.B.)	123 : 2, pt. of.		
*Mynyddislwyn	585 : 5, pt. of.	Neyland ...	599 : 3, pt. of.	Padiham ...	472 : 3, pt. of.
Mytholmroyd...	493 : 1, pt. of.	Norden ...	470 : 4, pt. of.	Padstow ...	295 : 1, pt. of.
		†Normanton ...	503 : 7, pt. of.	Paignton ...	274 : 1, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Panteg ...	584 : 2, pt. of, 3, pt. of.	Radcliffe ...	462 : 6, pt. of, 7.	Royal Leamington Spa (M.B.)	395 : 2, pt. of.
Paul ...	301 : 4, pt. of.	Radstock ...	316 : 4, pt. of.	Royston (Herts)	132 : 2, pt. of, 3, pt. of.
Pembroke (M.B.)	599 : 1, pt. of, 2, pt. of.	Rainford ...	456 : 6.	Royston (Yorks, W.R.)	506 : 1, pt. of.
Penarth ...	586 : 5, pt. of.	Ramsbottom ...	462 : 1, pt. of.	Royton ...	469 : 6.
Penge ...	38 : 5.	Ramsey ...	168 : 1, pt. of.	Rugby ...	393 : 1, pt. of.
Penistone ...	507 : 3, pt. of.	Ramsgate (M.B.)	62 : 4, pt. of.	Rugeley ...	369 : 2, pt. of.
Penmaenmawr ...	629 : 1, pt. of.	Raunds ...	165 : 2, pt. of.	*Ruislip- Northwood	125 : 2, pt. of.
Penrith ...	569 : 1, pt. of.	Ravensthorpe ...	502 : 5, pt. of.	Runcorn ...	446 : 2, pt. of.
Penryn (M.B.)	298 : 1, pt. of.	Rawdon ...	491 : 1, pt. of.	Rushden ...	163 : 2, pt. of.
Penzance (M.B.)	301 : 4, pt. of.	Rawmarsh ...	510 : 4, pt. of.	Ruskington ...	418 : 1, pt. of.
Perry Barr ...	373 : 1, pt. of.	Rawtenstall (M.B.)	471 : 1.	Ruthin (M.B.)	619 : 2, pt. of.
Peterborough, City of (M.B.)	167 : 2, pt. of.	Reading (C.B.)	119 : 1, 2.	Ryde (M.B.) ...	91 : 3, pt. of.
Petersfield ...	104 : 1, pt. of.	Redcar ...	533 : 3, pt. of.	Rye (M.B.) ...	67 : 1, pt. of.
Phillack ...	300 : 5, pt. of.	Redditch ...	384 : 3, pt. of ; 397 : 1, pt. of.	Ryton ...	555 : 4, pt. of.
Pickering ...	531 : 2, pt. of.	Redruth ...	300 : 2.		
Plymouth (C.B.)	277 : 1-3.	Reigate (M.B.)	36 : 2.		
†Pocklington...	517 : 2, pt. of.	Rhondda ...	587 : 2, pt. of, 3, pt. of, 4.		
Pontefract (M.B.)	504 : 3, pt. of.	Rhyl ...	620 : 1, pt. of.		
Pontypool ...	584 : 2, pt. of.	Rhymney ...	583 : 2, pt. of ; 609 : 2, pt. of.		
Pontypridd ...	587 : 1, pt. of, 2, pt. of, 3, pt. of.	Richmond (M.B.) (Surrey).	40 : 1.		
†Poole (M.B.)	262 : 1, pt. of, 2, 3, pt. of.	Richmond (M.B.) (Yorks, N.R.)	541 : 1, pt. of.	Saddleworth ...	494 : 2.
Porthcawl ...	589 : 4, pt. of.	Rickmansworth	137 : 3, pt. of.	Saffron Walden (M.B.)	201 : 2, pt. of.
Portishead ...	319 : 3, pt. of.	Ripley... ...	437 : 4, pt. of.	St. Albans, City of (M.B.)	136 : 1, pt. of, 2, pt. of.
Portland ...	264 : 3.	Ripon, City of (M.B.)	487 : 2, pt. of.	St. Anne's on the Sea.	477 : 2, pt. of.
Portslade by Sea.	78 : 3, pt. of.	Risca ...	585 : 3, pt. of.	St. Austell ...	296 : 2, pt. of.
†Portsmouth (C.B.)	88 : 1-4.	Rishton ...	474 : 2, pt. of.	St. Helens (C.B.) (Lancs.)	456 : 5, pt. of.
Poulton le Fylde.	477 : 4, pt. of.	Rishworth ...	496 : 3, pt. of.	St. Helens (Isle of Wight).	91 : 3, pt. of.
Preesall with Hackinsall.	478 : 1, pt. of.	Rochdale (C.B.)	470 : 2, 3, 4, pt. of, 5, 6, pt. of.	St. Ives (M.B.) (Cornwall).	301 : 2, pt. of.
Prescot ...	456 : 4, pt. of.	Rochester, City of (M.B.)	44 : 2, pt. of ; 46 : 1, pt. of.	St. Ives (M.B.) (Hunts).	169 : 4, pt. of.
Prestatyn ...	620 : 1, pt. of.	Romford ...	189 : 1, pt. of.	St. Just ...	301 : 5, pt. of.
Presteigne ...	611 : 1, pt. of.	Romsey (M.B.)	99 : 1, pt. of.	St. Neots ...	170 : 1, pt. of.
Preston (C.B.)	476 : 2, 3, 4.	†Ross ...	338 : 2, pt. of.	Salcombe ...	275 : 3, pt. of.
†Prestwich ...	467 : 2.	Rothbury ...	567 : 1, pt. of.	†Sale ...	445 : 3, pt. of.
Pudsey (M.B.)	497B : 9.	Rotherham (C.B.)	510 : 2, pt. of, 3.	Salford (C.B.)	465 : 1, pt. of, 2, 3, 4.
Pwllheli (M.B.)	626 : 1, pt. of, 2, pt. of.	Rothwell (Northamp- ton).	164 : 3, pt. of.	†Salisbury, City of (M.B.)	254 : 3.
		Rothwell (Yorks, W.R.)	498 : 3, pt. of ; 503 : 5, pt. of.	Saltash (M.B.)	292 : 3, pt. of.
Quarry Bank...	375 : 3, pt. of.	Rowley Regis	374 : 1.	Saltburn by the Sea.	533 : 3, pt. of.
Queenborough (M.B.)	61 : 1, pt. of.	Roxby cum Risby.	425 : 2, pt. of.	Sandal Magna	503 : 2, pt. of.
Queensbury ...	496 : 6, pt. of.			Sandbach ...	448 : 3, pt. of.
Quorndon ...	408 : 2, pt. of.			Sandgate ...	65 : 1, pt. of.
				Sandown ...	91 : 4, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Sandwich (M.B.)	63 : 1, pt. of.	Soothill Upper	502 : 7, pt. of.	Stourport ...	376 : 4 ; 383 : 1, pt. of.
Sawbridge- worth.	131 : 1, pt. of.	Southall Norwood.	125 : 3, pt. of.	Stowmarket ...	208 : 3, pt. of.
Saxmundham	215 : 3, pt. of.	Southampton (C.B.)	97 : 1 ; 98 : 2, pt. of, 3, pt. of.	Stow on the Wold.	333 : 2, pt. of.
*Scalby ...	526 : 2, pt. of.	South Bank in Normanby.	534 : 2, pt. of.	Stratford on Avon (M.B.)	396 : 2, pt. of.
Scammonden...	495 : 10, pt. of.	Southborough	49 : 1, pt. of.	Stratton and Bude.	289 : 2, pt. of.
Scarborough (M.B.)	526 : 2, pt. of.	South Crosland	495 : 2, pt. of.	Street ...	314 : 2, pt. of.
Scunthorpe ...	425 : 2, pt. of.	South Darley...	440 : 2, pt. of.	Stretford ...	463 : 3, pt. of.
Seaford ...	70 : 3, pt. of ; 76B : 1, pt. of.	Southend on Sea (M.B.)	193 : 2, pt. of.	Stroud ...	329 : 4, pt. of.
Seaham Harbour.	550 : 2, pt. of.	Southgate ...	129 : 5, pt. of.	Sudbury (M.B.)	203 : 3, pt. of.
Seaton...	269 : 4, pt. of.	South Molton (M.B.)	284 : 2, pt. of.	Sunbury on Thames.	124 : 1, pt. of.
Sedgley ...	374 : 3, pt. of.	Southowram ...	496 : 1, pt. of.	Sunderland (C.B.)	553 : 1, 2, 3.
Seghill ...	557 : 4, pt. of.	Southport (C.B.)	457 : 6, pt. of.	Surbiton ...	39 : 3.
Selby ...	514 : 2, pt. of.	†South Shields (C.B.)	554 : 1, pt. of.	Sutton ...	30 : 1, pt. of.
Sevenoaks ...	48 : 2, pt. of.	Southwick ...	78 : 3, pt. of.	Sutton Bridge	416 : 2, pt. of.
Shaftesbury (M.B.)	258 : 1, pt. of.	Southwick on Wear.	553 : 4, pt. of.	Sutton Cold- field (M.B.)	387 : 6, pt. of.
Shanklin ...	91 : 4, pt. of.	Southwold (M.B.)	216 : 3, pt. of.	Sutton in Ash- field.	429 : 4, pt. of.
*Shap ...	578 : 1, pt. of.	Sowerby ...	496 : 4, pt. of.	Swadlincote District.	367 : 3, pt. of.
Sheerness ...	61 : 1, pt. of.	Sowerby Bridge	496 : 4, pt. of.	Swaffham ...	239 : 1, pt. of.
†Sheffield, City of (C.B.).	508 : 1, 2, 4, pt. of, 5, 6, 7 ; 509 : 1-7, 8, pt. of.	Soyland ...	496 : 3, pt. of.	Swanage ...	263 : 1, pt. of.
Shelf ...	496 : 6, pt. of.	Spalding ...	415 : 4, pt. of.	Swansea (C.B.)	592 : 2, pt. of, 3.
Shelley ...	495 : 5, pt. of.	Spennymoor ...	543B : 2, pt. of ; 545 : 1, pt. of ; 549 : 1, pt. of.	Swindon (M.B.)	241 : 2, pt. of.
Shepley ...	495 : 5, pt. of.	Springhead ...	494 : 1.	Swinton ...	510 : 5, pt. of.
Shepshed ...	407 : 1, pt. of.	Stafford (M.B.)	359 : 1, pt. of.	†Swinton and Pendlebury.	463 : 1, pt. of ; 465 : 1, pt. of.
Shepton Mallet	313 : 1, pt. of.	Staines ..	124 : 2, pt. of.		
Sherborne ...	266 : 2, pt. of.	Stainland with Old Lindley.	496 : 2, pt. of.		
*Sheringham	222 : 2, pt. of.	Stalybridge (M.B.)	468 : 8, pt. of.		
Shildon and East Thickley.	545 : 1, pt. of.	Stamford (M.B.)	413 : 1, pt. of.		
Shipley ...	497B : 6.	Standish with Langtree.	458 : 1, pt. of.		
Shoeburyness	193 : 3, pt. of.	Stanhope ...	547 : 2, pt. of.		
Short Heath ...	371 : 6, pt. of.	Stanley (Durham).	548 : 1, pt. of, 3, pt. of.		
Shrewsbury (M.B.)	351 : 2, pt. of, 3, pt. of.	Stanley (Yorks, W.R.)	503 : 6, pt. of.		
Sidmouth ...	270 : 2, pt. of.	Stevenage ...	133 : 1, pt. of.		
Silsden ...	485 : 4, pt. of.	†Stockport (C.B.)	443 : 4, 5, 6.		
Sittingbourne	60 : 1, pt. of.	Stocksbridge ...	507 : 6, pt. of.		
Skegness ...	422 : 4, pt. of.	Stockton on Tees (M.B.)	543A : 1, pt. of.		
Skelmanthorpe	495 : 5, pt. of.	Stoke upon Trent (M.B.)	363 : 2.		
Skelmersdale...	457 : 8, pt. of.	Stone ...	360 : 1, pt. of.		
Skelton and Brotton.	533 : 1, pt. of, 2.	Stourbridge ...	375 : 2, pt. of.		
Skipton ...	485 : 5, pt. of.				
Slaithwaite ...	495 : 1, pt. of.				
Sleaford ...	418 : 2, pt. of.				
Slough ...	141 : 1, pt. of.				
†Smallthorne	362 : 2, pt. of, 3, pt. of ; 364 : 1, pt. of.				
Smethwick (C.B.)	385 : 4.				
Soothill Nether	502 : 7, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Thornhill ...	502 : 9.	Wadebridge ...	294 : 4, pt. of.	Wenlock (M.B.)	350 : 2, pt. of, 3.
Thornton ...	477 : 4, pt. of.	Wakefield, City of (M.B.)	503 : 4.	West Bridgford	430 : 6, pt. of.
Thurlstone ...	507 : 3, pt. of.	Wallasey ...	452 : 3.	West Bromwich (C.B.)	373 : 3, 4.
Thurmaston ...	408 : 4, pt. of.	Wallingford (M.B.)	117 : 2, pt. of.	Westbury ...	250 : 2, pt. of.
*Thurnscoe ...	511 : 2, pt. of.	Wallsend (M.B.)	557 : 1, pt. of.	Westbury on Severn.	325 : 1, pt. of.
Thurstonland... Tickhill ...	495 : 5, pt. of. 511 : 1, pt. of.	†Walmer ...	63 : 4, pt. of.	West Ham (C.B.)	186 : 1-4.
Tipton... Tiverton (M.B.)	374 : 2. 283 : 3.	Walsall (C.B.)	372 : 2, pt. of, 3, 4, pt. of.	West Hartlepool (C.B.)	544 : 1, pt. of.
Todmorden (M.B.)	493 : 2.	Walsoken ...	185 : 5, pt. of.	Westhoughton	461 : 4, pt. of.
Tonbridge ...	49 : 2, pt. of.	Waltham Holy Cross.	129 : 7.	†Weston super Mare.	315 : 3, pt. of.
*Torpoint ...	292 : 1, pt. of.	Walthamstow...	186 : 10, pt. of.	Weybridge	31 : 1, pt. of.
Torquay (M.B.)	273 : 6, pt. of.	Walton le Dale	476 : 5, pt. of.	Weymouth and Melcombe Regis (M.B.)	264 : 2, pt. of.
Totnes (M.B.)	274 : 4, pt. of.	Walton on Thames.	31 : 1, pt. of.	Wheatley (Oxon.)	149 : 1, pt. of.
†Tottenham ...	129 : 3, 4.	†Walton on the Naze.	195 : 2, pt. of.	Wheatley (Yorks, W.R.)	511 : 5, pt. of.
Tottington ...	462 : 2.	Wanstead ...	186 : 7.	Whickham ...	555 : 3.
Tow Law ...	547 : 3, pt. of ; 548 : 3, pt. of.	Wantage ...	116 : 1, pt. of.	Whitby ...	532 : 2, pt. of.
Towyn ...	613 : 2, pt. of.	†Warblington...	87 : 1, pt. of.	Whitchurch ...	355 : 1, pt. of.
Trawden ...	472 : 5, pt. of.	Wardle ...	470 : 6, pt. of.	Whitefield ...	462 : 8, pt. of.
Tredegar ...	583 : 2, pt. of ; 609 : 2, pt. of.	Ware ...	130 : 1, pt. of, 3, pt. of.	Whitehaven (M.B.)	575 : 2, pt. of.
Tring ...	139 : 2, pt. of.	Wareham (M.B.)	263 : 3, pt. of.	Whitley and Monkseaton.	557 : 4, pt. of.
Trowbridge ...	248 : 2, pt. of.	Warminster ...	251 : 1, pt. of.	Whitley Upper	495 : 7, pt. of.
Truro, City of (M.B.)	297 : 4, pt. of, 5, pt. of.	Warrington (C.B.)	459 : 4.	Whitstable ...	58 : 3, pt. of.
Tunbridge Wells (M.B.)	49 : 1, pt. of ; 72 : 2, pt. of.	Warsop ...	429 : 1, pt. of.	Whittington ...	439 : 2, pt. of.
†Tunstall ...	362 : 2, pt. of.	Warwick (M.B.)	395 : 1, pt. of.	Whittlesey ...	184 : 1, pt. of.
Turton ...	461 : 6.	*Watchet ...	303 : 3, pt. of.	Whitwood ...	504 : 4, pt. of.
Twickenham...	126 : 2.	Waterloo with Seaforth.	455 : 1, pt. of.	Whitworth ...	470 : 6, pt. of.
Tyldesley with Shakerley.	460 : 4, pt. of.	†Watford ...	137 : 1, pt. of, 2, pt. of.	Widnes (M.B.)	456 : 3, pt. of.
Tynemouth (C.B.)	557 : 2.	Wath upon Dearne.	510 : 5, pt. of.	†Wigan (C.B.)	458 : 3, 5, pt. of.
Uckfield ...	73 : 3, pt. of.	†Wealdstone ...	127 : 1, pt. of.	Wigston Magna	403 : 1, pt. of.
Ulverston ...	481 : 3, pt. of.	Wednesbury (M.B.)	373 : 5.	Wigton ...	573 : 1, pt. of.
Upholland ...	458 : 5, pt. of.	Wednesfield ...	371 : 6, pt. of.	Willenhall ...	371 : 6, pt. of.
Urmston ...	463 : 3, pt. of.	Weetslade ...	557 : 3, pt. of.	Willesden ...	127 : 3.
Usk ...	584 : 4, pt. of.	Wellingborough	163 : 1, pt. of.	Willington ...	549 : 1, pt. of.
Uttoxeter ...	366 : 1, pt. of.	†Wellington (Salop).	357 : 2, pt. of.	Willington Quay.	557 : 1, pt. of.
Uxbridge ...	125 : 1, pt. of, 2, pt. of.	Wellington (Somerset).	305 : 3, pt. of.	Wilmslow ...	445 : 1, pt. of.
Ventnor ...	91 : 5, pt. of.	Wells (Norfolk)	234 : 3, pt. of.	Wilton (M.B.)	255 : 1, pt. of.
		Wells, City of (M.B.)	314 : 1, pt. of.	Wimbledon (M.B.)	39 : 1.
		(Somerset).		Wimborne Minster.	261 : 2, pt. of.
		Welshpool (M.B.)	615 : 1, pt. of, 3, pt. of ; 616 : 2, pt. of.	Winchester, City of (M.B.)	101 : 2, pt. of.
		Wem ...	354 : 1, pt. of.	†Windermere...	579 : 1, pt. of.
		Wembley ...	127 : 1, pt. of.	Winsford ...	447 : 3, pt. of.
				Winterton ...	425 : 2, pt. of.
				Wirksworth ...	437 : 6, pt. of.
				Wisbech (M.B.)	185 : 2.
				†Witham ...	199 : 4, pt. of.

COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Withernsea ...	522 : 1, pt. of.	Wood Green ...	129 : 2.	Wrotham ...	47 : 2, pt. of.
Withnell ...	475 : 1, pt. of.	Woodhall Spa...	421 : 3, pt. of.		
Witney ...	153 : 3, pt. of.	Woodstock	152 : 2, pt. of.		
Wiveliscombe...	305 : 1, pt. of.	(M.B.)			
Wivenhoe ...	197 : 1, pt. of.	Worcester, City	379 : 1, pt. of.	Yarmouth (see	
†Woking ...	31 : 3, pt. of ;	of (C.B.)		Great Yar-	
	32 : 1, pt. of.	Workington	574 : 3, pt. of.	mouth).	
Wokingham	120 : 1, pt. of.	(M.B.)		Yeadon ...	491 : 5, pt. of.
(M.B.)		Worksop ...	428 : 1, pt. of.	Yeardsley cum	444 : 3, pt. of.
*Wolstanton	362 : 1.	Worsborough...	506 : 4, pt. of.	Whaley.	
United.		Worsley ...	463 : 1, pt. of.	†Yeovil (M.B.)	310 : 4, pt. of.
Wolverhampton	371 : 4, 5.	†Worthing	82 : 1, pt. of.	Ynyscynhaiarn	625 : 3, pt. of.
(C.B.)		(M.B.)		York, City of	516 : 2, 3.
Wombwell ...	506 : 3, pt. of.	Wrexham	618 : 3, pt. of.	(C.B.)	
Woodbridge ...	214 : 3, pt. of.	(M.B.)			
Woodford ...	186 : 10, pt. of.				

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE YEAR 1908.

Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1908. 1 Apr.	HACKNEY - - North Hackney	10 2	EDMONTON - West Tottenham.	129 3	Hackney (<i>part of</i>). viz.:— the part added to St. Ann's Ward of Tottenham Urban District.	Nil.
"	HACKNEY - - North Hackney	10 2	EDMONTON - East Tottenham.	129 4	Hackney (<i>part of</i>). viz.:— the part added to High Cross Ward of Tottenham Urban District.	274
"	13.—HOLBORN: On this date South Clerkenwell (2) and North Clerkenwell (3) sub-districts were united and called Clerkenwell (2).					
1 Mar.	WOOLWICH - Plumstead East.	29 4	WOOLWICH - Plumstead West.	29 3	Plumstead Civil Parish and Woolwich Metropolitan Borough (<i>part of</i>). viz.:— Glyndon Ward - - St. Margaret Ward - Burrage Ward (<i>part of</i>).	10,617 9,842 854
1 Oct.	DOVER - - St. James- (re-named St. Margaret).	64 1	DOVER - - St. Mary - - (re-named Dover).	64 2	Dover Municipal Borough (<i>part of</i>). viz.:— Dover Civil parish (<i>part of</i>). Dover Castle Civil parish.	13,485 839
1 Apr.	DOVER - - Hougham -	64 3	DOVER - - St. Mary - -	64 2	River (<i>part of</i>) added to Dover Municipal Borough and Civil parish.	878
"	EDMONTON - West Tottenham.	129 3	HACKNEY - - North Hackney	10 2	Tottenham (<i>part of</i>) -	112
1 Feb.	On this date the boundaries of the following districts and sub-districts were altered, viz.:—HITCHIN, Hitchin (133 : 2); ST. ALBANS, Harpenden (136 : 1); WATFORD, Rickmansworth (137 : 3); HEMEL HEMPSTEAD, Kings Langley (138 : 1); HEMEL HEMPSTEAD, Flamstead (138 : 3); BERKHAMPSTEAD, Berkhamstead (139 : 1); BERKHAMPSTEAD, Tring (139 : 2); AMERSHAM, Chesham (140 : 2); AMERSHAM, Chalfont (140 : 4); ETON, Eton (141 : 1); ETON, Burnham (141 : 2); AYLESBURY, Aylesbury (143 : 2); AMPHILL, Shillington (173 : 1); LEIGHTON BUZZARD, Edlesborough (175 : 4); LUTON, Dunstable (176 : 1); and LUTON, Luton (176 : 2). The parts transferred were mainly portions of roadway and contained no population. Corrected areas are inserted in the Tables of this Return.					

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1908—*continued.*

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popu-lation, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1908. 1 Jan.	ETON - - - Iver - - - (abolished).	141 1	ETON - - - Eton- - -	141 1	Denham - - - - Iver - - - - Langley Marish - -	1,146 2,623 2,801
"	ETON - - - Iver - - - (abolished).	141 1	ETON - - - Burnham - -	141 2	Fulmer - - - - Gerrard's Cross - -	241 552
1 Apr.	WEST HAM- South East Ham.	186 5	ROMFORD - - Barking Town	189 3	East Ham (<i>parts of</i>) added to Barking Civil parish.	Nil.
"	WEST HAM- North East Ham.	186 6	ROMFORD - - Ilford - -	189 2	East Ham (<i>parts of</i>) added to Ilford Civil parish.	10
"	ROMFORD - - Ilford - -	189 2	WEST HAM- North East Ham.	186 6	Ilford (<i>part of</i>) added to East Ham Civil parish.	Nil.
"	ROMFORD - - Barking Town	189 3	WEST HAM South East Ham.	186 5	Barking (<i>parts of</i>) added to East Ham Civil parish.	Nil.
1 July	COLCHESTER - Colchester. First Ward (abolished).	196 1	COLCHESTER - Colchester, South East (new sub- district).	196 1	Colchester Civil parish and Municipal Borough (<i>part of</i>), viz. :— South Ward - - - East Ward (<i>part of</i>) -	13,253 395
"	COLCHESTER - Colchester, First Ward (abolished).	196 1	COLCHESTER - Colchester, North West (new sub- district).	196 2	Colchester Civil parish and Municipal Borough (<i>part of</i>), viz. :— West Ward (<i>part of</i>) -	6,728
"	COLCHESTER - Colchester, Second Ward, (abolished).	196 2	COLCHESTER - Colchester, South East (new sub- district).	196 1	Colchester Civil parish and Municipal Borough (<i>part of</i>), viz. :— East Ward (<i>part of</i>) -	11
"	COLCHESTER - Colchester, Second Ward (abolished).	196 2	COLCHESTER - Colchester, North West (new sub- district).	196 2	Colchester Civil parish and Municipal Borough (<i>part of</i>), viz. :— North Ward (<i>part of</i>) West Ward (<i>part of</i>) -	6,619 2,217
"	COLCHESTER - Colchester, Third Ward (abolished).	196 3	COLCHESTER - Colchester, South East (new sub- district).	196 1	Colchester Civil parish and Municipal Borough (<i>part of</i>), viz. :— East Ward (<i>part of</i>) -	8,347
"	COLCHESTER - Colchester, Third Ward (abolished).	196 3	COLCHESTER - Colchester, North West (new sub- district).	196 2	Colchester Civil parish and Municipal Borough (<i>part of</i>), viz. :— North Ward (<i>part of</i>)	503

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1908—*continued.*

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1908. 1 Apr.	On this date THINGOE (205) and BURY ST. EDMUNDS (206) Registration Districts were united and called BURY ST. EDMUNDS (205). The arrangement of sub-districts to be as follows:—Rougham (1), Bury St. Edmunds (2), Ixworth (3), and Fornham (4).					
1 July	MUTFORD - - Kessingland - - (re-named Oulton Broad).	218 1	MUTFORD - - Lowestoft - -	218 2	Lowestoft Civil parish and Municipal Borough (part of).	6,465
"	MUTFORD - - Lowestoft - -	218 2	MUTFORD - - Kessingland - - (re-named Oulton Broad).	218 1	Oulton Broad Civil parish and Urban District (part of).	1,215
					Blundeston - - -	737
					Corton - - -	618
					Flixton - - -	76
					Gunton - - -	80
					Oulton - - -	645
1 May	ST. FAITHS - - St. Faiths - -	224 1	NORWICH - - East Wymer - -	225 1	Catton (part of) added to Norwich County Borough and Civil parish.	579
					Sproston (part of) added to Norwich County Borough and Civil parish.	1,610
1 July	CHIPPENHAM - - Corsham - -	244 2	CHIPPENHAM - - Castle Combe - -	244 1	Biddestone - - -	457
					Colerne - - -	1,060
					Slaughterford - - -	75
"	CHIPPENHAM - - Chippenham - -	244 3	CHIPPENHAM - - Corsham - -	244 2	Lacock - - -	1,159
1 Jan.	TAVISTOCK - - Milton Abbot - - (abolished).	280 3	TAVISTOCK - - Tavistock - -	280 2	Mary Tavy - - -	717
"	TAVISTOCK - - Milton Abbot - - (abolished).	280 3	TAVISTOCK - - Lifton - -	280 3	Brentor - - -	493
					Lamerton - - -	640
					Lydford (part of) - - -	237
					Milton Abbot - - -	719
					Sydenham Damerel - -	312
1 June	WEM - - - Prees - - -	354 2	WEM - - - Wem - - -	354 1	Whixall - - -	1,062
1 Jan.	KINGS NORTON - - Kings Norton - -	385 1	KINGS NORTON - - Balsall Heath - - (new sub- district).	385 2	Balsall Heath - - -	38,827
"	KINGS NORTON - - Harborne - - - (re-named Smethwick).	385 4	KINGS NORTON - - Edgbaston - -	385 3	Harborne - - -	10,113
1 July	438.--ASHBOURNE: On this date Ashbourne (1) and Mayfield (2) sub-districts were united and called Ashbourne (1).					

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

**CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1908—continued.**

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popu-lation, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1908. 1 Jan.	NANTWICH - Nantwich -	449 2	NANTWICH- - Wrenbury -	449 4	Coole Pilate - - -	53
"	NANTWICH - Wrenbury -	449 4	NANTWICH- - Nantwich -	449 2	Baddiley - - - -	211
1 July	PRESTWICH - Newton - (abolished).	467 1	PRESTWICH - Newton Heath (new sub-district).	467 5	North Manchester Civil parish and Manchester County Borough (part of), viz.:— Newton Heath Ward	18,327
"	PRESTWICH - Newton - (abolished).	467 1	PRESTWICH - Bradford - (new sub-district).	467 6	Miles Platting Ward -	18,151
"	PRESTWICH - Prestwich -	467 2	PRESTWICH - Blackley -	467 3	North Manchester Civil parish and Manchester County Borough (part of), viz.:— Blackley and Mostyn Ward (part of).	42,968 4,055
1 Oct.	HALIFAX - Elland -	496 3	HALIFAX - Halifax - (re-named Halifax South).	496 2	North Manchester Civil parish and Manchester County Borough (part of), viz.:— Blackley and Mostyn Ward (part of).	73
"	HALIFAX - Sowerby -	496 5	HALIFAX - Northowram - (re-named Halifax North).	496 7	Halifax County Borough and Civil parish (part of), viz.:— Copley Ward (part of)	8
"	HALIFAX - Luddenden - (abolished).	496 6	HALIFAX - Northowram - (re-named Halifax North).	496 7	Halifax County Borough and Civil parish (part of), viz.:— Warley Ward (part of)	1,000
"	HALIFAX - Luddenden - (abolished).	496 6	HALIFAX - Sowerby -	496 5	Halifax County Borough and Civil parish (part of), viz.:— Warley Ward (part of)	1,829
"	HALIFAX - Luddenden - (abolished).	496 6	HALIFAX - Sowerby -	496 5	Luddenden Foot Urban District (part of). Midgley Urban District -	1,442 2,359
The re-numbering of the sub-districts to be as follows:—Brighouse (1), Elland (2), Ripponden (3), Sowerby (4), Halifax South (5), and Halifax North (6).						
1 Jan.	EASINGTON - Wingate -	550 1	EASINGTON - Dawdon -	550 2	Easington - - -	1,731
1 May	LLANDILOFAWR Llandebie (renumbered 6).	596 5	LLANDILOFAWR Llandilo -	596 4	Llandilo Rural (part of) -	144
"	LLANDILOFAWR Llandebie (renumbered 6).	596 5	LLANDILOFAWR Quarter Bach - (new sub-district).	596 5	Quarter Bach - - - Llandilo Rural (part of) -	1,936 1,579

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

ALPHABETICAL INDEX

TO THE
REGISTRAR-GENERAL'S SEVENTY-FIRST ANNUAL
REPORT.

ENGLAND AND WALES.

(1908.)

	PAGES		PAGES
ABORTION, MISCARRIAGE :		ALCOHOLISM AND CIRRHOSIS OF	
Deaths at Ages	309	LIVER	cv
in London	331	ANÆMIA, LEUCOCYTHÆMIA :	
Deaths	392	Deaths by Sexes at Ages ...	300, 301
in Counties	392-398	in London	322, 323
1889-1908	32, 60	Deaths by Sexes	364
per million living ...	33, 61	in Counties	364-370
ABSCESS :		1889-1908	26, 40, 54
Deaths by Sexes at Ages ...	310, 311	per million living ...	27, 41, 55
in London	332, 333	ANÆSTHETICS, Deaths under	
Deaths by Sexes	399	by Sexes at Ages	457, 465
in Counties	399-405	ANASARCA. (See Dropsy.)	
1889-1908	34, 48, 62	ANEURYSM :	
per million living ...	35, 49, 63	Deaths by Sexes at Ages ...	304, 305
ACCIDENTAL DEATHS ...	cxviii	in London	326, 327
by Sexes at Ages from Various		Deaths by Sexes	378
Causes	449-467	in Counties	378-384
(See also the Kinds of Acci-		1889-1908	28, 42, 56
dent.)		per million living ...	29, 43, 57
AGE CONSTITUTION, of Popula-		ANGINA PECTORIS :	
tion	108	Deaths by Sexes at Ages ...	302, 303
in certain British Colonies		in London	324, 325
and foreign countries ...	lxij, 108,	Deaths by Sexes	371
	109	in Counties	371-377
of persons married... ..	xiv	1889-1908	28, 42, 56
changes in among females	xxv	per million living ...	29, 43, 57
AGES at DEATH. (See Deaths.)		ANTHRAX (SPLENIC FEVER) :	
AGES at MARRIAGE. (See Mar-		Deaths by Sexes at Ages ...	296, 297
riages.)		in London	318, 319
ALBUMINURIA. (See Bright's		Deaths by Sexes	350
Disease.)		in Counties	350-356
ALCOHOLISM, DELIRIUM TRE-		1889-1908	22, 36, 50
MENS	cv	per million living ...	23, 37, 51
Deaths by Sexes at Ages ...	298, 299	APOPLEXY, HEMIPLEGIA ...	cxvii
in London	320, 321	Deaths by Sexes at Ages ...	304, 305
Deaths by Sexes	357	in London	326, 327
in Counties	357-363	Deaths by Sexes	378
1889-1908	24, 38, 52	in Counties	378-384
per million living ...	25, 39, 53	1889-1908	28, 42, 56
Deaths per million living, in		per million living ...	29, 43, 57
quinquennia 1871-1905...	21		

	PAGES		PAGES
APPENDICITIS, PERITYPHLITIS	cxix	AUSTRALIAN COMMONWEALTH:	
Deaths by Sexes at Ages	... 306, 307	Birth and Death-rates in each	
in London 328, 329	State, 1881-1908...	... 108, 110
Deaths by Sexes	... 385	(See also names of States.)	
in Counties 385-391		
1901-190830, 44, 58	AUSTRIA, Vital Statistics of,	
per million living	...31, 45, 59	1881-1907 109, 133
AREA of:		AUTHORISED PERSONS, Mar-	
Channel Islands 92	riages before:	
England and Wales 2, 210	in Counties 210, 212
Ireland... 3	per 1,000 marriages, 1899-	
Isle of Man 92	1908 8
Registration Counties	... 210, 212	in London 9
Registration Districts and		in Counties, 1908 12
Sub-Districts 150-209	No. of buildings for mar-	
Scotland 3	riages by xxi
United Kingdom 2		
ARMY, Strength and Mortality			
of, 1869-1908 liv, 93		
ARSENICAL and OTHER METAL-			
LIC POISONING (INDUS-		BANNS (See Marriage, Manner	
TRIAL):		of Solemnisation.)	
Deaths by Sexes at Ages	... 298	BAPTISTS:	
in London 320	No. of buildings for solemnisa-	
Deaths by Sexes	... 357	tion of marriage xxi, 7
1901-1908 26, 40	by authorised person xxi
per million living	... 27, 41		
ARTHRITIS, PERIOSTITIS:		BATHING. (See Drowning.)	
Deaths by Sexes at Ages	... 308, 309	BATTLE:	
in London 330, 331	Deaths from wounds in,	
Deaths by Sexes	... 392	1897-1908... 34, 48
in Counties 392-398	at ages 310
1889-190832, 46, 60	in Counties 399
per million living	...33, 47, 61		
Rheumatoid. (See Rheuma-		BEDSORE. (See Ulcer.)	
toid Arthritis.)		BEEF, Prices of, 1859-1908 95
ASCITES. (See Dropsy.)		BELGIUM, Vital Statistics of,	
ASTHMA, EMPHYSEMA:		1881-1907 109, 139
Deaths by Sexes at Ages	... 304, 305	BIRTHS xxiv
in London 326, 327	by Sexes:	
Deaths by Sexes	... 378	1859-1908 4
in Counties... 378-384	in Counties 148, 149
1889-190830, 44, 58	in Registration Districts and	
per million living	...31, 45, 59	Sub-districts 150-209
ASYLUMS FOR THE INSANE:		in Isle of Man and Channel	
Deaths in 229-280	Islands, 1884-1908 92
ATELECTASIS:		in several Countries 1881-	
Deaths by Sexes at Ages	... 300, 301	1908 lvii, 112-145
in London 322, 323	at sea liv
Deaths by Sexes	... 364	total on Register, 1859-1908	... 91
in Counties 364-370	excess over deaths. (See	
1889-190826, 40, 54	Natural Increase.)	
per million living	...27, 41, 55	legitimate and illegitimate:	
ATROPHY, DEBILITY:		1859-1908 4
Deaths by Sexes at Ages	... 310, 311	in Counties 148, 149
in London 332, 333	in Registration Districts	
Deaths by Sexes	... 399	and Sub-districts 150-209
in Counties 399-405		
1889-190834, 48, 62	BIRTH-RATES:	
per million living	...35, 49, 63	1859-1908 5
Mortality at ages under 5:		in Groups of Years, 1838-1908	... 6
by sexes 74-79	in quarters 6
1903-1907, 1908 84	in Counties, 1898-1907, 1908...	... 14
in Urban and Rural Coun-			
ties 80-83		
(See also Wasting Diseases.)			

	PAGES
BIRTH-RATES—continued.	
in several Countries :	
1881-1908	110-145
in quinquennia 1881-1905, 1906, 1907, 1908	lviii
methods of measuring ...	xxvi
in Urban and Rural Areas ...	xxxix
legitimate	xxvi
to 1,000 living :	
1859-1908... ..	5
in Groups of Years, 1838-1908	6
to 1,000 married women aged 15-45, 1876-1908	xxvii
in Counties, 1870-1908 ...	xxix
in several Countries, 1880-2 to 1900-2 ...	lix
illegitimate	xxxii
to 1,000 living :	
1859-1908... ..	5
in Groups of Years, 1838-1908	6
in 1,000 births :	
1859-1908... ..	5
in Groups of Years, 1838-1908	6
in Counties, 1898-1907, 1908	14
to 1,000 unmarried females 15-45, 1876-1908	xxvii, xxxiii
in Counties	xxxiv
in several Countries, 1880-2 to 1900-2 ...	lx
Sex proportions	xxxii
male births to 1000 female births :	
1859-1908... ..	5
in Counties, 1898-1907, 1908	14
in Groups of Years, 1838-1908	6
BLADDER AND PROSTATE, Diseases of :	
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	385
in Counties	385-391
1889-1908	32, 46, 60
per million living ...	33, 47, 61
BLADDER AND PROSTATE, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London	334, 335
BLOOD VESSELS, Diseases of ...	
Deaths by Sexes at Ages ...	292, 293
in London	304, 305
Deaths by Sexes	314, 315, 326, 327
in Counties	336-342, 378-384
1889-1908	28, 42, 56
per million living ...	29, 43, 57
(See also Heart and Blood Vessels.)	

	PAGES
BLOOD VESSELS, Infective Processes of :	
Deaths by Sexes at Ages ...	312, 313
in London	334, 335
BONES, Diseases of. (See Locomotor System.)	
BONES, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London	334, 335
BRAIN, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London	334, 335
BRAIN, Inflammation of. (See Meningitis.)	
BRAIN, Softening of. (See Softening.)	
BRAIN TUMOUR (not Specific).	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1901-1908	28, 42, 56
per million living ...	29, 43, 57
BREAST MILK, Want of. (See Want of, &c.)	
BRIGHT'S DISEASE, ALBUMINURIA ...	
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	385
in Counties	385-391
1889-1908	32, 46, 60
per million living ...	33, 47, 61
BRIGHT'S DISEASE and ACUTE NEPHRITIS ...	
Deaths per million living in quinquennia, 1871-1905	21
BRITISH COLONIES :	
Birth and Death-rates, 1881-1908	110
(See also Names of Colonies.)	
BRONCHITIS ...	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384, 406-417
per million living ...	66-71
1889-1908	30, 44, 58
per million living ...	31, 45, 59
Deaths per million living in quinquennia, 1871-1905	21
Deaths in Registration Districts	418-448
Deaths under one to 1,000 Births :	
in Counties	88
Mortality at Ages under five :	
by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83

	PAGES
BRONCHITIS— <i>continued</i> .	
Deaths under five to 1,000 living :	
in Counties	89
BRONCHO - PNEUMONIA. (<i>See</i> Pneumonia.)	
BUILDING OPERATIONS :	
Deaths at Ages	310, 449
in London	332
from Various Causes	454
Deaths	399
in Counties	399-405
1901-1908	34, 48
per million living	35, 49
BUILDINGS, Registered for Solemnisation of Marriage	xx, 7
in Counties	7
BULGARIA, Vital Statistics of, 1881-1907	109, 136
BURNS, SCALDS, CONFLAGRATIONS, EXPLOSIONS :	
Deaths by Sexes at Ages	310, 311
in London	332, 333
Accident	449, 461
from Various Causes	455, 464
Murder	470
Suicide	468, 469
Deaths by Sexes	399
in Counties	399-405
1901-1908	34, 48, 62
per million living	35, 49, 63
(<i>See also</i> Mines, &c., Railways and Ships and Boats.)	
CALCULUS (not Biliary) :	
Deaths by Sexes at Ages	306, 307
in London	328, 329
Deaths by Sexes	385
in Counties	385-391
1889-1908	32, 46, 60
per million living	33, 47, 61
CANADA, Province of Ontario : Vital Statistics of 1881-1906	123
CANCER	cvii
Deaths by Sexes at Ages	300, 301
in London	322, 323
per million living, 1903-1907, 1908... ..	cix
in Urban and Rural Counties	cix
mortality by sex and age... ..	cviii
showing parts of body affected, 1901-1908	cx-cxv

	PAGES
CANCER— <i>continued</i> .	
Deaths by Sexes	364
in Counties	364-370, 406-417
per million living	66-71
1889-1908	26, 40, 54
per million living	27, 41, 55
1903-1907, 1908	cvii
in Urban and Rural Counties	cvii
Deaths :	
in Registration Districts	418-448
per million living in quinquennia, 1871-1905	21
in several Countries, 1881-1907	112-145
per 1,000 living, in quinquennia 1881-1905, 1906, 1907, 1908	lxxij
CARBUNCLE. (<i>See</i> Phlegmon.)	
CARCINOMA. (<i>See</i> Cancer.)	
CARIES, NECROSIS :	
Deaths by Sexes at Ages	308, 309
in London... ..	330, 331
Deaths by Sexes	392
in Counties	392-398
1889-1908	32, 46, 60
per million living	33, 47, 61
CAUSES of DEATH :	
Letter to the Registrar-General by Dr. Stevenson	lxxviii
Certification of	xlvi
Inquiries concerning... ..	cxvii
List of	90
(<i>See also</i> Deaths, and Names of Diseases, &c.).	
CENTENARIANS, Deaths of	xlvi
CEREBRAL HÆMORRHAGE, CEREBRAL EMBOLISM	
Deaths by Sexes at Ages	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384
1901-1908	28, 42, 56
per million living	29, 43, 57
CEREBRO-SPINAL FEVER	xc
Deaths by Sexes at Ages	294, 295
in London	316, 317
Deaths by Sexes	343
in Counties	343-349
1888-1907	22, 36, 50
per million living	23, 37, 51
CERTIFICATES :	
Fees received for, 1859-1908	91
Number issued, 1866-1908	lii
CERTIFICATION of CAUSES of DEATH	xlvi
CERTIFIED PLACES of WORSHIP	xxi
CEYLON, Vital Statistics of, 1881-1908	124

	PAGES
CHANGES in REGISTRATION DISTRICTS and SUB-DISTRICTS	499-502
CHANGE in form of PUBLICATION, Proposed	vi, lxxiv
CHANNEL ISLANDS : Area and Population ; Births and Deaths, 1884-1908 ...	92
CHAPELS, Numbers Registered for Solemnisation of Marriage in Registration Counties	7
CHICKEN-POX	
Deaths by Sexes at Ages in London	294, 295 316, 317
Deaths by Sexes in Counties	343 343-349
1889-1908	22, 36, 50
per million living	23, 37, 51
Mortality at ages under five : by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
CHILDBIRTH and PREGNANCY, Accidents of	cxx
Deaths at Ages in London	293, 309 315, 331
Deaths	336, 392
in Counties	336-342, 392-398
1889-1908	32, 60
per million living	33, 61
Deaths from other Causes, associated with Child-birth	xcviii
(See also Puerperal Septic Diseases.)	
CHILD MORTALITY, (Deaths under five)	
per 1,000 living in Counties at Ages, from various Causes : by Sexes	89 74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
CHILI, Vital Statistics of, 1881-1908	145
CHOLERA : (see Diarrhoea, and Diarrhoeal Diseases).	
CHOLERA, Asiatic : Deaths in several countries, 1881-1908... ..	112-145
CHOREA : Deaths by Sexes at Ages in London	302, 303 324, 325
Deaths by Sexes in Counties	371 371-377
1889-1908	28, 42, 56
per million living	29, 43, 57

	PAGES
CHURCH, Established : Marriages according to Rites of : in Counties	210, 212
in 1,000 Marriages : 1859-1908	8
in London	9
in Counties	12
Numbers in Counties... ..	7
CIRRHOSIS OF LIVER	
Deaths by Sexes at Ages in London	306, 307 328, 329
Deaths by Sexes in Counties	385 385-391
1889-1908	30, 44, 58
per million living	31, 45, 59
Deaths per million living, in quinquennia, 1871-1905 and alcoholism	21 cv
CIVIL MARRIAGES. (See Marriages.)	
COAL MINES, Violent Deaths in at Ages, from Various Causes	449 450
COAL, Prices of, 1873-1908	95
COLONIAL VITAL STATISTICS. (See International Vital Statistics.)	
CONFLAGRATIONS. (See Burns.)	
CONGENITAL DEFECTS, HYDROCEPHALUS : Deaths by Sexes at Ages in London	300, 301 322, 323
Deaths by Sexes in Counties	364 364-370
1889-1908	26, 40, 54
per million living	27, 41, 55
Deaths per million living, in quinquennia, 1871-1905	21
Mortality at Ages under five : by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
CONGENITAL HYDROCEPHALUS. (See Congenital Defects.)	
CONGREGATIONALISTS : No. of buildings for solemnisation of marriage	xxi, 7
by authorised person	xxi
CONSOLS, Prices of, 1859-1908	95
CONVICTIONS for Offences against the Registration Acts... ..	li
CONVULSIONS	cxvi
Deaths by Sexes at Ages in London	302, 303 324, 325
Deaths by Sexes in Counties	371 371-377
1889-1908	28, 42, 56
per million living	29, 43, 57

	PAGES		PAGES
CONVULSIONS— <i>continued.</i>		DEATHS— <i>continued.</i>	
Mortality at Ages under five :		in Merchant Service, 1891–	
by Sexes	74–79	1908	liv, 94
1903–1907, 1908	84	in Navy... ..	liv
in Urban and Rural		in Channel Islands and Isle	
Counties	80–83	of Man, 1884–1908	92
Puerperal. (<i>See</i> Puerperal		in several Countries, 1881–	
Convulsions.)		1908	112–145
CONVULSIONS and MENINGITIS :		at Sea	liv
Deaths under one to 1000		per cent. of total in Counties :	
Births in Counties... ..	88	certified by Registered	
Deaths under five to 1000		Medical Practitioners	xlvi
living in Counties	89	certified by Coroners after	
CORD. (<i>See</i> Spinal Cord.)		Inquest... ..	xlvi
CORONERS :		uncertified	xlvi
Proportion of uncertified		total on Register, 1859–1908	91
deaths reported to		(<i>See also</i> Causes of Death,	
(<i>See also</i> Inquests.)		&c.)	
COUNTRY DISTRICTS. (<i>See</i>		DEATH-RATES :	
Rural.)		before and after correction :	
COWPOX. (<i>See</i> Vaccination.)		in Counties	xxxix
CRETINISM, footnote	32, 46, 60	in Several Countries	lxiii
CROUP :		1903–1908 in selected Urban	
Deaths by Sexes at Ages ...	304, 305	and Rural Counties	lxxxi
in London	326, 327	to 1,000 living :	
Deaths by Sexes	378	in Counties	14
in Counties	378–384	by Sexes at 10 groups of	
1889–1908	30, 44, 58	Ages :	
per million living	31, 45, 59	in England and Wales	
Deaths per million living, in		and in selected Urban	
quinquennia, 1871–1905	21	and Rural Counties,	
(<i>See also</i> Diphtheria and		1903–1907, 1908	lxxxii
Croup.)		by Sexes at 12 groups of	
DEATHS	xxxvi	Ages	xxxviii
from Various Causes :		in Counties	19, 20
by Sexes at Ages	294–313	1859–1908	15, 16, 17
(Summary)	292, 293	in groups of years, 1838–	
in London	316–335	1908	18
(Summary)	314, 315	in several Countries	lxiv, lxv
by Sexes :		by Sexes :	
in Counties	343–405	1859–1908	5
(Summary)	336–342	in groups of years, 1838–	
1889–1908... ..	22–62	1908	6
per million living	23–63	in Counties	14
in Registration Districts ...	418–448	in each quarter in groups	
to a million from all		of years, 1838–1908	6
Causes	90	inquennia, 1861–1908	xxxvi
by Sexes at Ages	282	from Various Causes to a	
in Counties	284–290	million living :	
by Sexes :		in quinquennia, 1871–1905... ..	21
in Counties	148, 149	by Sexes, 1889–1908	23–63
1859–1908	4	in Counties, 1908	66–71
in Registration Districts		of Infants under one year.	
and Sub-Districts	150–209	(<i>See</i> Infantile Mortality.)	
in Army at Home and Abroad	liv	of Children under five years.	
1869–1908	93	(<i>See</i> Child Mortality.)	
in Public Institutions	1, 229–280	in Army at Home and Abroad	liv
		1869–1908... ..	93
		in Merchant Service	liv, 94
		from Disease and from	
		Violence, 1891–1908	94
		in Navy	liv, 93
		from Disease and from	
		Violence, 1869–1908	93
		in several Countries :	
		1881–1908	lxi, 110–145
		in quinquennia, 1881, 1905,	
		1906, 1907, 1908	lxi

	PAGES
DEATH-RATES— <i>continued</i> .	
Sex proportions	xxxvii
Male to Female rate :	
1859-1908... ..	5
in groups of years, 1838-1908	6
DEBILITY. (<i>See</i> Atrophy, Debility.)	
DEFECTS, Congenital. (<i>See</i> Congenital Defects.)	
DELIRIUM TREMENS. (<i>See</i> Alcoholism.)	
DENMARK, Vital Statistics of, 1881-1908	108, 126
DENOMINATIONS, Various :	
Buildings for Solemnisation of Marriage	7
DIABETES MELLITUS	cxvi
Deaths by Sexes at Ages	300, 301
in London	322-323
Deaths by Sexes	364
in Counties	364-370
1889-1908	26, 40, 54
per million living	27, 41, 55
Deaths per million living in quinquennia, 1871-1905	21
DIARRHŒA	xcv
Deaths by Sexes at Ages	294, 295
in London	316, 317
Deaths by Sexes	343
in Counties	343-349, 406-417
per million living	66-71
1889-1908	22, 36, 50
per million living	23, 37, 51
Deaths :	
in several Countries	112-145
per million living in Counties, 1898-1907, 1908	73
DIARRHŒAL DISEASES... ..	xcv
Deaths by Sexes in Counties	406-417
in Registration Districts	418-448
Deaths per million living :	
in quinquennia, 1871-1905	21
in Groups of Years, 1838-1908	64
in London	65
Deaths under one to 1,000 births in Counties	88
Deaths under five to 1,000 living in Counties	89
Mortality at Ages under five :	
by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	xcv, 80-83

	PAGES
DIGESTIVE SYSTEM, Diseases of :	
Deaths by Sexes at Ages	292, 293, 306, 307
in London	314, 315, 328, 329
Deaths by Sexes	336, 385
in Counties	336-342, 385-391
1889-1908	30, 44, 58
per million living	31, 45, 59
(<i>See also</i> Enteritis, Hernia, &c.)	
DILATATION of HEART :	
Deaths by Sexes at Ages	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1901-1908	28, 42, 56
per million living	29, 43, 57
DIPHTHERIA	lxxxvi
Deaths by Sexes at Ages	294, 295
in London	316, 317
Deaths by Sexes	343
in Counties	343-349, 406-417
per million living	66-71
1889-1908	22, 36, 50
per million living	23, 37, 51
Deaths :	
in Registration Districts	418-448
per million living :	
in certain towns	xc
inquennia, 1871-1905	21
in Groups of Years 1838-1908	64
in London	65
in Counties, 1898-1907, 1908	72
Deaths in, and admissions to Metropolitan Asylums Board Hospitals, in quinquennia, 1873-1907	lxxxvii
DIPHTHERIA and CROUP	lxxxvii
Areas of excessive mortality	
Deaths per million living, in England and Wales, and in selected Urban and Rural Counties, 1903-7, 1908 :	
at all ages	lxxxvii
under 10 years of age in Urban and Rural Counties, 1901-1908	lxxxix
at 10 age groups	lxxxviii
under 10 years in Counties, 1903-1907, 1908	xc
Deaths under five to 1,000 living in Counties	89
Mortality at Ages under five :	
by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
Deaths in several Countries, 1881-1908... ..	112-145
per 1000 living in quinquennia, 1881-1905, 1906, 1907, 1908	lxix

	PAGES		PAGES
DISTRICTS, Registration :		EMPHYSEMA. (<i>See</i> Asthma.)	
Area ; Population, Marriages, Births and Deaths in...	150-209	EMPLOYMENT, Statistics, 1876- 1908 :	
Index of	474-477	compared with Marriage Rate	viii
Changes in, 1908	499-502	ENDOCARDITIS. (<i>See</i> Valvular Disease.)	
DISTRICTS, Urban :		ENDOCARDITIS, Infective :	
Index of	488-498	Deaths by Sexes at Ages ...	296, 297
DIVORCED PERSONS, Number		in London	318, 319
Re-married	xiii	Deaths by Sexes	350
Average annual number of	xiii	in Counties	350-356
DOCKS, Deaths in. (<i>See</i> Ships, Boats, &c.)		1901-1908	24, 38, 52
DROPSY, ASCITES, ANASARCA :		per million living ...	25, 39, 53
Deaths by Sexes at Ages ...	310, 311	ENTERIC FEVER... ..	xc
in London	332, 333	Areas of excessive mortality	xciii
Deaths by Sexes	399	Deaths by Sexes at Ages ...	294, 295
in Counties	399-405	in London	316, 317
1889-1908	34, 48, 62	per million living 1903- 1907, 1908, in Select- ed Urban and Rural	
per million living ...	35, 49, 63	Counties	xciv
DROWNING :		Deaths by Sexes	343
Deaths by Sexes at Ages ...	310, 311	per million living 1903- 1907, 1908, in Select- ed Urban and Rural	
in London	332, 333	Counties	xciii
Accident	449, 461	in Counties	343-349, 406-417
from Various Causes ...	459, 466	per million living ...	66-71
Murder	470, 471	1889-1908	22, 36, 50
Suicide	468, 469	per million living ...	23, 37, 51
Deaths by Sexes	399	Deaths—	
in Counties	399-405	in Metropolitan Asylums	
1901-1908	34, 48, 62	Board Hospitals, and	
per million living ...	35, 49, 63	admissions thereto, in	
DYSENTERY. (<i>See</i> Diarrhoea.)		quinquennia, 1874- 1908	xcii
EAR, Disease of. (<i>See</i> Otitis.)		in Registration Districts ...	418-448
EAR, MIDDLE, Infective Dis- ease of :		in several Countries, 1881- 1908	112-145
Deaths by Sexes at Ages ...	312, 313	per 1,000 living in quin- quennia, 1881-1905, 1906, 1907, 1908... ..	lxx
in London	334, 335	per million living :	
ECZEMA :		in Counties, 1898-1907, 1908	73
Deaths by Sexes at Ages ...	308, 309	in quinquennia, 1871-1905	21
in London	330, 331	in groups of years, 1838-1908	64
Deaths by Sexes	392	in London	65
in Counties	392-398	ENTERITIS (Not Epidemic) :	
1889-1908	32, 46, 60	Deaths by Sexes at Ages ...	306, 307
per million living ...	33, 47, 61	in London	328, 329
EMBOLISM, THROMBOSIS :		Deaths by Sexes	385
Deaths by Sexes at Ages ...	304, 305	in Counties	385-391
in London	326, 327	1904-1908	30, 44, 58
Deaths by Sexes	378	per million living ...	31, 45, 59
in Counties	378-384	Mortality at Ages under	
1889-1908	28, 42, 56	five :	
per million living ...	29, 43, 57	by sexes	74-79
EMIGRATION :		in Urban and Rural	
Balance on Passenger Move- ment into and out of the United Kingdom, 1895-1908	92	Counties	80-83
		ENTERITIS, Infective. (<i>See</i> Diarrhoea.)	
		EPIDEMIC DIARRHOEA. (<i>See</i> Diarrhoea.)	

	PAGES
EPIDEMIC PNEUMONIA. (<i>See</i> Pneumonia.)	
EPILEPSY cxvi	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1889-1908	28, 42, 56
per million living	29, 43, 57
Deaths per million living in quinquennia, 1871-1905...	21
EPISTAXIS. (<i>See</i> Nose, Diseases of.)	
ERYSIPELAS :	
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
Deaths by Sexes	350
in Counties	350-356
1889-1908	24, 38, 52
per million living	25, 39, 53
Deaths per million living in quinquennia, 1871-1905	21
Mortality at Ages under five:	
by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
ESTABLISHED CHURCH. (<i>See</i> Church.)	
EXCAVATIONS. (<i>See</i> Mines and Quarries.)	
EXECUTION cxix	
Deaths by Sexes at Ages ...	310
Deaths by Sexes	399
in Counties	399-405
1889-1908	34, 48, 62
per million living	35, 49, 63
EXPORTS, value of 1876-1908 compared with marriage rate	viii
EXPLOSIONS. (<i>See</i> Burns)	
EYE, Diseases of :	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1889-1908	28, 42, 56
per million living	29, 43, 57
FALLS:	
Deaths by Sexes at Ages ...	310, 311
in London	332, 333
accident	449, 461
from various Causes	459, 467
manslaughter	473
suicide (jumping from height)	468, 469

	PAGES
FALLS— <i>continued.</i>	
Deaths by Sexes	399
in Counties	399-405
1901-1908	34, 48, 62
per million living	35, 49, 63
FATTY DEGENERATION of HEART :	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1901-1908	28, 42, 56
per million living	29, 43, 57
FEEES RECEIVED for SEARCHES and CERTIFICATES, 1859-1908	91
FEVERS. (<i>See</i> Enteric, Scarlet, &c.)	
FERTILITY RATE. (<i>See</i> Birth- rate.)	
FIBROID DISEASE of LUNG :	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384
1901-1908	30, 44, 58
per million living	31, 45, 59
FINLAND, Vital Statistics of, 1881-1908	109, 130
FLOODING. (<i>See</i> Placenta Prævia.)	
FOREIGN VITAL STATISTICS. (<i>See</i> International Vital Statistics.)	
FRANCE, Vital Statistics of, 1881-1908	109, 140
GALL BLADDER. (<i>See</i> Liver.)	
GANGRENE, SENILE :—	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384
1889-1908	28, 42, 56
per million living	29, 43, 57
GASTRIC CATARRH. (<i>See</i> Gastritis.)	
GASTRIC ULCER cxix	
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	385
in Counties	385-391
1901-1908	30, 44, 58
per million living	31, 45, 59

	PAGES
GASTRITIS, GASTRIC CATARRH :	
Deaths by Sexes at Ages ...	306, 307
in London ...	328, 329
Deaths by Sexes ...	385
in Counties ...	385-391
1901-1908 ...	30, 44, 58
per million living ...	31, 45, 59
Mortality at Ages under five :	
by sexes ...	74-79
1903-7, 1908 ...	84
in Urban and Rural Counties ...	80-83
GASTRO-ENTERITIS :	
Deaths by Sexes at Ages ...	306, 307
in London ...	328, 329
Deaths by Sexes ...	385
in Counties ...	385-391
1901-1908 ...	30, 44, 58
per million living ...	31, 45, 59
Mortality at Ages under five :	
by Sexes ...	74, 79
in Urban and Rural Counties ...	80-83
GASTRO-INTESTINAL CATARRH :	
Mortality at Ages under five :	
by sexes ...	74-79
in Urban and Rural Counties ...	80-83
GENERAL DISEASES ... lxxxii	
Deaths by Sexes at Ages ...	292, 293
in London ...	314, 315
Deaths by Sexes in Counties ...	336-342
GENERAL PARALYSIS of INSANE :	
Deaths by Sexes at Ages ...	302, 303
in London ...	324, 325
Deaths by Sexes ...	371
in Counties ...	371-377
1901-1908 ...	28, 42, 56
per million living ...	29, 43, 57
GENERATIVE and MAMMARY ORGANS, Diseases of :	
Deaths by Sexes at Ages ...	292, 293, 308, 309
in London ...	314, 315, 330, 331
Deaths by Sexes ...	336, 392
in Counties ...	336-342, 392-398
1889-1908 ...	32, 46, 60
per million living ...	33, 47, 61
GERMAN EMPIRE, Vital Statistics of, 1881-1907 ... 109, 131	
GERMAN MEASLES :—	
Deaths by Sexes at Ages ...	294, 295
in London ...	316, 317
Deaths by Sexes ...	343
in Counties ...	343-349
1889-1908 ...	22, 36, 50
per million living ...	23, 37, 51

	PAGES
GLANDERS :	
Deaths by Sexes at Ages ...	296, 297
in London ...	318, 319
Deaths by Sexes ...	350
in Counties ...	350-356
1889-1908 ...	22, 36, 50
per million living ...	23, 37, 51
GONORRHOEA :	
Deaths by Sexes at Ages ...	296, 297
in London ...	318, 319
Deaths by Sexes ...	350
in Counties ...	350-356
1889-1908 ...	22, 36, 50
per million living ...	23, 37, 51
GOUT ... cvi	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	364
in Counties ...	364-370
1889-1903 ...	26, 40, 54
per million living ...	27, 41, 55
Rheumatic. (<i>See</i> Rheumatoid Arthritis.)	
GUERNSEY and ADJACENT ISLANDS :	
Area and Population ; Births and Deaths, 1884-1908 ...	92
HÆMOPHILIA :	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	364
in Counties ...	364-370
1901-1908 ...	26, 40, 54
per million living ...	27, 41, 55
HÆMORRHAGE :	
Deaths by Sexes at Ages ...	310, 311
in London ...	332, 333
Deaths by Sexes ...	399
in Counties ...	399-405
1889-1908 ...	34, 48, 62
per million living ...	35, 49, 63
HÆMORRHAGIC DIATHESIS. (<i>See</i> Hæmophilia.)	
HEART, Diseases of ... cxvii	
Deaths by Sexes at Ages ...	292, 293, 302, 303
in London ...	314, 315, 324, 325
Deaths by Sexes ...	336, 371
in Counties ...	336-342, 371-377
1889-1908 ...	28, 42, 56
per million living ...	29, 43, 57
HEART, Rheumatism of. (<i>See</i> Rheumatic Fever.)	
HEART and BLOOD VESSELS, Diseases of :	
Deaths per million living in quinquennia, 1876-1905...	21

	PAGES
HEMIPLEGIA. (<i>See</i> Apoplexy.)	
HERNIA :	
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	385
in Counties	385-391
1889-1908	30, 44, 58
per million living ...	31, 45, 59
HOLLAND. (<i>See</i> Netherlands.)	
HOMICIDE	cxxix
Deaths by Sexes at Ages ...	310, 311
in London	332, 333
Deaths by Sexes	399
in Counties	399-405
1889-1908	34, 48, 62
per million living ...	35, 49, 63
(<i>See also</i> Manslaughter, Murder.)	
HORSES, Deaths caused by :	
by Sexes at Ages ...	449, 452, 461, 462
HOSPITALS, Deaths in ...	229-280
HUNGARY, Vital Statistics of,	
1881-1908	109, 134
HYDROCEPHALUS :	
Acute (<i>See</i> Meningitis, Tuberculous.)	
Congenital. (<i>See</i> Congenital Defects.)	
HYDROPHOBIA. (<i>See</i> Rabies.)	
HYPERTROPHY of HEART :	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1889-1908	28, 42, 56
per million living ...	29, 43, 57
IDIOT ASYLUMS, Deaths in ...	229-280
ILL-DEFINED CAUSES OF DEATH	cxxvii
Deaths by Sexes at Ages ...	292, 293
in London	310, 311
Deaths by Sexes	314, 315, 332, 333
Deaths by Sexes	336, 399
in Counties	336-342, 399-405
1889-1908	34, 48, 62
per million living ...	35, 49, 63
Inquiries concerning... ..	cxxviii
ILLEGITIMATE BIRTHS. (<i>See</i> Births.)	
ILLEGITIMATE CHILDREN,	
Deaths of. (<i>See</i> Infantile Mortality.)	

	PAGES
ILLITERATE MARRIAGES. (<i>See</i> Marriages, Signature by Mark.)	
IMBECILE ASYLUMS, Deaths in	229-280
"IMMATURITY" :	
Deaths due to, in quinquennia, 1886-1905, 1906, 1907, 1908	xliii
IMMIGRATION, Balance of Passenger Movement into and out of the United Kingdom, 1895-1908	92
INDEX of :	
Registration Districts and Sub-districts	474
Urban Districts	488
INDUSTRIAL POISONING :	
(<i>See</i> Arsenic, Lead, Phosphorus.)	
INFANTILE MORTALITY	xl, cxxi
1859-1908	5
in Counties :	
in quinquennia, 1876-1905, 1906, 1907, 1908	xlii
1898-1907, 1908	14
in Groups of Years, 1838-1908	64
in London	65
in several Countries	lxvii, cxxi
1881-1908	112-145
1881-1905, 1906, 1907, 1908	lxvii
from several Causes :	
in Counties	88
at Ages, 1903-1907, 1908 ...	84
by Sexes at Ages	cxxiv, 74-79
in Urban and Rural Counties	cxxvi, 80-83
effect of Temperature and Rainfall on	xli
High and Low Rates in Towns	xlvi, xlv
Legitimate and Illegitimate... ..	cxxiv, 85-87
INFECTIVE ENDOCARDITIS. (<i>See</i> Endocarditis, Infective.)	
INFECTIVE ENTERITIS. (<i>See</i> Diarrhoea.)	
INFECTIVE PROCESSES :	
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
showing part affected ...	312, 313
in London	334, 335
Deaths by Sexes	350
in Counties	350-356
1901-1908	24, 38, 52
per million living ...	25, 39, 53
INFIRMARIES, Deaths in ...	229-280
INFLAMMATION of the BRAIN. (<i>See</i> Meningitis.)	

	PAGES		PAGES
INFLUENZA	lxxxv	INTESTINES, Ulceration of :	
Deaths by Sexes at Ages ...	294, 295	Deaths by Sexes at Ages ...	306, 307
in London	316, 317	in London	328, 329
Deaths by Sexes	343	Deaths by Sexes	385
in Counties	343-349, 406-417	in Counties	385-391
per million living	66-71	1889-1908	30, 44, 58
1889-1908	22, 36, 50	per million living ...	31, 45, 59
per million living	23, 37, 51		
Deaths in Registration Dis-		IRELAND :	
tricts	418-448	Age Constitution of Popula-	
		tion	108
INJURY at BIRTH :		Area ; Population, 1859-1908	3
Deaths by Sexes at Ages ...	300, 301	Vital Statistics, 1881-1908 ...	115
in London	322, 323		
Deaths by Sexes	364	ISLANDS in BRITISH SEAS :	
in Counties	364-370	Area and Population ; Births	
1889-1908	26, 40, 54	and Deaths, 1884-1908 ...	92
per million living	27, 41, 55		
Mortality at Ages under five :		ISLE OF MAN :	
by Sexes	74-79	Area and Population ; Births	
1903-1907, 1908	84	and Deaths, 1884-1908 ...	92
in Urban and Rural Coun-			
ties	80-83	ITALY, Vital Statistics of, 1881-	
		1908	109, 143
INQUESTS	xlvi		
in England and Wales and in		JAMAICA, Vital Statistics of,	
Counties	406-417	1881-1908	125
in Registration Districts ...	418-448		
Per cent. of total Deaths in		JAPAN, Vital Statistics of, 1881-	
Counties... ..	xlvi	1907	144
INQUIRIES to MEDICAL PRAC-		JERSEY :	
TITIONERS	cxviii	Area and Population ; Births	
		and Deaths, 1884-1908 ...	92
INSANITY :			
Deaths by Sexes at Ages ...	302, 303	JEWISH MARRIAGES	xxiv
in London	324, 325	in London Districts	xxiv
Deaths by Sexes	371	(See also Marriages—Manner	
in Counties	371-377	of Solemnisation.)	
1901-1908	28, 42, 56		
per million living	29, 43, 57	JOINTS, Infective Diseases of :	
		Deaths by Sexes at Ages ...	312, 313
INSTITUTIONS, Deaths in	1, 229-280	in London	334, 335
INTERNATIONAL VITAL STA-		KIDNEY, Diseases of :	
TISTICS	lv	(See Nephritis, &c.)	
Birth- and Death-rates in			
several Countries, 1881-		KIDNEY, Infective Diseases of :	
1908	108-145	Deaths by Sexes at Ages ...	312, 313
(See also Names of Countries).		in London	334, 335
INTESTINAL OBSTRUCTION :			
Deaths by Sexes at Ages ...	306, 307		
in London	328, 329		
Deaths by Sexes	385		
in Counties	385-391		
1889-1908	30, 44, 58		
per million living	31, 45, 59		
INTESTINES, Diseases of :			
Deaths by Sexes at Ages ...	306, 307		
in London	328, 329		
Deaths by Sexes	385		
in Counties	385-391		
1901-1908	30, 44, 58		
per million living	31, 45, 59		
Infective diseases of :			
Deaths by Sexes at Ages ...	312, 313		
in London	334, 335		

	PAGES
LARYNGISMUS STRIDULUS :	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1889-1908	28, 42, 56
per million living ...	29, 43, 57
LARYNGITIS	cxviii
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384
1901-1908	30, 44, 58
per million living ...	31, 45, 59
Mortality at Ages under five :	
by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
LARYNGITIS, Membranous :	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384
1901-1908	30, 44, 58
per million living ...	31, 45, 59
LARYNX, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London	334, 335
LARYNX and TRACHEA, Dis- eases of :	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	378
in Counties	378-384
1889-1908	30, 44, 58
per million living ...	31, 45, 59
LEAD POISONING (Industrial):	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	357
in Counties	357-363
1889-1908	26, 40, 54
per million living ...	27, 41, 55
LEGITIMATE BIRTHS. (See Births.)	
LEGITIMATE CHILDREN, deaths among. (See Infantile Mortality.)	
LEUCOCYTHÆMIA. See Anæmia.)	
LICENCE, Marriages by :	
(See Marriages, Manner of Solemnisation.)	
LIVER, Diseases of	cxix
Deaths by Sexes at Ages ...	306, 307
in London	328, 329

	PAGES
LIVER, Diseases of— <i>continued</i> .	
Deaths by Sexes	385
in Counties	385-391
1889-1908	30, 44, 58
per million living ...	31, 45, 59
Infective Diseases of :	
Deaths by Sexes at Ages ..	312, 313
in London	334, 335
LOBAR PNEUMONIA. (See Pneumonia.)	
LOCOMOTOR ATAXY :	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	371
in Counties	371-377
1901-1908	28, 42, 56
per million living ...	29, 43, 57
LOCOMOTOR SYSTEM, Diseases of :	
Deaths by Sexes at Ages ...	292, 293, 308, 309
in London	314, 315, 330, 331
Deaths by Sexes	336, 392
in Counties	336-342, 392-398
1889-1908	32, 46, 60
per million living ...	33, 47, 61
(See also Arthritis, Caries, &c.)	
LUNATIC ASYLUMS, Deaths in	229-280
LUNG, Diseases of :	
(See Respiratory System.)	
LUNG, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London	334, 335
LUPUS :	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	357
in Counties	357-363
1889-1908	24, 38, 52
per million living ...	25, 39, 53
LYMPHATIC SYSTEM, Diseases of :	
Deaths by Sexes at Ages ...	292, 293, 306, 307
in London	314, 315, 328, 329
Deaths by Sexes	336, 385
in Counties	336-342, 385-391
1889-1908	32, 46, 60
per million living ...	33, 47, 61
MACHINERY, Deaths caused by :	
by Sexes at Ages	310, 311, 449, 461
in London	332, 333
from Various Causes ...	454, 463, 468

	PAGES
MACHINERY, Deaths caused by— <i>continued.</i>	
by Sexes	399
in Counties	399-405
1901-1908	34, 48, 62
per million living ...	35, 49, 63
(See also Mines, &c., Ships and Boats.)	
MALARIA :	
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
Deaths by Sexes	350
in Counties	350-356
1889-1908	22, 36, 50
per million living ...	23, 37, 51
Deaths per million living in quinquennia, 1871-1905...	21
MALIGNANT DISEASE. (See Cancer.)	
MAMMARY ORGANS, Diseases of. (See Generative.)	
MANIA, Puerperal. (See Puer- peral Mania.)	
MANSLAUGHTER... ..	cxxix
Deaths by Sexes at Ages by Various Methods ...	472, 473
MARASMUS. (See Atrophy, De- bility.)	
MARINE REGISTER BOOK :	
Births and Deaths at Sea ...	liv
MARRIAGE ACT, 1898 :	
Number and Denomination of Buildings registered under	xx
Marriages before persons authorised under, 1859- 1908	xxi, 8
in London	9
MARRIAGES	vii
1859-1908	4
in Counties	148, 149
in Quarters	211, 213
in Registration Districts ...	150-209
in several Countries, 1881- 1908	lv, 112-145
in Counties	211, 213
Divorced Persons re-married	xiii
Ages at Marriage	xiv, 214-220
in London	222-228
Unstated Ages	xiv
Mean Age at Marriage ...	xvii
Age-constitution of Persons at Marriage, 1886-1908	xv, xvi
Minors	xvi
in Counties	211, 213
Manner of Solemnisation ...	xxii
in Counties	210, 212

	PAGES
MARRIAGES— <i>continued.</i>	
Buildings registered for Solemnisation of ...	xx, 7
Signature by Mark in Register	xix
in Counties	211, 213
Total on Register 1859-1908	91
MARRIAGE-RATES :	
to 1,000 living :	
1859-1908	5
1876-1908	x
in Counties, 1898-1907, 1908	13
in groups of years, 1838- 1908	6
in Quarters	6
in several Countries :	
1881-1908... ..	112-145
1881-1905, 1906, 1907, 1908	lvi
to 1,000 Marriageable Persons	viii, x
1876-1908	viii, x
in Counties, 1870-1908 ...	xi
in several Countries, 1880-2 to 1900-2	lvii
in 1,000 Marriages :	
First Marriages and Re- marriages	xiii
1859-1908... ..	10
in London	11
Minors by Sexes	xvi
1859-1908... ..	10
in London	11
in Counties, 1898-1907, 1908	13
Manner of Solemnisation :	
1859-1908... ..	8
in London	9
in Counties	12
Signature by Mark, by Sexes	xix
1859-1908... ..	10
in London	11
in Counties, 1898-1907, 1908	13
Methods of Measuring ...	viii
Corrected for Age-constitu- tion, 1880-1908	xii
and value of Exports, 1876-1908	viii
and employment, 1876-1908	viii
MARRIED WOMEN, Age Propor- tion of :	
in England and Wales ...	xxv
in certain large towns ...	xxx
MASTOID DISEASE. (See Otitis.)	
MEASLES	lxxxiii
Deaths by Sexes at Ages ...	294, 295
in London	316, 317
Deaths by Sexes	343
in Counties	343-349, 406-417
per million living ...	66-71
1889-1908	22, 36, 50
per million living ...	23, 37, 51

	PAGES		PAGES
MEASLES—continued.		MENINGITIS and CONVULSIONS :	
Deaths :		Deaths under one to 1,000	
in Registration Districts ...	418-448	births in Counties ...	88
in several Countries, 1881-1908 ...	112-145	Deaths under five to 1,000	
per 1,000 living, in quinquennia, 1881-1905, 1906, 1907, 1908 ...	lxviii	living in Counties ...	89
per million living :		MENSTRUATION, Disorders of :	
in quinquennia 1871-1905 ...	21	Deaths at Ages ...	309
in groups of years, 1838-1908 ...	64	in London ...	331
in London ...	65	Deaths ...	392
in Counties, 1898-1907, 1908 ...	72	in Counties ...	392-398
Deaths under one to 1,000		1889-1908 ...	32, 60
Births in Counties ...	88	per million living ...	33, 61
Deaths under five to 1,000		MERCANTILE MARINE :	
living in Counties ...	89	Mortality and Numbers Employed, 1891-1908 ...	liv, 94
Mortality at Ages under five :		METALLIC POISONING, Industrial. (See Arsenic Poisoning.)	
by Sexes ...	74-79	METEOROLOGICAL TABLES :	
1903-1907, 1908 ...	84	Greenwich Observatory :	
in Urban and Rural Counties ...	80-83	1859-1908 ...	96, 97
German. (See German Measles.)		in Quarters, 1908 ...	98, 99
MEAT : Prices of Beef and Mutton, 1859-1908 ...	95	in Months, 1908 ...	100, 101
MEMBRANOUS CROUP. (See Diphtheria.)		at Various Places ...	102-107
MEMBRANOUS LARYNGITIS. (See Laryngitis.)		METEOROLOGY :	
MENINGITIS :		Remarks by Dr. Shaw ...	cxix
Deaths by Sexes at Ages ...	302, 303	METHODISTS :	
in London ...	324, 325	No. of buildings for solemnisation of marriage ...	xxi, 7
Deaths by Sexes ...	371	by authorised person ...	xxi
in Counties ...	371-377	METROPOLITAN ASYLUMS BOARD :	
1889-1908 ...	28, 42, 56	Deaths in Hospitals and Asylums of ...	232-245
per million living ...	29, 43, 57	Admissions to, and deaths in Hospitals 1874-1908, of persons suffering from :	
Mortality at Ages under five :		diphtheria ...	lxxxvii
by Sexes ...	74-79	enteric fever ...	xcii
1903-1907, 1908 ...	84	scarlet fever ...	lxxxiv
in Urban and Rural Counties ...	80-83	MIGRATION, Balance of Passenger Movement, United Kingdom, 1895-1908 ...	
MENINGITIS, Tuberculous ...	ciii		92
Deaths by Sexes at Ages ...	298, 299	MILK, Want of Breast. (See Want of, &c.)	
in London ...	320, 321	MINES and QUARRIES, Violent Deaths in :	
Deaths by Sexes ...	357	at Ages ...	310, 449
in Counties ...	357-363, 406-417	by Sexes, 1901-1908 ...	34, 48, 62
per million living ...	66-71	per million living ...	35, 49, 63
1889-1908 ...	24, 38, 52	Deaths ...	399
per million living ...	25, 39, 53	in Counties ...	399-405
Deaths :		from Various Causes ...	450
in Registration Districts ...	418-448	MINORS, Marriages of. (See Marriages and Marriage-rates.)	
Mortality at Ages under five :		MISCARRIAGE. (See Abortion.)	
by Sexes ...	74-79	MORBILLI. (See Measles.)	
1847-1908 ...	ciii		
1903-1907, 1908 ...	84		
in Urban and Rural Counties ...	80-83		

	PAGES		PAGES
MORPHIA HABIT. (<i>See</i> Opium.)		NERVOUS SYSTEM, Diseases of :	
MORTALITY. (<i>See</i> Death-rates.)		Deaths by Sexes at Ages ...	292, 293, 302, 303
MOTOR VEHICLES :		in London ...	314, 315, 324, 325
Accidental Deaths by Sexes		Deaths by Sexes ...	336, 371
at Ages	452, 462	in Counties ...	336-342, 371-377
Suicide	468	1889-1908 ...	28, 42, 56
Murder	470	per million living ...	29, 43, 57
		(<i>See also</i> Meningitis, Epilepsy, &c.)	
MOUTH, Diseases of :		NETHERLANDS, Vital Statistics	
Deaths by Sexes at Ages ...	306, 307	of, 1881-1908 ...	109, 138
in London	328, 329		
Deaths by Sexes	385	NEURITIS :	
in Counties	385-391	Deaths by Sexes at Ages ...	302, 303
1901-1908	30, 44, 58	in London	324, 325
per million living ...	31, 45, 59	Deaths by Sexes	371
MOUTH, Infective Diseases of :		in Counties	371-377
Deaths by Sexes at Ages ...	312, 313	1901-1908	28, 42, 56
in London	334, 335	per million living ...	29, 43, 57
MUMPS :			
Deaths by Sexes at Ages ...	294, 295	NEW SOUTH WALES, Vital	
in London	316, 317	Statistics of, 1881-1908 ...	108, 116
Deaths by Sexes	343		
in Counties	343-349	NEW ZEALAND, Vital Statistics	
1889-1908	22, 36, 50	of, 1881-1908	108, 122
per million living ...	23, 37, 51		
MURDER	cxxix	NONCONFORMIST MARRIAGES.	
Deaths by Sexes at Ages by		(<i>See</i> Marriages, Manner of	
Various Methods	470, 471	Solemnisation.)	
MUTTON, Prices of, 1859-1908	95	NORWAY, Vital Statistics of,	
MYXEDEMA, footnote	32, 46, 60	1881-1908	127
NAMES, NUMBERS on REGIS-		Nose, Diseases of :	
TERS, 1859-1908	91	Deaths by Sexes at Ages ...	302, 303
NATURAL INCREASE :		in London	324, 325
Rate of, 1876-1907	xxxv	Deaths by Sexes	371
Rate of, in several Countries,		in Counties	371-377
1881-1905, 1906, 1907, 1908	lxvi	1889-1908	28, 42, 56
		per million living ...	29, 43, 57
NAVY :			
Mortality from Disease and		NOT SPECIFIED CAUSES.	
from Violence, 1869-1908	liv, 93	(<i>See</i> Ill-defined Causes of	
NECROSIS. (<i>See</i> Caries.)		Death.)	
NEGLIGENCE, Deaths from.			
(<i>See</i> Accidental Deaths.)		OBSTRUCTION, Intestinal. (<i>See</i>	
NEPHRITIS AND BRIGHT'S DISEASE :		Intestinal Obstruction.)	
Deaths per million living in		ŒSOPHAGUS, Diseases of. (<i>See</i>	
quinquennia 1871-1905 ...	2i	Mouth.)	
NEPHRITIS, URÆMIA	cxx		
Deaths by Sexes at Ages ...	306, 307	OLD AGE :	
in London	328, 329	Deaths by Sexes at Ages ...	310, 311
Deaths by Sexes	385	in London	332, 333
in Counties	385-391	Deaths by Sexes	399
1889-1908	32, 46, 60	in Counties	399-405
per million living ...	33, 47, 61	1889-1908	34, 48, 62
		per million living ...	35, 49, 63
		Deaths per million living, in	
		quinquennia, 1871-1905...	21
		ONTARIO, Province of :	
		Vital Statistics of 1881-1906	123
		OPHTHALMIA. (<i>See</i> Eye, Dis-	
		eases of.)	

	PAGES
OPIUM-, MORPHIA-HABIT :	
Deaths by Sexes at Ages ...	298, 299
in London ...	320, 321
Deaths by Sexes ...	357
in Counties ...	357-363
1901-1908 ...	26, 40, 54
per million living ...	27, 41, 55
OTITIS, Mastoid Disease :	
Deaths by Sexes at Ages ...	302, 303
in London ...	324, 325
Deaths by Sexes ...	371
in Counties ...	371-377
1889-1908 ...	28, 42, 56
per million living ...	29, 43, 57
OVARIAN TUMOUR. (See Ovary, Diseases of.)	
OVARY, Diseases of ...	cxv
Deaths at Ages ...	309
in London ...	331
Deaths ...	392
in Counties ...	392-398
1889-1908 ...	32, 60
per million living ...	33, 61
(See also Uterus and Ovary.)	
PARALYSIS OF INSANE. (See General Paralysis of Insane.)	
PARAPLEGIA. (See Spinal Cord.)	
PARASITIC DISEASES :	
Deaths by Sexes at Ages ...	298, 299
in London ...	320, 321
Deaths by Sexes ...	357
in Counties ...	357-363
1889-1908 ...	24, 38, 52
per million living ...	25, 39, 53
PAUPERS :	
In-door and Out-door, per 1,000 population, 1859-1908 ...	95
PELVIC CELLULITIS :	
Deaths of Females at Ages ...	313
in London ...	335
PEMPHIGUS :	
Deaths by Sexes at Ages ...	308, 309
in London ...	330, 331
Deaths by Sexes ...	392
in Counties ...	392-398
1889-1908 ...	32, 46, 60
per million living ...	33, 47, 61
PERICARDITIS :	
Deaths by Sexes at Ages ...	302, 303
in London ...	324, 325
Deaths by Sexes ...	371
in Counties ...	371-377
1889-1908 ...	28, 42, 56
per million living ...	29, 43, 57
PERIOSTITIS. (See Arthritis.)	

	PAGES
PERIPHERAL NEURITIS. (See Neuritis.)	
PERITONEUM, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London ...	334, 335
PERITONITIS (not PUERPERAL or TUBERCULOUS) ...	cxix
Deaths by Sexes at Ages ...	306, 307
in London ...	328, 329
Deaths by Sexes ...	385
in Counties ...	385-391
1889-1908 ...	30, 44, 58
per million living ...	31, 45, 59
PERITONITIS, TUBERCULOUS ...	civ
Deaths by Sexes at Ages ...	298, 299
in London ...	320, 321
Deaths by Sexes ...	357
in Counties ...	357-363, 406-417
per million living ...	66-71
1901-1908 ...	24, 38, 52
per million living ...	25, 39, 53
1847-1908—	
per 100,000 living under five ...	ciii
Deaths :	
in Registration Districts ...	418-448
PERITONITIS, TUBERCULOUS, and TABES MESENTERICA :	
Deaths by Sexes, 1889-1908 ...	24, 38, 52
per million living ...	25, 39, 54
Mortality at Ages under five :	
by Sexes ...	74-79
1903-1907, 1908 ...	84
in Urban and Rural Counties ...	80-83
PERITYPHLITIS. (See Appendicitis.)	
PHAGEDÆNA :	
Deaths by Sexes at Ages ...	296, 297
in London ...	318, 319
Deaths by Sexes ...	350
in Counties ...	350-356
1889-1908 ...	24, 38, 52
per million living ...	25, 39, 53
PHARYNX, Diseases of. (See Mouth.)	
PHARYNX, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London ...	334, 335
PHLEBITIS :	
Deaths by Sexes at Ages ...	304, 305
in London ...	326, 327
Deaths by Sexes ...	378
in Counties ...	378-384
1889-1908 ...	28, 42, 56
per million living ...	29, 43, 57
PHLEGMASIA ALBA DOLENS. (See Puerperal Septic Diseases.)	

	PAGES
PHLEGMON, CARBUNCLE :	
Deaths by Sexes at Ages ...	296, 297
in London ...	318, 319
Deaths by Sexes ...	350
in Counties ...	350-356
1889-1908 ...	24, 38, 52
per million living ...	25, 39, 53
PHOSPHORUS, Poisoning by (Industrial) :	
Deaths by Sexes at Ages ...	298, 299
in London ...	320, 321
Deaths by Sexes ...	357
in Counties ...	357-363
1901-1908 ...	26, 40, 54
per million living ...	27, 41, 55
PTHISIS...	c
Deaths by Sexes at Ages ...	298, 299
per million living, 1903-1907, 1908 ...	ci
in Urban and Rural Counties ...	ci
in London ...	320, 321
Deaths by Sexes ...	357
per million living, 1903-1907, 1908 ...	c
in Urban and Rural Counties ...	c
in Counties ...	357-363, 406-417
per million living ...	66-71
1889-1908 ...	24, 38, 52
per million living ...	25, 39, 53
Deaths :	
in Registration Districts ...	418-448
per million living : in Counties, 1898-1907, 1908 ...	73
in quinquennia, 1871-1905 ...	21
in several Countries : 1881-1908... ..	112-145
per 1,000 living in quinquennia, 1881-1905, 1906, 1907, 1908 ...	lxxi
PLACENTA PRÆVIA, FLOODING :	
Deaths at Ages ...	309
in London ...	331
Deaths ...	392
in Counties ...	392-398
1889-1908 ...	32, 60
per million living ...	33, 61
PLAGUE :	
Deaths by Sexes ...	294, 343, 347
1889-1908 ...	22, 36, 50
per million living ...	23, 37, 51
PLEURA, Infective Diseases of :	
Deaths by Sexes at Ages ...	312, 313
in London ...	331, 335
PLEURISY ...	cxviii
Deaths by Sexes at Ages ...	304, 305
in London ...	326, 327
Deaths by Sexes ...	378
in Counties ...	378-384
1889-1908 ...	30, 44, 58
per million living ...	31, 45, 59

	PAGES
PNEUMONIA ...	xcvii
Deaths by Sexes at Ages ...	296, 297
per million living, from Lobar- and from Broncho- in London ...	318, 319
Deaths by Sexes ...	350
in Counties ...	350-356, 406-417
per million living ...	66-71
1889-1908 ...	24, 38, 52
per million living ...	25, 39, 53
per million living 1903-1907, 1908 ...	xcix
in Urban and Rural Counties ...	xcix
Deaths :	
in Registration Districts ...	418-448
per million living in quinquennia, 1871-1905 ...	21
Deaths under one to 1,000 births in Counties ...	88
Deaths under five to 1,000 living in Counties ...	89
Mortality at ages under five :	
by Sexes ...	74-79
1903-1907, 1908 ...	84
in Urban and Rural Counties ...	80-83
POISON, Deaths from :	
by Sexes at Ages ...	310, 311
in London ...	332, 333
by Sexes ...	399
in Counties ...	399-405
1901-1908 ...	34, 48, 62
per million living ...	35, 49, 63
by Sexes at Ages and kinds of Poison :	
accident ...	449, 456, 461, 464
manslaughter ...	473
murder ...	471
suicide ...	468, 469
POLY-NEURITIS. (See Neuritis.)	
POPULATION :	
changes in age constitution of, 1871-1901 ...	xxv
in certain British Colonies and Foreign Countries ...	108, 109
enumerated ...	v
in Channel Islands and in Isle of Man, 1881-1901 ...	92
in Counties ...	210, 212
in Registration Districts and Sub-districts ...	150-209
estimated ...	vi
in British Colonies, 1881-1908 ...	116-125
in Counties (England and Wales) 1908 ...	66-71
in England and Wales, 1859-1908 ...	2
in Foreign Countries, 1881-1908 ...	126-145
in Ireland, 1859-1908 ...	3
in Scotland, 1859-1908 ...	3
in United Kingdom, 1859-1908 ...	2
Increase of. (See Natural Increase.)	

	PAGES
PREGNANCY, Accidents of. (<i>See</i> Childbirth.)	
PREMATURE BIRTH :	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	364
in Counties ...	364-370
1889-1908 ...	26, 40, 54
per million living ...	27, 41, 55
Deaths per million living in quinquennia, 1871-1905...	21
Mortality at ages under five :	
by Sexes ...	74-79
1903-1907, 1908 ...	84
in Urban and Rural Counties	80-83
PRESBYTERIANS :	
Number of buildings for Solemnisation of Marriage	7
PRICES; of Consols, Wheat, Meat and Coal, 1859-1908 ...	95
PROSTATE, Diseases of. (<i>See</i> Bladder.)	
PRUSSIA, Vital Statistics of, 1881-1908 ...	109, 132
PUERPERAL CONVULSIONS :	
Deaths at Ages ...	309
in London ...	331
Deaths ...	392
in Counties ...	392-398
1889-1908 ...	32, 60
per million living ...	33, 61
PUERPERAL FEVER. (<i>See</i> Puer- peral Septic Diseases.)	
PUERPERAL MANIA :	
Deaths at Ages ...	309
in London ...	331
Deaths ...	392
in Counties ...	392-398
1889-1908 ...	32, 60
per million living ...	33, 61
PUERPERAL PYÆMIA. (<i>See</i> Puerperal Septic Diseases.)	
PUERPERAL SEPTIC DISEASES	xcvii
Deaths at Ages ...	297
in London ...	319
Deaths ...	350
in Counties ...	350-356
1889-1908 ...	24, 52
per million living ...	25, 53
PUERPERAL SEPTIC DISEASES and CHILDBIRTH :	
Deaths :	
in Counties ...	406-417
per million living ...	67, 71
to 1,000 births, 1898-1907, 1908 ...	73
in Registration Districts ...	418-448
in quinquennia, 1871-1905, per million living ...	21

	PAGES
PULMONARY TUBERCULOSIS (<i>See</i> Phthisis.)	
PURPURA :	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	364
in Counties ...	364-370
1901 to 1908... ..	26, 40, 54
per million living ...	27, 41, 55
PYÆMIA (not Puerperal) ...	xcvii
Deaths by Sexes at Ages ...	296, 297
in London ...	318, 319
Deaths by Sexes ...	350
in Counties ...	350-356
1889-1908 ...	24, 38, 52
per million living ...	25, 39, 53
(<i>See also</i> SEPTICÆMIA.)	
PYREXIA (Origin uncertain) :	
Deaths by Sexes at Ages ...	294, 295
in London ...	316, 317
Deaths by Sexes ...	343
in Counties ...	343-349, 406-417
per million living ...	66-71
1889-1908 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths :	
in Registration Districts ...	418-448
per million living :	
in quinquennia, 1871-1905	21
in groups of years, 1838- 1908 ...	64
in London ...	65
in Counties, 1898-1907, 1908 ...	73
QUAKERS, Marriages of. (<i>See</i> Marriages — Manner of Solemnisation.)	
QUARRIES, Violent Deaths in. (<i>See</i> Mines.)	
QUEENSLAND, Vital Statistics of, 1881-1908 ...	108, 118
QUINSY. (<i>See</i> Tonsillitis.)	
RABIES ...	xcvii
Deaths by Sexes, 1889-1908...	22, 36, 50
per million living ...	23, 37, 51
Deaths per million living in quinquennia, 1871-1905	21
RAILWAYS :	
Accidental Deaths :	
by Sexes at Ages ...	449, 461
from various causes ...	451, 462
Suicide on, by Sexes at Ages	468, 469

	PAGES		PAGES
RAINFALL :		RHEUMATOID ARTHRITIS,	
at Greenwich, 1859-1908 ...	96	RHEUMATIC GOUT :	
in months, 1908 ...	101	Deaths by Sexes at Ages ...	300, 301
in quarters, 1908 ...	99	in London ...	322, 323
at various places ...	103-107	Deaths by Sexes ...	364
REGISTERS :		in Counties ...	364-370
Total Names on, 1859-1908 ...	91	1901-1908 ...	26, 40, 54
Number of Searches and		per million living ...	27, 41, 55
Amount of Fees received,			
1859-1908... ..	91	RICKETS :	
REGISTRATION ACTS :		Deaths by Sexes at Ages ...	300, 301
Convictions for Offences		in London ...	322, 323
against	li	Deaths by Sexes ...	364
Registers made pursuant to	li	in Counties ...	364-370
REGISTRATION COUNTIES :		1889-1908 ...	26, 40, 54
List of selected Urban and		per million living ...	27, 41, 55
Rural	lxxx	Mortality at Ages under five :	
REGISTRATION DISTRICTS and		by Sexes ...	74-79
SUB-DISTRICTS :		1903-1907, 1908 ...	84
Changes in	499-502	in Urban and Rural Coun-	
Index of	474-487	ties	80-83
RELAPSING FEVER :		ROMAN CATHOLIC MARRIAGES :	
Deaths by Sexes at Ages ...	294, 295	in Counties	210, 212
in London	316, 317	Number of Buildings for	
Deaths by Sexes	343	Solemnisation of ...	xxi, 7
in Counties	343-349	Proportion in 1,000 Marriages :	
1889-1908	22, 36, 50	1859-1908	8
per million living ...	23, 37, 51	in London	9
RESPIRATORY SYSTEM :		in Counties	12
Deaths by Sexes at Ages 292, 293, 304,		ROUMANIA, Vital Statistics of,	
305		1881-1908	135
in London	314, 315, 326, 327		
Deaths by Sexes	336, 378	RUBEOLA :	
in Counties	336-342, 378-384	Discontinuance of term ...	lxxxliii
1889-1908	30, 44, 58	RURAL COUNTIES, List of	
per million living ...	31, 45, 59	selected... ..	lxxx
(See also Asthma, Bronchitis,		RURAL DISTRICTS :	
&c.)		Birth-rates in	xxxi
RHEUMATIC FEVER	cvi	RURAL MORTALITY	xlvi
RHEUMATIC FEVER and		Deaths by Sexes to 1,000	
RHEUMATISM of HEART :		living, 1903-1907, 1908... ..	lxxxi
Deaths by Sexes at Ages ...	300, 301	at Ages	lxxxii
in London	322, 323	from Diphtheria and Croup	lxxxvii
Deaths by Sexes	364	at Ages	lxxxviii
in Counties	364-370, 406-417	at Ages under ten, 1901-	
per million living ...	66-71	1908	lxxxix
1889-1908	26, 40, 54	from Enteric Fever ...	xciii
per million living ...	27, 41, 55	at Ages	xciv
Deaths in Registration Dis-		from Pneumonia	xcix
tricts	418-448	from Phthisis	c
Deaths per million living in		at Ages	ci
quinquennia, 1876-1905	21	from Cancer	cvi
RHEUMATISM :		at Ages	cix
Deaths by Sexes at Ages ...	300, 301	Mortality at Ages under five,	
in London	322, 323	from several Causes ...	82
Deaths by Sexes	364	RUSSIA, Vital Statistics of, 1881-	
in Counties	364-370	1903	109, 129
1889-1908	26, 40, 54		
per million living ...	27, 41, 55		
in quinquennia 1876-			
1905	21		

	PAGES
SARCOMA. (<i>See</i> Cancer.)	
SCALDS. (<i>See</i> Burns.)	
SCARLET FEVER... ..	lxxxiv
Deaths by Sexes at Ages ...	294, 295
in London	316, 317
Deaths by Sexes	343
in Counties	343-349, 406-417
per million living	66-71
1889-190822, 36, 50
per million living23, 37, 51
Deaths :	
in Metropolitan Asylums Board Hospitals and admissions thereto, in quinquennia, 1874-1908	lxxxiv
in Registration Districts ...	418-448
in several Countries, 1881-1908	112-145
per 1,000 living, in quinquennia, 1881-1905, 1906, 1907, 1908 ...	lxix
per million living :	
in Counties, 1898-1907, 1908	72
in Quinquennia, 1871-1905 ...	21
in Groups of Years, 1839-1908	64
in London	65
Deaths under five to 1,000 living :	
in Counties	89
Mortality at Ages under five :	
by Sexes	74-79
1903-1907, 1908	84
in Urban and Rural Counties	80-83
SCOTLAND :	
Age Constitution of Population	108
Area, Population, 1859-1908..	3
Vital Statistics of, 1881-1908	114
SCROFULA :	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	357
in Counties	357-363
1901-190824, 38, 52
per million living25, 39, 53
SCURVY :	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	357
in Counties	357-363
1889-190824, 38, 52
per million living25, 39, 53
SEA, Births and Deaths at ...	liv
SEAMEN, Merchant Service :	
Mortality and Numbers Employed, 1891-1908 ...	liv, 94
SEARCHES and CERTIFICATES :	
Fees received for, 1859-1908..	91
Total Searches and Certificates issued, 1866-1908 ...	lii

	PAGES
SENILE DECAY, SENILITY. (<i>See</i> Old Age.)	
SENILE GANGRENE. (<i>See</i> Gangrene.)	
SEPTIC DISEASES :	
Deaths by Sexes	406
in Counties	406-417
per million living	66-71
Deaths in Registration Districts	418-448
SEPTICÆMIA (not PUERPERAL) xcvii	
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
Deaths by Sexes	350
in Counties	350-356
1889-190824, 38, 52
per million living25, 39, 53
SERVIA, Vital Statistics of, 1881-1908	137
SEX PROPORTIONS, 1859-1908 :	
Male to Female Births	5
Male to Female Rate of Mortality	5, 6
SHIPS, BOATS, DOCKS :	
Accidental Deaths(not Drowning) :	
by Sexes at Ages 310, 311, 449, 461	
in London	332, 333
from various Causes 453, 454, 463	
by Sexes	399
in Counties	399-405
1901-190834, 48, 62
per million living35, 49, 63
SIMPLE CONTINUED FEVER. (<i>See</i> Pyrexia.)	
SKIN, Diseases of :	
Deaths by Sexes at Ages ...	292, 293, 308, 309
in London	314, 315, 330, 331
Deaths by Sexes	336, 392
in Counties	336-342, 392-398
1889-190832, 46, 60
per million living33, 47, 61
(<i>See also</i> Eczema, Pemphigus, &c.)	
SMALL-POX	lxxxii
Deaths by Sexes at Ages ...	294, 295
in London	316, 317
Deaths by Sexes	343
in Counties	343-349, 406-417
per million living	66-71
1889-190822, 36, 50
per million living23, 37, 51
Deaths :	
in Registration Districts ...	418-448
in several Countries, 1881-1908	112-145

	PAGES		PAGES
SMALL-POX— <i>continued</i> .		SUB-DISTRICTS, Registration :	
Deaths— <i>continued</i> .		Area, Population, Births and	
per million living :		Deaths	150-209
in Counties, 1898-1907,		Index of	478-487
1908	72	Changes in	499-502
inquinquennia, 1871-1905	21		
in groups of years, 1838-		SUDDEN Deaths (cause unascertained) :	
1908	64	by Sexes at Ages	310, 311
in London	65	in London	332, 333
Mortality at Ages under five :		by Sexes	399
by Sexes	74-79	in Counties	399-405
1903-1907, 1908	84	1889-1908	34, 48, 62
in Urban and Rural		per million living	35, 49, 63
Counties	80-83		
		SUFFOCATION :	
SOFTENING of BRAIN :		Deaths by Sexes at Ages	310, 311
Deaths by Sexes at Ages	302, 303	in London	332, 333
in London	324, 325	Deaths by Sexes	399
Deaths by Sexes	371	in Counties	399-405
in Counties	371-377	1901-1908	34, 48, 62
1889-1908	28, 42, 56	per million living	35, 49, 63
per million living	29, 43, 57		
		Mortality at Ages under five :	
SOUTH AUSTRALIA, Vital Statistics of, 1881-1908... ..	108, 119	by Sexes	74-79
		1903-1907, 1908	84
SPAIN, Vital Statistics of, 1881-1908	109, 142	in Urban and Rural Counties	80-83
SPINAL CORD, Diseases of :		Accidental Deaths :	
Deaths by Sexes at Ages	302, 303	by Sexes at Ages	449, 461
in London	324, 325	from Various Causes	459, 466
Deaths by Sexes	371	Manslaughter	472, 473
in Counties	371-377	Murder	470, 471
1889-1908	28, 42, 56	Suicide (hanging)	468, 469
per million living	29, 43, 57		
		SUICIDE	cxviii
SPLEEN, Diseases of :		Deaths by Sexes at Ages	310, 311
Deaths by Sexes at Ages	306, 307	in London	332, 333
in London	328, 329	by various methods	468, 469
Deaths by Sexes	385	Deaths by Sexes	399
in Counties	385-391	in Counties	399, 405
1889-1908	32, 46, 60	1889-1908	34, 48, 62
per million living	33, 47, 61	per million living	35, 49, 63
SPLENIC FEVER. (<i>See</i> Anthrax.)		SUNSHINE :	
		at Greenwich in months, 1908	100
STARVATION :		at Various Places	102-106
Deaths by Sexes at Ages	298, 299		
in London	320, 321	SUPRA-RENAL CAPSULES, Diseases of :	
Deaths by Sexes	357	Deaths by Sexes at Ages	306, 307
in Counties	357-363	in London	328, 329
1889-1908	24, 38, 52	Deaths by Sexes	385
per million living	25, 39, 53	in Counties	385-391
Mortality under five. (<i>See</i> Want of Breast Milk.)		1889-1908	32, 46, 60
		per million living	33, 47, 61
STOMACH, Diseases of :		SWEDEN, Vital Statistics of,	
Deaths by Sexes at Ages	306, 307	1881-1908	109, 128
in London	328, 329		
Deaths by Sexes	385	SWITZERLAND, Vital Statistics of, 1881-1907	109, 141
in Counties	385-391		
1889-1908	30, 44, 58	SYNCOPE. (<i>See</i> Heart, Diseases of.)	
per million living	31, 45, 59		
		SYPHILIS :	
STOMACH and INTESTINES, Infective diseases of :		Deaths by Sexes at Ages	296, 297
Deaths by Sexes at Ages	312, 313	in London	318, 319
in London	334, 335		

	PAGES		PAGES
SYPHILIS—continued.		TONSIL, Infective Diseases of :	
Deaths by Sexes	350	Deaths by Sexes at Ages ...	312, 313
in Counties	350-356	in London	334, 335
1889-1908	22, 36, 50		
per million living ...	23, 37, 51	TONSILLITIS, Quinsy :	
Mortality at Ages under five :		Deaths by Sexes at Ages ...	306, 307
by Sexes	74-79	in London	328, 329
1903-1907, 1908	84	Deaths by Sexes	385
in Urban and Rural Coun-		in Counties	385-391
ties	80-83	1901-1908	30, 44, 58
		per million living ...	31 45, 59
TABES MESENTERICA	civ	TOWN DISTRICTS. (<i>See</i> Urban	
Deaths by Sexes at Ages ...	298, 299	Counties.)	
in London	320, 321		
Deaths by Sexes	357	TRACHEA. (<i>See</i> Larynx.)	
in Counties	357-363, 406-417		
per million living	66-71	TUBERCULOSIS	c
1889-1908	24, 38, 52		
per million living ...	25, 39, 53	TUBERCULOSIS, General ...	civ
Deaths in Registration Dis-		Deaths by Sexes at Ages ...	298, 299
tricts	418-448	in London	320, 321
Mortality at Ages under five.		Deaths by Sexes	357
(<i>See</i> Peritonitis, Tuber-		in Counties	357-363
culous.)		1889-1908	24, 38, 52
		per million living ...	25, 39, 53
TASMANIA, Vital Statistics of,		TUBERCULOSIS, Pulmonary.	
1881-1908	108, 121	(<i>See</i> Phthisis.)	
TEETHING :		TUBERCULOUS DISEASES :	
Deaths by Sexes at Ages ...	300, 301	Deaths by Sexes :	
in London	322, 323	in Counties	406-417
Deaths by Sexes	364	per million living	66-71
in Counties	364-370	Deaths in Registration Dis-	
1889-1908	26, 40, 54	tricts	418-448
per million living ...	27, 41, 55	Deaths under one to 1,000	
		births in Counties	88
TEMPERATURE		Deaths under five to 1,000	
at Greenwich :		living in Counties	89
1859-1908	96, 97	Mortality at Ages under five :	
in Months	100	by Sexes	74-79
in Quarters	98, 99	1903-1907, 1908	84
at Various Places	102-106	in Urban and Rural Coun-	
		ties	80-8
		(<i>See also</i> Lupus, Phthisis, &c.)	
TESTES, PENIS, Diseases of. (<i>See</i>		TUBERCULOUS MENINGITIS.	
Generative System.)		(<i>See</i> Meningitis Tuberc.)	
TETANUS :		TUBERCULOUS PERITONITIS.	
Deaths by Sexes at Ages ...	296, 297	(<i>See</i> Peritonitis, Tuberc.)	
in London	318, 319		
Deaths by Sexes	350	TUBERCULOUS PHTHISIS. (<i>See</i>	
in Counties	350-356	Phthisis.)	
1889-1908	22, 36, 50		
per million living ...	23, 37, 51	TUMOUR (Organ not stated) :	
		Deaths by Sexes at Ages ...	310, 311
THROMBOSIS. (<i>See</i> Embolism.)		in London	332, 333
		Deaths by Sexes	399
THYROID BODY, Diseases of :		in Counties	399-405
Deaths by Sexes at Ages ...	306, 307	1889-1908	34, 48, 62
in London	328, 329	per million living ...	35, 49, 63
Deaths by Sexes	385	(<i>See also</i> the Organs affected.)	
in Counties	385, 391		
1889-1908	32, 46, 60	TYPHOID FEVER. (<i>See</i> Enteric	
per million living ...	33, 47, 61	Fever.)	

	PAGES		PAGES
TYPHUS :		URBAN MORTALITY ...	xlvi
Deaths by Sexes at Ages ...	294, 295	Deaths by Sexes to 1,000	
in London ...	316, 317	living 1903-1907, 1908 ...	lxxx
Deaths by Sexes ...	343	at Ages ...	lxxxii
in Counties ...	343-349, 406-417	from Diphtheria and Croup ...	lxxxvii
per million living ...	66-71	at Ages ...	lxxxviii
1889-1908 ...	22, 36, 50	at Ages under 10, 1901-	
per million living ...	23, 37, 51	1908 ...	lxxxix
Deaths :		from enteric fever ...	xciii
in Registration Districts ...	418-448	at Ages ...	xciv
per million living :		from pneumonia ...	xcix
in Counties 1898-1907,		from phthisis ...	c
1908 ...	73	at Ages ...	ci
inquinquennia, 1871-1905	21	from cancer ...	cvii
in groups of years, 1838-		at Ages ...	cix
1908... ..	64	Mortality at Ages under five	
in London ...	65	from several causes ...	80
ULCER, Bed sore :		URINARY SYSTEM, Diseases of :	
Deaths by Sexes at Ages ...	308, 309	Deaths by Sexes at Ages ...	292, 293,
in London ...	330, 331		306, 307
Deaths by Sexes ...	392	in London ...	314, 315, 328, 329
in Counties ...	392-398	Deaths by Sexes ...	336, 385
1889-1908 ...	32, 46, 60	in Counties ...	336-342, 385-391
per million living ...	33, 47, 61	1889-1908 ...	32, 46, 60
ULCER (Infective) :		per million living ...	33, 47, 61
Deaths by Sexes at Ages ...	312, 313	(See also Bright's Disease,	
in London ...	334, 335	Nephritis, &c.)	
ULCERATION of INTESTINES.		UTERINE TUMOUR (See Uterus,	
(See Intestines.)		Diseases of.)	
UNCERTIFIED DEATHS...	xlvi	UTERUS and OVARY, Infective	
by Sex, Age and Cause ...	xlxi	Diseases of :	
per cent. of total deaths in		Deaths at Ages ...	313
Counties ...	xlvi	in London ...	335
reported and not reported		UTERUS and VAGINA, Diseases	
to Coroners ...	xlvi	of ...	cxv
UNITARIANS :		Deaths at Ages ...	309
Number of buildings registered		in London ...	331
for marriage ...	7	Deaths ...	392
UNITED KINGDOM ...	lii	in Counties ...	392-398
Area ; Population, 1859-1908	2	1889-1908 ...	32, 60
Passenger Movement, to and		per million living ...	33, 61
from, 1895-1908 ...	92	VACCINATION, Cowpox ...	lxxxii
Vital Statistics of, 1881-1907	112	Deaths connected with :	
URÆMIA. (See Nephritis.)		by Sexes at Ages ...	294, 295
URBAN COUNTIES :		in London ...	316, 317
list of selected ...	lxxx	by Sexes ...	343
URBAN DISTRICTS :		in Counties ...	343-349
Index of ...	488-498	1889-1908... ..	22, 36, 50
Birth-rates in ...	xxxi, xlv, xlvi	per million living ...	23, 37, 51
		Deaths from, to children	
		vaccinated ...	lxxxiii
		Numbers vaccinated per 100	
		births ...	lxxxiii
		VAGINA, Diseases of. (See	
		Uterus.)	

	PAGES
VALVULAR DISEASE, Endocarditis :	
Deaths by Sexes at Ages ...	302, 303
in London ...	324, 325
Deaths by Sexes ...	371
in Counties ...	371-377
1889-1908 ...	28, 42, 56
per million living ...	29, 43, 57
VARICOSE VEINS :	
Deaths by Sexes at Ages ...	304, 305
in London ...	326, 327
Deaths by Sexes ...	378
in Counties ...	378-384
1889-1908 ...	28, 42, 56
per million living ...	29, 43, 57
VEHICLES and HORSES :	
Deaths by Sexes at Ages ...	310, 311
in London ...	332, 333
Deaths by Sexes ...	399
in Counties ...	399-405
1901-1908 ...	34, 48, 62
per million living ...	35, 49, 63
VEHICLES (other than Rail-way.)	
accidental deaths :	
by Sexes at Ages ...	449, 461
from various causes ...	452, 462
manslaughter ...	472, 473
murder ...	470
suicide ...	468, 469
VENEREAL DISEASES :	
Deaths per million living in quinquennia, 1871-1905...	21
(See also Gonorrhoea, Syphilis.)	
VICTORIA, Vital Statistics of,	
1881-1908 ...	108, 117
VIOLENT DEATHS ...	cxviii
by Sexes at Ages from Various Causes ...	449-473
by Sexes at Ages ...	292, 293, 310, 311
in London ...	314, 315, 332, 333
by Sexes ...	336, 399
in Counties ...	336-342, 399-405, 406-417
per million living ...	66-71
1889-1908 ...	34, 48, 62
per million living ...	35, 49, 63
in Registration Districts ...	418-448
(See also Burns, Drowning, &c.)	
WANT OF BREAST MILK :	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	364
in Counties ...	364-370
1889-1908 ...	26, 40, 54
per million living ...	27, 41, 55

	PAGES
WANT OF BREAST MILK— <i>continued.</i>	
Mortality at Ages under five :	
by Sexes ...	74-79
1903-1907, 1908 ...	84
in Urban and Rural Counties ...	80-83
WASTING DISEASES :	
Mortality at Ages under five :	
by Sexes ...	74-79
1903-1907, 1908 ...	84
in Urban and Rural Counties ...	80-83
Deaths under one to 1,000 births in Counties ...	88
WEAPONS and IMPLEMENTS,	
Deaths caused by :	
by Sexes at Ages ...	310, 311
in London ...	332, 333
by Sexes ...	399
in Counties ...	399-405
1901-1908... ..	34, 48, 62
per million living ...	35, 49, 63
Deaths by Sexes at Ages, distinguishing those from gun-shot wounds :	
accident ...	454, 463
manslaughter ...	473
murder ...	470, 471
suicide ...	468, 469
WEATHER AGENCIES, Deaths caused by :	
by Sexes at Ages ...	310, 311, 449, 461
in London ...	332, 333
from several causes ...	459, 467
by Sexes ...	399
in Counties ...	399-405
1901-1908 ...	34, 48, 62
per million living ...	35, 49, 63
WESLEYAN METHODISTS :	
No. of buildings for solemnisation of marriage ...	xxi, 7
by authorised person ...	xxi
WESTERN AUSTRALIA, Vital Statistics of, 1881-1908 ...	108, 120
WHEAT, Prices of :	
1859-1908 ...	95
WHOOPING COUGH ...	lxxxvi
Deaths by Sexes at Ages ...	294, 295
in London ...	316, 317
Deaths by Sexes ...	343
in Counties ...	343-349, 406-417
per million living ...	66-71
1889 to 1908... ..	22, 36, 50
per million living ...	23, 37, 51
Deaths :	
in Registration Districts ...	418-448
in several Countries, 1881-1908 ...	112-145
per 1,000 living in quinquennia, 1881-1905, 1906, 1907, 1908 ...	lxx

	PAGES		PAGES
WHOOPING COUGH— <i>continued.</i>		WIDOWS, WIDOWERS, Numbers	
Deaths— <i>continued.</i>		re-married. (<i>See Marriages</i>	
per million living :		and Marriages— <i>dates, First</i>	
in Counties, 1898–1907,		Marriages and re-marriages)	
1908	72		
in quinquennia, 1871–1905	81	WORKHOUSES, WORKHOUSE IN-	
in groups of years, 1838–		FIRMS AND SCHOOLS :	
1908	61	Deaths in	280
in London	63		
Deaths under one to 1,000		WORSHIP, CERTIFIED PLACES	
births in Counties ...	83	OF	xx
Deaths under five to 1,000			
living in Counties ...	80		
Mortality at Ages under five			
by Sexes	74–79		
1903–1907, 1908	84		
in Urban and Rural Counties	80–83		



